(11) EP 1 225 224 A1

(12)

# EUROPEAN PATENT APPLICATION published in accordance with Art. 158(3) EPC

- (43) Date of publication: 24.07.2002 Bulletin 2002/30
- (21) Application number: 00963041.9
- (22) Date of filing: 02.10.2000

- (51) Int CI.7: C12N 15/12, C07K 14/435, C07K 16/18, C12P 21/02, C12Q 1/68, A61K 38/00, A61K 39/395, A61K 48/00, A61P 9/10, G01N 33/50, G01N 33/53
- (86) International application number: PCT/JP00/06840
- (87) International publication number: WO 01/25427 (12.04.2001 Gazette 2001/15)
- (84) Designated Contracting States:

  AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

  MC NL PT SE

  Designated Extension States:

  AL LT LV MK RO SI
- (30) Priority: 01.10.1999 JP 28097699
- (71) Applicants:
  - KYOWA HAKKO KOGYO CO., LTD. Chiyoda-ku, Tokyo 100-8185 (JP)
  - Nojima, Hiroshi Minoo-shi, Osaka 562-0031 (JP)
- (72) Inventors:
  - NOJIMA, Hiroshi Mino-shi, Osaka 562-0031 (JP)
  - YOSHISUE, Hajime, Kyowa Hakkko Kogyo Co. Ltd. Machida-shi, Tokyo 194-8533 (JP)
  - OBAYASHI, Masaya, Kyowa Hakko Kogyo Co. Ltd. Machida-shi, Tokyo 194-8533 (JP)

- OTA, Toshio, Kyowa Hakko Kogyo Co. Ltd. Machida-shi, Tokyo 194-8533 (JP)
- KAWABATA, Ayako,
   Kyowa Hakko Kogyo Co. Ltd.
   Machida-shi, Tokyo 194-8533 (JP)
- SAKURADA, Kazuhiro, Kyowa Hakko Kogyo Co. Ltd. Machida-shi, Tokyo 194-8533 (JP)
- KUGA, Tetsuro, Kyowa Hakko Kogyo Co. Ltd. Hohu-shi, Yamaguchi 747-8522 (JP)
- SEKINE, Susumu, Kyowa Hakko Kogyo Co. Ltd. Machida-shi, Tokyo 194-8533 (JP)
- NAKAMURA, Yusuke
   Yokohama-shi, Kanagawa 225-0011 (JP)
- SUGANO, Sumio
   Suginami-ku, Tokyo 167-0052 (JP)
- (74) Representative: VOSSIUS & PARTNER Slebertstrasse 4 81675 München (DE)

# (54) SHEAR STRESS-RESPONSE DNA

(57) This invention relates to a novel shear stressresponsive DNA, a protein encoded by the DNA, an antibody against the protein, a method for detecting a shear stress-responsive DNA or protein, a therapeutic agent and a diagnostic agent for vascular diseases caused by arteriosclerosis and a method for screening the therapeutic agent and the diagnostic agent.

EP 1 225 224 A1

#### Description

## Field of the Invention

[0001] This invention relates to novel DNAs obtained by employing the subtraction method while paying attention to mRNAs which show a shear stress-dependent increase of expression in vascular endothelial cells; and proteins encoded by these DNAs. Moreover, this invention also relates to antibodies against the proteins; methods for detecting the proteins and the DNAs; and the diagnosis and treatment of various vascular diseases caused by arteriosclerosis, such as cardiac insufficiency, restenosis after PTCA (percutaneous transluminal coronary angioplasty) and hypertension, and methods for screening an agent for such treatment or diagnosis.

## Background of the Invention

[0002] Conventionally, vascular endothelial cells covering the inner surfaces of blood vessels in the form of a monolayer have been considered to be a mere lining for separating the vascular tissue from blood flowing through the lumen of the blood vessel. However, as a result of the recent progress of research on the vascular endothelium, it has been found that the endothelium has a great diversity of functions which are very important for the living body. These functions include, for example, regulation of the material permeability between blood and tissue, regulation of the tension of the blood vessel, maintenance of an antithrombogenic activity, control of the proliferation of smooth muscle, repair of tissues, inflammatory reaction, and remodeling of the blood vessel. The physical force applied to the vascular wall by a flow of blood is called a shear stress, which is defined by the flow velocity of blood, the viscosity of blood, and the diameter and morphology of the blood vessel. The shear stress acts on the endothelium covering the inner surface of the vascular wall and distorts vascular endothelial cells in the direction of the blood flow. According to investigations made for the last ten years or so, it has been revealed that, similarly to chemical stimuli such as hormones and cytokines, this physical stimulus is closely associated with the morphology of vascular endothelial cells and regulation of the above-described various functions [Cell Technology (in Japanese), 16, 950(1997)].

[0003] In industrially advanced countries including Japan, atherosclerosis is one of the major causes of death of adults. It is known that the malfunction of blood vessels caused by hypercholesteremia, hyperhomocysteinemia, diabetes mellitus and the like is closely related to the development of atherosclerosis and the aggravation of the morbid state [Molecular Cardiovascular Medicine, 49-61(1995)]. On the other hand, it is also known that arteriosclerotic lesions are not uniformly distributed over all blood vessels, but are localized in specific regions such as the outside of a bend in a branched part of a blood vessel. Since such local development is also observed in experimental animal having a genetically increased blood cholesterol level, it is considered that the incorporation of cholesterol into the vascular endothelium occurs in two stages, i.e., local changes of vascular endothelial cells and the actual incorporation of cholesterol [Arterioscler. Thromb., 14, 133-140(1994)]. The cause of such local development has scarcely been clarified. However, since inciplent lesions occur frequently in places where the intensity and direction of a shear stress are not steady, i.e., places where a low shear stress is produced and the separation or stagnation of a flow or turbulence (e.g., eddies) tends to occur, hemodynamic stresses such as shear stresses are considered to be closely related to the development of atherosclerosis. At present, the molecular mechanism by which a shear stress induces arteriosclerosis locally is not clearly understood. However, genes whose expression is altered by applying a shear stress mechanically to vascular endothelial cells cultured in vitro have been searched until now. Thus, it has been found that a shear stress activates various transcription factors such as AP(activator protein)-1 and NF(nuclear factor)-κB, and thereby causes a change of expression of genes under the control of these transcription factors. Up to now, it has been reported that the proteins encoded by genes exhibiting an alteration of expression in response to a shear stress stimulus include growth factors such as PDGF (platelet-derived growth factor) and TGF(transforming growth factor)-β; adhesion factors such as VCAM(vascular cell adhesion molecule)-1 and ICAM(intercellular adhesion molecule)-1; tension control factors such as ET(endothelin)-1; thrombolysis factors such as t-PA (tissue-type plasminogen activator); enzymes such as NOS (nitric oxide synthase) 3, COX (cyclooxygenase) 2 and SOD (superoxide dismutase); and the like [Molecular Medicine Today, 5, 40(1999)]. Thus, the genes responding to a shear stress in an in vitro reconstituted system are believed to include two groups of molecules having different characteristics, i.e., arteriosclerosis induction factors considered to be expressed in at least low shear stress regions of blood vessels in response to a change of shear stress, and molecules suppressing the development of arteriosclerosis in intravascular places where a high shear stress is produced constitutively. However, among the genes presumed to exhibit an alteration of expression in response to a shear stress only some genes have been specifically identified. In order to understand the cause of arteriosclerosis and develop methods for the prevention and treatment thereof, it is necessary to clarify unknown genes responding to a shear stress. In recent years, unknown genes responding to a shear stress have been searched by employing the differential display method or the like, but it involves several problems in that genes whose alteration of expression is of the order of several times cannot be easily obtained and in that the proportion of false positive clones is high [Nucleic

Acids Res., 23, 4520-4523(1995)]. Consequently, the number of genes exhibiting an alteration of expression in response to a shear stress and clarified by the differential display method is not great [Proc. Natl. Acad. Sci. USA, 93, 10417-10422(1996); Proc. Natl. Acad. Sci. USA, 94, 9314-9319(1997); Biochem. Biophys. Res. Comm., 255, 347-351 (1996); Biochem. Biophys. Res. Comm., 246, 881-887(1998); US Patent 5,834,248 (1998); US Patent 5,882,925 (1999)].

[0004] As described above, it is recognized that changes of the shear stress applied to vascular endothelial cells are involved in the local development of atherosclerosis, but the fact is that its molecular mechanism is scarcely understood. Nevertheless, it has been reported for long that a shear stress reduces the turnover of endothelial cells in vivo, i.e., a shear stress acts so as to suppress the cell death of the endothelium [Atherosclerosis, 17, 401-417(1973); Circ. Res., 69, 1557-1565(1991)]. Moreover, there are many reports showing that, in vitro, the apoptosis of endothelial cells induced by TNF-α stimulation, hydrogen peroxide stimulation, growth factor depletion or the like is markedly suppressed by the application of a shear stress [J. Exp. Med., 185, 601-607(1997); FEBS Lett., 399, 71-74(1997); Arterioscler. Thromb. Vas. Biol., 17, 3588-3592(1997); Biochem. Biophys. Res. Commun., 231, 586-590(1997)]. That is, it is believed that, in branched or curved parts of arteries where a low shear stress is produced, the character of endothelial cells changes so as to induce apoptosis and this is a cause defining the locality of an incipient arteriosclerotic lesion. At present, however, little is known about genes participating in the molecular mechanism by which the application of a shear stress suppresses the apoptosis of endothelial cells, namely the signal transduction mechanism.

[0005] The understanding of the molecular mechanism by which vascular endothelial cells respond to a shear stress leads us to learn the mechanism of development of various vascular diseases caused by arteriosclerosis, and the target for treatment. In order to elucidate the signal transduction mechanism, it is necessary to obtain a group of genes which exhibit a shear stress stimulus-dependent alteration of expression in vascular endothelial cells.

[0006] Moreover, the understanding of the molecular mechanism by which the apoptosis of vascular endothelial cells is suppressed in response to a shear stress stimulus leads us to elucidate the mechanism of the local formation of an early lesion of arteriosclerosis and thereby discover remedies for various vascular diseases caused by arteriosclerosis. In order to elucidate the molecular mechanism, it is necessary to obtain genes which exhibit a shear stress stimulus-dependent increase of expression in vascular endothelial cells and have an apoptosis-suppressing activity.

## Summary of the Invention

35

45

50

55

[0007] The present inventors made intensive investigations with a view to solving the above-described problems and have now obtained the following results. Specifically, mRNA derived from cultured vascular endothelial cells having a shear stress applied thereto was used as a template to prepare a cDNA library, and mRNA extracted from endothelial cells having no shear stress applied thereto was subtracted therefrom. Thus, a subtraction library was constructed in which genes exhibiting an increase of expression under shear stress-applied conditions was concentrated. However, since abundance of genes having a low amount of expression are equalized and empty vectors having no inserted fragment are increased in this subtraction library, a reverse subtraction method was newly developed to construct a second-generation subtraction library in which genes exhibiting an alteration of expression in response to a shear stress were concentrated from the subtraction library. Clones present in this second-generation subtraction library were randomly subjected to Northern hybridization, so that a large number of clones exhibiting an increase of expression by the application of a shear stress were obtained. Among these clones, not only the genes already known to exhibit an alteration of expression in response to a shear stress, but also genes presumed to act on the regulation of arteriosclerosis, genes which have not yet been known to be associated with arteriosclerosis, and novel genes were found. Furthermore, peptides encoded by these genes were found. Thus, the present invention has been completed.

[0008] Specifically, the present invention provides the following (1) to (76).

- (1) A DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO: 143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172.
- (2) A shear stress-responsive DNA capable of hybridizing with a DNA having the nucleotide sequence represented by SEQ ID NO:143, 145, 149, 151, 153, 155, 157, 168, 170 or 172 under stringent conditions.
- (3) A shear stress-responsive DNA capable of hybridizing with a DNA having the nucleotide sequence represented by SEQ ID NO:147 under stringent conditions, and having not less than 90% homology with the DNA.
- (4) A DNA having the same sequence as 5 to 60 consecutive bases in a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 149, 153, 155, 157, 168, 170 and 172, or a DNA having a sequence complementary to the DNA.
- (5) A method for detecting an mRNA for a shear stress-responsive gene using a DNA according to any of (1) to (4).
- (6) A diagnostic agent for vascular diseases caused by arteriosclerosis which contains a DNA according to any of (1) to (4).
- (7) A method for detecting a gene causative of arteriosclerosis using a DNA according to any of (1) to (4).

- (8) A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using a DNA according to any of (1) to (4).
- (9) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a DNA according to any of (1) to (4).
- (10) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains a DNA according to any of (1) to (4).
  - (11) A recombinant virus vector containing a DNA according to any of (1) to (4).

10

15

20

25

30

35

40

45

50

- (12) A recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA according to any of (1) to (4).
- (13) A DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO: 111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139 and 141.
  - (14) A shear stress-responsive DNA capable of hybridizing with the DNA according to (13) under stringent conditions.
  - (15) A DNA having the same sequence as 5 to 60 consecutive bases in a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139 and 141, or a DNA having a sequence complementary to the DNA.
  - (16) A diagnostic agent for vascular diseases caused by arteriosclerosis which contains a DNA according to any of (13) to (15).
  - (17) A method for detecting a gene causative of arteriosclerosis using a DNA according to any of (13) to (15).
  - (18) A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using a DNA according to any of (13) to (15).
    - (19) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a DNA according to any of (13) to (15).
    - (20) A method for detecting an mRNA for a shear stress-responsive gene using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
    - (21) A method for identifying the apoptosis sensitivity of cells by detecting the endogenous transcription level of a DNA having the nucleotide sequence represented by SEQ ID NO:7 using a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7.
    - (22) A method for suppressing or promoting the apoptosis of cells by regulating the endogenous transcription or translation of a DNA having the nucleotide sequence represented by SEQ ID NO:7 using a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, or an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs.
    - (23) A diagnostic agent for vascular diseases caused by arteriosclerosis which contains a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
    - (24) An agent for identifying the apoptosis sensitivity of cells which contains a DNA having the nucleotide sequence represented by SEQ ID NO:7, or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7.
    - (25) A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
    - (26) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
    - (27) A method for screening an agent for suppressing or promoting the apoptosis of cells by regulating the endogenous transcription or translation of a DNA having the nucleotide sequence represented by SEQ ID NO:7 using a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7.
    - (28) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81,

83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.

5

15

25

- (29) An agent for suppressing or promoting the apoptosis of cells which contains a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, or an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs.
- (30) A recombinant virus vector containing a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
- (31) A recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
  - (32) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains a recombinant virus vector according to (30) or (31).
    - (33) A method for suppressing the apoptosis of cells using a recombinant virus vector containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, or a recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA having the nucleotide sequence represented by SEQ ID NO:7.
- (34) A method for screening an agent for suppressing or promoting the apoptosis of cells using a recombinant virus vector containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, or a recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA having the nucleotide sequence represented by SEQ ID NO:7.
  - (35) A protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO:144, 146, 148, 150, 152, 154, 156, 158, 169, 171 and 173.
  - (36) A protein comprising an amino acid sequence in which one or more amino acids are deleted, replaced or added as compared with the amino acid sequence possessed by the protein according to (35), and having an activity participating in the formation of an arteriosclerotic lesion.
  - (37) A DNA encoding a protein according to (35) or (36).
- 30 (38) A recombinant DNA obtained by inserting a DNA according to any of (1)-(4) and (37) into a vector.
  - (39) A transformant obtained by introducing the recombinant DNA according to (38) into a host cell.
  - (40) A process for the preparation of a protein which comprises culturing the transformant according to (39) in a culture medium, causing a protein according to (35) or (36) to be produced and accumulated in the culture medium, and harvesting the protein from the resulting culture.
- (41) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis which comprises culturing the transformant according to (39) in a culture medium and using the resulting culture for the screening.
  (42) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a protein according to (35) or (36).
  - (43) A recombinant virus vector capable of producing a protein according to (35) or (36).
- 40 (44) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the recombinant virus vector of (43).
  - (45) An antibody capable of recognizing a protein according to (35) or (36).
  - (46) A method for detecting a protein according to (35) or (36) immunologically using the antibody according to (45).
  - (47) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using the antibody according to (45).
  - (48) A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using the antibody according to (45).
  - (49) A diagnostic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to (45).
- 50 (50) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to (45).
  - (51) A drug delivery method which comprises combining the antibody of (45) with a radioactive isotope, a protein or a low-molecular-weight agent, and delivering the resulting conjugated antibody to an arteriosclerotic lesion.
  - (52) An antibody capable of recognizing a protein having an amino acid sequence represented by SEQ ID NO:
- 55 112, 114, 118, 120, 122, 124, 126, 128, 136, 138, 140 and 142.
  - (53) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using the antibody according to (52).
  - (54) A method for screening an agent for suppressing the transcription or translation of a shear stress-responsive

gene using the antibody according to (52).

10

15

20

30

45

50

- (55) A diagnostic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to (52).
- (56) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to (52).
- (57) A drug delivery method which comprises combining the antibody of (52) with a radioactive isotope, a protein or a low-molecular-weight agent, and directing the resulting conjugated antibody to an arteriosclerotic lesion.
- (58) A method for screening an agent capable of binding specifically to a protein having the amino acid sequence represented by SEQ.ID NO:8 and effective for suppressing or promoting the apoptosis of cells, using a protein having the amino acid sequence represented by SEQ.ID NO:8.
- (59) A method for screening an agent for suppressing or promoting the apoptosis of cells which comprises inserting a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA encoding a protein having the amino acid sequence represented by SEQ ID NO:8, into a vector; introducing the resulting recombinant DNA into a host cell; culturing the resulting transformant in a culture medium; and using the resulting culture for the screening. (60) A recombinant virus vector capable of producing a protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 and 110.
- (61) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the recombinant virus vector of (60).
- (62) A method for suppressing the apoptosis of cells using a recombinant virus vector capable of producing a protein having the amino acid sequence represented by SEQ ID NO:8.
- (63) An agent for suppressing the apoptosis of cells which contains a recombinant virus vector capable of producing a protein having the amino acid sequence represented by SEQ ID NO:8.
- (64) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.
  - (65) A method for screening an agent for suppressing or promoting the transcription or translation of a shear stress-responsive gene using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110. (66) A method for regulating the apoptosis of cells using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
- (67) A method for screening an agent for regulating the apoptosis of cells using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
  - (68) A method for identifying the apoptosis sensitivity of cells by detecting the expression level of a protein having the amino acid sequence represented by SEQ ID NO:8 using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
- 40 (69) A method according to any of (21), (22), (27), (33), (34), (58), (59), (62), (66), (67) and (68) wherein the cells are vascular endothelial cells.
  - (70) A diagnostic agent for vascular diseases caused by arteriosclerosis which contains an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.
  - (71) An agent for identifying the apoptosis sensitivity of cells which contains an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
  - (72) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.
  - (73) An agent for regulating the apoptosis of cells which comprises an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
  - (74) An agent for suppressing or promoting the apoptosis of cells which is obtained by a method according to any of (27), (34), (58), (59) and (67).
    - (75) An agent according to any of (24), (29), (63), (71), (73) and (74) wherein the cells are vascular endothelial cells. (76) A drug delivery method which comprises combining an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36,

38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110, with a radioactive isotope, a protein or a low-molecular-weight agent, and directing the resulting conjugated antibody to an arteriosclerotic lesion.

[0009] The term "regulate" as used herein means the action of suppressing or promoting. Moreover, the term "agent" refers to any substances having an arbitrary molecular weight such as proteins and nucleic acids.

[0010] The DNA of the present invention is a shear stress-responsive DNA. Examples thereof include a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172; and a DNA capable of hybridizing with the foregoing DNAs under stringent conditions and showing an alteration in the expression level in response to the application of a shear stress.

[0011] The above-described DNA capable of hybridizing with a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172 under stringent conditions is a DNA obtained by carrying out colony hybridization, plaque hybridization or Southern blot hybridization while using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO: 143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172 as a probe. Specifically, it includes DNA which can be identified by using a filter having colony- or plaque-derived DNAs immobilized thereon to carry out hybridization at 65°C in the presence of 0.7-1.0 M NaCl, and then washing the filter with an SSC solution having a 0.1 - to 2-fold concentration (an SSC solution having a one-fold concentration is composed of 150 mM sodium chloride and 15 mM sodium citrate) under 65°C conditions.

[0012] Hybridization may be carried out according to the methods described in Molecular Cloning, A Laboratory Manual, Second Edition, Cold Spring Harbor Laboratory Press (1989) (hereinafter referred to briefly as "Molecular Cloning, Second Edition"); Current Protocols in Molecular Biology, John Wiley & Sons (1987-1997) (hereinafter referred to briefly as "Current Protocols in Molecular Biology"); DNA Cloning 1: Core Techniques, A Practical Approach, Second Edition, Oxford University (1995); and the like. Specific examples of the hybridizable DNAs include DNAs having not less than 60% homology, preferably not less than 80% homology, more preferably not less than 90% homology, and most preferably not less than 95% homology with a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172.

[0013] Furthermore, the DNA of the present invention also includes oligonucleotides and antisense oligonucleotide having a sequence of a part of the DNA of the present invention. The oligonucleotide includes, for example, an oligonucleotide having the same sequence as the nucleotide sequence of 5 to 60 residues, preferably 10 to 40 residues, in a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172. The antisense oligonucleotide includes, for example, an antisense oligonucleotide of the foregoing oligonucleotide.

[0014] The protein of the present invention includes a protein having an activity associated with arteriosclerosis. Specific examples thereof include a protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO:144, 146, 148, 150, 152, 154, 156, 158, 169, 171 and 173, and a protein comprising amino acid sequences in which one or more amino acids are deleted, replaced or added as compared with the amino acid sequence possessed by the foregoing protein, and having an activity involved in the formation of an arteriosclerotic lesion.

[0015] The protein comprising amino acid sequence in which one or more amino acids are deleted, replaced or added as compared with the amino acid sequence of protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO:144, 146, 148, 150, 152, 154, 156, 158, 169, 171 and 173, and having an activity involved in the formation of an arteriosclerotic lesion may be prepared according to the methods described in Molecular Cloning, Second Edition; Current Protocols in Molecular Biology; Nucleic Acids Research, 10, 6487(1982); Proc. Natl. Acad. Sci. USA, 79, 6409(1982); Gene, 34, 315(1985); Nucleic Acids Research, 13, 4431(1985); Proc. Natl. Acad. Sci. USA, 82, 488(1985); and the like.

[0016] Moreover, among the acquired large number of genes exhibiting an Increase of expression by the application of a shear stress in vascular endothelial cells, the present inventors have found A4RS-041 having homology with LFG (lifeguard), a brain-specific gene which has been reported to suppress Fas-mediated apoptosis [Proc. Natl, Acad. Sci. USA, 22, 12673-12678(1999)]. First of all, according to an analysis of the nucleotide sequence of A4RS-041, the present inventors have found that A4RS-041 is a gene entirely different from LFG because A4RS-041 has about 50% identity to LFG, but about one-third thereof on the amino-terminal side has little homology. Moreover, the present inventors have also found that the expression profiles of A4RS-041 and LFG in tissues are substantially different because A4RS-041 is widely expressed in a variety of tissues including vascular endothelial cells, whereas LFG is highly expressed in the brain but not in vascular endothelial cells. Furthermore, by constructing a transformed cell which permits A4RS-041 to be stably and highly expressed, the present inventors have also found that A4RS-041 suppresses Fas-mediated apoptosis, thus ascertaining that A4RS-041 is a key molecule for the suppression of the apoptosis of vascular endothelial cells by a shear stress. Thus, the present invention has been completed.

### Brief Description of the Drawings

## [0017]

5

10

15

20

25

30

35

40

FIG. 1 illustrates the results of Northern analysis of genes exhibiting an increase of expression in response to a shear stress stimulus. Lanes 1-41 show shear stress-dependent increases of expression for A4RS-016, -026, -040, -041, -063, -096, -116, -126, -131, -148, -154, -174, -175, -194, -197, -260, -271, -307, -355, -389, -391, -423, -431, -453, -492, -507, -514, -523, -544, -547, -557, -577, -588, -602, -608, -612, -625, -666, -668, -674 and -682, respectively. In each blot, 4 μg of total RNA derived from HUVEC having no shear stress applied thereto (with a stimulation time of 0) was electrophoresed in the left-hand lane, and 4 μg of total RNA derived from HUVEC having a shear stress applied thereto (a mixture of equal amounts of total RNA samples derived from HUVEC stimulated for 0.5, 1, 1.5, 2, 3, 4, 6, 10 and 20 hours) was electrophoresed in the right-hand lane.

FIG. 2 illustrates the results of Northern analysis of genes exhibiting an increase of expression in response to a shear stress stimulus. Lanes 42-83 show shear stress-dependent increases of expression for A4RS-751, -781, -784, -817, -818, -914, -929, -935, -938, -939, -945, -947, -948, -949, -011, -115, -143, -171, -193, -280, -402, -533, -604, -615, -619, -626, -676, -679, -737, -780, -826, -916, -933, -943, -002, -049, -230, -239, -242, -491, -578 and -829, respectively. In each blot, 4  $\mu$ g of total RNA derived from HUVEC having no shear stress applied thereto (with a stimulation time of 0) was electrophoresed in the left-hand lane, and 4  $\mu$ g of total RNA derived from HUVEC having a shear stress applied thereto (a mixture of equal amounts of total RNA samples derived from HUVEC stimulated for 0.5, 1, 1.5, 2, 3, 4, 6, 10 and 20 hours) was electrophoresed in the right-hand lane.

FIG. 3 illustrates the results of Northern blotting analysis of genes expressed in response to a shear stress stimulus, showing their changes of expression with time. Lanes 1-17 show shear stress-dependent increases of expression for A4RS-016, -041, -063, -096, -116, -260, -271, -307, -389, -391, -602, -784, -115, -143, -193, -280 and -402, respectively. In each blot, 4  $\mu$ g of total RNA samples derived from HUVEC having shear stress application times of 0, 0.5, 1, 1.5, 2, 3, 4, 6, 10 and 20 hours respectively were electrophoresed as viewed from left to right.

FIG. 4 illustrates the results of Northern blotting analysis of genes expressed in response to a shear stress stimulus, showing their changes of expression with time. Lanes 18-28 show shear stress-dependent increases of expression for A4RS-604, -626, -916, -002, -049, -230, -239, -242, -491, -578 and -829, respectively. In each blot, 4  $\mu$ g of total RNA samples derived from HUVEC having shear stress application times of 0, 0.5, 1, 1.5, 2, 3, 4, 6, 10 and 20 hours respectively were electrophoresed as viewed from left to right.

FIG. 5 illustrates the construction of the plasmid pAMo-002 for the expression in animal cells,

FIG. 6A and FIG. 6B are diagrams showing the apoptosis suppressing activity of A4RS-041. FIG. 6A shows changes with time when the anti-Fas monoclonal antibody concentration was fixed at 100 ng/ml, and FIG. 6B shows dependence on the anti-Fas monoclonal antibody concentration when the stimulation time was fixed at 36 hours. 

◆ represents HeLa cells into which A4RS-041 was introduced, and ■ represents HeLa cells into which GFP was

FIG. 7A and FIG. 7B are diagrams showing the distribution of expression of A4RS-041. FIG. 7A is a diagram showing the results obtained by analyzing the expression of A4RS-041 in human normal tissues by Northern blotting. FIG. 7B is a diagram showing the results obtained by analyzing the expression of A4RS-041 and LFG in human vascular endothelial cells and human brain by RT-PCR.

FIG. 8 is a diagram showing the amino acid sequence homology of A4RS-041 and LFG.

## **Detailed Description of the Invention**

The present invention will be more specifically described hereinbelow. No particular limitation is placed on the type of cells used to prepare the DNA of the present invention, so long as they exhibit responsiveness to the application of a shear stress. However, adhesion type cells are preferred. Examples thereof include vascular endothelial cells, and human vascular endothelial cells are especially preferred. More preferred are human umbilical vein endothelial cells (HUVECs). These vascular endothelial cells can be easily separated from a human umbilical cord according to the method described in Cell (in Japanese), 20, 329(1988) or Human Cell, 1, 188(1988). It is also possible to obtain and use secondary cultured cells having been separated. The passage number of vascular endothelial cells is not critical, provided that they retain properties as vascular endothelial cells. However, vascular endothelial cells having a passage number of 20 or less are preferred.

[0019] The culture medium used for cell culture may have a conventionally known composition. In the case, for example, of vascular endothelial cells, it is preferable to use a cell culture medium to which 0 to 20% of the blood serum of an animal such as cattle is added. More preferred is E-GM medium (containing 2% fetal calf serum; manufactured by Kurabo Industries, Ltd.) or M199 medium having 20% fetal calf serum added thereto. In order to promote the growth of cells, a cell growth factor such as ECGS (endothelial cell growth supplement), EGF (epidermal growth factor) or

basic FGF (fibroblast growth factor) may be added to the culture medium. A high shear stress can be applied to the cultured cells by adding dextran or the like to the culture medium and thereby increasing the viscosity of the culture medium.

[0020] As the culture apparatus permitting the application of a shear stress, there may be used an apparatus of the micro-carrier type [Am. J. Physiol., <u>259</u>, H804(1990)], the rotary disc type [Biorheology, <u>25</u>, 461(1988)], the parallel plate type [Biotechnol. Bioeng., 27, 1021(1985)] or the like.

[0021] In the application of a shear stress, no particular limitation is placed on the method for the culture of vascular endothelial cells. One exemplary method is as follows. Vascular endothelial cells are allowed to adhere to micro-carriers and suspended in a culture medium within a spinner flask. Although the incubation temperature may be any desired temperature that permit the culture of the cells, it preferable to use a temperature of 37°C. The incubation is preferably carried out in an incubator filled with 5% carbon dioxide gas. No particular limitation is placed on the number of cells harvested, so long as RNA can be extracted therefrom. A typical example thereof is a number of that order which can be obtained by ordinary culture techniques, and a number of not less than 1 x 106 cells is preferred. Although the incubation time is not specified, it is preferable to use an incubation time at which the expression of a gene is distinctly changed as compared with a culture without the application of a shear stress. Especially preferred is an incubation time which provides good viability of the cells. Specifically, an incubation time in the range of 4 to 24 hours is useful. [0022] As the method for preparing total RNA from vascular endothelial cells having a shear stress applied thereto, the guanidine thiocyanate-cesium trifluoroacetate method [Methods in Enzymol., 154, 3(1987)] or the like may be employed.

[0023] As the method for preparing poly(A)+ RNA from total RNA, the oligo(dT)-immobilized cellulose column method (Molecular Cloning, Second Edition) or the like may be employed.

25

35

[0024] Furthermore, mRNA may be prepared by using a kit such as Fast Track mRNA Isolation Kit (manufactured by Invitrogen) or Quick Prep mRNA Purification Kit (manufactured by Amersham Pharmacia Biotech).

[0025] Now, the method for the construction of a cDNA library is described below. Usable methods for the construction of a cDNA library include the methods described in Molecular Cloning, Second Edition, Current Protocols in Molecular Biology, DNA Cloning 1: Core Techniques, A Practical Approach, Second Edition, Oxford University Press (1995), and the like; and methods using a commercially available kit such as Superscript Plasmid System for cDNA Synthesis and Plasmid Cloning (manufactured by Life Technologies) or ZAP-cDNA Synthesis Kit (manufactured by Stratagene).

[0026] As a cloning vector for the construction of a cDNA library, there may be used any of phage vectors, plasmid vectors and the like, provided that they can replicate autonomously in <a href="Escherichia coli">Escherichia coli</a> K12 strain. Specific examples thereof include ZAP Express [manufactured by Stratagene; Strategies, <a href="5">5</a>, 58(1992)], pBluescript II SK(+) [Nucleic Acids Res., <a href="17">17</a>, 9494(1989)], \$\lambda\$ zap II (manufactured by Stratagene), \$\lambda\$gt10, \$\lambda\$gt10, \$\lambda\$gt11 [DNA Cloning, A Practical Approach, <a href="1">1</a>, 49(1985)], \$\lambda\$BlueMid (manufactured by Clontech), \$\lambda\$ExCell (manufactured by Amersham Pharmacia Biotech), pcD2 [Mol. Cell. Biol., <a href="3">3</a>, 280(1983)] and pUC18 [Gene, <a href="33">33</a>, 103(1985)].

[0027] As a Escherichia coli for introducing vectors having cDNAs integrated thereinto, there may be used any microorganism that belongs to Escherichia coli. Specifically, Escherichia coli XL1-Blue MRF' [manufactured by Stratagene; Strategies, 5, 81(1992)], Escherichia coli C600 [Genetics, 39, 440(1954)], Escherichia coli Y1088 [Science, 222, 778(1983)], Escherichia coli Y1090 [Science, 222, 778(1983)], Escherichia coli NM522 [J. Mol. Biol., 166, 1(1983)], Escherichia coli K802 [J. Mol. Biol., 16, 118(1966)], Escherichia coli JM105 [Gene, 38, 275(1985)] and the like may be used.

[0028] Since this cDNA library has the characteristics of vascular endothelial cells having a shear stress applied thereto, it is useful, for example, in cloning a gene associated with a lesion occurring in vital vascular regions undergoing a change of shear stress (specifically, the formation of arteriosclerotic lesions, or the like) and in developing pharmaceuticals by controlling the expression of the gene. Moreover, this cDNA library is different in the types and quantities of genes contained therein, from a cDNA library constructed by using mRNA derived from another type of cells (specifically, standing-cultured vascular endothelial cells having no shear stress applied thereto) as a template. Accordingly, it is possible to isolate the above-described gene associated with the formation of arteriosclerotic lesions or a protein encoded by the gene while using the difference as an index.

[0029] As the method for concentrating genes exhibiting an increase of expression by the application of a shear stress from the cDNA library so constructed, there may be employed a method such as the subtraction method [Proc. Natl. Acad. Sci. USA, 88, 2825(1991)] or differential hybridization [J. Biol. Chem., 265, 2973(1990)].

[0030] As the method for selecting clones having expression specificity (i.e., exhibiting an increase of expression by the application of a shear stress) from the subtraction library in which such genes are concentrated in the above-described manner, there may be employed Northern hybridization [Molecular Cloning, Second Edition], RT(reverse-transcribed)-PCR [Current Protocols in Molecular Biology] or the like.

[0031] With respect to the shear stress-responsive clone selected in the above-described manner, the nucleotide sequence of the DNA can be determined by analyzing it according to a commonly employed nucleotide sequence

analysis method such as the dideoxy method of Sanger et al. [Proc. Natl. Acad. Sci. USA, 74, 5463(1977)], or by means of a nucleotide sequence analyzer such as 373A DNA Sequencer (manufactured by Perkin Elmer).

[0032] The novelty of the nucleotide sequence determined in the above-described manner can be confirmed by using a homology search program (e.g., blast) to search the nucleotide sequence in nucleotide sequence databases such as GenBank, EMBL and DDBJ, and thereby ascertaining that the databases do not include any nucleotide sequence having a distinct identity to the aforesaid nucleotide sequence and hence considered to be identical thereto.

[0033] When the DNA obtained in the above-described manner is a partial DNA of the cDNA corresponding to a shear stress-related mRNA, a clone containing the full-length cDNA may be selected again from the cDNA library by using the DNA obtained in the above-described manner as a probe.

[0034] The selection of a cDNA clone from the cDNA library may be carried out by colony hybridization or plaque hybridization using a probe labeled with an isotope or digoxigenin [Sambrook et al., Molecular Cloning, Second Edition (1989)].

[0035] Examples of the full-length cDNA of the shear stress-responsive gene having a novel nucleotide sequence, which is obtained in the above-described manner, include DNAs having the nucleotide sequences represented by SEQ ID NO:143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172.

[0036] Once the full-length cDNA of a shear stress-related gene is obtained and its nucleotide sequence is determined as described above, the desired DNA can be obtained by preparing primers based on the nucleotide sequence and carrying out PCR [PCR Protocols, Academic Press (1990)] while using cDNA synthesized from mRNA or a cDNA library as a template. Moreover, the desired DNA may also be prepared by using a DNA synthesizer to synthesize it chemically on the basis of the determined nucleotide sequence of the DNA. Usable DNA synthesizers include Model 392 DNA Synthesizer (manufactured by Perkin Elmer) using the phosphoamidite method, and the like.

20

[0037] On the basis of the nucleotide sequence information of the aforesaid DNA and DNA fragment, an oligonucleotide and an antisense oligonucleotide each having a partial sequence of the DNA of the present invention may be prepared according to a conventional method or by means of a DNA synthesizer.

[0038] Examples of the oligonucleotide or antisense oligonucleotide include a sense primer corresponding to a nucleotide sequence on the 5'-terminal side and an antisense primer corresponding to a nucleotide sequence on the 3'-terminal side, both in a partial nucleotide sequence of mRNA to be detected. However, the base corresponding to uracil in mRNA is thymidine in oligonucleotide primers. Preferably, the sense primer and antisense primer are oligonucleotides whose melting temperatures (Tm) and numbers of bases are not extremely different from each other and which consist of 10 to 40 bases.

[0039] Moreover, in the present invention, there may be used derivatives of the nucleotides. Examples thereof include methyl derivatives and phosphothioate derivatives of the nucleotides.

[0040] Now, the method for the preparation of a protein having an activity involved in the formation of an arteriosclerotic lesion is described below.

35 [0041] The cDNA of the shear stress-responsive gene, which was obtained in the above-described manner, encodes a protein having an activity involved in the formation of an arteriosclerotic lesion.

[0042] The activity involved in the formation of an arteriosclerotic lesion means an activity regulating the development of arteriosclerosis, and preferably an activity preventing the development of arteriosclerosis. Examples thereof include, but are not limited to, the following activities.

[0043] They include regulation of the incorporation of low-density lipoprotein (LDL) into the vascular endothelium; regulation of the incorporation of oxidized LDL into the vascular endothelium; regulation of the expression of LDL receptors in vascular endothelial cells; regulation of the production of oxidized LDL in vascular endothelial cells; regulation of the expression of scavenger receptors in the vascular endothelium; regulation of the infiltration of lymphocytes into blood vessels; regulation of the expression of a cell surface adhesion molecule promoting the infiltration of lymphocytes into blood vessels in vascular endothelial cells; regulation of the proliferation of vascular smooth muscle produced in vascular endothelial cells; regulation of the apoptosis of vascular endothelial cells; and the like.

[0044] The DNAs and proteins of the present invention have been found on the basis of their shear stress-dependent increase of expression in vascular endothelial cells. As described in the Background of the Invention, it is generally known that arteriosclerosis occurs frequently in places where a low shear stress is produced and the separation or stagnation of a flow or turbulence (e.g., eddies) tends to occur. Accordingly, the DNAs and proteins of the present invention are especially useful for the treatment or prevention of arteriosclerosis or various vascular diseases caused thereby, including non-limitative examples such as cardiac insufficiency, restenosis after PTCA, and hypertension.

[0045] If necessary, a DNA fragment of appropriate length containing a portion encoding the protein is prepared on the basis of the full-length cDNA.

[0046] An expression plasmid for the protein is created by inserting the DNA fragment or the full-length cDNA into an expression vector on the downstream side of a promoter.

[0047] The expression plasmid is introduced into a host cell suited to the expression vector.

[0048] As the host cell, there may be used any host cell that enables the expression of the desired DNA. For example,

there may be used bacteria belonging to the genera <u>Escherichia, Serratia, Corynebacterium, Brevibacterium, Pseudomonas, Bacillus</u> and <u>Microbacterium;</u> yeasts belonging to the genera <u>Kluyveromyces, Saccharomyces, Shizosaccharomyces, Trichosporon</u> and <u>Schawnniomyces;</u> animal cells; and insect cells.

[0049] As the expression vector, there is used a vector which can be autonomously replicated or incorporated into a chromosome in the aforesaid host cell and which contains a promoter at a position capable of transcribing the shear stress-responsive DNA.

[0050] When a bacterium or the like is used as the host cell, the shear stress-responsive DNA expression vector is preferably a recombinant vector which can be autonomously replicated in the bacterium and which consists of a promoter, a ribosome-binding sequence, the shear stress-responsive DNA and a transcription termination sequence. A gene controlling the promoter may be contained therein.

[0051] Examples of such expression vectors include pBTrp2, pBTac1, pBTac2 (all commercially available from Boehringer Mannheim), pKK233-2 (manufactured by Amersham Pharmacia Biotech), pSE280 (manufactured by Invitrogen), pGEMEX-1 (manufactured by Promega), pQE-8 (manufactured by QIAGEN), pKYP10 (Japanese Published Unexamined Patent application No. 110600/83), pKYP200 [Agricultural Biological Chemistry, 48, 669 (1984)], pLSA1 [Agric. Biol. Chem., 53, 277(1989)], pGEL1 [Proc. Natl. Acad. Sci. USA, 82, 4306(1985)], pBluescript II SK(-) (manufactured by Stratagene), pGEX (manufactured by Amersham Pharmacia Biotech), pET-3 (manufactured by Novagen), pTerm2 (USP 4686191, USP 4939094, USP 5160735), pSupex, pUB110, pTP5, pC194, pEG400 [J. Bacteriol., 172, 2392(1990)].

[0052] The promoter may be any promoter that can express a gene in the host cell. Examples thereof include promoters derived from Escherichia coli and phages, such as trp promoter (Ptrp), lac promoter (Plac), P<sub>L</sub> promoter, P<sub>R</sub> promoter and T7 promoter; and SP01 promoter, SP02 promoter and penP promoter. Moreover, there may also be used artificially designed or modified promoters and the like, such as a promoter comprising two Ptrp's connected in series (Ptrpx2), tac promoter, leti promoter [Gene, 44, 29(1986)] and lacT7 promoter.

[0053] The ribosome-binding sequence may be any ribosome-binding sequence that can be expressed in the host cell. However, it is preferable to use a plasmid in which the distance between the Shine-Dargarno sequence and the initiation codon is adjusted to a suitable length (e.g., 6-18 bases).

[0054] In the nucleotide sequence of the protein-encoding part of the shear stress-responsive DNA of the present invention, some residues may be replaced so as to give the codons most suitable for its expression in the host. Thus, the production rate of the desired protein can be improved.

[0055] A transcription termination sequence is not necessarily required for the expression of the shear stress-responsive DNA of the present invention. However, it is desirable to dispose a transcription termination sequence just downstream of the structural gene.

[0056] Examples of the host cell include microorganisms belonging to the genera Escherichia, Serratia, Corynebacterium, Brevibacterium, Pseudomonas, Bacillus and the like, such as Escherichia coli XL1-Blue, Escherichia coli XL2-Blue, Escherichia coli DH1, Escherichia coli MC1000, Escherichia coli KY3276, Escherichia coli W1485, Escherichia coli JM109, Escherichia coli HB101, Escherichia coli No.49, Escherichia coli W3110, Escherichia coli NY49, Bacillus subtilis, Bacillus amyloliquefaciens, Brevibacterium ammoniagenes, Brevibacterium immariophilum ATCC14068, Brevibacterium saccharolyticum ATCC14066, Corynebacterium glutamicum ATCC13032, Corynebacterium glutamicum ATCC13869, Corynebacterium acetoacidophilum ATCC13870, Microbacterium ammoniaphilum ATCC15354, and Pseudomonas sp. D-0110.

[0057] As the method for introducing the recombinant vector, there may be employed any method that can introduce DNA into the aforesaid host cell. Examples thereof include the calcium ion method [Proc. Natl. Acad. Sci. USA, 69, 2110(1972)], the protoplast method (Japanese Published Unexamined Patent Application No. 248397/88), and the methods described in Gene, 17, 107(1982) and Molecular & General Genetics, 168, 111(1979).

[0058] Where a yeast is used as the host cell, usable expression vectors include, for example, YEp13 (ATCC37115), YEp24 (ATCC37051), YCp50 (ATCC37419), pHS19 and pHS15.

[0059] The promoter may be any promoter that can express a gene in the yeast. Examples thereof include PHO5 promoter, PGK promoter, GAP promoter, ADH promoter, gal 1 promoter, gal 10 promoter, heat shock protein promoter, MFα1 promoter and CUP 1 promoter.

[0060] Examples of the host cell include <u>Saccharomyces cerevisae</u>, <u>Shizosaccharomyces pombe</u>, <u>Kluyveromyces lactis</u>, <u>Trichosporon pullulans</u> and <u>Schwanniomyces alluvius</u>.

[0061] As the method for introducing the recombinant vector, there may be employed any method that can introduce DNA into yeasts. Examples thereof include the electroporation method [Methods. Enzymol., 194, 182(1990)], the spheroplast method [Proc. Natl. Acad. Sci. USA, 75, 1929(1978)], the lithium acetate method [J. Bacteriol., 153, 163(1983)], and the methods described in Proc. Natl. Acad. Sci. USA, 75, 1929(1978).

[0062] Where an animal cell is used as the host cell, usable expression vectors include, for example, pcDNAI, pcDM8 (manufactured by Funakoshi), pAGE107 [Japanese Published Unexamined Patent Application No. 22979/90; Cytotechnology, 3, 133(1990)], pAS3-3 (Japanese Published Unexamined Patent Application No. 227075/90), pCDM8 [Na-

ture, 329, 840(1987)], pcDNAI/Amp (manufactured by Invitrogen), pREP4 (manufactured by Invitrogen), pAGE103 [J. Biochem., 101,1307(1987)] and pAGE210.

[0063] The promoter may be any promoter that can be expressed in the animal cell. Examples thereof include the promoter of the IE (immediate early) gene of cytomegalovirus (human CMV), the early promoter of SV40, the promoter of retroviruses, metallothionein promoter, heat shock protein promoter, and SR $\alpha$  promoter. The enhancer of the IE gene of human CMV may be used in conjunction with the promoter.

[0064] Examples of the host cell include Namalwa cell derived from a human, COS cell derived from a monkey, CHO cell derived from a Chinese hamster, and HBT5637 (Japanese Published Unexamined Patent Application No. 299/88). [0065] As the method for introducing the recombinant vector into the animal cell, there may be employed any method that can introduce DNA into animal cells. Examples thereof include the electroporation method [Cytotechnology, 3, 133(1990)], the calcium phosphate method (Japanese Published Unexamined Patent Application No. 227075/90), the lipofection method [Proc. Natl. Acad. Sci. USA, 84, 7413(1987)], and the methods described in Virology, 52, 456(1973). Transformants may be harvested and cultured according to the method described in Japanese Published Unexamined Patent Application No. 227075/90 or 257891/90.

[0066] Where an insect cell is used as the host, the protein may be expressed according to the method described, for example, in Baculovirus Expression Vectors, A Laboratory Manual, Current Protocols in Molecular Biology Supplement 1-38 (1987-1997), or Bio/Technology, 6, 47(1988).

[0067] Specifically, a recombinant gene transfer vector and a baculovirus are co-introduced into an insect cell. After a recombinant virus is obtained in the culture supernatant of the insect cell, an insect cell is further infected with the recombinant virus to express the protein.

[0068] Examples of the gene transfer vector used in this method include pVL1392, pVL1393 and pBlueBacIII (all manufactured by Invitrogen).

[0069] As the baculovirus, there may be used, for example, autographa californica nuclear polyhedrosis virus that is a virus infecting insects belonging to Noctuidae.

[0070] As the insect cell, there may be used Sf9 and Sf21 that are ovarian cells of <u>Spodoptera frugiperda</u> [Baculovirus Expression Vectors, A Laboratory Manual, W.H. Freeman and Company, New York (1992)], High 5 that is an ovarian cell of Trichoplusia ni (manufactured by Invitrogen), and the like.

[0071] The methods which may be employed for co-introducing the aforesaid recombinant gene transfer vector and the aforesaid baculovirus into an insect cell in order to prepare a recombinant virus include, for example, the calcium phosphate method (Japanese Published Unexamined Patent Application No. 227075/90) and the lipofection method [Proc. Natl. Acad. Sci. USA, 84, 7413(1987)].

[0072] The expression of the gene may be effected not only by direct expression, but also by secretory production, fusion protein expression or the like, for example, according to the methods described in Molecular Cloning, Second Edition.

[0073] When the gene is expressed by means of a yeast, an animal cell or an insect cell, the protein having a sugar or sugar chain added thereto may be obtained.

[0074] A shear stress-responsive protein may be prepared by culturing a transformant containing a recombinant DNA having the shear stress-responsive DNA integrated thereinto in a culture, causing a shear stress-responsive protein to be produced and accumulated in the culture, and harvesting the protein from the resulting culture.

[0075] In order to culture the transformant of the present invention for the preparation of the shear stress-responsive protein in a culture medium, there may be employed a common method for the culture of the host.

[0076] When the transformant of the present invention is a procaryote (e.g., <u>Escherichia coli</u>) or a eucaryote (e.g., yeast), the culture medium for the culture of such microorganisms may be a natural medium or a synthetic medium, provided that this medium contains a carbon source, a nitrogen source, minerals and other nutrients which can be assimilated by the microorganism and that this medium permits the transformant to be efficiently cultured.

[0077] The carbon source may be any carbon source that can be assimilated by the respective microorganisms. There may be used carbohydrates such as glucose, fructose, sucrose, molasses containing them, starch and starch hydrolyzate; organic acids such as acetic acid and propionic acid; and alcohols such as ethanol and propanol.

[0078] As the nitrogen source, there may be used ammonia; ammonium salts of various inorganic acids or organic acids, such as ammonium chloride, ammonium sulfate, ammonium acetate and ammonium phosphate; and other nitrogen-containing compounds, as well as peptone, meat extract, yeast extract, com steep liquor, casein hydrolyzate, soybean meal and soybean meal hydrolyzate, various fermented bacterial cells and their digestion products, and the like.

[0079] As the minerals, there may be used potassium dihydrogen phosphate, dipotassium hydrogen phosphate, magnesium phosphate, magnesium sulfate, sodium chloride, ferrous sulfate, manganese sulfate, copper sulfate, calcium carbonate and the like.

[0080] The cultivation is carried out under aerobic conditions, for example, according to a shaking culture or deep aerated spinner culture technique. The incubation temperature should be in the range of 15 to 40°C and the incubation

time usually ranges from 16 hours to 7 days. During cultivation, pH is maintained at 3.0 to 9.0. The adjustment of pH is made with an inorganic or organic acid, an alkaline solution, urea, calcium carbonate, ammonia or the like.

[0081] During cultivation, an antibiotic such as ampicillin or tetracycline may be added to the culture medium, if necessary.

- [0082] When a microorganism transformed with an expression vector using an inducible promoter is cultured, an inducer may be added to the culture medium, if necessary. For example, when a microorganism transformed with an expression vector using <u>lac</u> promoter is cultured, isopropyl-β-D-thiogalactopyranoside (IPTG) or the like may be added to the culture medium, and when a microorganism transformed with an expression vector using <u>trp</u> promoter is cultured, indoleacrylic acid (IAA) or the like may be added to the culture medium.
- [0083] As the culture medium for culturing a transformant obtained by using an animal cell as the host cell, there may be used any of commonly used culture media such as RPMI1640 medium [The Journal of the American Medical Association, 199, 519(1967)], Eagle's MEM [Science, 122, 501(1952)], Dulbecco-modified MEM [Virology, 8, 396 (1959)], 199 medium [Proceeding of the Society for the Biological Medicine, 73, 1(1950)], and culture media prepared by adding fetal calf serum or the like to the foregoing media.
- [0084] The cultivation is usually carried out for 1 to 7 days under conditions including a pH of 6 to 8, a temperature of 30 to 40°C, and the presence of 5% CO<sub>2</sub>.
  - [0085] During cultivation, an antibiotic such as kanamycin or penicillin may be added to the culture medium, if necessary.
  - [0086] As the culture medium for culturing a transformant obtained by using an insect cell as the host cell, there may be used any of commonly used culture media such as TNM-FH medium (manufactured by Pharmingen), Sf-900 II SFM medium (manufactured by Life Technologies), ExCel1400, ExCel1405 (both manufactured by JRH Biosciences), and Grace's Insect Medium [Nature, 195, 788(1962)].
  - [0087] The cultivation is usually carried out for 1 to 5 days under conditions including a pH of 6 to 7 and a temperature of 25 to 30°C.
  - [0088] During cultivation, an antibiotic such as gentamicin may be added to the culture medium, if necessary.
    - [0089] In order to isolate and purify a protein having an activity associated with arteriosclerosis in accordance with the present invention, from the culture of the transformant of the present invention, there may be employed common techniques for the isolation and purification of enzymes.
  - [0090] For example, where the protein of the present invention is expressed in a dissolved state within cells, the cells are collected by centrifugation after completion of the incubation, suspended in an aqueous buffer, and disrupted with a sonicator, French press, Manton Gaulin homogenizer, Dynomill or the like to obtain a cell-free extract. From the supernatant obtained by centrifuging the cell-free extract, a purified preparation may be obtained by employing common techniques for the isolation and purification of enzymes, either alone or in combination. These techniques include, for example, solvent extraction, salting-out with ammonium sulfate or the like, desalting, precipitation with an organic solvent, anion-exchange chromatography using a resin such as diethylaminoethyl (DEAE)-Sepharose or DIAION HPA-75 (manufactured by Mitsubishi Chemical Corp.), cation-exchange chromatography using a resin such as S-Sepharose FF (manufactured by Amersham Pharmacia Biotech), hydrophobic chromatography using a resin such as butyl Sepharose or phenyl Sepharose, gel filtration with a molecular sieve, affinity chromatography, chromatofocusing, and electrophoresis such as isoelectric focusing.
- 40 [0091] Where the protein is expressed in the form of an insoluble material within cells, the cells are collected, disrupted and centrifuged. Thus, the insoluble protein is recovered as a precipitate fraction.
  - [0092] The insoluble protein so recovered is solubilized with a protein denaturing agent.
  - [0093] The solubilized solution is diluted or dialyzed to reduce the concentration of the protein denaturing agent in the solubilized solution and thereby refold the protein to a normal stereostructure. Thereafter, a purified preparation of the protein may be obtained according to the same isolation and purification techniques as described above.
  - [0094] Where the protein of the present invention or a derivative thereof (e.g., a glycosylated product) is secreted out of cells, the protein or a derivative thereof (e.g., a glycosylated product) may be recovered from the culture supernatant. Specifically, the culture supernatant is recovered from the resulting culture according to a technique such as centrifugation. Then, a purified preparation may be obtained from the culture supernatant by employing the same isolation and purification techniques as described above.
  - [0095] Examples of the protein thus obtained include proteins having the amino acid sequences represented by SEQ ID NO:144, 146, 148, 150, 152, 154, 156, 158, 169, 171, 173 and the like.
  - [0096] The protein expressed in the above-described manner may also be prepared by chemical synthesis processes such as Fmoc method (fluorenylmethyloxycarbonyl method) and tBoc method (t-butyloxycarbonyl method). Alternatively, they may also be synthesized by means of a peptide synthesizer manufactured by Sowa Trading Co. (Advanced ChemTech, USA), Perkin Elmer, Amersham Pharmacia Biotech, Aloka (Protein Technology Instrument, USA), Kurabo (Synthecell-Vega, USA), PerSeptive Japan, Ltd. (PerSeptive, USA), Shimadzu Corporation or the like.
  - [0097] Now, the methods for the preparation of antibodies recognizing the protein of the present invention are de-

scribed below.

- (i) Preparation of a polyclonal antibody
- [0098] A purified full-length or partial fragment of the protein obtained in the above-described manner, or a peptide having a partial amino acid sequence of the protein of the present invention is used as an antigen. A polyclonal antibody may be prepared by administering this antigen to an animal.
  - [0099] As the animal to which the antigen is administered, there may be used a rabbit, goat, mouse, hamster or the like. The dose of the antigen is preferably in the range of 50 to 100 µg per animal. When a peptide is used, it desirably used after being covalently bonded to carrier protein such as keyhole limpet haemocyanin or bovine thyroglobulin. The peptide used as an antigen may be synthesized by means of a peptide synthesizer.
  - [0100] After the first administration, the antigen is administered 3 to 10 times at intervals of 1 to 2 weeks. After each administration, blood is collected from the venous plexus of fundus oculi on the 3rd to 7th day, and the reaction of the serum with the antigen used for immunization is confirmed by enzyme immunoassay [Enzyme-Linked Immunosorbent assay (ELISA) (in Japanese), Igaku Shoin, 1976; Antibodies-A Laboratory Manual, Cold Spring Harbor Laboratory (1988)] or the like.
  - [0101] Serum is obtained from a nonhuman mammal whose serum exhibits a sufficient antibody titer against the antigen used for immunization. Then, a polyclonal antibody can be obtained by separating and purifying the serum.
  - [0102] The techniques which can be employed for the purpose of separation and purification include centrifugation; salting-out with 40-50% saturated ammonium sulfate, caprylic acid precipitation [Antibodies, A Laboratory Manual, Cold Spring Harbor Laboratory (1988)], chromatography using a DEAE-Sepharose column, anion-exchange column, protein A or G column, or gel filtration column, and the like. These techniques may be used either alone or in combination.
- 5 (ii) Preparation of a monoclonal antibody
  - (a) Preparation of antibody-producing cells
- [0103] A rat whose serum exhibits a sufficient antibody titer against the partial fragment polypeptide of the protein of the present invention used for immunization is used as a source of antibody-producing cells.
  - [0104] After the antigenic substance is finally administered to the rat exhibiting the aforesaid antibody titer, the spleen is excised on the 3rd to 7th day. The spleen is minced in MEM (manufactured by Nissul Seiyaku Co., Ltd.) and loosened with a pincette. After this suspension is centrifuged at 1,200 mm for 5 minutes, the supernatant is discarded. The spleen cells in the resulting precipitate fraction are treated with a Tris-ammonium chloride buffer (pH 7.65) for 1-2 minutes to remove erythrocytes, and washed three times with MEM. The spleen cells thus obtained are used as anti-body-producing cells.
  - (b) Preparation of myeloma cells
- 40 [0105] As the myeloma cells, an established cell line obtained from a mouse or rat is used.
  - [0106] Usable cell lines include, for example, the 8-azaguanine-resistant mouse (BALB/c-derived) myeloma cell line P3-X63Ag8-U1 (hereinafter abbreviated as P3-U1) [Curr. Topics. Microbiol. Immunol., <u>81</u>, 1(1978); Europ. J. Immunol., <u>6</u>, 511(1976)], SP2/0-Ag14(SP-2) [Nature, <u>276</u>, 269(1978)], P3-X63-Ag8653(653) [J. Immunol., <u>123</u>, 1548(1979)], and P3-X63-Ag8(X63) [Nature, <u>256</u>, 495(1975)].
- [0107] Such a cell line is subcultured in 8-azaguanine medium [a culture medium prepared by adding glutamine (1.5 mmol/l), 2-mercaptoethanol (5 x 10<sup>-5</sup> M), gentamicin (10 μg/ml) and fetal calf serum (FCS) (manufactured by CSL, 10%) to RPMI-1640 medium (the resulting medium is hereinafter referred to as the normal medium) and further adding 8-azaguanine (15 μg/ml) thereto]. Three or four days before cell fusion, the cell line is cultured in the normal medium, and not less than 2 x 10<sup>7</sup> cells are used for the purpose of cell fusion.
  - (c) Formation of hybridomas
  - [0108] The antibody-producing cells obtained in (a) and the myeloma cells obtained in (b) are thoroughly washed with MEM or PBS (1.83 g disodium phosphate, 0.21 g monopotassium phosphate, 7.65 g sodium chloride, 1 liter distilled water, pH 7.2), and mixed so that the antibody-producing cells and the myeloma cells are present in a ratio of 5-10:1. After this mixture was centrifuged at 1,200 rpm for 5 minutes, the supernatant is discarded.
  - [0109] The mass of cells in the resulting precipitate fraction is thoroughly loosened, and 0.2 to 1 ml (per 108 antibody-producing cells) of a solution prepared by mixing 2 g of polyethylene glycol-1000 (PEG 1000), 2 ml of MEM, and 0.7

ml of dimethyl sulfoxide (DMSO) is added to the mass of cells at 37°C with stirring. Moreover, 1 to 2 ml of MEM is added thereto several times at intervals of 1 to 2 minutes. After completion of the addition, MEM is added to make a total volume of 50 ml.

[0110] After the suspension so prepared is centrifuged at 900 rpm for 5 minutes, the supernatant is discarded. The cells of the resulting precipitate fraction are gently loosened, and gently suspended in 100 ml of HAT medium [a culture medium prepared by adding hypoxanthine (10<sup>-4</sup> M), thymidine (1.5 x 10<sup>-5</sup> M) and aminopterin (4 x 10<sup>-7</sup> M) to the normal medium] by repeated sucking and blowing with a measuring pipette.

[0111] This suspension is pipetted into the wells of a 96-well culture plate in an amount of 100  $\mu$ l per well, and incubated at 37°C in a 5%  $\rm CO_2$  incubator for 7 to 14 days. After incubation, a portion of the culture supernatant is taken, and hybridomas reacting specifically with the partial fragment polypeptide of the protein of the present invention are selected according to enzyme immunoassay as described in Antibodies, A Laboratory Manual, Cold Spring Harbor Laboratory, Chapter 14 (1988) or the like.

[0112] An exemplary procedure for enzyme immunoassay is described below.

[0113] The partial fragment polypeptide of the protein of the present invention, which was used as an antigen at the time of immunization, is coated on a suitable plate and reacted with a first antibody comprising the culture supernatant of a hybridoma or the purified antibody obtained in (d) below, further reacted with a second antibody comprising an anti-rat or anti-mouse immunoglobulin antibody labeled with biotin, an enzyme, a chemiluminescent substance, a radioactive compound or the like, and then subjected to a reaction depending on the labeling material. Thus, the hybridomas reacting specifically with the protein of the present invention are selected as hybridomas for producing a monoclonal antibody against the protein of the present invention.

[0114] Using these hybridomas, cloning is repeated twice according to the limiting dilution method [HT medium (HAT medium freed of aminopterin) was used for the first time and the normal medium for the second time]. A hybridoma exhibiting a high antibody titer stably is selected as a hybridoma strain capable of producing an antibody against the polypeptide of the protein of the present invention.

# (d) Preparation of a monoclonal antibody

20

[0115] 5 x 10<sup>6</sup> to 20 x 10<sup>6</sup> cells per animal of the hybridoma capable of producing a monoclonal antibody against the protein of the present invention, which was obtained in (c), is intraperitoneally injected into 8- to 10-weeks-old mice or nude mice having been subjected to a pristane treatment (i.e., having been treated by administering 0.5 ml of 2,6,10,14-tetramethylpentadecane (pristane) intraperitoneally and kept for 2 weeks]. After 10 to 21 days, the hybridoma develops into an ascites tumor. Ascites is collected from a mouse having developed an ascites tumor, and centrifuged at 3,000 rpm for 5 minutes to remove any solid matter. From the resulting supernatant, a monoclonal antibody may be purified and harvested in the same manner as described above in connection with a polyclonal antibody.

[0116] The subclass of the antibody may be determined by means of a mouse monoclonal antibody typing kit or a rat monoclonal antibody typing kit. The amount of protein may be determined by the Lowry method or calculated from the absorbance at 280 nm.

[0117] Now, the method for preparing a recombinant virus vector useful for producing the protein of the present invention in a specific human tissue is described below.

[0118] The cDNA of the shear stress-responsive gene, which was obtained in the above-described manner, encodes a protein having an activity involved in the formation of an arteriosclerotic lesion.

[0119] If necessary, a DNA fragment of appropriate length containing a portion encoding the protein is prepared from the full-length cDNA.

[0120] A recombinant virus vector is created by inserting the DNA fragment or the full-length cDNA into a virus vector on the downstream side of a promoter.

[0121] This recombinant virus vector is introduced into a packaging cell suited to the vector.

[0122] As the packaging cell, there may be used any cell that, when the recombinant virus vector lacks any of the genes encoding proteins necessary for the packaging of the virus, can supplied the deficient proteins. For example, there may be used human kidney-derived HEK293 cell or mouse fibroblast cell NIH3T3. The proteins supplied by the packaging cell include mouse retrovirus-derived proteins such as gag, pol and env for a retrovirus vector; HIV virus-derived proteins such as gag, pol, env, vpr, vpu, vif, tat, rev and nef for a lentivirus vector; adenovirus-derived proteins such as E1A and E1B for an adenovirus vector; and proteins such as Rep(p5, p19, p40) and Vp(Cap) for an adenovassociated virus.

[0123] As the virus vector, there is used a virus vector which can produce the recombinant virus in the aforesaid packaging cell and which contains a promoter at a position permitting the shear stress-responsive DNA to be transcribed in a target cell. As the plasmid vector, there may be used MFG [Proc. Natl. Acad. Sci. USA, 92, 6733-6737 (1995)], pBabePuro [Nucleic Acids Res., 18, 3587-3596(1990)], LL-CG, CL-CG, CS-CG, CLG [Journal of Virology, 72, 8150-8157(1998)] and pAdexl [Nucleic Acids Res., 23, 3816-3821(1995)]. The promoter may be any promoter that

can be expressed in human tissues. Examples thereof include the promoter of the IE (immediate early) gene of cytomegalovirus (human CMV), the early promoter of SV40, the promoter of retroviruses, metallothionein promoter, heat shock protein promoter, and SR $\alpha$  promoter. The enhancer of the IE gene of human CMV may be used in conjunction with the promoter.

- [0124] Examples of the method for introducing the aforesaid recombinant virus vector into the aforesaid packaging cell include the calcium phosphate method (Japanese Published Unexamined Patent Application No. 227075/90) and the lipofection method [Proc. Natl. Acad. Sci. USA, 84, 7413(1987)].
  - [0125] Now, the method for detecting a shear stress-responsive mRNA using the shear stress-responsive DNA of the present invention is described below.
- [0126] The DNAs which can be used in this method include, for example, DNAs having the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 168, 170, 172 and the like. Moreover, they include a DNA having a sequence of part of the foregoing DNA, an oligonucleotide DNA having the nucleotide sequence of 10 to 40 consecutive bases therein. Furthermore, they include a shear stress-responsive DNA capable of hybridizing with the foregoing DNA or a fragment thereof under stringent conditions.
  - [0127] The identification of a change in the expression level of a shear stress-responsive mRNA and a structural change of the expressed mRNA in human biological specimens and human primary cultured cells is useful in knowing the risk of developing arteriosclerosis in the future or the cause of an already developed vascular disease.
  - [0128] Examples of the method for detecting the expression level of a shear stress-responsive mRNA and a structural change thereof include (1) Northern blotting, (2) in situ hybridization, (3) quantitative PCR, (4) differential hybridization, (5) the DNA chip method, and (6) RNase protection assay.
- [0129] The materials which can be analyzed by the aforesaid methods include mRNA or total RNA which is obtained from biological specimens (e.g., vascular endothelium, blood serum and saliva) collected from arteriosclerotic patients and healthy subjects, or a primary cultured cell sample prepared by isolating cells from such a biological specimen and culturing them in a suitable culture medium in vitro (the mRNA and total RNA are hereinafter referred to as the specimen-derived RNA). Alternatively, isolated paraffin or cryostat sections of tissues obtained from biological specimens may also be used.
  - [0130] Northern blotting is a technique in which the specimen-derived RNA is separated by gel electrophoresis, transferred to a support such as a nylon filter, hybridized with a labeled probe prepared from the DNA of the present invention, and then washed to detect a band bound specifically to a shear stress-responsive mRNA. Thus, the expression level of a shear stress-responsive mRNA and a structural change thereof can be detected. The hybridization is carried out by incubating the support under such conditions as a stable hybrid is formed between the probe and a shear stress-responsive mRNA in the specimen-derived RNA. In order to prevent a false positive reaction, it is desirable to carry out the hybridization and washing steps under highly stringent conditions. They are determined according to a large number of factors such as temperature, ionic strength, base composition, probe length and formamide concentration. These factors are described, for example, in Molecular Cloning, Second Edition (as mentioned above).
- [0131] The labeled probe used for Northern blotting may be prepared, for example, by incorporating a radioactive isotope, biotin, a fluorescent group, a chemiluminescent group or the like into the DNA of the present invention or an oligonucleotide designed from the sequence of the DNA, according to a well-known technique (nick translation, random priming or kinasing). Since the amount of labeled probe hybridized reflects the expression level of the shear stress-responsive mRNA can be determined by determining the amount of labeled probe hybridized. Moreover, a structural change of the shear stress-responsive mRNA can be detected by analyzing the binding site of the labeled probe.
  - [0132] The expression level of a shear stress-responsive mRNA can also be detected by in <u>situ</u> hybridization in which the hybridization and washing steps are carried out by using the aforesaid labeled probe and isolated paraffin or cryostat sections of tissues obtained from the living body. In order to prevent a false positive reaction in <u>in situ</u> hybridization, it is desirable to carry out the hybridization and washing steps under highly stringent conditions. They are determined according to a large number of factors such as temperature, ionic strength, base composition, probe length and formamide concentration. These factors are described, for example, in Current Protocols in Molecular Biology.
  - [0133] Some methods for detecting a shear stress-responsive mRNA, such as quantitative PCR, differential hybridization, and the DNA chip method, may be carried out on the basis of the synthesis of cDNA by using the specimenderived RNA, an oligo-dT primer or random primer, and reverse transcriptase (the resulting cDNA is hereinafter referred to as the specimen-derived cDNA). When the specimen-derived RNA is mRNA, both of the aforesaid primers may be used. However, when the specimen-derived RNA is total RNA, it is necessary to use an oligo-dT primer.
  - [0134] In quantitative PCR, DNA fragments derived from the shear stress-responsive mRNA are amplified by carrying

out PCR while using a template comprising the specimen-derived cDNA and primers designed on the basis of the nucleotide sequence possessed by the DNA of the present invention. Since the amount of the amplified DNA fragments reflects the expression level of the shear stress-responsive mRNA, the amount of the shear stress-responsive mRNA can be determined by using, as an internal control, a DNA encoding actin or G3PDH (glyceraldehyde 3-phosphate dehydrogenase) not responding to a shear stress. Moreover, a structural change of the shear stress-responsive mRNA can be detected by separating the amplified DNA fragments by gel electrophoresis. In this detection method, it is desirable to use suitable primers capable of amplifying a target sequence specifically and efficiently. Such suitable primers can be designed on the basis of the conditions that they do not hybridize between primers or within primers and that they hybridize specifically with the target cDNA at the annealing temperature and separate from the target under denaturing conditions. The quantitative determination of the amplified DNA fragments must be carried out within the range of the number of cycles of PCR in which the amplification product is increasing exponentially. Such a number of cycles of PCR can be known by recovering the amplified DNA fragment produced at each number of cycles of PCR and analyzing it by gel electrophoresis.

[0135] An alteration of the expression level of the shear stress-responsive mRNA can be detected by hybridizing and washing the DNA of the present invention immobilized on a filter or a substrate (e.g., slide glass or silicon) while using a probe comprising the specimen-derived cDNA synthesized from the specimen-derived RNA with the aid of dNTP. The methods based on this principle include methods called differential hybridization [Trends in Genetics, 7, 314-317(1991)] and the DNA chip method [Genome Research, 6, 639-645(1996)]. In both methods, the difference in the expression of the shear stress-responsive mRNA between a control specimen and a target specimen can be accurately detected by immobilizing an internal control (e.g., actin or G3PDH) on the filter or substrate. Moreover, the accurate expression level of the shear stress-responsive mRNA can be determined by synthesizing cDNAs from a control specimen and the specimen-derived RNA using different labeled dNTP and carrying out hybridization with the two labeled cDNA probes simultaneously on one filter or one substrate.

[0136] In RNase protection assay, a promoter sequence (e.g., T7 promoter or SP6 promoter) is first linked to the 3'-terminus of the DNA of the present invention. Then, in an in vitro transcription system using RNA polymerase, a labeled antisense RNA is synthesized using labeled rNTP. After this labeled antisense RNA is combined with the specimenderived RNA to form an RNA-RNA hybrid, it is digested with RNase and a band protected from digestion is detected by gel electrophoresis. The expression level of the shear stress-responsive mRNA can be determined by assaying the protected band.

[0137] Now, the method for detecting a gene causative of arteriosclerosis using the shear stress-responsive DNA of the present invention is described below.

[0138] The DNAs which can be used in this method include, for example, DNAs having the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 168, 170, 172 and the like. Moreover, they include a DNA having a sequence of part of the foregoing DNA, an oligonucleotide DNA having the nucleotide sequence of 10 to 40 consecutive bases therein. Furthermore, they include a shear stress-responsive DNA capable of hybridizing with the foregoing DNA or a fragment thereof under stringent conditions.

[0139] The most accurate test for evaluating the presence or absence of a mutation causative of arteriosclerosis in the locus of a shear stress-responsive gene is a direct comparison of the genes from a control population with the genes from arteriosclerotic patients.

[0140] Specifically, human biological specimens such as vascular endothelium, blood serum or saliva, or specimens derived from primary cultured cells established from the biological specimens, are collected from 10 to 100 arterioscle-rotic patients and healthy subjects. Then, DNA is extracted from each of the biological specimens or the primary cultured cell-derived specimens (this DNA is hereinafter referred to as the specimen-derived DNA). This specimen-derived DNA may be used directly, or may be used by amplifying a shear stress-responsive DNA using primers designed on the basis of the nucleotide sequence possessed by the DNA of the present invention. Alternatively, PCR may be carried out by using a template comprising the specimen-derived cDNA and primers designed on the basis of the nucleotide sequence possessed by the DNA of the present invention. Thus, a DNA fragment comprising a shear stress-responsive DNA sequence can be amplified and used.

[0141] In order to determine whether the DNA of the present invention has a mutation causative of arteriosclerosis, a method for detecting a heteroduplex formed by hybridization between a DNA strand having a wild type allele and a DNA strand having a mutated allele can be used.

[0142] The methods which can be used to detect a heteroduplex include (1) the detection of a heteroduplex by polyacrylamide electrophoresis [Trends Genet., 7, 5(1991)], (2) single strand conformation polymorphism analysis [Genomics, 16, 325-332(1993)], (3) chemical cleavage of mismatches (CCM), (4) enzymatic cleavage of mismatches

[Nature Genetics, 9, 103-104(1996)], (5) denaturing gradient gel electrophoresis [Mutat. Res., 288, 103-112(1993)], and the like.

[0143] Using a template comprising the specimen-derived DNA or specimen-derived cDNA and primers designed on the basis of the sequence possessed by the DNA of the present invention, a shear stress-responsive DNA is amplified as a fragment smaller than 200 bp, and then subjected to polyacrylamide electrophoresis. If a heteroduplex is formed owing to a mutation of the shear stress-responsive DNA, it has lower mobility than a homoduplex having no mutation, and can hence be detected as extra bands. The use of a specially made gel (Hydro-link, MDE or the like) provides a higher degree of separation. The analysis of a fragment smaller than 200 bp makes it possible to detect an insertion, a deletion, and most one-base substitutions. It is desirable to carry out this heteroduplex analysis on one sheet of gel in combination with single strand conformation polymorphism analysis as described below.

[0144] In single strand conformation polymorphism analysis (SSCP analysis), a shear stress-responsive DNA is amplified as a fragment smaller than 200 bp by using a template comprising the specimen-derived DNA or specimen-derived cDNA and primers designed on the basis of the sequence possessed by the DNA of the present invention. The amplified shear stress-responsive DNA fragment is denatured and then electrophoresed through native polyacrylamide gel. During DNA amplification, the primers are labeled with an isotope or fluorochrome, or the unlabeled amplification product is stained with silver. Thus, the amplified shear stress-responsive DNA fragment can be detected as bands. In order to clarify the difference from a wild type pattern, a control specimen may be electrophoresed at the same time. Thus, fragments having a mutation can be detected owing to their difference in mobility.

[0145] In chemical cleavage of mismatches (CCM), the shear stress-responsive DNA is amplified by using a template comprising the specimen-derived DNA or specimen-derived cDNA and primers designed on the basis of the sequence possessed by the DNA of the present invention. The amplified DNA fragment is hybridized with a labeled DNA prepared by incorporating an isotope or fluorescent label into the DNA of the present invention, and treated with osmium tetroxide to cleave one strand of the DNA at a mismatching site. Thus, a mutation can be detected. CCM is one of the most sensitive detection methods and can be applied even to specimens of kilobase length.

[0146] In place of the aforesaid osmium tetroxide, a combination of an enzyme involved in the repair of mismatches in cells (e.g., T4 phage resolvase or endonuclease VII) and RNase A may be used. Thus, a mismatch can be cleaved enzymatically.

[0147] In denaturing gradient gel electrophoresis (DGGE), the shear stress-responsive DNA is amplified by using a template comprising the specimen-derived DNA or specimen-derived cDNA and primers designed on the basis of the sequence possessed by the DNA of the present invention. The amplified DNA fragment is electrophoresed through a gel having a concentration gradient of a chemical denaturing agent or a temperature gradient. The amplified DNA fragment moves through the gel up to a position where it is denatured into single strands, and cease to move after denaturation. Since the amplified DNA fragments move through the gel differently according to the presence or absence of a mutation in the shear stress-responsive DNA, the presence of a mutation can be detected. In order to enhance detection sensitivity, a poly(G:C) terminus may be attached to each primer.

[0148] Another method for determining whether the DNA of the present invention has a mutation causative of arteriosclerosis is a protein truncation test (PTT) [Genomics, 20, 1-4(1994)]. This test can specifically detect a frame shift mutation, splice site mutation or nonsense mutation which develops a deletion in protein. In PTT, a special primer is designed by linking a T7 promoter sequence and a eucaryotic translation initiation sequence to the 5'-terminus of the DNA of the present invention. Using this primer, cDNA is prepared from specimen-derived RNA according to the reverse-transcribed PCR (RT-PCR) technique. When this cDNA is reacted in an in vitro transcription/translation system, it is transcribed into mRNA by the action of T7 promoter and translated by the action of the translation initiation sequence, so that a protein is produced. When this protein is electrophoresed through a gel, there will be no mutation that develops a deletion if the position of the migrated protein corresponds to that of the full-length protein. If the protein has a deletion, it will be migrated over a shorter distance than the full-length protein. Thus, the degree of deletion can be estimated from that position.

[0149] In order to determine the nucleotide sequences of the specimen-derived DNA and the specimen-derived cDNA, it is possible to use primers designed on the basis of the nucleotide sequence of the DNA of the present invention. An analysis of the determined nucleotide sequences makes it possible to judge whether or not the specimen-derived DNA or the specimen-derived cDNA has a mutation causative of arteriosclerosis.

[0150] A mutation outside the coding region of a shear stress-responsive gene can be detected by testing non-coding regions such as introns and control sequences near or within the gene. An arteriosclerotic disease caused by a mutation in a non-coding region can be ascertained by comparing the test specimen with a control specimen according to the above-described method and detecting an abnormal size, or abnormal production, of mRNA in the arteriosclerotic patient.

[0151] For the gene suggesting the presence of a mutation in a non-coding region, the DNA of the non-coding region can be cloned by using the DNA of the present invention as a probe for hybridization. A mutation in a non-coding region may be searched according to any of the above-described methods.

[0152] By subjecting to a statistical analysis according to the method described in Handbook of Human Genetics Linkage, The John Hopkins University Press, Baltimore (1994), the mutations so found may be identified as single nucleotide polymorphisms (SNPs) having a linkage with arteriosclerosis. Moreover, a gene causative of arteriosclerosis may be identified by obtaining DNA from a family having a history of arteriosclerosis according to the previously described method, and detecting a mutation therefrom.

[0153] Now, the method for diagnosing vascular diseases caused by arteriosclerosis using the shear stress-responsive DNA of the present invention is described below.

[0154] The DNAs which can be used in this method include, for example, DNAs having the nucleotide sequences represented by SEQ ID NO:1,3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 168, 170, 172 and the like. Moreover, they include a DNA having a sequence of part of the foregoing DNA, an oligonucleotide DNA having the nucleotide sequence of 5 to 60 consecutive bases in the foregoing DNA, and preferably an oligonucleotide DNA having the nucleotide sequence of 10 to 40 consecutive bases therein. Furthermore, they include a shear stress-responsive DNA capable of hybridizing with the foregoing DNA or a fragment thereof under stringent conditions.

[0155] The cause of arteriosclerosis can be ascertained by detecting a gene mutation in any tissue of a human subject. For example, where a mutation is present in the germ cell system, an individual having inherited the mutation may tend to develop arteriosclerosis. The mutation can be identified by testing DNA obtained from any tissue of the body of the individual. For example, a diagnosis of arteriosclerosis can be made by collecting blood from a subject, extracting DNA from cells of the blood, and using this DNA to perform a test for a gene mutation. Moreover, a prenatal diagnosis may be made by using fetal cells, placental cells or amniotic cells to perform a test for a gene mutation.

20

[0156] Furthermore, by obtaining a biological tissue from the lesion of a patient having developed a vascular disease and testing its DNA, the type of the vascular disease can be diagnosed and the results thus obtained can be utilized to select a drug to be administered. In order to detect a mutation of a gene in the tissue, it is useful to isolate the lesional tissue segregated from the surrounding normal tissues. An arteriosclerotic lesion may be obtained, for example, by a bypass operation for replacing the lesion of arteriosclerosis with a normal blood vessel. The tissue thus obtained is treated with trypsin or the like, and the resulting cells are cultured in a suitable culture medium. Then, chromosomal DNA and mRNA can be extracted from the cultured cells.

[0157] The DNA obtained from a human specimen for diagnostic purposes according to any of the aforesaid methods is hereinafter referred to as the diagnostic specimen-derived DNA. Moreover, the cDNA synthesized from the RNA obtained from a human specimen for diagnostic purposes according to any of the aforesaid methods is hereinafter referred to as the diagnostic specimen-derived cDNA.

[0158] Using the shear stress-responsive DNA of the present invention and the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA, a diagnosis of arteriosclerosis may be made according to the above-described method for detecting a gene causative of arteriosclerosis.

[0159] Moreover, in order to make a diagnosis of arteriosclerosis by using the shear stress-responsive DNA of the present invention and the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA, there may also be employed a method such as (1) the detection of a restriction enzyme site, (2) the utilization of an allele-specific oligonucleotide probe [allele-specific oligonucleotide hybridization (ASO)], (3) PCR using an allele-specific oligonucleotide [amplification refractory mutation system (ARMS)], (4) oligonucleotide ligation assay (OLA), (5) PCR-preferential homoduplex formation assay (PCR-PHFA), or (6) oligo-DNA array [Protein-Nucleic Acid-Enzyme (in Japanese), 43, 2004-2011(1998)].

[0160] Where a restriction enzyme site disappears or appears as a result of a single base change, the mutation may be easily detected by amplifying the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA with primers designed on the basis of the sequence possessed by the DNA of the present invention, digesting it with the restriction enzyme, and comparing the resulting restriction enzyme-cleaved DNA fragments with those obtained from healthy subjects. However, the occurrence of such a mutation is rare. For diagnostic purposes, a mismatch exerting no influence on annealing is introduced into PCR primers designed on the basis of the sequence possessed by the DNA of the present invention. Thus, for a mutation not accompanied by the disappearance or appearance of a restriction enzyme site, a restriction enzyme site is artificially introduced.

[0161] A short synthetic DNA probe hybridizes only with a perfectly base pairing sequence alone. Taking advantage of this characteristic, a single-base mutation can be easily detected by preparing an allele-specific oligonucleotide probe (ASO). For diagnostic purposes, reverse dot blotting is often employed in which an oligonucleotide designed on the basis of the sequence possessed by the DNA of the present invention and an identified mutation is attached to a filter and hybridization is carried out with a probe prepared from the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA by PCR using primers designed on the basis of the sequence possessed by the DNA of the present invention and labeled dNTP. In the DNA chip method, an oligonucleotide designed on the basis of the sequence

possessed by the DNA of the present invention and the mutation is synthesized directly on a substrate (e.g., slide glass or silicon) to form a highly dense array. This DNA chip method is a mutation detection method suitable for large-scale diagnostic purposes because various mutations can be more conveniently detected by using a small amount of the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA.

[0162] Nucleotide mutations can also be detected by the following oligonucleotide ligation assay (OLA).

[0163] Two oligonucleotides consisting of about 20 bases, which are designed from the sequence possessed by the DNA of the present invention and are capable of hybridizing on both sides of a mutation site, are prepared. Using a template comprising the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA and primers designed from the sequence possessed by the DNA of the present invention, shear stress-responsive DNA fragment is amplified by PCR. The amplified fragment is hybridized with the aforesald polynucleotide. After hybridization, the two oligonucleotides are ligated by means of DNA ligase. For example, by labeling one oligonucleotide with biotin and the other oligonucleotide with a different label such as digoxigenin, it is possible to detect rapidly whether the ligation has occurred or not. OLA is a mutation detection method suitable for large-scale diagnostic purposes because it does not require electrophoresis or centrifugation.

[0164] A very small amount of a mutated gene can also be quantitatively and easily detected by the following PCR-PHFA.

[0165] PCR-PHFA is a combination of three techniques including gene amplification (PCR), liquid-phase hybridization exhibiting very high specificity, and enzymatic detection of PCR product (ED-PCR) detecting the PCR product in the same manner as ELISA. Using a dinitrophenyl(DNP)-labeled and biotin-labeled primer set, an amplification product labeled at both ends is prepared by carrying out PCR amplification while using the DNA of the present invention as a template. This amplification product is mixed with a large excess (20- to 100-fold) of an unlabeled amplification product obtained by using an unlabeled primer set having the same sequences and a template comprising the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA. After thermal denaturation, this mixture is cooled with a gentle temperature gradient of the order of 1°C/5-10 minutes to form perfect complementary strands preferentially. The labeled DNA so reformed is captured and adsorbed to a streptavidin-immobilized well via biotin. On the other hand, an enzyme-labeled anti-DNP antibody is bound thereto via DNP. Thus, the labeled DNA can be detected by a color-developing reaction based on the enzyme. If a gene having the same sequence as the labeled DNA is not present in the specimen, the original double-strand labeled DNA is preferentially reformed to develop a color. In contrast, if a gene having the same sequence is present in the specimen, complementary strands are randomly replaced to decrease the reformation of the labeled DNA, resulting in a marked reduction in color development. Thus, known mutated polymorphic genes can be detected and quantitatively determined.

[0166] Now, the methods for detection and quantitative determination of the shear stress-responsive protein of the present invention immunologically using the antibody of the present invention are described below.

[0167] The methods by which a microorganism, an animal cell or an insect cell, or a tissue, expressing the protein of the present invention intracellularly or extracellularly can be immunologically detected and determined quantitatively using the antibody (polyclonal antibody or monoclonal antibody) of the present invention include fluorescent antibody technique, enzyme-linked immunosorbent assay (ELISA), radioimmunoassay (RIA), immunohistochemical staining techniques (e.g., ABC method and CSA method) such as tissue immunostaining and cell immunostaining, western blotting, dot blotting, immunoprecipitation, sandwich ELISA [Experimental Manual for Monoclonal Antibodies (in Japanese), Kodansha Scientific (1987); Biochemical Experimental Lectures (Second Series) 5, Methods of Immunobiochemical Research (in Japanese), Tokyo-Kagaku-Dojin (1986)], and the like.

[0168] The fluorescent antibody technique is a technique in which, after a microorganism, an animal cell or an insect cell, or a tissue, expressing the protein of the present invention intracellularly or extracellularly is reacted with the antibody of the present invention and further reacted with an anti-mouse IgG antibody, or a fragment thereof, labeled with a fluorescent material such as fluorescein isothiocyanate (FITC), fluorescence is measured with a flow cytometer. [0169] Enzyme-linked immunosorbent assay (ELISA) is a technique in which, after a microorganism, an animal cell or an insect cell expressing the protein of the present invention intracellularly or extracellularly is reacted with the antibody of the present invention and further reacted with an anti-mouse IgG antibody, or a binding fragment thereof, labeled with an enzyme such as peroxidase or biotin, the developed color is measured with a spectrophotometer.

[0170] Radioimmunoassay (RIA) is a technique in which, after a microorganism, an animal cell or an insect cell, or a tissue, expressing the protein of the present invention intracellularly or extracellularly is reacted with the antibody of the present invention and further reacted with an anti-mouse IgG antibody, or a fragment thereof, labeled with a radioactive substance, radioactivity is measured with a scintillation counter or the like.

[0171] Cell immunostaining and tissue immunostaining are in which, after a microorganism, an animal cell or an insect cell, or a tissue, expressing the protein of the present invention intracellularly or extracellularly is reacted with the antibody of the present invention and further reacted with an anti-mouse IgG antibody, or a fragment thereof, labeled with a fluorescent material (e.g., FITC) or an enzyme (e.g., peroxidase or biotin), it is observed under the microscope.

[0172] Western blotting is a technique in which, after an extract of a microorganism, an animal cell or an insect cell,

or a tissue, expressing the protein of the present invention intracellularly or extracellularly is fractionated by SDS-polyacrylamide gel electrophoresis [Antibodies-A Laboratory Manual, Cold Spring Harbor Laboratory (1988)], this gel is blotted to a PVDF membrane or a nitrocellulose membrane, then the membrane is reacted with the antibody of the present invention and further reacted with an anti-mouse IgG antibody, or a fragment thereof, labeled with a fluorescent material (e.g., FITC) or an enzyme (e.g., peroxidase or biotin). Thus, the protein of the present invention can be detected.

[0173] Dot blotting is a technique in which, after an extract of a microorganism, an animal cell or an insect cell, or a tissue, expressing the protein of the present invention intracellularly or extracellularly is blotted to a nitrocellulose membrane, this membrane is reacted with the antibody of the present invention and further reacted with an anti-mouse IgG antibody, or a binding fragment thereof, labeled with a fluorescent material (e.g., FITC) or an enzyme (e.g., peroxidase or biotin). Thus, the protein of the present invention can be detected.

[0174] Immunoprecipitation is a technique in which, after an extract of a microorganism, an animal cell or an insect cell, or a tissue, expressing the protein of the present invention intracellularly or extracellularly is extracted, the resulting extract is reacted with the antibody of the present invention, a carrier having the ability to bind specifically to immunoglobulin (e.g., protein G-Sepharose) is added thereto so as to precipitate the resulting antigen-antibody complex.

[0175] In sandwich ELISA, two antibodies of the present invention having different antigen recognition sites are provided. In advance, one of the antibodies is adsorbed to a plate, and the other is labeled with a fluorescent material (e.g., FITC) or an enzyme (e.g., peroxidase or biotin). After an extract of a microorganism, an animal cell or an insect cell, or a tissue, expressing the protein of the present invention intracellularly or extracellularly is extracted, the resulting extract is reacted with the antibody-adsorbed plate, the plate is reacted with the labeled antibody and subjected to a reaction depending on the labeling material.

[0176] Now, the method for diagnosing vascular diseases caused by arteriosclerosis using the antibody of the present invention is described below.

[0177] The identification of an alteration of the expression level of a shear stress-responsive protein and a structural change of the expressed protein in human biological specimens and human primary cultured cells is useful in knowing the risk of developing arteriosclerosis in the future or the cause of an already developed vascular disease.

[0178] The methods which can be employed to make a diagnosis by detecting the expression level of a shear stress-responsive protein and a structural change thereof include the above-described fluorescent antibody technique, enzyme-linked immunosorbent assay (ELISA), radioimmunoassay (RIA), immunohistochemical staining techniques (e.g., ABC method and CSA method) such as tissue immunostaining and cell immunostaining, western blotting, dot blotting, immunoprecipitation, sandwich ELISA and the like.

[0179] The materials which can be diagnosed by the aforesaid methods include biological specimens themselves (e.g., blood vessels in the lesion, blood, serum, urine, feces and saliva) collected from human subjects, and cells or cell extracts obtained from the foregoing biological specimens. Alternatively, an isolated paraffin or cryostat section of a tissue obtained from biological specimens may also be used.

[0180] Now, the methods for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using the shear stress-responsive DNA of the present invention, a protein encoded by the DNA, or an antibody capable of recognizing the protein are described below.

[0181] The DNAs which can be used in these screening methods include, for example, DNAs having the nucleotide sequences represented by SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 168, 170, 172 and the like; and a shear stress-responsive DNA capable of hybridizing with the foregoing DNA or a fragment thereof under stringent conditions. The protein which can be used therein include a protein encoded by the foregoing DNA (e.g., a protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO:144, 146, 148, 150, 152, 154, 156, 158, 169, 171 and 173); and a protein comprising an amino acid sequence in which one or more amino acids are deleted, replaced or added as compared with the amino acid sequence possessed by the foregoing protein, and having an activity involved in the formation of an arteriosclerotic lesion. The antibody which can be used therein include an antibody capable of recognizing the foregoing protein.

[0182] A microorganism, an animal cell or an insect cell transformed by introducing the DNA of the present invention so as to produce the protein of the present invention or a partial polypeptide of the protein, and the protein or polypeptide in purified form, are useful for the purpose of screening an agent acting specifically on a shear stress-responsive protein. The agent obtained by this screening is useful for the treatment of vascular diseases caused by arteriosclerosis.

[0183] One of the aforesaid screening methods comprises selecting a labeled compound binding specifically to a microorganism, an animal cell or an insect cell transformed so as to produce the protein of the present invention or a partial polypeptide of the protein (hereinafter referred to as the transformant for screening). The specific binding of a labeled compound may be detected by comparison with a control comprising an untransformed microorganism, animal

cell or insect cell. Alternatively, an unlabeled compound may be selected by competitive screening in which its inhibitory effect on the binding to the transformant for screening of a compound or protein binding specifically to the transformant for screening is used as an index.

- [0184] The purified protein of the present invention or the purified partial polypeptide of the protein may be used to select a labeled compound binding specifically to a shear stress-responsive protein. The binding of the labeled compound may be determined quantitatively according to the above-described immunological method using the antibody of the present invention. Alternatively, an unlabeled compound may be selected by competitive screening in which its inhibitory effect on the binding to the protein or polypeptide of a labeled compound binding to the protein or polypeptide is used as an index.
- [0185] In the other of the aforesaid screening methods, a large number of partial peptides of the protein are densely synthesized on plastic pins or a certain solid support. Thus, a compound or protein binding selectively to the peptides can be efficiently screened (WO 84/03564).
  - [0186] An expression regulating agent capable of regulating the expression of a shear stress-responsive mRNA or protein in vascular endothelial cells is also useful for the treatment of vascular diseases caused by arteriosclerosis.
  - [0187] An agent for regulating the transcription or translation of a shear stress-responsive gene can be screened by adding various compounds to a vascular endothelial cell line and assaying an increase or decrease in the expression of a shear stress-responsive mRNA using the DNA of the present invention. An increase or decrease in the expression of a shear stress-responsive mRNA may be detected by the above-described PCR, Northern blotting, and RNase protection assay.
- 20 [0188] An agent for regulating the transcription or translation of a shear stress-responsive gene can also be screened by adding various compounds to a vascular endothelial cell line and assaying an increase or decrease in the expression of a shear stress-responsive protein using the antibody of the present invention. An increase or decrease in the expression of a shear stress-responsive protein may be detected by the above-described fluorescent antibody technique, enzyme-linked immunosorbent assay (ELISA), radioimmunoassay (RIA), immunohistochemical staining techniques (e.g., ABC method and CSA method) such as tissue immunostaining and cell immunostaining, western blotting, dot blotting, immunoprecipitation, and sandwich ELISA.
  - [0189] The compound obtained by the aforesaid methods may be administered, as an agent, to model animals for arteriosclerosis, such as ApoE knockout mice and rabbits fed with a high cholesterol diet. By measuring the incorporation of oxidized LDL and cholesterol into the vascular endothelium and the formation of an arteriosclerotic lesion in these animals, the therapeutic effect of the compound on the vascular disease caused by arteriosclerosis can be evaluated.
  - [0190] Now, the drug delivery method using the antibody of the present invention is described below.
  - [0191] The antibody used for this drug delivery may be any antibody in accordance with the present invention. However, it is particularly desirable to use a humanized antibody.
- 35 [0192] Usable humanized antibodies include a human chimeric antibody, a complementary determining region (here-inafter referred to as CDR) grafted humanized antibody, and the like.
  - [0193] The human chimeric antibody means an antibody consisting of a heavy-chain variable region (the heavy chain may hereinafter be referred to as H chain, the variable region as V region, and the heavy-chain variable region as HV or VH) and a light-chain variable region (the light chain may hereinafter be referred to as L chain, and the light-chain variable region as LV or VL) of an antibody of an animal other than human, and a heavy-chain constant region (the constant region may hereinafter be referred to as C region, and the heavy-chain constant region as CH) and a light-chain constant region (the light-chain constant region may hereinafter be referred to as CL) of a human antibody. As the animal other than human, there may be used any of various animals that permit the generation of hybridomas, such as mice, rats, hamsters and rabbits.
- [0194] The human chimeric antibody of the present invention may be produced by obtaining cDNAs encoding VH and VL from a hybridoma capable of producing a monoclonal antibody which binds to the protein of the present invention and neutralizes the action of the protein of the present invention; inserting them into an expression vector for mammalian cells having genes encoding human antibody CH and human antibody CL, respectively, to construct a human chimeric antibody expression vector; and introducing the vector into mammalian cells to express the antibody.
- [0195] The CH of the human chimeric antibody may be any CH belonging to human immunoglobulin (hereinafter abbreviated as hlg). However, the CH of hlgG class is preferred. Furthermore, there may be used any of various subclasses (e.g., hlgG1, hlgG2, hlgG3 and hlgG4) belonging to hlgG class. The CL of the human chimeric antibody may be any CL belonging to hlg, and the CL of κ or λ class may be used.
- [0196] The CDR-grafted humanized antibody means an antibody in which the amino acid sequences of CDRs of VH and VL of an antibody of an animal other than human are transplanted into appropriate positions of VH and VL of a human antibody.
  - [0197] The CDR-grafted humanized antibody of the present invention may be produced by constructing cDNAs encoding V regions in which the CDR sequences of VH and VL of any human antibody are replaced by the CDR sequences

of VH and VL, respectively, of an antibody of an animal other than human that reacts with the protein of the present invention, binds to the protein of the present invention, and neutralizes the action of the protein of the present invention; inserting them into an expression vector for mammalian cells having genes encoding human antibody CH and human antibody CL, respectively, to construct a CDR-grafted humanized antibody expression vector; and introducing the vector into animal cells to express the antibody.

[0198] The CH of the CDR-grafted humanized antibody may be any CH belonging to hlg. However, the CH of hlgG class is preferred. Furthermore, there may be used any of various subclasses (e.g., hlgG1, hlgG2, hlgG3 and hlgG4) belonging to hlgG class. The CL of the CDR-grafted humanized antibody may be any CL belonging to hlg, and the CL of  $\kappa$  or  $\lambda$  class may be used.

[0199] Originally, human antibodies mean antibodies existing naturally in the human body. However, they also include antibodies obtained from a human antibody phage library and a human antibody-producing transgenic animal which have been created on the basis of the recent progress of genetic engineering, cell technology and embryological engineering.

[0200] An antibody existing in the human body may be obtained, for example, according to the following method.

[0201] Lymphocytes are isolated from human peripheral blood, immortalized by infection with EB virus or the like, and then cloned. After the selected lymphocyte producing a desired antibody is cultured, the antibody can be obtained from the resulting culture.

[0202] The human antibody phage library is a library in which an antibody gene prepared from human B cells is inserted into a phage gene so as to express antibody fragments (e.g., Fab and single-chain antibody) on the phage surface. From this library, a phage expressing an antibody fragment having a desired antigen-binding activity can be recovered by using its binding activity for a substrate having the antigen immobilized thereon as an index. This antibody fragment can further be converted into a complete human antibody according to genetic engineering techniques.

[0203] The human antibody-producing transgenic animal means an animal in which a human antibody gene is introduced into the cells. Specifically, a human antibody-producing transgenic animal may be created by introducing a human antibody gene into a mouse ES cell, transplanting the ES cell into an early embryo of another mouse, and developing the embryo. In order to prepare a human antibody from the human antibody-producing transgenic animal, there may be employed a method which comprises obtaining a human antibody-producing hybridoma according to the common method for the formation of hybridomas in mammals other than human, and culturing the hybridoma to produce and accumulate the human antibody in the resulting culture.

[0204] The antibody fragments include Fab, Fab', F(ab')<sub>2</sub>, single-chain antibody, dsFv, CDR-containing peptides, and the like.

[0205] Among the fragments obtained by treating IgG with the proteolytic enzyme papain (IgG is cleaved at the 224th amino acid residue of each H chain), Fab is an antibody fragment with a molecular weight of about 50,000 which has an antigen-binding activity and consists of about a half of an H chain on the N-terminal side and a whole L chain which are linked together via a disulfide bond.

35

[0206] The Fab of the present invention may be obtained from an antibody reacting specifically with the protein of the present invention, by treating it with the proteolytic enzyme papain. Alternatively, Fab may also be obtained by inserting DNA encoding the Fab of the antibody into a procaryotic expression vector or a eucaryotic expression vector, and introducing the resulting vector into a procaryote or eucaryote to express the DNA.

[0207] Among the fragments obtained by treating IgG with the proteolytic enzyme pepsin (IgG is cleaved at the 234th amino acid residue of each H chain), F(ab')<sub>2</sub> is an antibody fragment with a molecular weight of about 100,000 which has an antigen-binding activity and is slightly larger than two Fab molecules linked together via disulfide bonds in the hinge area.

[0208] The F(ab')<sub>2</sub> of the present invention may be obtained from an antibody reacting specifically with the protein of the present invention, by treating it with the proteolytic enzyme pepsin. Alternatively, F(ab')<sub>2</sub> may also be obtained by inserting DNA encoding the F(ab')<sub>2</sub> of the antibody into a procaryotic expression vector or an eucaryotic expression vector, and introducing the resulting vector into a procaryote or eucaryote to express the DNA.

[0209] Fab' is an antibody fragment with a molecular weight of about 50,000 which has an antigen-binding activity and is obtained by breaking the disulfide bonds in the hinge area of the aforesaid F(ab').

[0210] The Fab' of the present invention may be obtained from an antibody reacting specifically with the protein of the present invention, by treating it with the reducing agent dithiothreitol. Alternatively, Fab' may also be obtained by inserting DNA encoding the Fab' fragment of the antibody into a procaryotic expression vector or an eucaryotic expression vector, and introducing the resulting vector into a procaryote or eucaryote to express the DNA.

[0211] A single-chain antibody (hereinafter also referred to as scFv) is a VH-P-VL or VL-P-VH polypeptide consisting of one VH and one VL linked together by a suitable peptide linker (hereinafter referred to as P). The VH and VL contained in the scFv used in the present invention may be those of any antibody (e.g., humanized antibody or human antibody) reacting specifically with the protein of the present invention.

[0212] The single-chain antibody of the present invention may be obtained according to the following method.

- [0213] After cDNAs encoding the VH and VL of an antibody reacting specifically with the protein of the present invention are obtained, a DNA encoding the single-chain antibody is constructed. Then, the single-chain antibody may be obtained by inserting the DNA into a procaryotic expression vector or an eucaryotic expression vector, and introducing the resulting vector into a procaryote or eucaryote to express the DNA.
- [0214] The disulfide-stabilized V region fragment (hereinafter referred to as dsFv) is a fragment obtained by replacing one amino acid residue of each of VH and VL with a cysteine residue and linking these polypeptides together by a disulfide bond extending between the cysteine residues. The amino acid residues to be replaced with cysteine residues can be selected on the basis of the predicted stereostructure of the antibody, according to the method shown by Reiter et al. [Protein Engineering, 7, 697(1994)]. The VH and VL contained in the disulfide-stabilized V region fragment used in the present invention may be those of any antibody (e.g., humanized antibody or human antibody) reacting specifically with the protein of the present invention.
  - [0215] The disulfide-stabilized V region fragment of the present invention may be obtained according to the following method.
- [0216] After cDNAs encoding the VH and VL of an antibody reacting specifically with the protein of the present invention are obtained, a DNA encoding the disulfide-stabilized V region fragment is constructed. Then, the disulfide-stabilized V region fragment may be obtained by inserting the DNA into a procaryotic expression vector or an eucaryotic expression vector, and introducing the resulting vector into a procaryote or eucaryote to express the DNA.
  - [0217] The CDR-containing peptides may be prepared by chemical synthesis processes such as the Fmoc method and the tBoc method.
- [0218] A conjugated antibody prepared from the antibody of the present invention as described below may be used as a drug delivery system to deliver an agent or protein specifically to a lesion of arteriosclerosis.
  - [0219] The conjugated antibody is an antibody obtained by linking a radioactive isotope, protein, low-molecular-weight agent or the like to an antibody reacting specifically with the protein of the present invention (e.g., a humanized antibody, a human antibody, or a fragment of these antibodies) by chemical means or genetic engineering means.
- [0220] The conjugated antibody of the present invention may be prepared by linking a radioactive isotope, protein, low-molecular-weight agent or the like to N-terminal or C-terminal side of an H chain or L chain of an antibody or antibody fragment reacting specifically with the protein of the present invention, to a suitable substituent group or side chain of the antibody or antibody fragment, or to a sugar chain of the antibody or antibody fragment, by chemical means or genetic engineering means.
- [0221] Usable radioactive isotopes include <sup>131</sup>I, <sup>125</sup>I and the like. They can be linked to an antibody or an antibody fragment, for example, according to the chloramine T method.
  - [0222] Usable low-molecular-weight agents are anticancer drugs including, for example, alkylating agents such as nitrogen mustard and cyclophosphamide; antimetabolites such as 5-fluorouracil and methotrexate; antibiotics such as daunomycin, bleomycin, mitomycin C, daunorubicin and doxorubicin; plant alkaloids such as vincristine, vinblastine and vindesine; and hormones such as tamoxifen and dexamethasone [Clinical Oncology (in Japanese), edited by the Japanese Society for the Research of Clinical Oncology, 1996, Gan-to-Kagakuryoho Sha]; anti-inflammatory drugs including, for example, steroids such as hydrocortisone and prednisone; nonsteroidal anti-inflammatory drugs such as aspirin and indomethacin; immunomodulators such as gold sodium thlomalate and penicillamine; immunosuppressants such as cyclophosphamide and azathioprine; and antihistamines such as chlorpheniramine maleate and clemastine [Inflammation and Anti-inflammatory Therapy (in Japanese), 1982, Ishiyaku Shuppan Kabushiki Kaisha]; and the like.
  - [0223] A low-molecular-weight agent may be linked to the aforesaid antibody in the usual manner. For example, daunomycin may be linked to the antibody, for example, by linking daunomycin to an amino group of the antibody via glutaraldehyde, or by linking the amino group of daunomycin to a carboxyl group of the antibody via water-soluble carbodilmide.
- 45 [0224] Suitable proteins include cytokines activating immunocompetent cells, and growth controlling factors for vascular endothelium, vascular smooth muscle and the like. Examples thereof include human interleukin 2, human granulocyte macrophage colony-stimulating factor, human macrophage colony-stimulating factor, human interleukin 12, fibroblast growth factor 2 (FGF-2) and platelet-derived growth factor (PDGF). Moreover, in order to damage directly with proliferative vascular smooth muscle cells of an arteriosclerotic lesion, there may be used a toxin such as ricin or diphtheria toxin.
  - [0225] The conjugated antibody having a protein linked thereto may be prepared according to the following method. [0226] A DNA encoding the conjugated antibody is constructed by linking cDNA encoding the protein to cDNA encoding the antibody or antibody fragment. After this DNA is inserted into a prokaryotic or eucaryotic expression vector, the resulting expression vector is introduced into a procaryote or eucaryote to express the DNA. Thus, the desired conjugated antibody can be obtained.
  - [0227] Now, the method of gene therapy using a virus vector containing the shear stress-responsive DNA of the present invention is described below.
  - [0228] A therapeutic agent may be prepared from the above-described recombinant virus vector and a base for gene

therapeutic agents [Nature Genet., 8, 42(1994)].

[0229] The base for gene therapeutic agents may be any base that is commonly used for injections: Examples thereof include distilled water; a solution of a salt such as sodium chloride or a mixture of sodium chloride and an inorganic salt; a solution of mannitol, lactose, dextran, glucose or the like; a solution of an amino acid such as glycine or arginine; and a mixture of an organic acid solution or a salt solution and a glucose solution. Moreover, injections in the form of solutions, suspensions or dispersions may be prepared in the usual manner, by using auxiliaries such as osmotic pressure regulators, pH regulators, vegetable oils (e.g., sesame oil and soybean oil) and surfactants (e.g., lecithin and nonionic surfactants), in combination with the aforesaid bases. These injections may also be prepared as preparations to be dissolved at the time of use, according to a technique such as powdering or freeze-drying. Where the gene therapeutic agent of the present invention is a liquid, it may be used directly for therapeutic purposes, as required. Where it is a solid, it may be dissolved immediately before gene therapy in the aforesaid base having been sterilized as required, and used for therapeutic purposes. In order to administer the gene therapeutic agent of the present invention, there may be employed a local administration method using a double balloon catheter or the like so that the gene therapeutic agent will be absorbed into the vascular endothelium of the treated site of the patient.

[0230] As a method for carrying a virus vector more specifically to an arteriosclerotic lesion, Somia et al. have reported a method using a fusion protein consisting of a single-chain antibody capable of recognizing specifically the LDL receptor and the Env protein of a retrovirus vector [Proc. Natl. Acad. Sci. USA, 92, 7570-7574(1995)]. This system is not limited to retrovirus vectors, but may also be applied to lentivirus vectors and the like.

[0231] The nonviral gene transfer techniques which are known in this field include calcium phosphate coprecipitation [Virology, 52, 456-467(1973); Science, 209, 1414-1422(1980)], microinjection [Proc. Natl. Acad. Sci. USA, 77, 5399-5403(1980); Proc. Natl. Acad. Sci. USA, 77, 7380-7384(1980); Cell, 27, 223-231(1981); Nature, 294, 92-94 (1981)], membrane fusion-mediated transfer method using liposomes [Proc. Natl. Acad. Sci. USA, 84, 7413-7417 (1987); Biochemistry, 28, 9508-9514(1989); J. Biol. Chem., 264, 12126-12129(1989); Hum. Gene Ther., 3, 267-275 (1992); Science, 249, 1285-1288(1990); Circulation, 83, 2007-2011(1992)], direct DNA incorporation and receptor-mediated DNA transfer method [Science, 247, 1465-1468(1990); J. Biol. Chem., 266, 14338-14342(1991); Proc. Natl. Acad. Sci. USA, 87, 3655-3659(1991); J. Biol. Chem., 264, 16985-16987(1989); BioTechniques, 11, 474-485(1991); Proc. Natl. Acad. Sci. USA, 87, 4033-4037(1990); Proc. Natl. Acad. Sci. USA, 88, 4255-4259(1991); Proc. Natl. Acad. Sci. USA, 87, 4033-4037(1990); Proc. Natl. Acad. Sci. USA, 88, 8850-8854(1991); Hum. Gene Ther., 3, 147-154 (1991)], and the like.

[0232] When gene transfer using a virus vector is combined with direct in vivo gene transfer using liposome delivery, the virus vector can be directed to an arteriosclerotic lesion.

[0233] In addition, a virus vector may also be prepared by combining a DNA of appropriate size in accordance with the present invention with a polylysine-conjugated antibody specific for adenovirus hexon protein to form a complex, and linking the resulting complex to an adenovirus vector. This virus vector attains target cells stably, is incorporated into the cells by the action of endosomes, and is decomposed in the cells. Thus, the gene can be expressed efficiently. [0234] In an investigation on tumors, it has been reported that membrane fusion-mediated transfer method using liposomes permits a liposome preparation to be administered directly to a target tissue, and the tissue can hence incorporate and express the gene locally [Hum. Gene Ther., 3, 399-410(1992)]. Accordingly, it may be expected that a similar effect is produced in the case of an arteriosclerotic lesion. In order to deliver DNA directly to an arteriosclerotic lesion, it is preferable to employ a gene transfer technique. Receptor-mediated DNA transfer is carried out, for example, by conjugating DNA (usually taking the form of a covalently closed supercoiled plasmid) to a protein ligand via polylysine. The ligand is selected on the basis of the presence of the corresponding ligand receptor on the cell surface of the target cells or tissue. Examples of the combination of the receptor and the ligand include the combination of LDL receptor and LDL, and the combination of scavenger receptor and oxidized LDL. If desired, this ligand-DNA conjugate may be directly injected into the blood and thereby delivered to a target tissue where it binds to the receptor and the DNA-protein complex is internalized. In order to prevent the intracellular degradation of DNA, the target tissue may be simultaneously infected with an adenovirus to disrupt the endosome function.

[0235] Now, the method of treatment using an antibody capable of recognizing specifically the shear stress-responsive DNA of the present invention is described below.

[0236] A pharmaceutical containing the antibody of the present invention may be administered alone as a therapeutic agent. However, it is usually desirable to provide as pharmaceutical preparations produced by blending the antibody with one or more pharmacologically acceptable carriers and working up the resulting blend according to any of various techniques known well in the technical field of pharmaceutics.

[0237] It is desirable to use the route of administration which is most effective for the purpose of treatment. Examples thereof include oral administration and parenteral administration such as buccal, intratracheal, intrarectal, subcutaneous, intramuscular and intravenous administration. In the case of antibody preparations, intravenous administration is desirable.

[0238] Examples of dosage forms include sprays, capsules, tablets, granules, medicated syrups, emulsions, sup-

positories, injections, ointments, tapes, and the like.

[0239] Pharmaceutical preparations suitable for oral administration include emulsions, medicated syrups, capsules, tablets, powders, granules and the like.

[0240] Liquid preparations such as emulsions and medicated syrups may be produced using additives including water; sugars such as sucrose, sorbitol and fructose; glycols such as polyethylene glycol and propylene glycol; oils such as sesame oil, olive oil and soybean oil; antiseptics such as p-hydroxybenzoic acid esters; flavors such as strawberry flavor and peppermint; and the like.

[0241] Capsules, tablets, powders, granules and the like may be produced using additives including excipients such as lactose, glucose, sucrose and mannitol; disintegrators such as starch and sodium alginate; lubricants such as magnesium stearate and talc; binders such as polyvinyl alcohol, hydroxypropylcellulose and gelatin; surfactants such as fatty acid esters; plasticizers such as glycerin; and the like.

[0242] Pharmaceutical preparations suitable for parenteral administration include injection, suppository, spray and the like. Injection is prepared using a carrier comprising a salt solution, a glucose solution or a mixture thereof, and the like. Alternatively, a powder for injection may be prepared by freeze-drying the antibody of the present invention in the usual manner and adding sodium chloride thereto. Suppository is prepared using a carrier such as cacao butter, hydrogenated fats and carboxylic acids.

[0243] Spray is prepared by using the antibody of the present invention itself, or using a carrier which does not irritate the mucous membranes of the oral cavity and respiratory tract of the patient and enables the antibody of the present invention to be dispersed as fine particles and easily absorbed, and the like.

[0244] Specific examples of the carrier include lactose and glycerin. Depending on the antibody of the present invention and the nature of the carrier used, aerosols, dry powders and the like may be prepared. Also in these parenteral preparations, the ingredients described as additive in connection with oral preparations may be added.

[0245] The dosage and the frequency of administration may vary according to the desired therapeutic effect, the method of administration, the period of treatment, the age and body weight of the patient, and the like. However, the drugs of the present invention are usually administered to adults in a daily dose of 10 µg/kg to 20 mg/kg.

[0246] One of the activities involved in an arteriosclerotic lesion (i.e. the activities regulating the development of arteriosclerosis) is the promotion or suppression of the apoptosis of vascular endothelial cells. Since it is known that, in vascular endothelial cells, the application of a shear stress tends to suppress the apoptosis of endothelial cells, the shear stress-responsive DNA of the present invention is considered to contain a gene and protein which exhibits a shear stress-dependent increase of expression in vascular endothelial cells and has an apoptosis-suppressing activity. Accordingly, by using this DNA containing a gene having an apoptosis-suppressing activity, a protein encoded by the DNA, a recombinant virus vector constructed by inserting the DNA into a vector, an antibody against the protein encoded by the DNA, and the like, the following applications can be made: (1) identification of the apoptosis sensitivity of cells, (2) regulation of the apoptosis of cells, and (3) screening of an agent for regulating the apoptosis of cells. These applications (1), (2) and (3) are described below in greater detail.

(1) Identification of the apoptosis sensitivity of cells

[0247] Now, the method for identifying the apoptosis sensitivity of cells using the shear stress-responsive DNA of the present invention or a protein encoded by the DNA is described below.

[0248] Apoptosis sensitivity means the degree of ease with which cells undergo apoptosis in response to an exogenous apoptotic stimulus, i.e. the degree of susceptibility of cells to the influence of an apoptotic stimulus. It is believed that this apoptosis sensitivity is defined according to whether the apoptotic signal in the cells is accompanied by a suppressive or promotive signal. The molecular entity thereof comprises a group of proteins involved in the suppression or promotion of apoptosis (e.g., apoptosis signal transduction molecule), i.e., the so-called apoptosis-related proteins. These apoptosis-related proteins include, for example, a protein encoded by the DNA (A4RS-041) having the nucleotide sequence represented by SEQ ID NO:7 of the present invention, and a protein having the amino acid sequence represented by SEQ ID NO:8.

[0249] Hemodynamic physical forces applied to vascular endothelial cells include a shear stress resulting from a flow of blood with fixed directionality (i.e., a laminar flow) and applied in parallel with the direction of the blood flow, and a normal stress caused by a blood pressure and applied perpendicularly to the endothelium. Vascular endothelial cells are always subjected to both forces. Generally, the development of arteriosclerosis is suppressed in regions where the shear stress is greater than the normal stress. Conversely, the development of arteriosclerosis tends to occur in regions where the normal stress is greater than the shear stress. In fact, it has been reported that the apoptosis of vascular endothelial cells is suppressed by a shear stress resulting from a laminar flow. In the culture system (i.e., the micro carrier/spinner flask system) used to obtain the DNAs of the present invention, not only a shear stress due to a flow, but also a normal stress due to a centrifugal force caused by rotation is applied to endothelial cells. Some of the genes responding to a shear stress are modified by a normal stress, and others are not modified thereby. This difference

in reactivity can be clarified by confirming the presence or absence of an increase of expression in HUVECs cultured in a parallel plate type culture apparatus or other apparatus which applies only a shear stress thereto. It is believed that at least the group of shear stress-responsive genes not modified by a normal stress act protectively against arteriosclerosis, and this gene group includes a gene and protein having an apoptosis-suppressing activity.

[0250] The endogenous transcription level of the DNA of the present invention having an apoptosis-suppressing activity, or the expression level of the protein of the present invention having an apoptosis-suppressing activity, or a structural change of the expressed protein may be detected using the DNA of the present invention having an apoptosis-suppressing activity, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence of the DNA, an antibody capable of recognizing the protein of the present invention having an apoptosis-suppressing activity, or the like. Thus, the apoptosis sensitivity of cells can be identified.

[0251] Examples of the DNA used in the method for identifying apoptosis sensitivity, and an antibody capable of recognizing a protein encoded by the DNA include a DNA having the nucleotide sequence represented by SEQ ID NO:7, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, and an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.

[0252] The DNA of the present invention, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence of the DNA, and an antibody capable of recognizing the protein of the present invention having an apoptosis-suppressing activity, which are used in the above-described method, are effective as agents for identifying the apoptosis sensitivity of cells.

[0253] Since the apoptosis of vascular endothelial cells is promoted in an arteriosclerotic lesion, these agents can also be utilized as diagnostic agents for vascular diseases caused by arteriosclerosis with a view, for example, to identifying the arteriosclerotic lesion or predicting the risk of developing arteriosclerosis in the future.

[0254] The agent for identifying the apoptosis sensitivity of cells include, for example, an agent containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8, or the like.

[0255] Since the DNAs of the present invention were obtained from human umbilical vein endothelial cells (HUVECs) as shear stress-responsive DNAs, it is desirable that the objective cells used for the identification of apoptosis sensitivity are vascular endothelial cells such as human primary cultured vascular endothelial cells and human umbilical vein endothelial cells (HUVECs). However, since apoptosis is a phenomenon universally observed in all types of cells of the living body including vascular endothelial cells, the objective cells are not limited to vascular endothelial cells.

## (2) Regulation of the apoptosis of cells

[0256] Since the DNA of the present invention is a shear stress-responsive gene which is known to exhibit an increase of expression in response to a shear stress and lead to the suppression of apoptosis, the DNA of the present invention or a DNA having the same sequence as 5 to 60 consecutive bases in the DNA may be involved in the suppression of apoptosis. On the other hand, when an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs is used, the apoptosis of cells is promoted because the endogenous transcription or translation of the DNA is suppressed.

[0257] Similarly to the DNA of the present invention, the apoptosis of cells may also be regulated using a protein encoded by the DNA of the present invention or an antibody capable of recognizing the protein. Specifically, a protein having an apoptosis-suppressing activity is selected from various proteins encoded by the DNAs of the present invention, and the DNA encoding this protein is integrated into a virus vector to create a recombinant virus vector. Then, the apoptosis of cells or a tissue may be suppressed by introducing the recombinant virus vector into the cells or tissue and expressing the protein having an apoptosis-suppressing activity.

[0258] Moreover, the apoptosis of cells may be regulated by using an antibody capable of recognizing the aforesaid protein and thereby giving a positive or negative apoptosis-regulating signal to the cells.

[0259] Examples of the method for suppressing or promoting apoptosis include a method for promoting the apoptosis of cells by suppressing the endogenous transcription or translation of the DNA using a DNA having the nucleotide sequence represented by SEQ ID NO:7, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, or an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs, for example, according to the antisense technique; and a method for suppressing the apoptosis of cells by introducing the DNA into the cells and thereby accelerating the transcription of the DNA.

[0260] Moreover, they also include a method for suppressing the apoptosis of cells by increasing the intracellular expression level of a protein having the amino acid sequence represented by SEQ ID NO:8, using a recombinant virus vector containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, a recombinant virus vector

containing an RNA comprising a sequence homologous with the sense strand of the DNA having the nucleotide sequence represented by SEQ ID NO:7, or a recombinant virus vector capable of producing a protein having the amino acid sequence represented by SEQ ID NO:8.

[0261] Furthermore, since the amino acid sequence represented by SEQ ID NO:8 is considered to be a membrane protein on the basis of its structure, they also include a method for regulating the apoptosis of cells by subjecting the cells to the action of an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8, stimulating the protein expressed on the cell surface, and thereby transducing a positive or negative apoptosis-regulating signal in the cells.

[0262] The DNA of the present invention, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence of the DNA, a recombinant virus vector capable of expressing the protein of the present invention having an apoptosis-suppressing activity, and an antibody capable of recognizing the protein of the present invention, which are used in the above-described methods, are effective as agents for regulating the apoptosis of cells. These agents can also be utilized as therapeutic agents for vascular diseases caused by arteriosclerosis.

[0263] The agents for regulating apoptosis include, for example, an agent containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs, a recombinant virus vector containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, a recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of the DNA having the nucleotide sequence represented by SEQ ID NO:7, a recombinant virus vector capable of producing a protein having the amino acid sequence represented by SEQ ID NO:8, or an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.

[0264] Since the DNAs of the present invention were obtained from human umbilical vein endothelial cells (HUVECs) as shear stress-responsive DNAs, it is desirable that the objective cells used for the regulation of apoptosis are vascular endothelial cells such as human primary cultured vascular endothelial cells and human umbilical vein endothelial cells (HUVECs). However, since apoptosis is a phenomenon universally observed in all types of cells of the living body including vascular endothelial cells, the objective cells are not limited to vascular endothelial cells.

- (3) Screening of an agent for regulating the apoptosis of cells
- [0265] The methods for screening an agent for regulating the apoptosis of cells using the shear stress-responsive DNA of the present invention or a protein encoded by the DNA are described below.
  - [0266] One of the aforesald screening methods is such that, when apoptosis is induced in an animal cell line exhibiting the Fas-dependent induction of apoptosis, a compound or protein which can suppress or promote apoptosis by regulating the endogenous transcription or translation of the DNA of the present invention is selected.
- [0267] In particular, a compound or protein which can suppress apoptosis by promoting the endogenous transcription or translation of the DNA of the present invention is effective for the treatment of vascular diseases caused by arteriosclerosis. On the other hand, a compound or protein which can promote apoptosis by suppressing the endogenous transcription or translation of the DNA of the present invention is effective for the treatment of diseases based on abnormal proliferation of cells, such as cancer.
- [0268] According to one exemplary method for screening an agent for regulating the apoptosis of cells using the DNA of the present invention, after a test material is made to act on cells, an increase or decrease of the endogenous transcription level of a DNA having the nucleotide sequence represented by SEQ ID NO:7 is assayed using the DNA having the nucleotide sequence represented by SEQ ID NO:7, or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7. Thus, an agent for suppressing or promoting the apoptosis of the cells can be screened.
  - [0269] Another of the aforesaid screening methods is such that, when an animal cell which has been transformed by introducing the DNA of the present invention so as to produce the protein of the present invention or a partial polypeptide of the protein is used, a compound or protein which can suppress the apoptosis of the cell by binding specifically to the cell is selected. In this method, the specific binding of a compound or protein can be detected by using an untransformed cell as a control. The agent obtained by this screening is also effective for the treatment of vascular diseases caused by arteriosclerosis.

[0270] According to one exemplary screening method using the protein of the present invention, a DNA having the nucleotide sequence represented by SEQ ID NO:7 is introduced into cells using a recombinant virus vector containing the DNA having the nucleotide sequence represented by SEQ ID NO:7, or a recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of the DNA having the nucleotide sequence represented by SEQ ID NO:7, to express a protein having the amino acid sequence represented by SEQ ID NO:8. By exposing the cells to a test material so as to contact the test material with the protein, an agent which binds specifically to the protein to change the activity of the protein is selected. Thus, an agent for suppressing or promoting the apoptosis

of cells can be screened.

[0271] Alternatively, a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA encoding a protein having the amino acid sequence represented by SEQ ID NO:8 is inserted into a vector to construct a recombinant DNA. This recombinant DNA is introduced into a host cell, and the resulting transformant is cultured in a culture medium. By using the resulting culture to contact the protein in the culture with a test material, an agent which binds specifically to the protein to change the activity of the protein is selected. Thus, an agent for suppressing or promoting the apoptosis of cells can be screened.

[0272] Alternatively, an isolated and purified protein having the amino acid sequence represented by SEQ ID NO:8 or a partial peptide of the protein having the amino acid sequence represented by SEQ ID NO:8 is used in an in vitro system. By contacting a test material with the protein or the peptide, an agent which binds specifically to the protein or peptide to cause a change in the activity of the protein is selected. Thus, an agent for suppressing or promoting the apoptosis of cells can be screened.

[0273] When an agent for suppressing or promoting apoptosis is screened by using an increase or decrease of the transcription level of a DNA having the nucleotide sequence represented by SEQ ID NO:7 in the cells as an index, the transcription level of the DNA may be analyzed according to a technique such as Northern hybridization, in situ hybridization, RNase protection assay or RT-PCR, by using a probe or primer comprising the DNA having the nucleotide sequence represented by SEQ ID NO:7, or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7.

[0274] When an agent for suppressing or promoting apoptosis is screened by using the expression level of a protein having the amino acid sequence represented by SEQ ID NO:8 in the cells as an index, the expression level of the protein may be analyzed according to an immunological detection technique using an antibody capable of recognizing the protein having the amino acid sequence represented by SEQ ID NO:8.

[0275] The agents obtained by the above-described screening methods can be utilized as an agent for suppressing or promoting the apoptosis of cells.

[0276] Since the DNAs of the present invention were obtained from human umbilical vein endothelial cells (HUVECs) as shear stress-responsive DNAs, it is desirable that the objective cells used for the regulation of apoptosis are vascular endothelial cells such as human primary cultured vascular endothelial cells and human umbilical vein endothelial cells (HUVECs). However, since apoptosis is a phenomenon universally observed in all types of cells of the living body including vascular endothelial cells, the objective cells are not limited to vascular endothelial cells.

[0277] As the vector used to express the DNA of the present invention in an animal cell and the method for introducing a recombinant vector, there may be employed any of the previously described methods.

[0278] As the immunological detection technique for assaying an increase or decrease of the expression level of the protein of the present invention using an antibody, there may be employed any of the previously described techniques. [0279] As the host cell required in a screening system for detecting the suppression or promotion of apoptosis, there may be used any animal cell that exhibits the Fas-dependent induction of apoptosis. Examples thereof include suspension type cells such as Jurkat [J. Exp. Med., 152,1709-19(1980)], HPB-ALL [Int. J. Cancer, 21, 166-170(1978)] and SKW6.4[Immunol. Lett., 7, 17-23(1983)]; and adhesion type cells such as HeLa and A673 [Arch. Biochem. Biophys., 230, 93-102(1984)].

[0280] One example of a substance for inducing Fas-dependent cell death in the aforesaid cell lines is the antihuman Fas monoclonal antibody CH-11 [J. Exp. Med., 169, 1747-1756(1989)]. Exemplary methods for inducing cell death are as follows. In the case of a suspension type cell, a cell suspension is diluted with a culture medium so as to have a density of about 106 cells/ml and added to a 24-well plate or a 96-well microtiter plate for the culture of animal cells. After the anti-human Fas monoclonal antibody is added to a concentration of 1 to 500 ng/ml, the plate is incubated in a CO<sub>2</sub> incubator at 37°C for several hours to 2 day and culture is carried out. In the case of an adhesion type cell, cells are inoculated onto a plate in advance. When cell death is to be induced, the culture medium is replaced by a culture medium containing the anti-human Fas monoclonal antibody, and the culture is continued in a CO<sub>2</sub> incubator at 37°C.

[0281] As the method for detecting the suppression or promotion of apoptosis, there may be employed, for example, a detection method in which the cells are stained with trypan blue, Giemsa stain or the like and observed under an optical microscope. In the case of adhesion type cells, apoptosis causes cells to detach from the plate and float. Accordingly, the occurrence of apoptosis can be easily detected without staining. Also known is a detection method in which the cells are stained with a fluorochrome such as Hoechst 33342, Hoechst 33258 or propidium iodide and observed under a fluorescence microscope [Biomanual UP Series, New Experimental Methods for the Research of Apoptosis (in Japanese), Second Edition]. Moreover, there may also be employed biochemical methods such as a method involving the measurement of the activity of caspase activated in the process of apoptosis [J. Exp. Med., 183, 1957-1964 (1996)], and MTT assay involving the measurement of mitochondrial dehydrogenase activity in living cells [J. Immunol. Methods, 16, 55-63(1983)]. Furthermore, a method for detecting a structural change of cell membrane using Annexin V [J. Exp. Med., 182, 1545-1556(1995)], and detection methods based on DNA fragmentation such as TUNEL method

and Burton's method [Biomanual UP Series, New Experimental Methods for the Research of Apoptosis (in Japanese), Second Edition] are also known.

# Examples

[0282] The present invention is more specifically described hereinbelow with reference to the following examples. However, the present invention is in no way to be limited to these examples.

## Example 1

10

20

Construction of a cDNA library from HUVECs having a shear stress applied thereto

#### (1) Culture of HUVECs

[0283] Using F-12K medium (manufactured by Dainippon Pharmaceutical Co., Ltd.) containing 10% fetal calf serum, 1% penicillin (5,000 units/ml)/streptomycin (5 mg/ml) solution (manufactured by Life Technologies), 0.003% Endothelial Cell Growth Supplement (manufactured by Becton Dickinson), 0.01% heparin (manufactured by Wako Pure Chemical Industries Ltd.) and 0.14% NaHCO<sub>3</sub> (manufactured by Life Technologies), HUVECs were cultured and subcultured under the condition of 5% CO<sub>2</sub> and 37°C. The HUVECs used were purchased from Clonetics.

(2) Application of a shear stress to HUVECs

[0284] A suspension of 0.2 g of micro-carriers (Cytodex 3; manufactured by Amersham Pharmacia Biotech) in 10 ml of PBS buffer was transferred to a sterilized 50 ml tube, and centrifuged at 1,000 rpm for 3 minutes at room temperature. After the supernatant was removed, F12K medium was added. After the resulting suspension was centrifuged again and the supernatant was removed, the medium was added to make up to about 10 ml.

[0285] After the HUVECs obtained in the above culture step (1) were dissociated with trypsin/EDTA, about 2 x 10<sup>6</sup> HUVECs were suspended in 10 ml of the medium and mixed with the above-described micro-carriers. This mixture was transferred to a 200 ml spinner flask, and 15 ml of the medium was added to make a total volume of about 35 ml. The mixture was stirred at 50-60 rpm for 30 seconds and then allowed to stand for one hour. By repeating this stirring/ standing procedure four times, HUVECs were made to adhere to the micro-carriers. Thereafter, a shear stress was applied to the cells by stirring the mixture at 160 rpm for a selected period of time.

# (3) Preparation of RNA

35

[0286] Samples of 1.6 x 10<sup>7</sup> HUVECs having a shear stress applied thereto for 0.5 hour, 1 hour, 1.5 hours, 2 hours, 3 hours, 4 hours, 6 hours, 10 hours, and 20 hours respectively were prepared in the manner described in the above step (2). From each of the aforesaid nine samples of cells having different shear stress application times, total RNAs were prepared by the guanidine thiocyanate-cesium trifluoroacetate method [Methods in Enzymology, 154, 3(1987)]. 100 μg each of these total RNAs from the nine samples were mixed to obtain 900 μg of total RNA. This 900 μg of total RNA was passed through an oligo-dT cellulose column (manufactured by Collaborative Research) to obtain 30.9 μg of mRNA as poly(A)+ RNA.

## (4) Construction of a cDNA library

[0287] Using 3.0 μg of mRNA obtained in the above step (3), the synthesis of cDNA, the addition of BamHI adapter, and cleavage reaction with NotI were carried out according to the linker primer method [Hiroshi Nojima ed., "Methods for the Construction of Gene Libraries" (in Japanese)]. The resulting double-stranded cDNAs were ligated between BgllI/NotI of the plasmid vector pAP3neo [Genes to Cells, 3, 459(1998)] so that 5'-terminus of the cDNAs was always located on the BgllI site of the vector. Using the resulting ligation reaction solution, the plasmid was introduced into Escherichia coli MC1061A (Molecular Cloning, Second Edition) by electroporation. Thus, a cDNA library was constructed.

## Example 2

## Construction of a subtraction library

#### (I) Preparation of single-strand DNA

[0288] 2 µg of the plasmid of the cDNA library obtained in Example 1 by amplification in MC1061A was introduced into Escherichia coli XL1-Blue MRF (manufactured by Stratagene) by electroporation. After this Escherichia coli was suspended in 4.5 ml of SOC medium (Molecular Cloning, Second Edition) and incubated at 37°C for 1 hour with vigorous shaking, all of the resulting culture was added to 5.5 ml of LB medium (Molecular Cloning, Second Edition) containing 50 µg/ml ampicillin. After being incubated at 37°C for 5 hours with vigorous shaking, 5 ml of the resulting culture was inoculated into 45 ml of 2-YT medium (Molecular Cloning, Second Edition) containing ampicillin, and 1 x 10<sup>11</sup> pfu of helper phage R408 [Gene, 45, 333(1986)] was added thereto. After being incubated at 37°C for 12 hours with vigorous shaking, the resulting culture was transferred to a sterilized tube and centrifuged at 10,000 rpm for 10 minutes at 4°C to precipitate the Escherichia coll. The phage-containing supernatant was transferred to a new sterilized tube and centrifuged again. The supernatant was passed through a sterilizing filter (manufactured by Millipore) having a pore diameter of 0.22 µm to remove the Escherichia coli completely. 2.5 ml of 10-DNase buffer [100 mM Tris-HCI (pH 7.5), 100 mM MgCl<sub>2</sub>], 1 µl of 20 units/µl DNase I (manufactured by Nippon Gene Co., Ltd.) were added to 25 mI of the phage solution, and this mixture was reacted at 37°C for 30 minutes. Then, 1/4 volume of 20% polyethylene glycol (molecular weight 6,000)/2.5 M NaCl was added thereto and mixed well, following by standing at room temperature for 20 minutes. After this mixture was centrifuged at 10,000 rpm for 10 minutes at 4°C, the supernatant was removed completely. The resulting precipitate of phage was dissolved in 400 μl of TE [10 mM Tris-HCl (pH 8.0), 1 mM EDTA (pH 8.0)], and 25 µl of 25 mg/ml Proteinase K and 4 µl of 10% SDS were added thereto, following by reaction at 42°C for 1 hour. The reaction mixture was subjected to a phenol treatment, a phenol-chloroform treatment and a chloroform treatment, and then precipitated with ethanol. The resulting precipitate of single-strand phage DNA was dissolved in 30 µl of TE.

#### (2) Biotinylation of RNA

[0289] In the same manner as in Example 1, poly(A)+ RNA was prepared from HUVECs having no shear stress applied thereto (i.e., HUVECs made only to adhere to micro carriers). To 30 μg of this RNA was added distilled water so as to make a volume of 20 μl. Then, 30 μl of 1 μg/μl PHOTOPROBE blotln (manufactured by Vector Laboratories) was added thereto in the dark. After the tube was uncapped and placed on ice, the mixture was irradiated with light from a mercury vapor lamp disposed about 10 cm above the tube for 20 minutes to biotinylate the RNA, followed by the addition of 50 μl of 100 mM Tris-HCl (pH 9.5)/1 mM EDTA (pH 8.0). Then, 100 μl of water-saturated butanol was added thereto, followed by vigorous stirring. After this mixture was centrifuged at 14,000 rpm for 5 minutes at 4°C, the upper butanol layer was removed. This procedure was repeated two more times. 100 μl of chloroform was added to the aqueous layer, followed by vigorous stirring. After this mixture was centrifuged at 14,000 rpm for 5 minutes at 4°C, the aqueous layer was transferred to a new tube. After this procedure was repeated again, RNA was precipitated with ethanol. The recovered precipitate of RNA was dissolved in 20 μl of distilled water, and subjected again to the procedure for biotinylation. The biotinylated RNA was preserved at -80°C in the ethanol-precipitated state till use for hybridization.

## (3) Hybridization of single-strand DNA with RNA

[0290] 20 μg of the biotinylated RNA prepared in step (2) was recovered by centrifugation at 14,000 rpm for 15 minutes at 4°C, and dissolved in 8 μl of distilled water. To this solution, 12.5 μl of 2 x reaction buffer [80% formamide, 100 mM HEPES (pH 7.5), 2 mM EDTA (pH 8.0), 0.2% SDS], 2.5 μl of 2.5 M NaCl, 1 μl of 1 μg/μl poly(A) (manufactured by Amersham Pharmacia Biotech), and 1 μl (0.5 μg/μl) of the single-strand DNA prepared in step (1) from the cDNA library derived from HUVECs having a shear stress applied thereto were added so as to make a total volume of 25 μl.

After this mixture was heated at 65°C for 10 minutes, it was quickly transferred to a heat block warmed at 42°C and incubated at 42°C for two nights to effect hybridization.

## (4) Subtraction and rehybridization

[0291] After completion of the hybridization, 400 μl of a buffer [500 mM NaCl, 50 mM HEPES (pH 7.5), 2 mM EDTA (pH 8.0)] was added to the reaction mixture. Then, 5 μl of 2 μg/μl streptavidin (manufactured by Life Technologies) was added thereto and mixed therewith. After this mixture was allowed to stand at room temperature for 5 minutes, it was subjected to a phenol-chloroform treatment. The aqueous layer was transferred to a new tube, and 5 μl of fresh

streptavidin was added thereto. After this mixture was allowed to stand at room temperature for 5 minutes, subtraction was carried out by subjecting it twice to a phenol-chloroform treatment and once to a chloroform treatment. The aqueous layer was placed in the upper chamber of a Millipore Filter UFCP3TK50 (manufactured by Millipore) and centrifuged at 10,000 rpm at 4°C until all of the solution passed into the lower chamber. After the solution was removed from the lower chamber, the filter was washed by adding 300  $\mu$ l of TE to the upper chamber and centrifuging the filter. After this procedure was repeated, single-strand DNA captured on the filter was recovered with 30  $\mu$ l of 1/10 TE. This single-strand DNA was dried under vacuum and dissolved in distilled water to make up to 9  $\mu$ l. After 10  $\mu$ g of the biotinylated RNA prepared in step (2) was precipitated with ethanol and recovered by centrifugation, 9  $\mu$ l of the above single-strand DNA solution was added to the precipitate. After the addition of 12.5  $\mu$ l of 2 x reaction buffer, 2.5  $\mu$ l of 2.5 M NaCl, and 1  $\mu$ l of poly(A), a second hybridization step was carried out in the same manner as in step (3), and subtraction was carried out in the above-described manner. Thereafter, single-strand DNA was recovered in a similar manner and subjected to a third subtraction step by hybridization with 10  $\mu$ g of the biotinylated RNA and a fourth subtraction step by using 5  $\mu$ g of the biotinylated RNA.

(5) Synthesis of double-strand DNA and its introduction into Escherichia coli

[0292] After four subtraction steps were successively carried out as described above, the resulting single-strand DNA was recovered in 30  $\mu$ l of 1/10 TE. To a 15  $\mu$ l portion thereof, 14  $\mu$ l of distilled water and 1  $\mu$ l of a 2  $\mu$ g/ $\mu$ l primer extension primer having the nucleotide sequence represented by SEQ ID NO: 159 were added, followed by heating at 65°C for 10 minutes. After this mixture was allowed to stand at room temperature for 5 minutes so as to anneal the primer to single-strand DNA, 5  $\mu$ l of 10 x reaction buffer (attached to BcaBEST Dideoxy Sequencing Kit; manufactured by Takara Shuzo Co., Ltd.), 10  $\mu$ l of a 1 mM dNTP mixture, 0.5  $\mu$ l of 3  $\mu$ g/ $\mu$ l single-strand DNA-binding protein (manufactured by USB), 2  $\mu$ l of 2 units/ $\mu$ l BcaBEST DNA polymerase (manufactured by Takara Shuzo Co., Ltd.), and 2.5  $\mu$ l of distilled water were added thereto. This mixture was reacted at 65°C for 1 hour to synthesize double-strand DNA. After the addition of 50  $\mu$ l of distilled water, the reaction mixture was subjected to a phenol-chloroform treatment and a chloroform treatment. The resulting solution was concentrated by means of a Millipore Filter UFCP3TK50, and the double-strand DNA was finally dissolved in 20  $\mu$ l of TE. Using 1/5 volume of this solution, the double-strand DNA was introduced into Escherichia coli MC1061A by electroporation.

(6) Reverse subtraction

[0293] Escherichia coli MC1061A having the double-strand DNA introduced thereinto, which was obtained in step (5), was cultured, and plasmid DNA was prepared from the Escherichia coli. In the same manner as in step (1), this plasmid DNA was introduced into Escherichia coli XL1-Blue MRF' to prepare single-strand DNA. Two μg of mRNA derived from HUVECs having a shear stress applied thereto was biotinylated in the manner described in step (2), and mixed with 2 μg of the aforesaid single-strand DNA. To this mixture, 12.5 μl of 2 x reaction buffer, 2.5 μl of 2.5 M NaCl, 1 μl of 1 μg/μl poly(A), and 1 μl of distilled water were added so as to make a total volume of 25 μl. In the same manner as in step (3), this mixture was incubated at 42°C for two nights to carry out hybridization. Four hundred  $\mu$ l of a buffer [500 mM NaCl, 50 mM HEPES (pH 7.5), 2 mM EDTA (pH 8.0)] was added to the reaction mixture. Then, 7 μl of 2 μg/ µl streptavidin was added thereto and mixed therewith. After this mixture was allowed to stand at room temperature for 5 minutes, phenol-chloroform was added thereto with vigorous mixing. After this mixture was centrifuged at 14,000 rpm for 7 minutes at room temperature, the aqueous layer was removed. Then, 400 μl of fresh TE was added thereto with vigorous mixing. After this mixture was centrifuged at 14,000 rpm for 7 minutes at room temperature, the aqueous layer was removed. This procedure was repeated two more times, so that single-strand DNA which did not hybridize with the biotinylated RNA was removed. After 400 μl of TE was added without mixing, the tube was heated at 95°C for 5 minutes in the uncapped state. Thereafter, by placing the tube on ice for 5 minutes to denature the DNA, the single-strand DNA having hybridized with the biotinylated RNA and present in the phenol-chloroform layer was separated from the biotinylated RNA. After the reaction mixture was vigorously mixed and centrifuged at 14,000 rpm for 7 minutes at room temperature, the aqueous layer was transferred to a new tube. The aqueous layer was subjected again to a phenol-chloroform treatment and then to a chloroform treatment. The aqueous layer containing the singlestrand DNA was concentrated by means of a Millipore Filter UFCP3TK50, and the single-strand DNA was finally recovered in 30  $\mu$ l of 1/10 TE. Fifteen  $\mu$ l of this solution was dried under vacuum, and dissolved in distilled water to make up to 9  $\mu$ l. Five  $\mu$ g of mRNA derived from HUVECs having no shear stress applied thereto was biotinylated and recovered by precipitation with ethanol. To the precipitate was added 9  $\mu l$  of the aforesaid single-strand DNA solution. Then, 12.5  $\mu$ l of 2 x reaction buffer, 2.5  $\mu$ l of 2.5 M NaCl, and 1  $\mu$ l of poly(A) were added thereto, and normal subtraction was carried out in the same manner as steps (3) and (4).

[0294] That is, a subtraction library in which genes exhibiting an increase of expression in response to the application of a shear stress in HUVECs were concentrated was prepared by carrying out four successive subtraction steps, one

reverse subtraction step, and one normal subtraction step.

## Example 3

5 Obtaining of clones exhibiting an alteration of expression by Northern hybridization

[0295] Northern hybridization was carried out in order to select clones which are included in the subtraction library obtained in Example 2 and exhibit a shear stress-dependent increase of expression.

(1) Transfer of RNA to a membrane

[0296] According to the same procedure as in Example 1, total RNAs were obtained from HUVECs having a shear stress applied thereto and HUVECs having no shear stress applied thereto, respectively. To 4 µg of each total RNA was added distilled waster so as to make a volume of 1.8 µl. Then, 0.8 µl of 10 x MOPS buffer [80 mM sodium acetate, 197 mM MOPS, 10 mM EDTA (pH 8.0)], 1.4 µl of a 35% formaldehyde solution (manufactured by Nacalai Tesque), and 4 µl of deionized formamide were added thereto. After this mixture was heated at 65°C for 15 minutes and then cooled rapidly by placing it on ice for 5 minutes, the total amount thereof was electrophoresed through 1 x MOPS/2% formaldehyde/1% agarose gel. After completion of the electrophoresis, the gel was washed with distilled water for 20 minutes, and this washing step was repeated three times to remove any formaldehyde from the gel. After the gel was soaked in 20xSSC (3 M NaCl, 0.3 M sodium citrate) for 30 minutes, RNA in the gel was transferred to a nylon membrane Biodyne A (manufactured by Pall BioSupport) according to a capillary transfer method using 20xSSC. After completion of the transfer, the RNA was fixed to the membrane by allowing the membrane to stand at 80°C for 2 hours.

(2) Labeling of probes

25

[0297] In the subtraction library obtained in Example 2, clones having an inserted DNA fragment of not less than 0.4 kb size were treated by cleaving the plasmid with  $\underline{Sma}$  and  $\underline{Not}$  to excise the inserted DNA fragment. The fragments thus obtained were purified using a QiAquick Gel Extraction Kit (manufactured by QiAGEN), and the procedure therefor was carried out according to the manual attached to the kit. Using about 50 ng of the purified DNA fragments as templates, the DNA fragments were labeled using a Random Primer DNA Labeling Kit Ver. 2 (manufactured by Takara Shuzo Co., Ltd.) and [ $\alpha$ -32P]dCTP (110 TBq/mmol; Amersham Pharmacia Biotech), and used as probes. The procedure therefor was carried out according to the manual attached to the kit.

(3) Hybridization and autoradiography

35

[0298] The membrane prepared in step (1) was placed in a hybridization bag, and a freshly prepared hybridization solution [50% formamide, 5 x Denhardt's, 5 x SSC, 0.1% SDS, denatured salmon DNA (0.1 mg/ml)] was added thereto. The hybridization bag was incubated at 42°C for 2 hours or more to carry out prehybridization. The probes prepared in step (2) were denatured by heating them at 95°C for 5 minutes and cooling them rapidly. These probes were mixed with a hybridization solution and added to the prehybridized membrane. The hybridization bag was incubated at 42°C for 24 hours or more to carry out hybridization. The membrane was taken out of the hybridization bag, placed in 2 x SSC/0.1% SDS, and slowly shaken at room temperature for 10 minutes to remove the hybridization solution as much as possible. Then, the membrane was washed in 0.15 x SSC/0.1% SDS at 42°C for 30 minutes, and this washing step was repeated twice. After completion of the washing steps, autoradiography was carried out by exposing an X-ray film to the membrane. A total of 1,026 clones were named A4RS-1 to A4RS-1026, respectively, and each of them was subjected to Northern hybridization. Thus, there were obtained 107 clones exhibiting a shear stress-dependent increase of expression.

# Example 4

50

Identification of clones exhibiting alteration of expression

(1) Determination of nucleotide sequences

[0299] With respect to the clones which were ascertained to exhibit an increase of expression in response to the application of a shear stress in Example 3, their nucleotide sequences were determined by means of a 377 DNA Sequencer (manufactured by Perkin Elmer). For the determination of the nucleotide sequences, a Dye Primer Cycle Sequencing Kit (manufactured by Perkin Elmer) was used. The procedure therefor was carried out according to the

attached manual. The clones exhibiting alteration of expression were identified by comparing the resulting nucleotide sequences with the database GenBank. As a result, the 107 clones were classified into 88 types of genes. In these 88 genes, 5 genes which have been reported to exhibit the induction of expression by a shear stress stimulus in vascular endothelial cells, i.e. the genes encoding endothelin 1, monocyte chemotactic protein 1, heparin-binding EGF-like growth factor, thrombomodulin, and transforming growth factor  $\beta$ , are included. Accordingly, 83 genes with which the induction of expression by a shear stress stimulus in vascular endothelial cells had not yet been reported could be identified. These genes included 55 known genes and 28 novel genes. With respect to genes whose sequences are not identical with any of the full-length cDNAs included in the known sequences, but are identical only with expressed sequence tags (ESTs) alone, and genes whose sequences are not identical with any of the known sequences (i.e., novel genes), all ESTs included in the corresponding UniGene are joined together to construct as long sequences as possible on a computer. With respect to eight of the novel genes, full-length cDNAs were cloned from a cDNA library prepared with a  $\lambda$  phage vector in Example 5 that will be given later.

(2) Known genes exhibiting a shear stress-dependent increase of expression

15

[0300] When the nucleotide sequence of A4RS-016 was determined, this was identical with the sequence of thioredoxin reductase [Accession: X91247] (SEQ ID NO:1). The amino acid sequence encoded by this gene is shown as SEQ ID NO:2. Thioredoxin reductase is an enzyme reducing thioredoxin using NADPH, and participates in various physiological reactions such as control of intracellular antioxidation, signal transduction, and NO production. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 1 of FIG. 1 and lane 1 of FIG. 3. [0301] When the nucleotide sequence of A4RS-026 was determined, this was identical with the sequence of lipopolysaccharide-induced protein gene [Accession: Q51544] (SEQ ID NO:3). The amino acid sequence encoded by this gene is shown as SEQ ID NO:4. The protein encoded by this gene does not show substantial homology with other known proteins, and its function is unknown. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 2 of FIG. 1.

[0302] When the nucleotide sequence of A4RS-040 was determined, this was identical with the sequence of spliceosome-associated protein (SAP145) [Accession: U41371] (SEQ ID NO:5). The amino acid sequence encoded by this gene is shown as SEQ ID NO:6. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 3 of FIG. 1.

[0303] When the nucleotide sequence of A4RS-041 was determined, this was identical with the sequence of human proline-rich membrane protein (PRMP) [Accession: V50494] (SEQ ID NO:7). The amino acid sequence encoded by this gene is shown as SEQ ID NO:8. Only the sequence of PRMP is registered in a database, and its function is unknown. However, PRMP has substantial homology with rat neural membrane protein 35 (NMP35) [Molecular and Cellular Neuroscience, 11, 260(1998)] and the glutamate-binding subunit of NMDA receptor [Accession: W62612]. Although the function of NMP35 is not clearly known, it is expressed specifically in the brain, like the glutamate-binding subunit of NMDA receptor. From an analysis of hydrophilicity on the basis of its amino acid sequence, NMP35 is presumed to be a membrane protein. RPMP also has an extremely high degree of hydrophobicity and hence functions as a membrane protein. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 4 of FIG. 1 and lane 2 of FIG. 3.

[0304] When the nucleotide sequence of A4RS-063 was determined, this was identical with the sequence of puromycin-sensitive aminopeptidase [Accession: AJ132583] (SEQ ID NO:9). The amino acid sequence encoded by this gene is shown as SEQ ID NO: 10. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 5 of FIG. 1 and lane 3 of FIG. 3.

[0305] When the nucleotide sequence of A4RS-096 was determined, this was identical with the sequence of human secreted protein gene 125 clone HSPAG15 [Accession: V59635] (SEQ ID NO:11). The amino acid sequence encoded by this gene is shown as SEQ ID NO:12. Only the sequence of this gene is registered in a bank, and its function is unknown. The protein encoded by this gene does not show substantial homology with other known proteins. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 6 of FIG. 1 and lane 4 of FIG. 3. [0306] When the nucleotide sequence of A4RS-116 was determined, this was identical with the sequence of lamin C [Accession: M13451] (SEQ ID NO:13). The amino acid sequence encoded by this gene is shown as SEQ ID NO: 14. Lamin C is a lining protein for the nuclear membrane and is one of the cytoskeleton forming factors. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 7 of FIG. 1 and lane 5 of FIG. 3. [0307] When the nucleotide sequence of A4RS-126 was determined, this was identical with the sequence of cytokine-response gene CR8 [Accession: T43383] (SEQ ID NO:15). The amino acid sequence encoded by this gene is shown as SEQ ID NO:16. Cytokine-response gene CR8, which is also called DEC1, is a transcription factor having a basic helix-loop-helix motif. In particular, it has high homology with a HES family of transcription factors participating in nerve differentiation. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 8 of FIG. 1. [0308] When the nucleotide sequence of A4RS-131 was determined, this was identical with the sequence of human

- enhancer of filamentation (HEF1) [Accession: L43821] (SEQ ID NO:17). The amino acid sequence encoded by this gene is shown as SEQ ID NO:18. HEF1 is a signal transduction molecule having an SH3 domain, having a FAK-binding activity, and participating in regulation of the cytoskeleton. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 9 of FIG. 1.
- [0309] When the nucleotide sequence of A4RS-148 was determined, this was identical with the sequence of interferon-induced 15-kDa protein gene [Accession: M21786] (SEQ ID NO:19). The amino acid sequence encoded by this gene is shown as SEQ ID NO:20. The protein encoded by this gene does not show substantial homology with other known proteins, and its function is unknown. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 10 of FIG. 1.
- [0310] When the nucleotide sequence of A4RS-154 was determined, this was identical with the sequence of LDL receptor [Accession: N60388] (SEQ ID N0:21). The amino acid sequence encoded by this gene is shown as SEQ ID NO:22. LDL receptor incorporates LDL, which is one of the causes for the formation of an arteriosclerotic lesion, under the endothelium. It has been reported that, when a shear stress is applied to cultured bovine aortic endothelial cells, the binding and incorporation of LDL via LDL receptor increases [Circulation, 76, 648(1987)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 11 of FIG. 1.
  - [0311] When the nucleotide sequence of A4RS-174 was determined, this was identical with the sequence of peripheral myelin protein (PMP)-22 [Accession: Q32869] (SEQ ID NO:23). The amino acid sequence encoded by this gene is shown as SEQ ID NO:24. PMP-22 is a component of myelin present in the peripheral nervous system, and is a membrane protein having four transmembrane domains. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 12 of FIG. 1.
  - [0312] When the nucleotide sequence of A4RS-175 was determined, this was identical with the sequence of tyrosine kinase receptor UFO/ArK [Accession: S65125) (SEQ ID NO:25). The amino acid sequence encoded by this gene is shown as SEQ ID NO:26. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 13 of FIG. 1.
- [0313] When the nucleotide sequence of A4RS-194 was determined, this was identical with the sequence of calcium-ATPase HK2 [Accession: M23115] (SEQ ID NO:27). The amino acid sequence encoded by this gene is shown as SEQ ID NO:28. Calcium-ATPase HK2 is present in the membranes of the endoplasmic reticulum within cells. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 14 of FIG. 1.
  - [0314] When the nucleotide sequence of A4RS-197 was determined, this was identical with the sequence of human arginine-rich protein [Accession: M83751] (SEQ ID NO:29). The amino acid sequence encoded by this gene is shown as SEQ ID NO:30. The amino acid sequence encoded by this gene does not show substantial homology with other known proteins, and its function is unknown. However, it is suggested that this gene may be a kind of proto-oncogene. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 15 of FIG. 1.
  - [0315] When the nucleotide sequence of A4RS-260 was determined, this was identical with the sequence of KIAA0025 [Accession: D14695] (SEQ ID NO:31). The amino acid sequence encoded by this gene is shown as SEQ ID NO:32. The protein encoded by this gene does not show substantial homology with other known proteins, and its function is unknown. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 16 of FIG. 1 and lane 6 of FIG. 3.
  - [0316] When the nucleotide sequence of A4RS-271 was determined, this was identical with the sequence of human high-mobility group phosphoprotein isoform I-C (HMGI-C) [Accession: U28749] (SEQ ID NO:33). The amino acid sequence encoded by this gene is shown as SEQ ID NO:34. Judging from its structure, HMGI-C is a transcription factor. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 17 of FIG. 1 and lane 7 of FIG. 3.
- [0317] When the nucleotide sequence of A4RS-307 was determined, this was identical with the sequence of PRAD1 [Accession: X59798] (SEQ ID NO:35). The amino acid sequence encoded by this gene is shown as SEQ ID NO:36. PRAD1 is a member of the cyclin family and is also called cyclin D1. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 18 of FIG. 1 and lane 8 of FIG. 3.
  - [0318] When the nucleotide sequence of A4RS-355 was determined, this was identical with the sequence of KIAA0964 [Accession: AB023181] (SEQ ID NO:37). The amino acid sequence encoded by this gene is shown as SEQ ID NO:38. The protein encoded by this gene is judged to be the human ortholog of rat PSD-95/SAP90-associated protein-4 (SAPAP-4). SAPAP-4 is present in membranes and is considered to participate in the clustering of NMDA receptor. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 19 of FIG. 1.
  - [0319] When the nucleotide sequence of A4RS-389 was determined, this was identical with the sequence of lamin A [Accession: M13452] (SEQ ID NO:39). The amino acid sequence encoded by this gene is shown as SEQ ID NO: 40. Lamin A is a lining protein for the nuclear membrane and is one of the cytoskeleton forming factors. Its Northern
    - blots exhibiting a shear stress-dependent increase of expression are shown in panel 20 of FIG. 1 and panel 9 of FIG. 3. [0320] When the nucleotide sequence of A4RS-391 was determined, this was identical with the sequence of non-muscle alpha actinin [Accession: U48734] (SEQ ID NO:41). The amino acid sequence encoded by this gene is shown

as SEQ ID NO:42. Alpha actinin is one of the cytoskeleton forming factors. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 21 of FIG. 1 and lane 10 of FIG. 3.

[0321]. When the nucleotide sequence of A4RS-423 was determined, this was identical with the sequence of gamma-filamin [Accession: AF089841] (SEQ ID NO:43). The amino acid sequence encoded by this gene is shown as SEQ ID NO:44. Gamma-filamin is an actin filament crosslinking protein, and participates in filopodia formation by binding to low-molecular-weight GTP-binding proteins such as rac and rho. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 22 of Fig. 1.

[0322] When the nucleotide sequence of A4RS-431 was determined, this was identical with the sequence of growth factor inducible immediate early gene product CYR61 [Accession: U62015] (SEQ ID NO:45). The amino acid sequence encoded by this gene is shown as SEQ ID NO:46. CYR61 is also called gigl, monocyte mature differentiation factor, or connective tissue growth factor-2, and is a secreted factor having a signal sequence at the amino-terminus. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 23 of FIG. 1.

[0323] When the nucleotide sequence of A4RS-453 was determined, this was identical with the sequence of nuclear factor of activated T cells (NF-ATc) [Accession: U08015] (SEQ ID NO:47). The amino acid sequence encoded by this gene is shown as SEQ ID NO:48. NF-ATc is one of the components of a transcription factor. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 24 of FIG. 1.

[0324] When the nucleotide sequence of A4RS-492 was determined, this was identical with the sequence of GLI Krupple-related protein [Accession: M77698] (SEQ ID NO:49). The amino acid sequence encoded by this gene is shown as SEQ ID NO:50. GLI Krupple-related protein, which is also called YY1, is a suppressively functioning transcription factor. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 25 of FIG. 1.

[0325] When the nucleotide sequence of A4RS-507 was determined, this was identical with the sequence of human mRNA homologous to the p64 bovine chloride channel [Accession: Y12696] (SEQ ID NO:51). The amino acid sequence encoded by this gene is shown as SEQ ID NO:52. Only the sequence of this gene is reported, and its function is not clearly known. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 26 of FIG. 1. [0326] When the nucleotide sequence of A4RS-514 was determined, this was identical with the sequence of KIAA0080 [Accession: D38522] (SEQ ID NO:53). The amino acid sequence encoded by this gene is shown as SEQ ID NO:54. The protein encoded by this gene is judged to be the human ortholog of rat synaptotagmin XI that is a membrane protein. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 27 of FIG. 1.

[0327] When the nucleotide sequence of A4RS-523 was determined, this was identical with the sequence of nicotinamide N-methyltransferase [Accession: U08021] (SEQ ID NO:55). The amino acid sequence encoded by this gene is shown as SEQ ID NO:56. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 28 of FIG. 1.

[0328] When the nucleotide sequence of A4RS-544 was determined, this was identical with the sequence of H. sapiens mRNA for surface glycoprotein [Accession: Z50022] (SEQ ID NO:57). The amino acid sequence encoded by this gene is shown as SEQ ID NO:58. The protein encoded by this gene is a type I membrane protein. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 29 of FIG. 1.

[0329] When the nucleotide sequence of A4RS-547 was determined, this was identical with the sequence of early growth response gene alpha(EGR-alpha) [Accession: S81439] (SEQ ID NO:59). The amino acid sequence encoded by this gene is shown as SEQ ID NO:60. EGR-alpha is a transcription factor, and it has been reported that its homologue, EGR-1, is activated by a shear stress in endothelial cells [Arterioscler. Thromb. Vasc. Biol., 17,2280(1997)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 30 of FIG. 1.

[0330] When the nucleotide sequence of A4RS-557 was determined, this was identical with the sequence of SF2p33 [Accession: M69040] (SEQ ID NO:61). The amino acid sequence encoded by this gene is shown as SEQ ID NO:62. SF2p33 is a nuclear factor and is indispensable for the splicing of pre-mRNA. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 31 of FIG. 1.

[0331] When the nucleotide sequence of A4RS-577 was determined, this was identical with the sequence of p66 shc [Accession: U73377] (SEQ ID NO:63). The amino acid sequence encoded by this gene is shown as SEQ ID NO:64. shc is a signal transduction molecule which transduces a stimulus from tyrosine kinase to ras. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 32 of FIG. 1.

[0332] When the nucleotide sequence of A4RS-588 was determined, this was identical with the sequence of lysosomal acid lipase (LAL) [Accession: M74775] (SEQ ID NO:65). The amino acid sequence encoded by this gene is shown as SEQ ID NO:66. LAL, which is also called cholesteryl esterase, is an enzyme hydrolyzing cholesteryl esters incorporated into cells. If this gene is deficient, cholesteryl ester storage disease may be induced to cause arteriosclerosis. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 33 of FIG. 1.

[0333] When the nucleotide sequence of A4RS-602 was determined, this was identical with the sequence of NG,NG dimethylarginine dimethylaminohydrolase (DDAH) [Accession: AB001915] (SEQ ID NO:67). The amino acid sequence

- encoded by this gene is shown as SEQ ID NO:68. DDAH hydrolyzes N<sup>G</sup>-monomethyl-L-arginine (MMA) and N<sup>G</sup>,N<sup>G</sup>-dimethyl-L-arginine (DMA) to citrullin. Since MMA and DMA are substrate analogs for NO synthase, they inhibit the synthesis of NO. That is, DDAH induces NO synthesis indirectly. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 34 of FIG. 1 and lane 11 of FIG. 3.
- [0334] When the nucleotide sequence of A4RS-608 was determined, this was identical with the sequence of serum deprivation response (SDPR) [Accession: AF085481] (SEQ ID NO:69). The amino acid sequence encoded by this gene is shown as SEQ ID NO:70. For human SDPR, only its sequence is registered. It has been reported that the expression of its mouse ortholog, sdr, is induced by serum deprivation in NIH3T3. However, its function is unknown. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 35 of FIG. 1.
- [0335] When the nucleotide sequence of A4RS-612 was determined, this was identical with the sequence of regulator of G protein signaling (RGS3) [Accession: U27655] (SEQ ID NO:71). The amino acid sequence encoded by this gene is shown as SEQ ID NO:72. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in panel 36 of FIG. 1.
  - [0336] When the nucleotide sequence of A4RS-625 was determined, this was identical with the sequence of cytokine-inducible nuclear protein C-193 [Accession: X83703] (SEQ ID NO:73). The amino acid sequence encoded by this gene is shown as SEQ ID NO:74. In endothelial cells, this gene is expressed in response to inflammatory stimuli such as TNF- $\alpha$  and LPS. The amino acid sequence encoded by this gene does not show substantial homology with other known proteins, but has been proved to be a nuclear factor. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 37 of FIG. 1.
- 20 [0337] When the nucleotide sequence of A4RS-666 was determined, this was identical with the sequence of laminin B1 chain [Accession: M61916] (SEQ ID NO:75). The amino acid sequence encoded by this gene is shown as SEQ ID NO:76. Laminin B1 chain is a glycoprotein and is a kind of extracellular matrix. It has been reported that, in bovine arterial endothelial cells, laminin protein is increased by the application of a shear stress [Laboratory Investigation, 73, 565(1995)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 38 of FIG. 1.
- [0338] When the nucleotide sequence of A4RS-668 was determined, this was identical with the sequence of Matrix Gla protein (MGP) [Accession: M58549] (SEQ ID NO:77). The amino acid sequence encoded by this gene is shown as SEQ ID NO:78. MGP is a kind of extracellular matrix. It has been reported that, in knockout mice of this gene, calcification occurs in arteries and cartilages and results in death [Nature, 386, 78(1997)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 39 of FIG. 1.
- 30 [0339] When the nucleotide sequence of A4RS-674 was determined, this was identical with the sequence of PTX3 (SEQ ID NO:79). The amino acid sequence encoded by this gene is shown as SEQ ID NO:80. PTX3 is a member of the pentraxin family, and is a secreted factor having a signal sequence at the amino-terminus. It has been reported that, in vascular endothelial cells and monocytes, this gene is expressed in response to inflammatory stimuli such as IL-1 and TNF-α. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 40 of FIG. 1.
  - [0340] When the nucleotide sequence of A4RS-682 was determined, this was identical with the sequence of connective tissue growth factor [Accession: X78947] (SEQ ID NO:81). The amino acid sequence encoded by this gene is shown as SEQ ID NO:82. Connective tissue growth factor is a secreted factor having a signal sequence at the aminoterminus, and its expression in developed arteriosclerotic lesions has been reported [Circulation, 95, 831(1997)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 41 of Fig. 1.
  - [0341] When the nucleotide sequence of A4RS-751 was determined, this was identical with the sequence of FLI-1 [Accession: Q50644] (SEQ ID NO:83). The amino acid sequence encoded by this gene is shown as SEQ ID NO:84. FLI-1, which is also called ERGB, is a transcription factor belonging to the ETS family. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 42 of FIG. 2.
- [0342] When the nucleotide sequence of A4RS-781 was determined, this was identical with the sequence of HLA-E [Accession: X56841] (SEQ ID NO:85). The amino acid sequence encoded by this gene is shown as SEQ ID NO:86. HLA-E is a kind of MHC class I protein. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 43 of FIG. 2.
  - [0343] When the nucleotide sequence of A4RS-784 was determined, this was identical with the sequence of plasminogen activator inhibitor (PAI) [Accession: M16006] (SEQ ID NO:87). The amino acid sequence encoded by this gene is shown as SEQ ID NO:88. PAI acts antagonistically against plasminogen activator. It has been reported that its expression is decreased by the application of a shear stress [Blood, 87, 2314(1996)]. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 44 of FIG. 2 and lane 12 of FIG. 3.
  - [0344] When the nucleotide sequence of A4RS-817 was determined, this was identical with the sequence of keratin 18 [Accession: M26326] (SEQ ID NO:89). The amino acid sequence encoded by this gene is shown as SEQ ID NO: 90. Keratin 18 is a kind of intermediate filament. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 45 of FIG. 2.
    - [0345] When the nucleotide sequence of A4RS-818 was determined, this was identical with the sequence of human

secreted protein gene 5 clone HELDY41 [Accession: V34315] (SEQ ID NO:91). The amino acid sequence encoded by this gene is shown as SEQ ID NO:92. The amino acid sequence encoded by this gene coincides with a partial sequence of human hedgehog interacting protein [Accession: W56538]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 46 of FIG. 2.

- [0346] When the nucleotide sequence of A4RS-914 was determined, this was identical with the sequence of monocyte-derived neutrophil-activating protein (MONAP) [Accession: M26383] (SEQ ID NO:93). The amino acid sequence encoded by this gene is shown as SEQ ID NO:94. MONAP is also called interleukin 8 (IL-8), and its relation with the development of arteriosclerosis is strongly suggested. In fact, its strong expression in an mRNA level and in a protein level has been reported in macrophages derived from arteriosclerotic plaques [Arterioscler. Thromb. Vascul. Biol., 16, 1007(1996)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 47 of FIG. 2. [0347] When the nucleotide sequence of A4RS-929 was determined, this was identical with the sequence of MUC18 glycoprotein [Accession: M28882] (SEQ ID NO:95). The amino acid sequence encoded by this gene is shown as SEQ ID NO:96. MUC18, which is also called Mel-CAM or CD146, is a cell adhesion factor having an immunoglobulin-like domain. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 48 of FIG. 2.
- [0348] When the nucleotide sequence of A4RS-935 was determined, this was identical with the sequence of nuclear speckle-type protein (SPOP) [Accession: AJ000644] (SEQ ID NO:97). The amino acid sequence encoded by this gene is shown as SEQ ID NO:98. SPOP is a nuclear factor which is considered to interact with splicing factors. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 49 of FIG. 2.
- [0349] When the nucleotide sequence of A4RS-938 was determined, this was identical with the sequence of thrombospondin (TSP) [Accession: X14787] (SEQ ID NO:99). The amino acid sequence encoded by this gene is shown as
  SEQ ID NO:100. TSP is a glycoprotein functioning as an extracellular matrix, and has an inhibitory effect on carcinogenesis and angiogenesis. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in
  lane 50 of FIG. 2.
- [0350] When the nucleotide sequence of A4RS-939 was determined, this was identical with the sequence of caveolin [Accession: Z18951] (SEQ ID NO:101). The amino acid sequence encoded by this gene is shown as SEQ ID NO:102. Caveolin is a principal component of caveolae present in the cell membrane. It has been reported that caveolin participates in the control of NO production by interacting with nitric oxide (NO) synthase [J. Biol. Chem., 273, 34724 (1998)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 51 of FIG. 2.
  - [0351] When the nucleotide sequence of A4RS-945 was determined, this was identical with the sequence of human BENE mRNA [Accession: U17077] (SEQ ID NO:103). The amino acid sequence encoded by this gene is shown as SEQ ID NO:104. BENE is a membrane protein having homology with T cell surface glycoprotein MAL. Since its expression in endothelial cells is increased by lysophosphatidyl choline (lysoPC) that is a component of oxidized lipoproteins, its relation with arteriosclerosis is suggested [J. Biochemistry, 123, 1119(1998)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 52 of FIG. 2.
- [0352] When the nucleotide sequence of A4RS-947 was determined, this was identical with the sequence of 1,4-al-pha-glucan branching enzyme [Accession: L07956] (SEQ ID NO:105). The amino acid sequence encoded by this gene is shown as SEQ ID NO:106. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 53 of FIG. 2.
- [0353] When the nucleotide sequence of A4RS-948 was determined, this was identical with the sequence of ferritin H [Accession: M11146] (SEQ ID NO:107). The amino acid sequence encoded by this gene is shown as SEQ ID NO: 108. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 54 of FIG. 2.
  - [0354] When the nucleotide sequence of A4RS-949 was determined, this was identical with the sequence of human PAST (HPAST) [Accession: AF001434] (SEQ ID NO:109). The amino acid sequence encoded by this gene is shown as SEQ ID NO:110. HPAST has homology with PAST-1 that is a fly-derived glycoprotein. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 55 of FIG. 2.
  - (3) Novel partial-length genes exhibiting a shear stress-dependent increase of expression
- [0355] When the nucleotide sequence of A4RS-011 was determined, this was identical with a group of ESTs included in UniGene Hs. 71475. The sequence represented by SEQ ID NO: 111 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:112. The amino acid sequence encoded by this sequence does not show substantial homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 56 of FIG. 2.
- [0356] When the nucleotide sequence of A4RS-115 was determined, this was identical with a group of ESTs included in UniGene Hs. 3742. The sequence represented by SEQ ID NO:113 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:114. This gene has very high homology with rat SEC61 [Accession: M96630] and is considered to be the human ortholog thereof. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 57 of FIG. 2 and lane 13 of FIG. 3.

- [0357] When the nucleotide sequence of A4RS-143 was determined, this was identical with a group of ESTs included in UniGene Hs. 5307. The sequence represented by SEQ ID NO:115 could be obtained by joining the corresponding ESTs together. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 58 of FIG. 2 and lane 14 of FIG. 3.
- [0358] When the nucleotide sequence of A4RS-171 was determined, no sequence identical exactly with it was found in the data banks. The nucleotide sequence is shown as SEQ ID NO: 116. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 59 of FIG. 2.
- [0359] When the nucleotide sequence of A4RS-193 was determined, this was identical with a group of ESTs included in UniGene Hs. 112157. The sequence represented by SEQ ID NO:117 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO: 118. The protein encoded by this sequence does not show substantial homology with other known proteins. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 60 of FIG. 2 and lane 15 of FIG. 3.
- [0360] When the nucleotide sequence of A4RS-280 was determined, this was identical with a group of ESTs included in UniGene Hs. 109017. The sequence represented by SEQ ID NO:119 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:120. This gene has as high as 87% homology with human ras-like protein TC10 [Accession: M31470] and is considered to be a novel human low-molecular-weight GTP-binding protein. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 61 of FIG. 2 and lane 16 of FIG. 3.
  - [0361] When the nucleotide sequence of A4RS-402 was determined, this was identical with a group of ESTs included in UniGene Hs. 181077. The sequence represented by SEQ ID NO:121 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:122. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 62 of FIG. 2 and lane 17 of FIG. 3.
- [0362] When the nucleotide sequence of A4RS-533 was determined, this was identical with EST clones R07925 and T86046. The sequence represented by SEQ ID NO:123 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:124. The amino acid sequence encoded by this sequence does not show substantial homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 63 of FIG. 2.
- [0363] When the nucleotide sequence of A4RS-604 was determined, this was identical with a group of ESTs included in UniGene Hs. 34160. The sequence represented by SEQ ID NO:125 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:126. The protein encoded by this sequence does not show substantial homology with other known proteins. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 64 of FIG. 2 and lane 18 of FIG. 4.
  - [0364] When the nucleotide sequence of A4RS-615, was determined, this was identical with a group of ESTs included in UniGene Hs. 193974. The sequence represented by SEQ ID NO:127 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:128. The protein encoded by this sequence does not show significant homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 65 of FIG. 2.
- [0365] When the nucleotide sequence of A4RS-619 was determined, this was identical with a group of ESTs included in UniGene Hs. 14512. The sequence represented by SEQ ID NO:129 could be obtained by joining the corresponding ESTs together. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 66 of FIG. 2.
- 45 [0366] When the nucleotide sequence of A4RS-626 was determined, no sequence identical exactly with it was found in the data banks. The nucleotide sequence is shown as SEQ ID NO:130. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 67 of FIG. 2 and lane 19 of FIG. 4.
  - [0367] When the nucleotide sequence of A4RS-676 was determined, this was identical with a group of ESTs included in UniGene Hs. 8881. The sequence represented by SEQ ID NO:131 could be obtained by joining the corresponding ESTs together. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 68 of FIG. 2.
  - [0368] When the nucleotide sequence of A4RS-679 was determined, no sequence identical exactly with it was found in the data banks. The nucleotide sequence is shown as SEQ ID NO: 132. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 69 of FIG. 2.
  - [0369] When the nucleotide sequence of A4RS-737 was determined, no sequence identical exactly with it was found

in the data banks. The nucleotide sequence is shown as SEQ ID NO:133. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 70 of FIG. 2.

[0370] When the nucleotide sequence of A4RS-780 was determined, this was identical with a group of ESTs included in UniGene Hs. 34489. The sequence represented by SEQ ID NO:134 could be obtained by joining the corresponding ESTs together. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 71 of FIG. 2.

[0371] When the nucleotide sequence of A4RS-826 was determined, this was identical with a group of ESTs included in UniGene Hs. 7348. The sequence represented by SEQ ID NO:135 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:136. The protein encoded by this sequence does not show substantial homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 72 of FIG. 2.

[0372] When the nucleotide sequence of A4RS-916 was determined, this was identical with a group of ESTs included in UniGene Hs. 105695. The sequence represented by SEQ ID NO:137 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:138. The protein encoded by this sequence does not show substantial homology with other known proteins. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 73 of FIG. 2 and lane 20 of FIG. 4.

[0373] When the nucleotide sequence of A4RS-933 was determined, this was identical with EST clone Al391599. The sequence represented by SEQ ID NO:139 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:140. The protein encoded by this sequence does not show substantial homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 74 of FIG. 2.

[0374] When the nucleotide sequence of A4RS-943 was determined, this was identical with a group of ESTs included in UniGene Hs. 186838. The sequence represented by SEQ ID NO:141 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:142. The amino acid sequence encoded by this sequence has a zinc finger motif and shows 67% homology with bird-derived zinc finger 5 protein [Accession: U51640]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 75 of FIG. 2.

#### Example 5

30

### Cloning of full-length cDNAs

[0375] With respect to the novel DNAs exhibiting a shear stress-dependent increase of expression which were obtained in Example 3, the length of the insert was significantly shorter than the size of mRNA detected by Northern blotting in most cases. That is, the clones obtained from the subtraction library were judged to be partial cDNA fragments and not full-length cDNAs. Accordingly, with respect to eight of the novel DNAs, their full-length cDNAs were obtained again from a cDNA library.

(1) Construction of a cDNA library using a λ phage vector

[0376] Three point two µg of oligo(dT)-Xhol primer (SEQ ID NO:160) was added to 4.8 µg of the HUVEC-derived poly(A)+ RNA obtained in Example 1. Then, distilled water was added thereto so as to make a volume of 6.8 μl. This solution was heated at 70°C for 10 minutes and then cooled rapidly by placing it on ice. To this solution, 4 µl of 5 x reverse transcriptase reaction buffer (attached to the enzyme), 2 µl of 100 mM DTT, 1.2 µl of a mixed dNTP solution [10 mM dATP, 10 mM dGTP, 10 mM dTTP, 5 mM 5-methyl dCTP], and 1  $\mu$ l of [ $\alpha$ -32P]dATP (110 TBq/mmol; manufactured by Amersham Pharmacia Biotech) as a tracer were added on ice. After this mixture was kept at 37°C for 2 minutes, 5 μl of Superscript II RNase H<sup>-</sup> Reverse Transcriptase (1,000 units; manufactured by Life Technologies) was added thereto and reacted at 44°C for 1 hour to synthesize cDNA. After the reaction was stopped by the addition of 0.8 µl of 0.5 M EDTA (pH 8.0), the reaction mixture was subjected to a phenol-chloroform treatment and a chloroform treatment, and precipitated with ethanol to recover a cDNA-mRNA hybrid. After the precipitate was dissolved in 17 μl of distilled water, 5 μl of 5 x reaction buffer (attached to the enzyme), 2.5 μl of 100 μM dGTP, and 0.5 μl of 15 units/μl terminal deoxynucleotidyl transferase (manufactured by Life Technologies) were added thereto. This mixture was reacted at 37°C for 30 minutes to add oligo-dG to the 3'-terminus of cDNA. After the reaction was stopped by the addition of 5 μl of 0.5 M EDTA (pH 8.0), the reaction mixture was subjected to a phenol-chloroform treatment and a chloroform treatment, and precipitated with ethanol. After the resulting precipitate was dissolved in 20.7 μl of distilled water, 1.5 μl of reaction buffer A [200 mM Tris-HCI (pH 8.75), 100 mM KCI, 100 mM (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, 20 mM MgSO<sub>4</sub>, 1% Triton X-100, 1

mg/ml BSA], 1.5 μl of reaction buffer B [200 mM Tris·HCl (pH 9.2), 600 mM KCl, 20 mM MgCl<sub>2</sub>], 0.3 μg of oligo(dC) NotI primer (SEQ ID NO:161), 0.75  $\mu$ I of a 10 mM mixed dNTP solution, and 1.5  $\mu$ I of 10 mM  $\beta$ -NAD were added thereto so as to make a total volume of 27.45 μl. After this mixture was kept at 55°C for 5 minutes, 1.5 μl of 5 units/μl ΕχΤας DNA polymerase (manufactured by Takara Shuzo Co., Ltd.), 0.75 μl of 100 units/μl Ampligase (manufactured by Epicentre), and 0.3 µl of 5 units/µl Hybridase (manufactured by Epicentre) were added thereto. Using a Thermal Cycler DNA Engine (manufactured by MJ Research), the temperature of this mixture was slowly reduced from 55°C to 35°C at a rate of 0.3°C per minute. Thereafter, the mixture was kept at 35°C for 15 minutes to anneal the primer to the template single-stranded cDNA. Thereafter, the mixture was kept at 72°C for 15 minutes to carry out the extension reaction of second-strand DNA. By repeating this annealing/extension cycle three more times, mRNA was degraded to make double-stranded cDNA. To the reaction mixture, 0.5  $\mu$ l of 0.5 M EDTA (pH 8.0), 0.5  $\mu$ l of 10% SDS, and 0.5 µl of 20 µg/µl Proteinase K were added. Then, the reaction mixture was kept at 45°C for 15 minutes to stop the reaction and inactivate the enzyme. Thereafter, the reaction mixture was subjected to a phenol-chloroform treatment and a chloroform treatment, and precipitated with ethanol. The resulting precipitate was dissolved in 44  $\mu$ l of distilled water. Then, 5 μl of 10 x reaction buffer (attached to the enzyme) and 1 μl of Xhol (10 units/μl; manufactured by Takara Shuzo Co., Ltd.) were added thereto and reacted at 37°C for 2 hours to cleave the Xhol site in the oligo(dT)-Xhol primer. Then, 0.5 μl of 5 M NaCl and 1 μl of Notl (10 units/μl; manufactured by Takara Shuzo Co., Ltd.) were added to the reaction mixture and reacted at 37°C for 2 hours to cleave the NotI site in the oligo(dC)-NotI primer. In order to remove short cDNA fragments of not greater than 400 bp size, and unreacted primers and nucleotides, the reaction mixture was placed on a SizeSep-400 spun column (manufactured by Amersham Pharmacia Biotech) equilibrated with TE buffer, and centrifuged at 400 x g for 2 minutes. The resulting eluate was purified by subjecting it to a phenol-chloroform treatment and a chloroform treatment. Eight  $\mu$ l of 10 x reaction buffer (manufactured by Takara Shuzo Co., Ltd.), 62 μl of distilled water, and 50 units (5 μl) of Xhol were added to 5 μg (5 μl) of cloning vector λZAPII (manufactured by Stratagene), and reacted at 37°C for 4 hours. Then, 1 µl of 5 M NaCl and 50 units (5 µl) of Notl were added to the reaction mixture, and further reacted at 37°C for 4 hours. Thus, the Xhol and Notl sites of the vector were cleaved. Then,  $9\,\mu$ l of  $10\,x$  reaction buffer (attached to the enzyme) and  $0.025\,\mu$ l of temperature-sensitive alkaline phosphatase (manufactured by Life Technologies) were added to the reaction mixture and reacted at 65°C for 15 minutes to dephosphorylate the 5'-termini of the Xhol-cleaved end and Notl-cleaved end of the vector. After the reaction was stopped by the addition of 10 μl of a reaction stopper (attached to the enzyme), the reaction mixture was subjected to a phenolchloroform treatment and a chloroform treatment, and the vector was recovered by ethanol precipitation. The aforesaid purified cDNA was added to 0.25 μg of the vector, followed by ethanol precipitation. The recovered vector DNA and cDNA were dissolved in 4 μl of a ligase buffer [100 mM Tris-HCl (pH 7.6), 5 mM MgCl<sub>2</sub>, 300 mM NaCl], and 4 μl of solution B in a Ligation Kit Ver. 1 (manufactured by Takara Shuzo Co., Ltd.). This mixture was reacted at 26°C for 10 minutes to ligate cDNA to vector DNA. Using 4 µl portions of the reaction mixture, packaging was carried out using a  $\lambda$  Phage Packaging Extract Gigapack  $\beta$  Gold (manufactured by Stratagene). Specifically, reagents were used and the procedure for packaging was carried out according to the manual attached to the kit. Escherichia coli XL1-Blue MRF strain was infected with the resulting phage, and its titer was measured. Moreover, the phage was multiplied on a plate and recovered in SM buffer (its composition is described in the manual of Stratagene). Thus, the cDNA library was amplified once to obtain a final cDNA library. Specifically, the procedures for titer measurement and library amplification were carried out according to the manual attached to the  $\lambda$  phage packaging kit.

(2) Obtaining of full-length cDNAs by plaque hybridization

[0377] With respect to the library constructed in step (1), plaque DNAs were blotted to a nylon membrane Hybond N+ (manufactured by Amersham Pharmacia Biotech). The plasmids derived from the subtraction library obtained in Example 2 were used as templates, and primers specific for each genes were synthesized and used. After a PCR DIG labeling mix (manufactured by Boehringer Mannheim) was added, PCR was carried out to amplify and label each genespecific fragments. Using these DNA fragments as probes, hybridization and the detection of positive plaques were carried out according to the manual of Boehringer Mannheim. Positive plaques were amplified in SM buffer and formed into plasmids using helper phage ExAssist (manufactured by Stratagene). Specifically, the procedure for plasmid formation was carried out according to the manual of Stratagene.

(2) Determination of nucleotide sequence

[0378] The nucleotide sequence of each of the cDNA clones thus obtained was determined by means of a 377 DNA Sequencer (manufactured by Perkin Elmer). Specifically, the determination of the nucleotide sequence was carried out with a Dye Primer Cycle Sequencing FS Ready Reaction Kit according to the manual attached to the Kit (manufactured by Perkin Elmer). Moreover, this nucleotide sequence was translated into an amino acid sequence on a three-frame basis and examined for the presence of an open reading frame (ORF).

- (3) Homology analysis of full-length cDNAs
- ① A4RS-002
- [0379] With respect to the full-length cDNA clone pfA4RS-002-1 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 143. Escherichia coli DH5α strain having clone pfA4RS-002-1 introduced thereinto (Escherichia coli DH5α/pfA4RS-002-1) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6822. In the nucleotide sequence of A4RS-002, an ORF consisting of 390 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:144). As a result of homology analysis, this amino acid sequence was found to show significant homology with proteins belonging to the immunoglobulin family. Among others, this amino acid sequence show high homology with A33 antigen that is a specific marker for human colon carcinoma [Proc. Natl. Acad. Sci. USA, 94, 469(1997)] and CAR (coxackie and adenovirus receptor) that is a virus receptor protein [Science, 275, 1320(1997)]. Judging from their primary structure, these factors are presumed to be a type I membrane protein. According to a hydrophilicity analysis on the basis of the amino acid sequence, 29 residues at the amino-terminus of A4RS-002 is estimated to be a secretion signal, and a sequence extending from the 249th to 270th amino acid is considered to be a highly hydrophobic transmembrane region. Since ICAM-1 and VCAM-1 belonging to the immunoglobulin family exhibit a shear stress-dependent alteration of expression, A4RS-002 is presumed to belong to the immunoglobulin family and function as a membrane protein. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 76 of FIG. 2 and lane 21 of FIG. 4.

### ② A4RS-049

15

25

35

[0380] With respect to the full-length cDNA clone pfA4RS-049-1 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 145. Escherichia coli DH5α strain having clone pfA4RS-049-1 introduced thereinto (Escherichia coli DH5α/pfA4RS-049-1) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6823. In the nucleotide sequence of A4RS-049, an ORF consisting of 881 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:146). As a result of homology analysis, the protein encoded by A4RS-049 showed significant homology not only with mousederived 3BP-1 (SH3 domain binding protein) [EMBO, J. 14, 3127(1995)], but also with various GTPase-activating protein (GAPs) such as rhoGAP and Abr. GAPs are a family of proteins controlling the GTPase activity of low-molecularweight GTP-binding proteins such as ras and rab, and A4RS-049 shows homology with GAPs (e.g., rho and rac) specific for a subfamily considered to participate in regulation of cytoskeleton. In the amino acid sequence encoded by A4RS-049, the GTPase-activating domain conserved among known GAPs is present. Accordingly, A4RS-049 is presumed to function as a GAP. Moreover, a nematode-derived gene [Accession: Z73425] and a yeast-derived gene [Accession: Z97210], which are registered in databases but have an unknown function, show significant homology with the protein encoded by A4RS-049. Thus, A4RS-049 is expected to be a gene conserved well in the process of evolution. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 77 of FIG. 2 and lane 22 of FIG. 4.

### 5 ③ A4RS-230

[0381] With respect to the full-length cDNA clone pfA4RS-230-2 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 147. Escherichia coli DH5α strain having clone pfA4RS-230-2 introduced thereinto (Escherichia coli DH5α/pfA4RS-230-2) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6824.

[0382] In the nucleotide sequence of A4RS-230, an ORF consisting of 322 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:148). As a result of homology analysis, the protein encoded by A4RS-230 shows as high as 83% homology with mouse myeloid upregulated protein [Accession: 035682] and is considered to be a human counterpart thereof. However, its part on the C-terminal side is substantially different. As to mouse myeloid upregulated protein, only the sequence is registered in a database and its function is unknown. According to a hydrophilicity analysis on the basis of the amino acid sequence, the protein encoded by A4RS-230 has very high hydro-

phobicity and may hence function as a membrane protein. However, a sequence judged to be a signal sequence is not present at the N-terminus. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 78 of FIG. 2 and lane-23 of FIG. 4.

#### 5 (4) A4RS-239

[0383] With respect to the full-length cDNA clone pfA4RS-239-2 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 149. Escherichia coli DH5α strain having clone pfA4RS-239-2 introduced thereinto (Escherichia coli DH5α/pfA4RS-239-2) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6825.

[0384] In the nucleotide sequence of A4RS-239, an ORF consisting of 663 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:150). As a result of homology analysis, the protein encoded by A4RS-239 showed low but significant homology with various GAPs such as rhoGAP and Abr, similarly to the above-described A4RS-049. However, A4RS-239 and A4RS-049 are different DNAs. In the amino acid sequence encoded by A4RS-239, the GTPase-activating domain conserved among known GAPs is present. Accordingly, A4RS-239 is presumed to function as a GAP. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 79 of FIG. 2 and lane 24 of FIG. 3.

### ⑤ A4RS-242

20

50

[0385] With respect to the full-length cDNA clone pfA4RS-242-1 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 151. Escherichia coli DH5α strain having clone pfA4RS-242-1 introduced thereinto (Escherichia coli DH5α/pfA4RS-242-1) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6826. In the nucleotide sequence of A4RS-242, an ORF consisting of 863 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:152). As a result of homology analysis, the amino-terminal half of the protein encoded by A4RS-242 is identical with approximately the full length of the product of the gene ehb10. However, a part of A4RS-242 corresponding to the half on the carboxylterminal side is not present in ehb10. That is, they are considered to be splicing variants. ehb10 is one of the proteins obtained by expression cloning, as factors binding to the EH domain considered to participate in the protein interaction of Eps15 (the substrate for EGF receptor) [Genes & Dev., 11, 2239(1997)], but its function is unknown. However, the motif required for binding to the EH domain is also present in A4RS-242. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 80 of FIG. 2 and lane 25 of FIG. 4.

### 6 A4RS-491

[0386] With respect to the full-length cDNA clone pfA4RS-491-1 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 153. Escherichia coli DH5α strain having clone pfA4RS-491-1 introduced thereinto (Escherichia coli DH5α/pfA4RS-491-1) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6827. In the nucleotide sequence of A4RS-491, an ORF consisting of 331 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:154). As a result of homology analysis, the protein encoded by A4RS-491 was identical with an amino acid sequence [Accession: 043334] registered in a database as a human hypothetical protein over a wide range. However, this hypothetical protein consists of 393 amino acids, and it has been found that its 88th to 148th amino acids are not contained in the amino acid sequence encoded by A4RS-491. That is, they are considered to be splicing variants. The protein encoded by A4RS-491 shows substantial homology with nematode-derived glycerophosphodiester phosphodiesterase [Accession: Z78198] and bacterium-derived glycerophosphodiester phosphodiesterase [Accession: E69827], and has been found to be a gene conserved well in the process of evolution. It is known that bacterium-derived glycerophosphodiester phosphodiesterase is present on membranes. According to a hydrophilicity analysis on the basis of the amino acid sequence encoded by A4RS-491, an amino acid sequence extending from the 1st to 26th amino acid in SEQ ID NO: 154 is presumed to be a signal peptide. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 81 of FIG. 2 and lane 26 of FIG. 4.

### (7) A4RS-578

[0387] With respect to the full-length cDNA clone pfA4RS-578-1 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 155. Escherichia coli DH5α strain having clone pfA4RS-578-1 introduced thereinto (Escherichia coli DH5α/pfA4RS-578-1) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6828. In the nucleotide sequence of A4RS-578, an ORF consisting of 541 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:156). As a result of homology analysis, the protein encoded by A4RS-578 showed the highest homology with the amino acid sequence [Accession: Z95559] of a protein of unknown function registered as a nematode-derived hypothetical protein, and then showed significant homology with rat brain finger protein (BFP) [Biochem. Biophys. Res. Commun., 240, 8 (1997)]. Rat BFP was cloned as a novel gene having the RING finger motif as a kind of zinc finger motif, and it has been reported that this gene is expressed brain-specifically and that the expression of this gene may be induced at the stage of differentiation into nerve cells. However, a sequence judged to be the RING finger motif is not present in the amino acid sequence encoded by A4RS-578. The protein encoded by A4RS-578 also shows significant homology with various GTP-binding proteins, and has two of the three motifs possessed in common by many GTP-binding proteins. Since the existence of GTP-binding proteins having only two motifs has bee reported, there is a possibility that the protein encoded by A4RS-578 functions as a GTP-binding protein. Its Northern blots exhibiting a shear stressdependent increase of expression are shown in lane 82 of FIG. 2 and lane 27 of FIG. 4.

#### (8) A4RS-829

25

35

[0388] With respect to the full-length cDNA clone pfA4RS-829-1 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 157. Escherichia coli DH5α strain having clone pfA4RS-829-1 introduced thereinto (Escherichia coli DH5α/pfA4RS-829-1) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6829. In the nucleotide sequence of A4RS-829, an ORF consisting of 173 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:158). As a result of homology analysis, the protein encoded by A4RS-829 showed substantial homology with the amino acid sequences of proteins of unknown functions registered as hypothetical proteins, such as an arabidopsis-derived protein [Accession: 048707], a nematode-derived protein [Accession: Q20340] and a yeast-derived protein [Accession: Q3677], and was found to be a gene conserved well in the process of evolution. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 83 of FIG. 2 and lane 28 of FIG. 4.

#### Example 6

### Production of a recombinant protein of A4RS-002

### (1) Construction of an expression plasmid

[0389] To 2 μg of pfA4RS-002-1 obtained in Example 5, 5 μl of 10-reaction buffer (attached to the enzyme), 1 μl of Xhol (10 units/µl; manufactured by Takara Shuzo Co., Ltd.), and distilled water were added so as to make a total volume of 50 µl. This mixture incubated at 37°C for 2 hours to digest the cDNA completely. Then, 0.5 µl of 5 M NaCl and 1 µl of Notl (10 units/µl; manufactured by Takara Shuzo Co., Ltd.) were added to the reaction mixture. This mixture incubated at 37°C for 2 hours to digest the cDNA completely. The reaction mixture was subjected to a phenol-chloroform treatment and a chloroform treatment, and then precipitated with ethanol. After the resulting precipitate was dissolved in 20 µl of distilled water, 3 μl of 10 x blunting buffer (attached to the enzyme), 6 μl of a 2.5 mM mixed dNTP solution, and 1 μl of Klenow fragment (manufactured by Takara Shuzo Co., Ltd.) were added thereto. This mixture was incubated at 37°C for 1 hour to carry out the blunting of restriction enzyme-treated ends. The reaction mixture was subjected to a phenoichloroform treatment and a chloroform treatment, and then precipitated with ethanol. After the resulting precipitate was dissolved in 5 µl of distilled water, 0.4 µg and 0.3 µg, respectively, of Sfil linkers (5'-CTTTAGAGCAC-3', 5'-CTCTAAAG-3') were added thereto so as to make a volume of 6 µl. Twelve µl of solution I and 6 µl of solution II of a Ligation Kit Ver. 2 (manufactured by Takara Shuzo Co., Ltd.) were added thereto, and the resulting mixture was incubated at 16°C overnight to carry out linker ligation. The total amount of the reaction mixture was electrophoresed through 0.8% agarose gel, and the desired fragments were recovered using a QIAEX II Gel Extraction Kit (manufactured by QIAGEN). The procedure therefor was carried out according to the manual attached to the kit. The recovered DNA fragments

were dissolved in 10 μl of distilled water. To this insert DNA, an animal cell expression plasmid vector pAMo [J. Biol. Chem., 268, 22782(1993); also called pAMoPRC3Sc (Japanese Published Unexamined Patent Application No. 336963/93)], which had been linearized with Sfil and similarly recovered from an agarose gel, was added in a molar amount equal to 1/5 of that of the insert, and Ligation High (manufactured by Toyobo Co., Ltd.) in a volume equal to that of the solution. This mixture was incubated at 16°C for 3 hours to ligate the insert with linkers to the vector, and then introduced into competent-cell Escherichia coli MW294. After introduction, LB agar medium containing 50 μg/ml ampicillin was inoculated with the bacterial suspension and incubated at 37°C overnight to form colonies. The resulting colonies were randomly picked up, and the plasmid was obtained from each colony and examined for the presence or absence of the insert by a restriction enzyme treatment. With respect to the colonies having the insert, the direction of the insert was examined. Using one clone, pAMo-002, having the desired directivity, the plasmid was mass-prepared using a QIAGEN Plasmid Midi Kit (manufactured by QIAGEN). The procedure therefor was carried out according to the manual attached to the kit. This plasmid was sterilely precipitated with ethanol and then dissolved in distilled water to a concentration of 1 μg/μl. The above-described construction of pAMo-002 is illustrated in FIG. 5.

15 (2) Introduction of the recombinant plasmid into cultured animal cells

[0390] Namalwa KJM-1 [Cytotechnology, 1, 151(1988)], which is a host cell for gene expression, was collected by centrifugation, washed with 10 ml of K-PBS [13.7 mM KCl, 0.27 mM NaCl, 0.81 mM Na<sub>2</sub>HPO<sub>4</sub>, 0.15 mM KH<sub>2</sub>PO<sub>4</sub>, 0.4 mM MgCl<sub>2</sub>], and suspended in cooled K-PBS so as to have a density of 8 x 10<sup>6</sup> cells/ml. Two hundred μl (1.6 x 10<sup>6</sup> cells) of this cell suspension was mixed with 4 μl (4 μg) of the plasmid DNA prepared in step (1), and this mixture was quickly transferred to a chamber (manufactured by BIO-RAD) which had previously been cooled on ice. Then, using a Gene Pulser (manufactured by BIO-RAD), electroporation was carried out by the application of a voltage of 0.35 kV, 125 μF. Thereafter, the chamber was quickly placed on ice, and-the electroporated cells were transferred to a flask containing 8 ml of RPMI1640 medium (manufactured by Nissui Seiyaku Co., Ltd.). After the flask was incubated for 24 hours under conditions include 37°C and 5% CO<sub>2</sub>, G-418 as an agent for selection was added thereto so as to give a final concentration of 0.5 mg/ml. Gene-introduced cells were selected by continuing the incubation for one more week. As a control, KJM-1 cells into which only pAMo vector having no insert was introduced were also prepared.

### Example 7

30

35

Cloning of full-length cDNAs (2)

[0391] Similarly to Example 5, with respect to three novel partial cDNA fragments obtained from the subtraction library, full-length cDNAs were obtained from full-length cDNA libraries derived from human adipose tissue or Kato III.

(1) Construction of full-length cDNA libraries derived from human adipose tissue or Katolli cells

[0392] mRNA was extracted from human adipose tissue according to the method described in the paper (J. Sambrook, E.F. Fritsch & T. Maniatis, Molecular Cloning, Second Edition, Cold Spring Harbor Laboratory Press, 1989). Moreover, poly(A)+ RNA was purified with oligo-dT cellulose.

[0393] Similarly, mRNA was extracted from Katolli cells according to the method described in the paper (J. Sambrook, E.F. Fritsch & T. Maniatis, Molecular Cloning, Second Edition, Cold Spring Harbor Laboratory Press, 1989). Moreover, poly(A)+ RNA was purified with oligo-dT cellulose.

[0394] From each poly(A)\* RNA, a cDNA library was constructed according to an oligo-cap method [M. Maruyama and S. Sugano, Gene, 138, 171-174(1994)]. Using an oligo-cap linker (SEQ ID NO:162) and an oligo-dT primer (SEQ ID NO:163), BAP (Bacterial Alkaline Phosphatase) treatment, TAP (Tabacco Acid Phosphatase) treatment, RNA ligation, the synthesis of first-strand cDNA, and the removal of RNA were carried out according to the methods described in the paper [Suzuki & Kanno, Tanpakushitsu-Kakusan-Koso (in Japanese), 41:197-201(1996); Y. Suzuki, Gene, 200, 149-156(1997)]. Then, the resulting cDNA was converted to double-stranded cDNA by PCR using two primers [a 5'-terminal sense primer (SEQ ID NO:164) and a 3'-terminal antisense primer (SEQ ID NO:165)], and then cleaved with Sfil. This PCR was carried out in such a way that, using a commercially available GeneAmp XL PCR Kit (manufactured by Perkin Elmer), the reaction mixture was heat-treated at 95°C for 5 minutes, subjected 12 times to a reaction cycle comprising heating at 95°C for 1 minute, 58°C for 1 minute, and at 72°C for 10 minutes, and then kept at 4°C. Thereafter, a cDNA library was constructed by cloning the cDNA into a DrallI-cleaved pME18SFL3 vector [Accession: AB009864; expression vector, 3392 bp] with the fixed directivity of the cDNA.

(2) Determination of the full-length cDNA sequences

[0395] With respect to the plasmid DNAs of clones obtained from the cDNA libraries prepared in step (1), each cDNA clone was subjected to an <u>in vitro</u> transposon (hereinafter abbreviated as Tn) transposition reaction by using a GSP-1 Genome Priming System (manufactured by NEB). pGPS1.1 (manufactured by NEB) was used as the Tn donor. After completion of the Tn transposition reaction, a portion of the DNA sample was taken and used to transform <u>Escherichia coli</u>. Typically, 16 Tn-inserted clones were picked up for each cDNA clone. With respect to the plasmid DNAs of clones thus obtained, the full-length cDNA sequences were determined in the same manner as in Example 5, by using Primer N (SEQ ID NO:166) and Primer S (SEQ ID NO:167) as primers.

(3) Novel full-length genes exhibiting a shear stress-dependent increase of expression

[0396] Using the sequence of A4RS-011 obtained from the subtraction library in Example 3 as a query, the cDNA sequences obtained in step (2) were searched by means of BLAST program [Altschul, Stephen F., Thomas L. Madden, Alejandro A. Schaffer, Jinghui Zhang, Zheng Zhang, Webb Miller, and David j. Lipman, Nucleic Acids Res., 25, 3389-3402(1997)]. As a result, the sequence of A4RS-011 was identical with C-KAT07969 (SEQ ID NO:168). Among the ORFs of this cDNA sequence, the longest translated amino acid sequence was regarded as the amino acid sequence (121-1062; SEQ ID NO:169) encoded by the cDNA sequence of C-KAT07969. This amino acid sequence does not show substantial homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in panel 56 of FIG. 2.

[0397] Using the sequence of A4RS-604 obtained from the subtraction library in Example 3 as a query, the cDNA sequences obtained in step (2) were searched by means of BLAST program. As a result, the sequence of A4RS-604 was identical with the sequence of C-ADKA02341 (SEQ ID NO:170). This sequence is identical with a portion of the sequence of H. sapiens mRNA for myosin-I beta [Accession: X98507]. Among the ORFs of this cDNA sequence, the longest translated amino acid sequence was regarded as the amino acid sequence (SEQ ID NO:171) encoded by the cDNA sequence of C-ADKA02341. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in panel 64 of FIG. 2 and panel 18 of FIG. 4.

[0398] Using the sequence of A4RS-619 obtained from the subtraction library in Example 3 as a query, the cDNA sequences obtained in step (2) were searched by means of BLAST program. As a result, the sequence of A4RS-619 was identical with the sequence of C-hep01279 (SEQ ID NO:172). Among the ORFs of this cDNA sequence, the longest translated amino acid sequence was regarded as the amino acid sequence (SEQ ID NO:173) encoded by the cDNA sequence of C-hep01279. This amino acid sequence does not show substantial homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in panel 66 of FIG. 2.

### 35 Example 8

10

20

25

Detection of the apoptosis-suppressing activity of A4RS-041

[0399] In order to investigate the function of genes exhibiting a shear stress-dependent increase of expression which were obtained from the subtraction library, the following experiments were carried out with respect to a gene of unknown function, A4RS-041, having homology with the gene LFG capable of suppressing Fas-mediated apotosis.

(1) Construction of a recombinant virus vector

Using a plasmid having the full-length A4RS-041 (SEQ ID NO:7) as a template, the part of the cDNA sequence which encodes the protein of A4RS-041 was specifically amplified by PCR. That is, in a PCR tube, 20 ng of the template plasmid DNA, 25 pmol of a 5'-terminal sense primer having the Hindill site added thereto (SEQ ID NO: 174), 25 pmol of a 3'-terminal antisense primer having the Clal site added thereto (SEQ ID NO: 175), 5 μl of 10 x reaction buffer (attached to the enzyme), 5 μl of a 2 mM dNTP solution, and 0.5 μl of KOD DNA polymerase (2.5 units/μl; manufactured by Toyobo Co, Ltd.) were mixed, and sterilized water was added thereto so as to make a volume of 50 μl. This mixture was heated at 98°C for 15 seconds, at 65°C for 2 seconds, and at 74°C for 30 seconds. This cycle was repeated 25 times to amplify the cDNA. The resulting amplified fragment of the full-length A4RS-041 was purified by cleaving its ends with Hindlll and Clal, and ligated to virus vector pCLNCX (manufactured by IMGENEX) which had previously been cleaved with Hindlll and Clal. As a result, there was constructed a recombinant virus vector pCLNC041 with which the expression of A4RS-041 is induced by CMV promoter. With respect to the resulting recombinant virus vector pCLNC041, the nucleotide sequence of its inserted fragment part was determined. Thus, it was confirmed that no nucleotide substitution was caused by PCR. As a control, pCLNCGFP was constructed by inserting EFGP (enhanced green fluorescent protein; manufactured by Clontech) into the Hindlll and Clal sites of pCLNCX in the same manner.

(2) Preparation of HeLa cells expressing A4RS-041 to be highly and stably

[0401]. Recombinant viruses were produced by introducing each of the recombinant virus vectors constructed in step (1) into 293 cells for virus production. For the transfection of 293 cells with pCLNC041 or pCLNCGFP, a TransFast (manufactured by Promega) was used. The procedure therefor was carried out according to the attached manual. The procedures for virus production and for the infection of HeLa cells were carried out according to the manual attached to the virus vector (manufactured by IMGENEX) used.

[0402] Two days after infection,  $300 \,\mu\text{g/ml}$  of G418 (manufactured by life Technologies) was added to the HeLa cells and the incubation was continued, so that uninfected cells were selectively eliminated. According to this procedure, there were obtained transformants expressing A4RS-041 or GFP to be highly and stably.

(3) Detection of an apotosis-suppressing activity

[0403] Apoptosis was induced by adding 100 ng/ml of anti-Fas monoclonal antibody CH-11 (manufactured by MBL) to the stable transformants of HeLa cells obtained in step (2) (i.e., the stable transformants of HeLa cells expressing the expression of A4RS-041 or GFP as a control). Twenty-four (24), 36 and 48 hours after the start of induction, the survival rate of the cells was measured by staining with trypan blue. For this purpose, the survival rate was measured for both suspended cells and adhering cells. All experiments were carried out in duplicate, and averages and standard deviations were obtained. The results are shown in FIG. 6A. Moreover, when the antibody concentration was altered to 10, 50, 100 and 500 ng/ml, the survival rate after 36 hours was measured. The results are shown in FIG. 6B. In the HeLa cells having A4RS-041 introduced thereinto (represented by • in FIG. 6), a significant increase in survival rate was observed at all points as compared with the HeLa cells having GFP (control) introduced thereinto (represented by in FIG. 6). Thus, it has been found that, at least in HeLa cells, A4RS-041 has an activity for suppressing Fasmediated apotosis.

Example 9

25

Analysis of the distribution of expression of A4RS-041

[0404] With respect to A4RS-041 that was found to have an apoptosis-suppressing activity in Example 8, the following experiments were carried out in order to examine its sites of expression in human tissues.

(1) Analysis of the expression of A4RS-041 in human normal tissues

[0405] Using primers specific for A4RS-041 (SEQ ID NO:176,177) and a PCR DIG Labeling Mix (manufactured by Boehringer Mannheim), a template comprising the A4RS-041-containing plasmid obtained in Example 2 was subjected to PCR. Thus, a DIG-labeled A4RS-041 specific fragment was prepared. Using this DNA fragment as a probe, hybridization was carried out with a Human Multiple Tissue Northern Blot (manufactured by Clontech) on which RNAs derived from 8 human tissues had been blotted. After washing, chemiluminescence signals were detected using a DIG luminescence detection kit (manufactured by Boehringer Mannheim). The procedure therefor was carried out according to the manual attached to the kit. As shown in panel A of FIG. 7, signals specific for A4RS-041 were detected in the vicinity of about 2.5 kb. In Lanes 1 to 8, 2 μg each of poly(A)+ RNAs derived from spleen, kidney, skeletal muscle, liver, lung, placenta, brain and heart had been electrophoresed. Although signals were observed in all lanes, the signal in lane 7 (brain) was weak. Thus, it has been found that the expression of A4RS-041 is relatively low in the brain. On the other hand, it has been reported that the expression of LFG is very high in the brain and low in the periphery [Proc. Natl. Acad. Sci. USA, 22, 12673-12678(1999)]. This suggests that A4RS-041 and LFG function tissue-specifically.

(2) Investigation on the expression of A4RS-041 and LFG in human vascular endothelial cells and brain

[0406] Using a template comprising 1 μg of the HUVEC (having no shear stress applied thereto)-derived poly(A)+ RNA obtained in Example 2 or 1 μg of human brain-derived poly(A)+ RNA (manufactured by Clontech), single-stranded cDNA was synthesized using a Superscript Preamplification System (manufactured by Life Technologies). The procedure therefor was carried out according to the manual attached to the kit. The finally obtained cDNA solution was diluted to 5 ml and used for PCR. Using these cDNAs as templates, PCR was carried out using primers specific for A4RS-041 (SEQ ID NO:176,177), LFG (SEQ ID NO:178,179) and G3PDH (SEQ ID NO:180,181). The reaction mixture contained 5 μl of a cDNA solution, 2 μl of 10 x reaction buffer (attached to the enzyme), 1.6 μl of a 2.5 mM dNTP solution, 1 μl of dimethyl sulfoxide, 10 pmol each of sense and antisense primers, and 0.1 μl of GeneTaq DNA polymerase (5 units/μl; manufactured by Nippon Gene Co., Ltd.), and sterilized water was added thereto so as to make a total

volume of 20 µl. After the template and the primers were denatured by heating at 94°C for 1 minute, a cycle comprising heating at 94°C for 1 minute, at 60°C for 1 minute, and at 72°C for 1 minute was repeated. The number of cycles was 33 for A4RS-041 and LFG, and 24 for G3PDH. The reaction mixture was kept at 72°C for 10 minutes and then cooled to 4°C. One-half of the resulting PCR product was subjected to 1.8% agarose electrophoresis. The results are shown in panel B of FIG. 7. In lane 1, a 100 bp ladder (manufactured by Life Technologies) was electrophoresed as a size marker. Lanes 2, 4 and 6 show the PCR products obtained with HUVEC-derived cDNA, and Lanes 3, 5 and 7 show the PCR products obtained with human brain-derived cDNA. Moreover, lanes 2 and 3 show the PCR products obtained with A4RS-041-specific primers, lanes 4 and 5 show the PCR products obtained with LFG-specific primers, and lanes 6 and 7 show the PCR products obtained with G3PDH-specific primers.

[0407] The band of A4RS-041 is amplified in both HUVECs (lane 2) and the brain (lane 3), indicating that A4RS-041 is expressed in both of them. Its expression level in the brain tends to be lower than in HUVECs. On the other hand, LFG is very strongly expressed in the brain(lane 5), but the band of LFG is not amplified at all in HUVECs (lane 4), and this indicates that LFG is not expressed in HUVECs.

[0408] From the above-described results, it is believed that the factor involved in the suppression of apoptosis in endothelial cells is not LFG but A4RS-041.

[0409] The homology between the amino acid sequences of A4RS-041 and LFG (human-derived) is shown in FIG. 8. They are judged to be homologous proteins having 48.9% (152/311) identity. However, it has been found that a portion corresponding to about one-third on the N-tenninal side has considerably low homology.

FREE-TEXT-FOR SEQUENCE LISTING.

### [0410]

SEQ ID NO:159 - Description of artificial sequence: Artificial synthetic primer sequence 25 SEQ ID NO:160- Description of artificial sequence: Artificial synthetic primer sequence SEQ ID NO:161 - Description of artificial sequence: Artificial synthetic primer sequence SEQ ID NO:162 - Description of artificial sequence: Oligo-cap linker sequence SEQ ID NO:163 - Description of artificial sequence: Oligo-dT primer sequence SEQ ID NO:164 - Description of artificial sequence: Artificial synthetic primer sequence 30 SEQ ID NO:165 - Description of artificial sequence: Artificial synthetic primer sequence SEQ ID NO:166 - Description of artificial sequence: Artificial synthetic primer sequence SEQ ID NO:167 - Description of artificial sequence: Artificial synthetic primer sequence SEQ ID NO:174 - Description of artificial sequence: Synthetic DNA SEQ ID NO:175 - Description of artificial sequence: Synthetic DNA 35 SEQ ID NO:176 - Description of artificial sequence: Synthetic DNA SEQ ID NO:177 - Description of artificial sequence: Synthetic DNA SEQ ID NO:178 - Description of artificial sequence: Synthetic DNA SEQ ID NO:179 - Description of artificial sequence: Synthetic DNA SEQ ID NO:180 - Description of artificial sequence: Synthetic DNA 40 SEQ ID NO:181 - Description of artificial sequence: Synthetic DNA

55

45

# SEQUENCE LISTING

5	<110> KYOWA HAKKO KOGYO CO., LTD.
	<120> Shear stress-responsive genes
10	<130> PH-1064-PCT
	⟨140⟩ .
	⟨141⟩
15	<150> JP 1999-280976
	<151> 1999-10-01
20	<160> 181
	<170> Patentin Ver. 2.0
	⟨210⟩ 1
25	(211) 3817
	<212> DNA
30	(213) Homo sapiens
	<b>(220)</b>
35	<221> CDS
•	<222> (440) (1930)
	<400> 1
40	gaaticgggt ggagtcctga aggagggcct gatgtctica tcattctcaa attcttgtaa 60
	gctctgcgtc gggtgaaacc agacaaagcc gcgagcccag ggatgggagc acgcggggga 120
45	cggcctgccg gcggggacga cagcattgcg cclgggtgca gcagtgigcg tctcggggaa 180
	gggaagatat tttaaggcgt gtctgagcag acggggaggc ttttccaaac ccaggcagct 240
50	tegtggegtg tgeggttteg acceggteac acaaagette ageatgteat gtgaggaegg 300
•	tegggeettg aaaggaaege teteggaatt ggeegeggaa aeegatetge eegitgtgtt 360
	tgigaaacag agaaagatag gcggccatgg tccaacctig aaggctlatc aggagggcag 420
55	acticaaaag ctactaaaa aig aac ggc cct gaa gat cti ccc aag icc tat 472

Met Asn Gly Pro Glu Asp Leu Pro Lys Ser Tyr

5						1	l			;	5				10	)	•
	gac	tat	gac	ctt	atc	atc	att	gga	ggt	ggc	tca	gga	ggt	ctg	gca	gct	·520
	Asp	Tyr	Άsp	Leu	He	lle	lle	Gly	Gly	Gly	Ser	Gly	Gly	Leu	Ala	Ala	
10				15					20					25			
	gc t	aag	gag	gca	gcc	caa	tat	ggc	aag	aag	gtg	atg	gtc	ctg	gac	ttt	568
15	Ala	Lys	Glu	Ala	Ala	Gln	Tyr	Gly	Lys	Lys	Val	Met	Val	Leu	Asp	Phe	
			30					35					40				•
20	gtc	act	ccc	acc	cct	ctt	gga	act	aga	tgg	ggt	ctt	gga	gga	aca	ţgţ	616
	Val	Thr	Pro	Thr	Pro	Leu	Gly	Thr	Arg	Trp	Gly	Leu	Gly	Gly	Thr	Cys	
		45					50			•		55					
25		aat	-												٠		664
		Asn	Val	Gly	Cys		Pro	Lys	Lys	Leu		His	Gln	Ala	Ala		
30	60					65					70					75	
		gga															712
35	Leu	Gly	Gin	Ala		Gin	ASP	261	Arg		iyr	GIY	Trp	Lys		GIU	
33	202		a1 t	224	80	ant	taa	<b>420</b>	2072	85	ata	<b>a</b> 22	act	ata	90	221	760
		aca Thr															
40	010	1111	741	95	1113	ЛЭР	עוו	пор	100	mc t	1.10	0,0	7110	105	0111	ASII	
	cac	att	ggc		ttg	aat	tgg	RRC		сяа	gta	gct	ctg		gag	aaa	808
	•	lle															
			110					115				•	120				
50	aaa	gtc	gtc	tat	gag	aat	gct	tat	ggg	caa	ttt	att	ggt	cct	cac	agg	856
	Lys	Val	Val	Tyr	Glu	Asп	Ala	Tyr	Gly	Gln	Phe	Ile	Gly	Pro	His	Arg	
		125					130					135					
55	att	aag	gca	aca	aat	aat	aaa	ggc	aaa	gaa	aaa	att	lal	tca	gca	gag	904

	lle	Lys	Ala	Thr	Asn	Asd	Lys	Gly	Lys	Glu	Lys	Ile	Tyr	Ser	Ala	Glu	
5	140					145					150					155	
	agt	ttt	cic	att	gcc	act	ggt	gaa	aga	cca	cgt	tac	ttg	ggc	atc	cct	952
10	Şer	Phe	Leu	Ile	Ala	Thr	Gly	Glu	Arg	Pro	Arg	Tyr	Leu	Gly	He	Pro	
					160					165					170		
	ggl	gac	aaa	gaa	tac	t gc	atc	agc	agt	gat	gat	ctt	ttc	tcc	ttg	cct	1000
15	Gly	Asp	Lys	Glu	Tyr	Cys	Ile	Ser	Ser	Asp	Asp	Leu	Phe	Ser	Leu	Pro	
				175					180					185		•	
20	tac	tgc	ccg	ggt	aag	acc	ctg	gtt	gtt	gga	gca	tcc	tat	gtc	gċt	ttg	1048
	Tyr	Cys	Pro	Gly	Lys	Thr	Leu	Val	Val	Gly	Ala	Ser	Tyr	Va l	Ala	Leu	
25			190					195					200				
	gag	tgc	gc t	gga	ttt	ctt	gct	ggt	att	ggt	t t a	ggc	gtc	ac t	gtt	atg	1096
	Glu	Cys	Ala	Gly	Phe ·	Leu	Ala	Gly	Ile	Gly	Leu	Gly	Yal	Thr	Val	Met	•
30		205	-				210					215					
	gtt	agg	tcc	att	ctt	ctt	aga	gga	ttt	gac	cag	gac	atg	gcc	aac	aaa	1144
35	Val	Arg	Ser	Ile	Leu	Leu	Arg	Gly	Phe	Asp	Gln	Asp	Met	Ala	Asn	Lys	
	220					225					230					235	
40				4	atg												1192
	Ile	Gly	Glu	His	Met	Glu	Glu	His	Gly		Lys	Phe	Ile	Arg		Phe	
					240					245					250		•
45	gta	cca	att	aaa	gtt	gaa	caa	att	gaa	gca	ggg	aca	cca	ggc	cga	cic	1240
	Val	Pro	He		Val	Glu	Gln	Ile	Glu	Ala	Gly	Thr	Pro	Gly	Arg	Leu	
50				255					260					265			
	aga	gta	gta	gc t	cag	tcc	acc	aat	agt	gag	gaa	atc	att	gaa	gga	gaa	1288
	Arg	Val	Va l	Ala	Gin	Ser	Thr	Asn	Ser	Glu	Glu	He	Ile	Glu	Gly	Glu	
55			270					275					280				

	tat	aat	acg	gtg	atg	ctg	gca	ata	gga	aga	gat	gct	tgc	aca	aga	aaa	1336
5	Tyr	Asņ	Thr	Val	Me t	Leu	Ala	He	Gly	Arġ	Asp	Ala	Cys	Thr	Arg	Lys	
		285					290		•			295	•				•
	att	ggc	t t a	gaa	acc	gta	ggg	gtg	aag	ata	aat	gaa	aag	act	gga	aaa	1384
10	He	Gly	Leu	Glu	Thr	Val	Gly	Vai	Lys	He	Asn	Glu	Lys	Thr	Gly	Lys	
	300		•			305					310					315	
15	ata	cct	gtc	aca	gat	gaa	gaa	cag	acc	aat	gtg	cct	tac	atc	tat	gcc	1432
	lle	Pro	Val	Thr	Asp	Glu	Glu	Gln	Thr	Asin	Val	Pro	Tyr	He	Tyr	Ala	
20					320					325	•				330		
20	att	ggc	gat	ata	ttg	gag	gat	aag	gtg	gag	ctc	acc	cca	gl·t	gca	atc	1480
	He	Gly	Asp	lle	Leu	Glu	Asp	Lys	Val	Glu	Leu	Thr	Pro	Val	Ala	Ile	
25			-	335					340					345			
	cag	gca	gga	aga	ttg	ctg	gct	cag	agg	ctc	tat	gca	ggt	tcc	act	gtc	1528
30	Gln	Ala		Arg	Leu	Leu	Ala		Arg	Leu	Tyr	Ala		Ser	Thr	Val	
			350					355					360				
				tat											•		1576
35	Lys		Asp	Tyr	Glu	Asn		Pro	Thr	Thr	Vai		Thr	710	Leu	Glu	
		365	4	1		- 4 4	370					375					1004
40				tgt													1624
		ыу	АГА	Cys	GIA	385	ser	GIU	Giu	Ly5	390	Tai	G1 II	rys	riie	395	
45	380	<b>600</b>	aat	att	<b>00</b> 0		tac	cat	201	lac		100	CCS	110	022		1672
-				lle								•					1012
	Giu	014	VOII	116	400	101	131	1113	501	405				Dou	410	117	
50	200	att	cca	tca		os t	220	aar	222		tat	gca	222	ata		tøt	1720
				Ser													1150
55	1111	116			VIR	voh	VOII	u <b>s</b> n	420	013	. , 1	u	2,3	425	. 16	<b>V</b> y 3	
				415					460					760			

aat act aaa gac aat gaa cgt git gig ggc tit cac gta cig ggt cca 1768 Asn Thr Lys Asp Asn Glu Arg Val Val Gly Phe His Val Leu Gly Pro 430 435 440 aat got gga gaa git aca caa ggo tii gca got gog cic aaa igi gga 1816 10 Asn Ala Gly Glu Val Thr Gln Gly Phe Ala Ala Ala Leu Lys Cys Gly 445 450 455 15 ctg acc aaa aag cag ctg gac agc aca att gga atc cac cct gtc tgt Leu Thr Lys Lys Gln Leu Asp Ser Thr Ile Gly Ile His Pro Val Cys 20 460 465 470 475 gca gag gta ttc aca aca ttg tct gtg acc aag cgc tct ggg gca agc Ala Glu Val Phe Thr Thr Leu Ser Val Thr Lys Arg Ser Gly Ala Ser 25 480 485 490 atc cic cag gct ggc tgc tgaggttaag ccccagtgtg gatgctgttg 1960 Ile Leu Gln Ala Gly Cys 495 ccaagactgc aaaccactgg ctcgtttccg tgcccaaatc caaggcgaag ttttctagag 2020 35 ggitcitggg cicitggcac ctgcgtgtcc tgtgcttacc accgcccaag gcccccttgg 2080 atotoligga taggagitgg igaatagaag goaggoagca toacaciggg gioacigaca 2140 40 gactigaage tgacattigg cagggcateg aagggatgea tecatgaagt caccagtete 2200 aagcccaigi ggtaggcggt gaiggaacaa cigicaaatc agittiagca igaccittcc 2260 45 ligiggatit icitaticic gitgicaagi liiciagggi igaattitit icititici 2320 ccatggtgtt aatgatatta gagatgaaaa acgttagcag ttgattittg tccaaaagca 2380 agicatggci agagiatcca igcaaggigi ciigitgcat ggaagggata giitggcicc 2440 50 ctiggagget aigtaggeti gtcccgggaa agagaacigi ccigcagcig aaatggacig 2500 ticiliacig accigeteag cagittetic teteatalai teceaaaaca agiacatetg 2560 55 cgatcaacic tagccaaatt igccccigig igctacatga iggatgatta ttattttaag 2620

gictgittag gaagggaaat ggctacitgg ccagccattg cctggcatti ggtagtatag 2680 tatgattete accallatti gleatggagg cagacataca ceagaaatgg gggagaaaca 2740 gtacatatet tietgietti agtitatigi gigetggiet aageaagetg agateatiig 2800 caatggaaaa cacgtaacti giitaaaagi tiitciggia gciitagcii tatgctaaaa 2860 aaaataalga cattgggtat ctattictit ctaagacata cattagtagg aaaataagtc 2920 ttttcatgct tatgatttag cigittigig gtaattgctt tilaaaggaa gttattaata 2980 tcataagtta ttattaatat tttgaacaca ggtggatgtg aaggattttc atttaaaaac 3040 caagiggiii igaciiitic igiigaatga acaacigigc ciigiggaat iitigcagaa 3100 gigittatgc titgttagca titcaactig cattattata aagaggtatt aatgccicag 3160 ttatgtgttt gtcaatgtac tggctgagga ttctatctca gctgtctttt ctaactgtgt 3220 aggttgagtt tigaacacgt gettgiggae ateageetee igeeageagt tettgaaget 3280 tettitteat teetgetact clacetgiat tieteagitg cageactgag tggtcaaaat 3340 acatttcigg gccaccicag ggaacccatg catcigccig gcattlaggc agcagagccc 3400 ctgaccgtcc cccacagget ctgcctcacg tcctcatctc atttggctgt gtaaagaaat 3460 gggaaaaggg aaaaggagag agcaattgag gcagttgacc atalicagti tiatitatti 3520 attittaati tgittitito tocaagicca coagicicig aaattagaac agtaggoggi 3580 atgagataat caggoctaat catgitigiga tictotitic tiagiggagi ggaatgitot 3640 atocccacaa gaaggattat atottataga otigtotigt toagattotg tatttaccca 3700 tittatigaa acatatacta agticcaigi attitigita caaatciici gaaaaaaaac 3760 aaaacaatgi gaaacattaa aattaaaagg caltaataat aaaaaaaaaa aaaaaaa 3817

⟨210⟩ 2

10

15

20

25

30

35

45

50

55

<211> 497

<212> PRT

<213> Homo sapiens

<400> 2

Met Asn Gly Pro Glu Asp Leu Pro Lys Ser Tyr Asp Tyr Asp Leu Ile

	1	1		5			10			15
5	He	lle Gl	y Gly	Gly Ser	Gly G	ly Leu	Ala Al	a Ala Ly:	s Glu	Ala Ala
			20			· 25			30	•
	Gln	Tyr Gl	y Lys	Lys Val	Met V	al Leu	Asp Ph	· Val Thi	Pro.	Thr Pro
10		3	5			40		45	j .	
	Leu	Gly Thi	Arg	Trp Gly	Leu G	ly Gly	Thr Cys	Val Asn	Val	Gly Cys
15		50			55			60		
	Ile	Pro Lys	Lys	Leu Met	His G	In Ala	Ala Leu	Leu Gly	Gln	Ala Leu
20	65			70			75		•	80
20	Gin	Asp Ser	Arg /	Asn Tyr	Gly T	rp Lys	Val Glu	Glu Thr	Val 1	Lys His
				85			90			95
25	Asp	Trp_Asp	Arg <sub>.</sub> N	Met Ile	Glu Al	la Val	Gln Asn	His Ile	Gly S	Ser Leu
			100			105			110	
30	Asn	Trp Gly	Tyr A	Arg·Val	Ala Le	eu Arg	Glu Lys	Lys Val	Val 7	Tyr Glu
	•	115-			12			125		
			Gly G	iln Phe	lle Gl	y Pro	His Arg	lle Lys	Ala T	hr Asn
35		130			135			140		
		Lys Gly	Lys G		Ile Ty	r Ser	Ala Głu	Ser Phe	Leu I	le Ala
40	145			150			155			160
	Thr	Gly Glu			Tyr Le			Gly Asp	Lys G	lu Tyr
45	0			65			170	_		75
	Cys	lle Ser	.*	SP ASP	Leu Ph		Leu Pro	Tyr Cys		ly Lys
	<b>T</b> L I		180	1 4.1		185			190	
50	lut r		val G	IY AIA			Ala Leu	Glu Cys	Ala G	ly Phe
	, .	195			20			205		•
55			ile G			I Thr \	Val Met	Val Arg	Ser I	le Leu
	2	210			215			220		

	Leu	Arg	Gly	Phe	Asp	Gln	Asp	Net	Ala	Asn	Lys	He	Gly	Glu	His	Met
5	225					230					235					.240
	Glu	Glu	His	Gly	He	Lys	Phe	lle	Arg	Gln	Phe	Val	Pro	Ile	Lys	Val
10 .					245					250					255	
	Glu	Gln	Ile	Glu	Ala	Gly	Thr	Pro	Gly	Arg	Leu	Arg	Val	Val	Ala	Gln
•				260					265			٠		270		
15	Ser	Thr	Asn	Ser	Glu	Glu	He	He	Glu	Gly	Glu	Туг	Asn	Thr	Val	Met
			275					280					2,85	•		
20	Leu	Ala	He	Gly	Arg	Asp	Ala	Cys	Thr	Arg	Lys	He	Gly	Leu	Glu	Thr
		290					295			٠		300				
25	Val	Gly	Val	Lys	lle	Asn	Glu	Lys	Thr	Gly	Lys	He	Pro	Va]	Thr	Asp
	305 <u></u>		-			310					315				٠	320
	Glu	Glu	Gln	Thr	Asn	Val	Pro	Tyr	lle	Tyr	Ala	He	Gly	Asp	He	Leu
30					325					330					335	
•	Glu	Asp	Lys	Val	Glu	Leu	Thr	Pro	Val	Ala	Ile	Gln	Ala	Gly	Arg	Leu
35	Glu	Asp	Lys	Val 340	Glu	Leu	Thr	Pro	Val 345	Ala	Ile	Gln	Ala	Gly 350	Arg	Leu
35			Lys Gln	340	,				345					350		
				340	,				345					350 Asp		
35	Leu	Ala	Gln	340 Arg	Leu	Tyr	'Ala Phe	Gly 360	345 Ser	Thr	Val	Lys Tyr	Cys 365	350 Asp	Tyr	Glu
	Leu	Ala Val 370	GIn 355 Pro	340 Arg Thr	Leu Thr	Tyr Va]	Ala Phe	Gly 360 Thr	345 Ser Pro	Thr Leu	Val Glu	Lys Tyr 380	Cys 365 Gly	350 Asp	Tyr Cys	Glu Gly
	Leu	Ala Val 370	G1 n 355	340 Arg Thr	Leu Thr	Tyr Val	Ala Phe	Gly 360 Thr	345 Ser Pro	Thr Leu	Val Glu Gly	Lys Tyr 380	Cys 365 Gly	350 Asp	Tyr Cys	Glu Gly Glu
40	Leu Asn Leu 385	Ala Val 370 Ser	GIn 355 Pro Glu	340 Arg Thr	Leu Thr Lys	Tyr Val Ala 390	Phe 375 Val	Gly 360 Thr	345 Ser Pro	Thr Leu Phe	Val Glu Gly 395	Lys Tyr 380 Glu	Cys 365 Gly Glu	350 Asp Ala	Tyr Cys Ile	Glu Gly Glu 400
40 45	Leu Asn Leu 385	Ala Val 370 Ser	GIn 355 Pro	340 Arg Thr	Leu Thr Lys	Tyr Val Ala 390	Phe 375 Val	Gly 360 Thr	345 Ser Pro	Thr Leu Phe	Val Glu Gly 395	Lys Tyr 380 Glu	Cys 365 Gly Glu	350 Asp Ala	Tyr Cys Ile	Glu Gly Glu 400
40	Leu Asn Leu 385	Ala Val 370 Ser	GIn 355 Pro Glu	340 Arg Thr	Leu Thr Lys	Tyr Val Ala 390	Phe 375 Val	Gly 360 Thr	345 Ser Pro	Thr Leu Phe	Val Glu Gly 395	Lys Tyr 380 Glu	Cys 365 Gly Glu	350 Asp Ala	Tyr Cys Ile	Glu Gly Glu 400
40 45	Leu Asn Leu 385 Val	Val 370 Ser	GIn 355 Pro Glu	340 Arg Thr Glu Ser	Leu Thr Lys Tyr 405	Tyr Val Ala 390 Phe	Phe 375 Vai	Gly 360 Thr Glu	345 Ser Pro Lys	Thr Leu Phe Glu 410	Val Glu Gly 395 Trp	Lys Tyr 380 Glu Thr	Cys 365 Gly Glu	350 Asp Ala Asn	Tyr Cys Ile Ser 415	Glu Glu 400 Arg

	Glu Arg Val Val Gly Phe Hi	is Val Leu Gly Pro Asn Ala Gly Glu Val
5	435	440 445
	Thr Gln Gly Phe Ala Ala Ala	la Leu Lys Cys Gly Leu Thr Lys Lys Gln
10	450 455	55 460
	Leu Asp Ser Thr lle Gly Ile	le His Pro Val Cys Ala Glu Val Phe Thr
15	465 470	475 480
13	Thr Leu Ser Val Thr Lys Arg	g Ser Gly Ala Ser Ile Leu Gln Ala Gly
	485	490 495
20	Cys	
	⟨210⟩ 3	
25	<b>&lt;211&gt; 1487</b>	•
	<212> DNA	
	<213> Homo sapiens	
30	⟨220⟩	
	<221> CDS	
35	<222> (6) (938)	,
	<400> 3	
40	ggage atg egg gge geg geg eg	egg gcg gca tgg ggg cgc gcg ggg cag ccg 50 .
40	Met Arg Gly Ala Ala Ar	arg Ala Ala Trp Gly Arg Ala Gly Gln Pro
	1 5	10 15
45	tgg ccg cga ccc ccc gcc ccg	ggc ccg ccc ccg ccg ccg ctc ccg ctg 98
	Trp Pro Arg Pro Pro Ala Pro	Gly Pro Pro Pro Pro Leu Pro Leu
50	20	25 . 30
		cig cig ggc ggc gcg ggc gcg cag tac 146
		Leu Leu Gly Gly Ala Gly Ala Gln Tyr
55	35	40 45

		tco	ago	gac	cgg	tgc	agc	tgg	aag	ggg	agc	888	ctg	acg	cac	gag	gca	194	
	5	Sei	Ser	Asp	Arg	Cys	Ser	Trp	Lys	Gly	Ser	Gly	Leu	Thr	His	Glu	Ala		
				50					55					60					
		cac	agg	aag	gag	gtg	gag	cag	gţg	tat.	ctg	cgc	tgt	gcg	gcg	ggt	gcc	242	
1	0	His	Arg	Lys	Glu	Val	Glu	Gln	Val	Tyr	Leu	Arg	Cys	Ala	Ala	Gly	Ala		
			65					70					75						
1	5	gtg	gag	tgg	atg	tac	cca	aca	ggt	gct	ctc	atc	gtt	aac	ctg	cgg	ccc	290	
		Val	Glu	Trp	Me t	Туг	Pro	Thr	Gly	Ala	Leu	lle	Val	Asn	Leu	Arg	Pro		
2	0	80					85					90					95		
		aac	acc	t t <sub>i</sub> c	tcg	cct	gcc	cgg	cac	ctg	acc	gtg	tgc	atc	agg	tcc	ttc	338	
		Asn	Thr	Phe	Ser		Ala	Arg	His	Leu	Thr	.Va1	Cys	He	Arg	Ser	Phe		
2	5			<b>-</b>		100			•		105					110			
			gac															386	
3	o	Inr	Asp	Ser		GIY	Ala	Asn	11e	1yr 120	Leu	Glu	Lys	Thr		Glu	Leu		
		202	ctg	ctø	115	crø	gar	000	gar		200	ccc	aar	raa	125	cag	tat	434	
	5		Leu											·				רטר	
		0	•	130			.,,,,	<b>.</b> .,	135	•.,	0		.,	140	,	•••	0,5		
		ttt	ggc		gag	cag	ggc	ggc	ctg	ttc	gtg	gag	gcc	acg	CCg	cag	Cag	482	
4	0	Phe	Gly	Leu	Glu	G-l n	Gly	Gly	Leu	Phe	Val	Glu	Ala	Thr	Pro	Gln	Gln		
			145					150					155						
4	5	gat	atc	ggc	cgg	agg	acc	aca	ggc	ttc	cag	tac	gag	ctg	gtt	agg	agg	530	
		Asp	Ile	Gly	Arg	Arg	Thr	Thṛ	Gly	Phe	Gln	Tyr	Ğlu	Leu	Val	Arg	Arg		
5	o	160					165					170					175		
		cac	agg	gcg	tcg	gac	cig	cac	gag	ctg	tct	gcg	ccg	t gc.	cgt	ccc	tgc	578	
F	5	His	Arg .	Ala	Ser	Asp	Leu	His	Gļu	Leu	Ser	Ala	Pro	Cys	Arg	Pro	Cys		
3	5					180					185					190			

	agt	gao	acc	gag	gtg	çtc	cta	gcc	gtc	tgc	acc	agc	gac	ttc	gcc	gtt	626
_	Ser	Asp	Thr	Glu	Val	Leu	Leu	Ala	Val	Cys	Thr	Ser	Asp	Phe	Ala	Va l	
5				195					200					205			
	cga	ggc	tcc	atc	çag	caa	gtt	acc	cac	gag	cct	gag	cgg	cag	gac	tca	674
10	Arg	Gly	Ser	Ile	Gln	Gln	Va]	Thr	His	Glu	Pro	Glu	Arg	Gin	Asp	Ser	
			210					215					220				•
15	gcc	atc	cac	ctg	cgc	gtg	agc	aga	ctc	tat	cgg	cag	aaa	agc	agg	gtc	722
	Ala	Ile	His	Leu	Arg	Val	Ser	Arg	Leu	Tyr	Arg	Gln	Lys	Ser	Arg	Val	
		225					230					235					
20	ttc	gag	ccg	gtg	ссс	gag	ggt	gac	ggc	cạc	tgg	cag	ggg	cgc	gtc	agg	770
	Phe	Glu	Pro	Val	Pro	Glu	Gly	Asp	Gly	His	Trp	Gln	Gly	Arg	Val	Arg	
25	240		<b>-</b>			245					250					255	
	acg	ctg	ctg	gag	tgt	ggc	gtg	cgg	ccg	ggg	cat	ggc	gac	ttc	ctc	ttc	818
30	Thr	Leu	Leu	Glu	Cys	Gly	Va l	Arg	Pro	Gly	His	Gly	Asp	Phe	Leu	Phe	
					260					265					270		
25	act	ggc	cac	atg	cac	ttc	ggg	gag	gcg	cgg	ctc	ggc	tgt	gcc	cca	cgc	866
35	Thr	Gly	His	Me t	His	Phe	Gly	Glu	Ala	Arg	Leu	Gly	Cys	Ala	Pro	Arg	
				275					280					285			
40	ttc	aag	gac	ttc	cag	agg	alg	tac	agg	gat	gcc	cag	gag	agg	ggg	ctg	914
·	Phe	Lys	Asp	Phe	Gln	Arg	Met	Tyr	Arg	Asp	Ala	Gln	Glu	Arg	Gly	Leu	
45			290					295					300				
	aac	cct	lgl	gag	gti	ggc	acg	gac	tgac	tccg	tg g	gccg	ctgc	c ct	tcct	ctcc	968
50	Asn	Pro	Cys	Glu	Val	Gly	Thr	Asp			;						
50		305					310						•				
	tgat	gagt	ca c	aggc	igcg	gtg	ggcg	ctgc	ggt	cctg	glg	gggc	cglg	cg g	tgag	ggcca	1028
55	cgcg	ctgg	ga g	ccgc	gtgc	c ct	gggc	ccag	tcc	tgac	cct.	ggia	ccga	ag c	tgtg	gacgi	1088

totogocaca cicaaccoca igagoticca gocaaggaig coolggooga iiggaaaigo 1148 tglaaaatgc aaactaagtt attatattit tittigglaa aaaagaaatg tccataggaa 1208 5 acaaaticct gigicilaaa acgeetiggi gigeegicig atacigitei etaaagaegi 1268 taggagicae ggeateigge eigeggiigg gigaageact ggeegtiggg cacagiggat 1328 gigigaaaag gigccalica gagiigitai icicaigacg gaagiiligg agccaaataa 1388 tacgittiti atticalli tattitaaa ggatgagcti tggiccitti caggccgccg 1448 gtigiticcg ticccgagaa taaagacgag gatccgacc 15 1487 (210) 4 20 <211> 311 <212> PRT <213> Homo sapiens 25 <400> 4 ~ Met Arg Gly Ala Ala Arg Ala Ala Trp Gly Arg Ala Gly Gln Pro Trp 30 1 5 10 15 Pro Arg Pro Pro Ala Pro Gly Pro Pro Pro Pro Pro Leu Pro Leu Leu 20 25 35 Leu Leu Leu Ala Gly Leu Leu Gly Gly Ala Gly Ala Gln Tyr Ser 35 40 40 Ser Asp Arg Cys Ser Trp Lys Gly Ser Gly Leu Thr His Glu Ala His 55 Arg Lys Glu Val Glu Gln Val Tyr Leu Arg Cys Ala Ala Gly Ala Val **75** · 65 70 Glu Trp Met Tyr Pro Thr Gly Ala Leu lle Val Asn Leu Arg Pro Asn 50 85 90 95 Thr Phe Ser Pro Ala Arg His Leu Thr Val Cys lle Arg Ser Phe Thr 100 105 110

	Asp Ser Ser Gly	la Asn Ile Tyr Leu Glu Ly	s Thr Gly Glu Leu Arg
5	115	120	125
	Leu Leu Val Pro	sp Gly Asp Gly Arg Pro Gly	y Arg Val Gln Cys Phe
	130	135	140
	Gly Leu Glu Gln (	ly Gly Leu Phe Val Glu Ala	a Thr Pro Gin Gin Asp
	145	150 158	5 160
15	Ile Gly Arg Arg 1	hr Thr Gly Phe Gln Tyr Gla	u Leu Val Arg Arg His
	1	65 170	175
20	Arg Ala Ser Asp I	eu His Glu Leu Ser Ala Pro	Cys Arg Pro Cys Ser
	180	185	190
	Asp Thr Glu Val L	eu Leu Ala Val Cys Thr Sei	Asp Phe Ala Val Arg
25	195	200	205
,	Gly Ser Ile Gln G	ln Val Thr His Glu Pro Glu	ı Arg Glm Asp Ser Ala
30	210 .	215	220
		al Ser Arg Leu Tyr Arg Glr	
35	225	230 235	
	•	lu Gly Asp Gly His Trp Glr	
40		45 250	255
40	260	ly Val Arg Pro Gly His Gly 265	270
		ne Gly Glu Ala Arg Leu Gly	
45	275	280	285
		rg Met Tyr Arg Asp Ala Gln	
50	290	295	300
	Pro Cys Glu Val G		
55	305	310	
		-	

	<21	0> 5						•									
5	<21	1> 2	820					•									
	<21	2> D	NA .														•
	<21	3> H	omo	sapi	ens												
10	· <22	<0>									•						
	<22	1> C	DS		•												
15	<22	2> (	49)	. (26	64)												
	<40	0> 5	•														
20	ctc	ccaa	agc	agaa	ttgc	ag c	tgcc	gccg	c cg	cace	ctcc	agg	ccac	t at	g gc	g cct	57
														Me	t Al	a Pro	
															1	•	
25																ccg	105
	Gly		Ala	Gln	Glu	Leu		Ala	Lys	Leu	Ala		lle	Gly	Ala	Pro	
30		5		1			10		-1-			15			• • •		150
				•										agc Ser			153
35·	20	Ulii	017	non	ліБ	25	010	LCu	,	010	30	DCU	0111	261	1 9 1	35	
		cag	act	ggc	atc		ctg	aat	cgg	ccg		ttg	aga	ggg	gaa	gat	201
											•			Gly			
40					40					45					50		
	ggg	gac	aaa	gcc	gct	cca	cct	ccc	atg	tcg	gca	cag	ctc	cci	gga	att	249
45	Ġly	Asp	Lys	Ala	Ala	Pro	Pro	Pro	Me t	Ser	Ala	G l,n	Leu	Pro	Gly	Ile	
				55					60		•			65			
50	ccc	atg	cca	cca	cca	cct	tig	gga	clc	ccc	cct	ctg	cag	cct	cct	ccg	297
	Pro	Me t	Pro	Ьιо	Pro	Pro	Leu	Gly	Leu	Pro	Pro	Leu	Gln	Pro	Pro	Pro	•
55			70		÷			75					80				
<b></b>	cca	ССС	сса	cca	cct	cca	cca	gġc	ctt	ggc-	ctţ	ggc	ttt	cct	alg	8Č Č	345

	Pro	Pro	Рго	Pro	Pro	Pro	Pro	Gly	Leu	Gly	Leu	Gly	Phe	Pro	Met	Ala	
5		85				•	90					95					
	cac	cca	cca	aat	ttg	ggg	ссс	ccg	cct	cct	ctc	cgt	gtg	ggt	gag	cca	393
10	His	Pro	Pro	Asn	Leu	Gly	Pro	Pro	Pro	Pro	Leu	Arg	Val	Gly	Glu	Pro	
	100					105					110					115	
15	gtg	gca	ctg	tca	gag	gag	gag	cgg	ctg	aag	ttg	gct	cag	cag	cag	gcg	441
	Yal	Ala	Leu	Ser	Glu	Glu	Glu	Arg	Leu	Lys	Leu	Ala	Gln	Gln	Gln	Ala	
	•				120					125					130		
20	gca	ttg	ctg	atg	cag	cag	gag	gag	cgt	gcc	aag	cag	cag	gga	gat	cat	489
	Ala	Leu	Leu	Me t	Gln	GIn	Glu	Glu	Arg	Ala	Lys	Gln	Gln	Gly	Asp	His	
25				135					140					145			
	tcg	ctg	aag	gaa	cat	gag	ctc	ttg	gag	cag	cag	aag	cgg	gca	ġc t	gtg	537
30	Ser	Leu	Lys	Glu	His	Glu	Leu	Leu	Glu	Gln	Gln	Lys	Arg	Ala	Ala	Val	
			150					155					160				
	tta	ctg	gag	cag	gaa	cga	cag	cag	gag	att	gcc	aag	atg	ggc	acc	cca	585
35	Leu	Leu	Glu	Gln	Glu	Arg	Gln	Gln	Glu	He	Ala	Lys	Met	Gly	Thr	Pro	
		165					170		-			175			•		
40	gic	cct	cgg	ccc	cca	caa	gac	atg	ggc	cag	att	ggt	gtg	CgC	act	cct	633
	Val	Pro	Arg	Pro	Pro	Gln	Asp	Met	Gly	Gln	He	Gly	Val	Arg	Thr	<b>b10</b>	
45	180					185					190					195	
45	clg	ggt	cct	cga	gta	gct	gct	cca	gtg	ggc	cca	glg	ggc	ccc	act	cct	681
	Leu	Gly	Pro	Arg	Val	Ala	Ala	Pro	Val	Gly	Pro	Yal	Gly	Pro	Thr	Рго	
50		•			200					205					210		
	aca	gtl	llg	ccc	atg	gga	gcc	cct	gii	CCC	cgg	cct	cgt	ggt	ccc	cca	729
55	Thr	Va 1	Leu	Pro	Met	Gly	Ala	Pro	Val	Pro	Arg	Pro	Arg	Gly	Pro	Pro	
		•		215					220					225			

	ccg ccc cct g	ga gat gag aac aga gag	g atg gat gac ccc tc1	gtg ggc 777
5	Pro Pro Pro G	ly Asp Glu Asn Arg Glu	u Met Asp Asp Pro Sei	Val Gly
-	230	235	240	
	ccc aag atc co	cc cag gct ttg gag aag	g atc ctg cag ctg aag	gag agc 825
10	Pro Lys Ile Pi	ro Gin Ala Leu Glu Lys	s Ile Leu Gln Leu Lys	Glu Ser
	245	250	255	•
15	cgc cag gaa ga	ng atg aat tot cag cag	gag gaa gag gaa atg	gaa aca 873
	Arg Gln Glu Gl	u Met Asn Ser Gin Gin	ı Glu Glu Glu Glu Met	Glu Thr
20	260	265	270	275
20	gat gct.cgc to	g tcc ctg ggc cag tca	gcg tca gag act gag	gag gac 921
	Asp Ala Arg Se	r Ser Leu Gly Gln Ser	· Ala Ser Glu Thr Glu	Glu Asp
25		280	285	290
	aca gig icc gi	a tot aaa aag gag aaa	aac cgg aag cgt agg	aac cga 969
30		l Ser Lys Lys Glu Lys		•
	29			
		a aag ccc cag cgg gtg		
<i>35</i>	310	s Lys Pro Gln Arg Val 315.	arg Gry var Ser Ser 320	ein zel
		g gag aaa gac ica acc		gat tcc 1065
40		g Glu Lys Asp Ser Thr		
	325	330	335	
45	cca gca gct ga	t git gag ati gag tat	gig act gaa gaa cci	gaa att 1113
	Pro Ala Ala As	p Val Glu Ile Glu Tyr	Val Thr Glu Glu Pro	Glu Ile
	340	345	350	355
50	tac gag ccc aa	c tit aic tic til aag	agg atc ttt gag gct	ttt aag 1161
	Tyr Glu Pro Asi	n Phe Ile Phe Phe Lys	Arg Ile Phe Glu. Ala	Phe Lys
55		360	365	370
			•	••

	ct	c ac	t gai	i gat	gts	3 2 2 2	aag	gag	aaa	gag	aaa	gag	cca	gag	aaa	ctt	1209
5	Le	u Th	r Asj	) Asp	Val	Lys	Lys	Glu	Lys	Glu	Lys	Glu	Pro	Glu	Lys	Leu	
·				375	j				380					385			
10	gad	c aa	a ctg	gag	aac	tct	gca	gcc	ccc	aag	aag	aag	gga	ttt	gaa	gaģ	1257
	Ası	Ly:	s Lev	Glu	Asn	Ser	Ala	Ala	Pro	Lys	Lys	Lys	Gly	Phe	Glu	Glu	
			390	}		•		395			•		400				
	gag	cac	aag	gac	agt	gat	gat	gac	agc	agt	gat	gac	gag	cag	gaa	aag	1305
	Glu	His	Lys	Asp	Ser	Asp	Asp	Asp	Ser	Ser	Asp	Asp	Glu	Gln	Glu	Lys	
20	•	405	;		•		410					415					•
	aag	сса	gaa	gcc	ссс	aag	ctg	tcc	aag	aag	aag	ttg	cgc	cga	atg	aac	1353
25	Lys	Pro	Glu	Ala	Pro	Lys	Leu	Ser	Lys	Lys	Lys	Leu	Arg	Arg	Met	Asn	
	420		-			425					430					435	
	cgc	ttc	ac t	gtg	gc t	gaa	ctc	aag	cag	ctg	gtg	gct	cgg	ccc	gat	gtc	1401
30	Arg	Phe	Thr	Va]	Ala	Glu	Leu	Lys	Gln	Leu	Val	Ala	Arg	Pro	Asp	Val	
	•				44.0					445					450		
35	gtg	gag	atg	cac	gat	gtg	aca	gcg	cag	gac	cct	aag	ctc	ttg	gtt	cac	1449
	Val	Glu	Met	His	Asp	Val	Thr	Ala	Gln	Asp	Pro	Lys	Leu	Leu	Val	His	
40			·	455					460			•		465			
	ctc	aag	gcc	act	cgg	aac	tct	gtg	cct	gig	cca	cgc	cac	lgg	tgt	ttt	1497
	Leu	Lys	Ala	Thr	Arg	Asn	Ser	Val	Pro	Val	Рго	Arg	His	Trp	Cys	Phe	•
			470					475					480				
·	aag	cgc	aaa	tac	cig	cag	ggc	aaa	cgg	ggc	att	gág	aag	ccc	ccc	ttc	1545
50	Lys		Lys	Tyr	Leu	Gln	Gly	Lys	Arg	Gly	Ile	Glu	Lys	Pro	Pro	Phe	
		485		,			490					495					
55	gag	clg	cca	gac	ttc	alc	aaa	cgc	aca	ggc	alc	cag	gag	atg	Ċga	gag	1593
	Glu	Leu	Pro	Asp	Phe	Пe	Lys	Arg	Thr	Gly	lle	Gin	Glu	Met	Arg	Glu	

	500				•	505					510			•		515	
5	gcc	ctg	cag	gag	aag	gaa	gaa	cag	aag	acc	atg	aag	tca	aaa	atg	cga	1641
	Ala	Leu	G1 n	Glu	Lys	Glu	Glu	Gln	Lys	Thr	Met	Lys	Ser	Lys	Met	Arg	•
40					520					525					530		
10	gag	aaa	gtt	cgg	cct	aag	atg	ggc	aaa	att	gac	atc	gac	tac	cag	aaa	1689
	Glu	Lys	Val	Arg	Pro	Lys	Met	Gly	Lys	Ile	Asp	Ile	Asp	Туг	Gln	Lys	
15				535					540					545			
	ctg	cat	gat	gcc	ttc	ttc	aag	tgg	cag	acc	aag	cca	aag	ctg	acc	atc	1737
20 .	Leu	His	Asp	Ala	Phe	Phe	Lys	Trp	G l n	Thr	Lys	Pro	Lys	Leu	Thr	He	
			550					555					560				•
	cat	ggg	gac	clg	tac	tat	gag	ggg	aag	gag	ttc	gag	aca	cga	clg	aag	1785
25	His	Gly	Asp	Leu	Tyr	Tyr	Glu	Gly	Lys	Glu	Phe	Glu	Thr	Arg	Leu	Lys	
		565					570					575					
30	gag	aag	aag	cca	gga	gat	ctg	tct	gat	gag	cta	agg	ati	tcc	ttg	ggg	1833
		Lys	Lys	Pro	Gly		Leu	Ser	Asp	Glu		Arg	Ile	Ser	Leu		
35	580					585					590					595	
				gga													1881
	Met	Pro	Val	Gly		ASD	Ala	HIS	Lys		Pro	Y10	PTO	110		116	
40			05.7	0.50	600	<b>~~</b>			000	605	tot		000	010	610		1020
				cga													1929
45	nıa	mer	0111	615	171	013	110	110	620	561	171	110	non	625	r)2	116	
	cct	aaa	cta	aác	trø	ccc	alc	cct		agr	l o t	tee	* * * *		tac	cat	1977
				Asn												•	1511
50	110	U1 y	630	ASII	501	110	110	635		001	0,0	<i>.</i>	640	01,	1 7 1	1113	
	ac t	aa t		tgg	ggr	222	cct		gtg	gat	gag	act		222	cca	ctc	2025
55				Trp													2020
	A I a	O 1 A	013	עוו	J, ,	200					V10		417	<i></i> , ,			

	645		650	. 655	
5 .	tat ggg	gac gtg ttt	gga acc aat go	ct gct gaa ttt cag	acc aag act 2073
	Tyr Gly	Asp Val Phe	Gly Thr Asn Al	la Ala Glu Phe Gln	Thr Lys Thr
10	660		665	670	675
	gag gaa	gaa gag att	gat cgg acc co	t igg ggg gaa cig	gaa cca tct 2121
15	Glu Glu	Glu Glu lle	Asp Arg Thr Pr	o Trp Gly Glu Leu	Glu Pro Ser
		680		685	690
	gat gaa	gaa tcc tca	gaa gaa gag ga	ia gag gaa gaa agt	gat gaa gac 2169
20	Asp Glu	Glu Ser Ser	Glu Glu Glu Gl	u Glu Glu Glu Ser	Asp Glu Asp
		695	70	00	705
25				c cct gca gac agt	
	Lys Pro			ir Pro Ala Asp Ser	•
30		710	715	720	
		•		t gct gga atg gag	•
05	725	diy diy rne	730	o Ala Gly Met Glu 735	THE FEW GIVE
35		gag ctg agg		t gag gag gcg atg	gac gga agt 2313
				e Glu Glu Ala Net	
40	740		745	750	755
•	gag aca	cct cag ctc	ttc act gtg tt	g cca gag aag aga	aca gcc act 2361
45	Glu Thr	Pro Gln Leu	Phe Thr Val Le	u Pro Glu Lys Arg	Thr Ala Thr
		760		765	770
50	gtt gga	ggg gcc atg	atg gga tca ac	c cac att tat gac	atg tcc acg 2409
	Val Gly	Gly Ala Met	Met Gly Ser Th	r His Ile Tyr Asp	Met Ser Thr
		775	78	0	785
55	gtt atg	agc cgg aag	ggc ccg gct cc	t gag cig caa ggt	gig gaa gig 2457

	Val	Met	Ser	Arg	Lys	Gly	Pro	Ala	Pro	Glu	Leu	Gln	Gly	Val	Giu	Val	
_			790					795					800				
5	gcg	ctg	gcg	cct	gaa	gag	ttg	gag	ctg	gat	cct	atg	gcc	atg	acc	cag	2505
•	Ala	Leu	Ala	Pro	Glu	G) u	Leu	G1 u	Leu	Asp	Pro	Met	Ala	Met	Thr	Gln	
10		805					810					815					
·	aag	tat	gag	gag	cat	gtg	cgg	gag	cag	cag	gct	ċaa	gta	gag	aag	gag	2553
15	Lys	Tyr	Glu	Glu	His	Val	Arg	Glu	Gln	Gln	Ala	Gln	Val	Glu	Lys	Glu	
	820					825	·				830			-		835	
	gac	ttc	agt	gac	atg	gtg	gct	gag	cac	gcl	gcc	aaa	cag	aag	caa	aaa	2601
20	Asp	Phe	Ser	Asp	Met	Yal	Ala	Glu	His	Ala	Ala	Lys	Gln	Lys	Gln	Lys	
					840					845					850		
25	aaa	cgg	aaa	gc t	cag	ccc	cag	gac	agc	cgt	ggg	ggc	agc	aag	āaa	tat	2649
	Lys	Arg	Lys	Ala	Gln	Pro	Gln	Asp	Ser	Arg	Gly	Gly	Ser	Lys	Lys	Tyr	
30				855					860					865			
	aag	gag	itc	aag	ttt	tagg	tccc	cto	acac	tago	c-ct	tttt	ttgg	cco	tace	tct	2704
	Lys	Glu	Phe	Lys	Phe												
35			870														
	ggat	gcct	gg g	ctto	acac	a ag	aaco	acct	cto	ccgc	agt	tccc	aagg	ac I	tgto	atttc	2764
40	atgt	tctt	at t	ttag	acc t	gtt	ttgt	aaat	. aaa	gclg	itt	ccca	agga	aa g	gagat	g	2820
	<210	> 6															
45	<211	> 87	2														
43	<212	> PR	T				•										
	<213	> Ho	mo s	apie	ns												
50	<400	> 6														•	
	Met .	Ala :	Pro	Gly	Ala	Ala	Gln	Glu	Leu	Gln	Ala	Lys	Leu	Ala	Glu	He	
55	1				5					10				•	15		

	Gly	Ala	Pro	lle	Gln	Gly	Asn	Arg	Glu	Glu	Leu	Val	Glu	Arg	Leu	Gln
5				20					25					. 30 :		
	Ser	Tyr	Thr	Arg	Gln	Thr	Gly	Ile	Yal	Leu	Asn	Arg	Pro	Val	Leu	Arg
40			35					40					45	•	•	•
10	Gly	G] u	,Asp	Gly	Asp	Lys	Ala	Ala	Pro	Pro	Pro	Met	Ser	Ala	Gln	Leu
		50					55					60				
15 ,	Pro	Gly	He	Pro	Met	Pro	Pro	Pro	Pro	Leu	Gly	Leu	Pro	Pro	Leu	Gln
	65					70					75					80
20	Pro	Pro	Pro	Pro	Pro	Pro	Pro	Pro	Pro	Pro	Gly	Leu	Gly	Leu	Gly	Phe
					85					90					95	,
	Pro	Me t	Ala	His	Pro	Pro	Asn	Leu	Gly	Pro	Pro	Pro	Pro	Leu	Arg	Yal
25		•	-	100					105					110		
	Gly	G) u	Pro	Va l	Ala	Leu	Ser	Glu	Glu	G1 u	Arg	Leu	Lys	Leu	Ala	Gln
30			115			,		120	•				125			
	Gln	Gln	Ala	Ala	Leu	Leu	Met	Gln	Gln	Glu	Glu	Arg	Ala	Lys	Gln	Gln
		130					135					140				
35	Gly	Asp	His	Ser	Leu	Lys	Glu	His	Glu	Leu	Leu	Glu	Gln	Gln	Lys	.Arg
	145					150					155					160
40	Ala	Ala	Val	Leu	Leu	Glu	Gln	Glu	Arg	Gln	Gln	Glu	He	Ala	Lys.	Me t
					165					170					175	
	Gly	Thr	Pro	Val	Pro	Arg	Pro	Pro	Gln	Asp	Met	Gly	Gln	He	Gly	Val
45				180					185			÷		190		
	Arg	Thr	Pro	Leu	Gly	Pro	Arg	Val	Ala	Ala	Pro	Val	Gly	Pro	Val	Gly
50			195					200					20,5			
	Pro	Thr	Pro	Thr	Va l	Leu	Pro	Met	Gly	Ala	Pro	Val	Pro	Arg	Pro	Arg
		210					215					220				
55	Gly	Pro	Pro	Pro	Pro	Pro	Gly	Asp	Glu	Asn	Arg	Glu	Met	Asp	Asp	Pro

	225					230				٠	235				•	240
5	Ser	Val	Gly	Pro	Lys	Ile	Pro	Gln	Ala	Leu	Glu	Lys	He	Leu	Gln	Leu
					245					250		•			255	
10	Lys	Ġlu	Ser	Arg	Gln	Glu	Glu	Me t	Asn	Ser	Gln	Gln	Glu	Glu	Glu	Glu
	•			260					265					270		
_	Me t	Glu	Thr	Asp	Ala	Arg	Ser	Ser	Leu	Gly	Gln	Ser	Ala	Ser	Glu	Thr
15			275					280					285			
	Glu	Glu	Asp	Thr	Val	Ser	Val	Ser	Lys	Lys	Glu	Lys	Asn	Arg	Lys	Arg
20		290					295					300				
	Arg	Asn	Arg	Lys	Lys	Lys	Lys	Lys	Pro	Gln	Arg	Val	Arg	Gly	Val	Ser
25	305					310					315					320
	Ser	Glu	Šer	Ser	Gly	Asp	Arg	Glu	Lys	Asp	Ser	Thr	Arg	Ser	Arg	Gly.
					325					330					335	
30	Ser	Asp	Ser	Pro	Ala	Ala	Asp	Val	Glu	Ile	Glu	Tyr	Val	Thr	Glu <sub>.</sub>	Glu
				340					345					350		
35	Pro	Glu	He	Tyr	Glu	Pro	Asn	Phe	lle	Phe	Phe	Lys	Arg	He	Phe	Glu
			355					360					365			
40	Ala	Phe	Lys	Leu	Thr	Asp		Val	Lys	Lys	Glu		Glu	Lys	Glu	Pro
40		370					375					380				
		Lys	Leu	Asp	Lys		Glu	Asn	Ser	Ala		Pro	Lys	Lys	Lys	
45	385					390					395					400
	Phe	Glu	Glu	Glu		Lys	Asp	Ser	Asp		Asp	Ser	Ser	Asp	•	Glu
50					405			_		410		_			415	
	GIn	G] u	Lys		Pro	Glu	Ala	Pro		Leu	Ser	Lys	Lys		Leu	Arg
				420					425					430		
55	Arg	Me t	Asn	Arg	Phe	Thr	Val	Ala	Glu	Leu	Lys	Gln	Leu	Val	Ala	Arg

•			435	j				440			,		445		•	
5	Pro	) Asp	Val	Val	Glu	Met	His	Asp	Val	Thr	Ala	Gln	Asp	Pro	Lys	Leu
		450	)				455	•				460				•
10	Leu	Va 1	His	Leu	Lys	Ala	Thr	Arg	Asn	Ser	Val	Pro	Va]	Pro	Arg	His
	465					470					475					480
	Trp	. Cys	Phe	Lys	Arg	Lys	Туг	Leu	Gln	Gly	Lys	Arg	Gly	lle	Glu	Lys
15 .					485					490					495	
	Pro	Pro	Phe	Glu	Leu	Pro	Ásp	Phe	He	Lys	Arg	Thr	Gly	Пe	Gln	Glu
20				500					505					510		
	Met	Arg	Glu	Ala	Leu	Ģln	Glu	Lys	Głu	Glu	Gln	Lys	Thŕ	Met	Lys	Ser
			515					520					525			•
25	Lys	Me t	Arg	Glu	Lys	Val	Arg	Pro	Lys	Met	Gly	Lys	<u>[le</u>	Asp	lle	Asp
		530					535					540				
30	Tyr	Gln	Lys	Leu	His	Asp	Ala	Phe	Phe	Lys	Trp	Gln	Thr	Lys	Pro	Lys
	545		•			550					555	-				560
	Leu	Thr	He	His	Gly	Asp	Leu	Tyr	Tyr	Glu	Gly	Lys	G] u	Phe	Glu	Thr
					565					570				-	575	
	Arg	Leu	Lys	Glu	Lys	Lys	Pro	Gly	Asp	Leu	Ser	Asp	Glu	Leu	Arg	He
40				580					585					590		
	Ser	Leu		Met	Pro	Val	Gly		Asn	Ala	His	Lys		Pro	Pro	Pro
45	_		595			•		600		_		_	605	_		
	Trp		116	Ala	Met	Gin		Туг	Gly	PTO	PTO		Ser	Туг	Pro	Asn
		610	• • •		01	•	615	<b>.</b>	ń			620	_		_	
50		Lys	116	Рго	GIY		ASI	Ser	PTO	He		GIU	Ser	Cys	Ser	
	625	_				630	_			_	635					640
55	Gly	Tyr	His			GIY	lrp	GIY	Lys	•	Pro	Yal	Asp			Gly
					845	•				650					655	

	Lys	s Pro	Leu	Tyr	Gly	Asp	Va l	Phe	Gly	Thr	Asn	Ala	Ala	Glu	Phe	Gln
5				660	)				665	٠		•		670		
	Thi	Lys	Thr	Glu	Glu	Glu	Glu	Ile	Asp	Arg	Thr	Pro	Trp	Gly	Glu	Leu
			675					680					685	٠		•
10	Glu	Pro	Ser	Asp	G·] u	Glu	Ser	Ser	Glu	Glu	Glu	Glu	Glu	Glu	Glu	Ser
		690					695	•				700				
15	Asp	Glu	Asp	Lys	Pro	Asp	Glu	Thr	Gly	Phe	Į l e	Thr	Pro	Ala	Asp	Ser
	705	1				710				•	715					720
20	Gly	Leu	lle	Thr	Pro	Gly	Gly	Phe	Ser	Ser	Val	Pro	Ala	Gly	Met	Glu
	·				725					730					735	
25	Thr	Pro	Glu -	Leu	lle	Glu	Leu	Arg	Lys	Lys	Lys	Ile	Glu	Glu	Ala	Met
				740					745					750	•	
	Asp	Gly		Glu	Thr	Pro	Gln		Phe	Thr	Val	Leu	Pro	Glu	Lys	Arg
30			755					760					765			
	Thr	Ala	Thr	Val	Gly	Gly		Met	Met	Gly	Ser			He	Tyr	Asp
35	Not	770	Th-	Val	Vo.	500	775	1	C1	D=0	41.	780 P		1	C1-	<b>C</b> 1
	785	Ser	1111	Tai	MEL	790	MIR	Lys	GIY	LIU	795	rio	GIU	ren	GIN	800
40		Glu	Val	Ala	Len		Pro	G1:u	Glu	Len		l en	Aen	Pro	Met	
		0.0	,		805	,,,,		07.0	0.0	810	0,10	DÇU	пор		815	A i a
45	Met	Thr	Gln	Lys		Glu	Glu	His	Val		Glu	Gln	Gln	Ala		Val
45				820	·				825	·		٠		830		
	. Glu	Lys			Phe	Ser	Asp	Me t	Val	Ala	Glu	His	Ala		Lys	Gln
50			835					840					845			
	Lys	Gln		Lys	Arg	Lys	Ala		Pro	Gln	Asp	Ser		Gly	Gly	Ser
55		850			•		855	•				860	_			

	Lys	Lys	Туг	Lys	Glu	Phe	Lys	Phe									
5	865					870			•						•		
	<21	0> 7											:				·
10		1> 2										·	•				
	<21	2> D	NA												٠		
15	<21	3> н	omo	sapi	ens										•		
	<22	0>															
	<22	1> C	DS														
20	<22	2> (	214).	(1	146)												
	<400	0> 7	•														
25	atgo	ccag	ccc ·	caaa	cctc	at c	ccta	gtgga	gg(	ectta	gctg	atg	tgga	agt :	ggcc	agggcc	60
	ctca	atgg	tag	gc t g	ggca	ga a	gccci	aagaa	cag	gcto	ctaa	agc	tgcta	aaa (	cccg	gcagic	120
30	ctgg	gtcc	ccg	gagg	ctct	lg c	cagto	ctgad	agi	lgtto	ttg	gca	tgc	tca	aagg	tcccag	180
	cago	tgg	ggt	tccc	cgtc	ag co	ccgt	gagce	g gc							c cca	234
:										Me	i Sei	r Ası	Pro			a Pro	
35											l ·				5		
				gaa													282
40	Pro	Pro	7yr 10	Glu	ASP	Arg	ASD	Pro 15	Leu	lyr	Pro	Gly	20	PTO	Pro	Pro	٠
	aaa	990		aaa	csa	cca	tet		cta	663	aas	a a a		cct	acc	tac	330
		ggc		Gly							gga					Tur	330
43	u,,	25	.,.	013	••••		30		Deu	110	0.,	35	.,.			•,•	
	cct		tac	ccg	cag	cct		tac	ggi	cac	cct		ggc	tac	cca	cag	378
50				Pro													
	40	-	=			45			-		50					55	•
55	ссс	atg	ccc	ccc	acc	cac	ccg	alg	ссс	alg	aac	tac	ggc	cca	ggc	cat	426

	Pro	Met	PT0	Pro	Ihr	HIS	Pro	Mel	PIO	Met	ASN	Туг	Gly	Pro	Gly	His	
5					60					65					70		
	ggc	tat	gat	ggg	gag	gag	aga	gcg	gtg	agt	gat	agc	ttc	ggg	cct	gga	474
	Gly	Туг	Asp	Gly	Glu	Glu	Arg	Ala	Val	Ser	Asp	Ser	Phe	Gly	Pro	Gly	
10	•			75					80			•		85			
	gag	tgg	gat	gac	cgg	aaa	gtg	cga	cac	act	ttt	atc	cga	aag	gtt	tac	522
15	Glu	Trp	Asp	Asp	Arg	Lys	Val	Arg	His	Thr	Phe	He	Arg	Lys	Val	Tyr	
			90		-			95		•		•	100				
20	tcc	atc	atc	tcc	glg	cag	ctg	ctc	atc	act	gtg	gcc	atc	att	gct	atc	570
	Ser	He	Ile	Ser	Val	Gln	Leu	Leu	He	Thr	Va]	Ala	He	Ile	Ala	Ile	
		105					1-10					115					
25	ttc	acc	jtt	gtg	gaa	cct	gtc	agc	gcc	ttt.	gtg	agg	aga	aat	gtg	gct	618
	Phe	Thr	Phe	Val	Glu	Pro	Val	Ser	Ala	Phe	Val	Arg	Arg	Asn	Va I	Ala	
30	120					125					130	•				135	
	gtc	lac	tac	gtg	tcc	tat	gc t	gtc	ttc	gtt	gtc	acc	tac	ctg	atc	ctt	- 666
	Val	Tyr	Tyr	Val	Ser	Tyr	Ala	Val	Phe	Val	Vai	Thr	Tyr	Leu	lle	Leu	
35					140					145					150		
	gcc	t gc	tgc	cag	gga	ccc	aga	cgc	cgt	ttc	cca	tgg	aac	atc	att	ctg	714
10	Ala	Cys	Cys	Gln	Gly	Pro	Arg	Arg	Arg	Phe	Pro	Trp	Asn	Ile	Ile	Leu	
				155					160					165			
	citg	acc	ctt	ttt	act	ttt	gcc	atg	ggc	ttc	atg	acg	ggc	acc	att	tcc	762
<b>15</b>	Leu	Thr	Leu	Phe	Thr	Phe	Ala	Met	Gly	Phe	Met	Thr	Gly	Thr	He	Ser	
			170					175					180				
50	agt	atg	tac	caa	acc	aaa	gcc	glc	atc	att	gca	atg	atc	atc	act	gcg	810
	Ser	Met	.Tyr	Gln	Thr	Lys	Ala	Val	He	Ile	Ala	Me t	Ile	Ile	Thr	Ala	
55		185					190					195					
<del></del>	gtg	gta	tcc	att	tċa	gtc	acc	atc	ttc	l gc	tţt	cag	acc	aag	gtg	gac	858

	Val	Val	Ser	116	261	Vai	IDT	116	rne	Cys	rne	GII	Inf	LAS	Yaı	ASP	
5	200					205					210					215	
	ttc	acc	tcg	tgc	aca	ggc	ctc	ttc	tgt	gtc	ctg	gga	att	gtg	ctc	ctg	906
10	Phe	Thr	Ser	Cys	Thr	Gly	Leu	Phe	Cys	Val	Leu	Gly	Ile	٧al	Leu	Leu .	
					220					225					230	•	-
	gţg	ac t	ggg	att	glc	act	agc	att	glg	ctc	tac	ttc	caa	tac	gtt	tac	954
15	Val	Thr	Gly	Ile	Val	Thr	Ser	He	Va I	Leu	Tyr	Phe	Gln	Tyr	Val	Tyr	
				235					240	•				245			
20	tgg	ctc	cac	atg	ctc	tal	gct	gct	ctg	ggg	gcc	att	tgt	ttc	acc	clg	1002
	Trp	Leu	His	Met	Leu	Tyr	Ala	Ala	Leu	Gly	Ala	He	Cys	Phe	Thr	Leu	
25			250 -					255					260				
				tac													1050
	Phe	Leu	Ala	Tyr	Asp	Thr	Gln	Leu	Val	Leu	Gly		Arg	Lys	His	Thr	
30		265					270					275					
																gac .	1098
35	He	Ser	Pro	Glu	Asp	Tyr	He	Thr	Gly	Ala		Gln	He	Tyr	Thr		
	280					285					290					295	
40				atc												•	1146
40	lle	lle	Туг	Ile		Thr	Phe	Val	Leu		Leu	Met	Gly	Asp		Asn	
					300					305					310		
45							•									gggctg	
														•		tgccca	
50																ctiggt	
																aggctg	
																clgggg	
55	ligi	gaga	aa i	tatga	aaaa	ga g	ccta	ttcg	a ta	gcla	gaag	gga	atat	gaa	aggt	agaagt	1506

gacticaagg teacgaggii ecceleceae etetgicaea ggetietiga etaegiagii 1566 ggagctattt cticcccag caaagccaga gagcttigic cccggccicc iggacacata 1626 ggccattate etgtatteet tiggettgge atettttage teaggaaggt agaagagate 1686 tgtgcccatg ggtctccttg cttcaatccc ttcttgttic agtgacatat gtattgttta 1746 tctgggttag ggatgggga cagataatag aacgagcaaa gtaacctata caggccagca 1806 tggaacagca tctccctgg gcttgctcct ggcttgtgac gctataagac agagcaggcc 1866 acatgtggcc atctgctccc cattettgaa agetgctggg gcctccttgc aggettetgg 1926 atctctggtc agagtgaact cttgcttcct gtattcaggc agctcagagc agaaagtaag 1986 gggcagagic atacgigigg ccaggaagia gccagggiga agagagacic ggigcgggca 2046 gggagaatgc ctgggggtcc ctcacctggc tagggagata ccgaagccta ctgtggtact 2106 gaagactict gggttcittc ctictgctaa cccagggagg gtcctaagag gaaggtgact 2166 tetetetgit tgiettaagt tgeactgggg gatttetgae ttgaggeeca tetetecage 2226 cagocacted citotiteta atattaagie ootigagote gaateeggaa egeggacaag 2286 ggtcagtcig tcgggigggg gcagaaatca aatcagccca aggatalagt taggaltaat 2346 tacttaatag agaaateeta actatateae acaaagggat acaactataa atgtaataaa 2406 2423 atttatgtct agaagtt <210> 8 <211> 311 <212> PRT

<213> Homo sapiens

<400> 8

10

15

20

25

30

35

40

50

Met Ser Asn Pro Ser Ala Pro Pro Pro Tyr Glu Asp Arg Asn Pro Leu

1 5 10 15

Tyr Pro Gly Pro Pro Pro Pro Gly Gly Tyr Gly Gln Pro Ser Val Leu

20 25 30

Pro Gly Gly Tyr Pro Ala Tyr Pro Gly Tyr Pro Glm Pro Gly Tyr Gly

			35	j				40					45			
5	His	s Pro	Ala	Gly	Туг	Pro	Gln	Pro	Met	Pro	Pro	Thr	His	Pro	Met	Pro
3		5,0	)				55					60				
	Met	Asn	Туг	Gly	Рго	Gly	His	Gly	Туг	Asp	Gly	Glu	Glu	Arg	Ala	Va l
10	65	j				70					75					80
	Ser	Asp	Ser	Phe	Gly	Pro	Gly	Glu	Trp	Asp	Asp	Arg	Lys	Val	Arg	His
					85					90	•				95	
	Thr	Phe	He	Arg	Lys	Val	Tyr	Ser			Ser	Val	Gln	Leu	Leu	He
20				100					105				_	110		
	Thr	Val		He	He	Ala	He			Phe	Val	Glu		Yal	Ser	Ala
	Dho	Vol	115	1 = 0	Aan	Val	410	120		T	Val	So. =	125	A1.	Val	Dha
	rne	130	Y18	Arg	W2II	Yaı	135	. vai	1 9 1	1 9 1	141	140	1 7 1	AIZ	441	rne
	Val		Thr	Tyr	Leu	He		Ala	Cys	Cys	Gln		Рго	Arg	Arg	Arg
30	145					150			. •		155					160
	Phe	Pro	Trp	Asn	He	Ile	Leu	Leu	Thr	Leu	Phe	Thr	Phe	Ala	Met	Gly
35					165					170					175	
	Phe	Met	Thr	Gly	Thr	Ile	Ser	Ser	Me t	Tyr	Gln	Thr	Lys	Ala	Val	He
40				180					185					190		
	lle	Ala	Met	He	He	Thr	Ala	Val	Val	Ser	He	Ser	Va l	Thr	Ile	Phe
			195					200					205			
45	Cys <sub>.</sub>		Gln	Thr	Lys	Val		Phe	Thr	Ser	Cys		Gly	Leu	Phe	Cys
		210				_	215					220		_		
50		Leu	Gly	Ile	Va I		Leu	Val	lhr	Gly		Val	Thr	Ser	He	•
	225	T	nt -	C1-	T.,_	230	T	T	1	U:-	235	1	T	41-	41-	240
55	ren	ıyr	rne	Gln		val	1 7 1	11D	ren		met	ren	1 <b>y r</b>	AIA		ren
					245					250					255	_

	Gly Ala	a Ile	Cys	Phe	Thr	Leu	Phe	Leu	Ala	Tyr	Asp	Thr	Gln	Leu	Val	
5			260			•		265					270			
	Leu Gly	/ Asn	Arg	Lys	His	Thr	He	Ser	Pro	Glu	Asp	Туг	Ile	Thr	Gly	
10		275					280					285				٠.
	Ala Leu	Gln	He	Tyr	Thr	Asp	He	lle	Tyr	Ile	Phe	Thr	Phe	Val	Leu	
15	. 290	)				295					300					
	Gln Leu	Met	Gly .	Asp	Arg	Asn										
	305	•			310											
20	⟨210⟩ 9									•						
	(211) 4				•											
25	<212> D													•		
	<213> H		apiei	ns												
	<220>		•													
30	<221> C	DS ·						•								
	<222> (	86)	(2710	0)												
35	<400> 9															
	cctcggc	cct c	cgcci	t cc t	c cc	ctc	tect	tct	cgtc	ttc	agco	gcto	ct c	tege	cgccg	60
40	cctccac	agc c	tgggd	ctc	g cc	gcg	atg	ccg	gag	aag	agg	ccc	t tc	gag	cgg	112
40							Met	Pro	Glu	Lys	Arg	Pro	Phe	Glu	Arg	
							1				<b>5</b> .	•				
45	ctg cct	gcc	gat g	gic	tcc	CCC	atc	aac	tac	agc	ctt	tgc	ctc	aag	ccc	160
	Leu Pro	Ala	Asp V	/al	Ser	Pro	He	Asn	Tyr	Ser	Leu	Cys	Leu	Lys	Pro	
50	10				15					20					25	
	gac tig	ctg	gac t	tc	acc	ttc	gag	ggc	aag	ctg	gag	gcc	gcc	gcc	cag	208
	Asp Leu	Leu	Asp P	he	Thr	Phe	Glu	Gly	Lys	Leu	Glu	Ala	Ala	Ala	Gln	
55				30					35	:				40		

	gtg	agg	cag	gcg	ac t	aat	cag	all	gtg	atg	aat	igt	gct	gat	att	gat	256
5	Va l	Arg	Gln	Ala	Thr	Asn	Gln	Ile	Val	Me t	Asn	Cys	Ala	Asp	Ile	Asp	
				45					50					55			
10	att	att	aca	gct	tca	tat	gca	cca	gaa	gga	gat	gaa	gaa	ata	cat	gct	304
	He	lle	Thr	Ala	Ser	Туг	Ala	Pro	Glu	Gly	Asp	Glu	Glu	He	His	Ala	
			60					65					70				
15	aca	gga	ttt	aac	tat	cag	aat	gaa	gat	gaa	aaa	gtc	acc	ttg	tct	ttc	352
	Thr	Gly	Phe	Asn	Tyr	Gin	Asn	Glu	Asp	Glu	Lys	Yai	Thr	Leu	Ser	Phe	
20		75					80					85					
	cct	agt	ac ť	ctg	caa	aca	ggt	acg	gga	acc	tta	aag	ata	gat	ttt	gtt	400
25	Pro	Ser	Thr	Leu	Gln	Thr	Gly	Thr	Gly	Thr	Leu	Lys	lle	Asp	Phe	Val	
25	. 90		-			95					100		•			105	
4	gga	gag	ctg	aat	gac	aaa	atg	aaa	ggt	ttc	tat	aga	agt	aaa	tat	act	448
30	Gly	GJu	Leu	Asn	Asp	Lys	Met	Lys	Gly	Phe	Tyr	Arg	Ser	Lys	Tyr	Thr	
					110					115					120		
35	acc	cct	tct	gga	gag	gtg	cgc	tat	gct	gct	gta	aca	cag	ttt	gag	gc t	496
	Thr	Pro	Ser	Gly	Glu	Val	Arg	Tyr	Ala	Ala	Val	Thr	Gln	Phe	Glu	Ala	
				125					130					J 35			
40		gat															544
	Thr	Asp		Arg	Arg	Ala	Phe		Cys	Trp	Asp	Glu		Ala	Ile:	Lys	
45			140		•			145			•		150				
	-	act															592
50	Ala	Thr	Phe	Asp	lle	Ser		Va l	Val	Pro	Lys		Arg	Val	Ala	Leu	
		155					160					165					
		aac											_				640
55	Ser	Asn	Met,	Аѕп	Val.	Ile	Asp	Arg	Lys	Pro	Туг	Pro	Asp	Asp	Glu	Asn	

	170			175					180					185	
· 5	tta	gtg ga	a gig a	aag ttt	gcc	cgc	aca	cct	gtt	atg	tct	aca	tat	ctg	688·
	Leu	Val G	u Val I	Lys Phe	Ala	Arg	Thr	Pro	Val	Met	Ser	Thr	Tyr	Leu	•
			. 1	190				195			•		200		٠
10	gtg	gca ii	t gtt g	gtg ggt	gaa	tat	gac	ttt	gta	gaa	aca	agg	tca	aaa	736
	Ya1	Ala Ph	e Val V	Val Gly	Glu	Tyr .	Asp	Phe	Val	Glu	Thr	Arg	Ser	Lys	
15			205				210	·				215			
	gat	ggt gt	g tgt g	gtc cgt	gtt	tac	act	cc t	gtt	ggc	aaa	gca	gag	caa	784
20	Asp	Gly Va	i Cys V	/al Arg	Val	Туг	Thr	Pro	Val	Gly	Lys	Ala	Glu	Gln	
		22	0	•	•	225				•	230				
	gga	aaa tt	t gcg t	ta gag	gtt	gct	gc t	aaa	acc	ttg	cct	ttt	tat	aag .	832
25	Gly	_	e Ala L	eu Glu		Ala	Ala	Lys	Thr		Pro	Phe	Туг	Lys	
		235			240					245					
30			c aat g										•		880
	•	Tyr Ph	e Asn V		Tyr	Pro I	Leu	Pro		He	ASP	Leu	116		
35	250	ge2	c itt a	255	aat i	<b>700</b>	a t a	<b>65</b> 6	260	tee	aan	cti	a++	265	028
33			cttt g pPhe A												928
	110	77. U 715		70	0.,			275			<b>.</b> .,	200	280	2,444	٠
40	lat	agg ga	g act g		ctt	att i			aaa	aat	tcc	tgt		tca	976
			Thr A												
45	•		285				290					295		•	
	tcc	cgc ca	g tgg g	tt gct	ctg	git	gtg	gga	cat	gaa	ctc	gcc.	cat	caa	1024
<b>50</b>	Ser	Arg Gl	Trp V	al Ala	Leu '	Val '	Val	Gly	His	Glu	Leu	Ala	His	Gln	
50		30	)		;	305					310				
	tgg	ttt gg	a aat c	tt gtt	act a	atg 1	gaa	igg	tgg	act	cat	ctt	tgg	tta	1072
55	Trp	Phe Gly	Asn L	eu Val	Thr A	Vet (	Glu	Trp	Trp	Thr	His	Leu	Trp	<b>F</b> ěń	

			315	),				320					325					
5		aat	gaa	ġgt	ttt	gca	tcc	tgg	att	gaa	tat	ctg	tgt	gta	gac	cac	l gc	-1120
		Asn	Glu	G] y	Phe	Ala	Ser	Trp	lle	Glu	Tyr	Leu	Cys	Val	Asp	His	Cys	
10		330		•			335					340					345	
		ttc	cca	gag	tat	gat	att	lgg	act	cag	ttt	gtt	lct	gct	gat	t ac	acc	1168
15		Phe	Pro	Glu	Tyr	Asp	lle	Trp	Thr	Gln	Phe	Val	Ser	Ala	Asp	Tyr	Thr	
						350					355					360		
	•	cgt	gcc	cag	gag	ctt	gac	gcc	tta	gat	aac	agc	cat	cct	att	gaa	gtc	1216
20		Arg	Ala	Gln	Glu	Leu	Asp	Ala	Leu	Asp	Asn	Ser	His	Pro	Ile	Glu	Val	
					365					370					375			
25		agt	gtg	ggc	cat	cca	tct	gag	gtt	.gat	gag	ata	ttt	gat	gct	ata	tca	1264
	•	Ser	Val	Gly	His	Pro	Ser	Glu	Val	Asp	Glu	He	Phe	Asp	Ala	lle	Ser	
30				380					385					390				
•••		tat	agc	aaa	ggt	gca	tct	gtc	atc	cga	atg	ctg	cat	gac	tac	att	ggg	1312
		Tyr	Ser	Lys	Gly	Ala	Ser	Val	He	Arg	Met	Leu	His	Asp	Tyr	Ile	Gly	
35		•	395					400					405					•
	•	gat	aag	gac	ttt	aag	aaa	gga	atg	aac	atg	tat	tta	acc	aag	ttc	caa	1360
40		Asp	Lys	Asp.	Phe	Lys	Lys	Gly	Met	Asn	Met	Tyr	Leu	Thr	Lys	Phe	Ġln	•
		410					415	•				420					425	
45		caa	aag	aat	gct	gcc	aca	gag	gat	ctc	tgg	gaa	agt	t t a	gaa	aat	gct	1408
73	٠.	Gln	Lys	Asn	Ala		Thr	Glu	Asp	Leu		Glu	Ser	Leu	Glu		Ala	•
						430					435		••			440		
50					cct													1456
		Ser	Gly	Lys	Pro	lle	Ala	Ala	Val		Asn	Thr	Trp	Thr		Gln	Met	
55					445					450					455			•
		gga	ttt	ccc	ctc	att	tat	gtg	gaa	gct	gaa	cag	gta	gaa	gat	gac	aga	1504

	Gly Ph	e Pro Lei	ı île Tyr Va	l Glu Ala Glu Gln	Val Glu Asp Asp Arg
5		460		465	470
	tta tt	g agg ttg	g tcc caa aa	g aag tic tgt gct	ggt ggg ica tat gtt 1552
10	Leu Le	u Arg Lei	Ser Gln Ly	s Lys Phè Cys Ala	Gly Gly Ser Tyr Val
	47	5	48	0	485
	ggt ga	a gat tgt	ccc cag tg	g atg gtc cct atc	aca atc tct act agt 1600
15	Gly Gl	u Asp Cys	Pro Gin Tr	p Met Val Pro Ile	Thr Ile Ser Thr Ser
	490		495	500	505
20	gaa ga	c ccc aac	cag gcc aa	a cta aaa att cta	atg gac aag cca gag 1648
	Glu As	p Pro Asn	Gln Ala Ly	s Leu Lys Ile Leu	Net Asp Lys Pro Glu
25		•	510	515	520
25					caa tgg gtg aag tta 1696
	Met Ası				Gln Trp Val Lys Leu
30		525		530	535
					tac age tet gee atg 1744
<i>á</i> 5	ASD Let	540	vai Giy Pile	. 545	Tyr-Ser Ser Ala Met 550
	cto os:		ita cca ggo		tct ctg ccc cct gtg 1792
			•		Ser Leu Pro Pro Val
40	555		560		565
			•		tig gct cga gcl gga 1840
45					Leu Ala Arg Ala Gly
•	570		575	580	. 585
50	atc att	agc act	gla gag gil	t cta aaa gic aig	gag gct tit gtg aat 1888
	Ile Ile	Ser Thr	Val Glu Val	Leu Lys Val Met	Glu Ala Phe Val Asn
			590	595	600
55	gag ccc	aat tat	act gta tgg	g ago gao olg ago	igi aac cig ggg ali 1936

	Gla	) Pro	Asn	Tyr	Thr	Val	Trp	Ser	Asp	Leu	Ser	Cys	Asn	Leu	Gly	lle.	
5				605					610		•			615			
	cto	: tca	act	ctc	ttg	tcc	cac	aca	gac	ttc	tat	gag	gaa	atc	cag	gag	1984
10	Let	Ser	Thr	Leu	Leu	Ser	His	Thr	Asp	Phe	Туг	Glu	Glu	Ile	Gl n	Gl·u	
			620					625					630				
15	ttt	gtg	aaa	gat	gtc	ttt	tca	cct	ata	ggg	gag	aga	ctg	ggc	tgg	gac	2032
	Phe	Val	Lys	Asp	Val	Phe	Ser	Pro	Ile	Gly	Glu	Àrg	Leu	Gly	Trp	Asp	
		635					640					645					
<b>20</b> .	ccc	aaa	cct	gga	gaa	ggt	cat	ctc	gat	gca	ctc	ctg	agg	ggc	ttg	gtt	2080
	Pro	Lys	Рго	Gly	Glu	Gly	His	Leu	Asp	Ala	Leu	Leu	Arg	Gly	Leu	Val	
25	650					655					660					665	
	ctg	gga	aaa	cta	gga	aaa	gca	gga	cat	aag	gca	acg	tta	gaa	gaa	gcc	2128
<i>30</i> ·	Leu	Gly	Lys	Leu	Gly	Lys	Ala	Gly	His	Lys	Ala	Thr	Leu	Glu	G] u	Ala	
					670		•			675					680		
	cgt	cgt	cgg	ttt	aag	gac	cac	gtg	gaa	gga	aaa	cag	att	ctç	tcc	gct	2176
35	Arg	Arg	Arg	Phe	Lys	Asp	His	Val	Glu	Gly	Lys	Gln	He	Leu	Ser	Ala	
	·			685					690					695			;
40	ģat	ctg	agg	agi	cct	gtc	tat	ctg	act	gtt	ttg	aag	cat	ggi	gat	ggc	2224
	Asp	Leu	Arg.	Ser	Pro	Val	Tyr	Leu	Thr	Val	Leu	Lys	His	Gly	Asp	Gly	
45			700					705				•	710				
45	act	act	l ta	gat	att	atg	t t a	aaa	ctt	cat	aaa	caa	gca	gat	atg	caa	2272
	Thr	Thr	Leu	Asp	He	Me t	Leu	Lys	Leu	His	Lys	Gln	Ala	Asp	Me t	Gln	
50		715		٠			720					725					
	gaa	gag	888	aac	cga	atc	gaa	aga	gtc	ctt	ggc	gct	act	clt	ttg	cct	2320
55	Glu	Glu 1	Lys	Asn	Arg <sub>.</sub>	He	G1u/	Arg	Val	Leu'	Gly	Ala	Thr	Leu	Leu	Pro	
	730					735					740					745	

	gac	ctg	att	caa	aaa	gtc	ctc	acg	ttt	gca	ctt	tca	gaa	gag	gla	cgt	2368
5	Asp	Leu	lle	Gln	Lys	Val	Leu	Thr	Phe	Ala	Leu	Ser	Glu	Glu	Val	Arg	
		•	•		750					755					760		•
	cca	cag	gac	act	gta	tcg	gta	att	ggt	gga	gta	ģct	gga	ggc	agc	aag	2416
10	Pro	Gln	Asp	Thr	Val	Ser	Val	He	Gly	Gly	Val	Ala	Gly	Gly	Ser	Lys	
				765					770					775			
15	cat	ggt	agg	aaa	gc t	gct	tgg	aaa	ttc	ata	aag	gac	aac	tgg	gaa	gaa	2464
	His	Gly	Arg	Lys	Ala	Ala	Trp	Lys	Phe	Ile	Lys	Asp	Asn	Trp	Glu	Glu	
20			780					785			٠		790		•		
	ctt	tat	aac	cga	tac	cag	gga	gga	ttc	tta	ata	tcc	aga	cta	ata	aag	2512
	Leu	Tyr	Asn	Arg	Tyr	Gln	Gly	Gly	Phe	Ļeu	He	Ser	Arg	Leu	IÌe	Lys .	
25		795	-				800					805					
	cta	lca	gtt	gag	gga	ttt	gca	gtt	gat	aaa	atg	gct	gga	gag	gtt	aag	2560
30		Ser	Val	Glu	Gly		Ala	Val	Asp	Lys		Ala	Gly	Glu	Val		
	810					815				•	820		•			825	
			ttc														2608
35	Ala	Phe	Phe	Glu		HIS	Pro	Ala	Pro		Ala	Glu	Arg	inr		Gin	
		4.04			830	- • •	-1-	-1-		835	<b>500</b>				840		
40	•		tgt														2656
	6111	Cys	Cys	845	ASII	116	TEN	ւես	850	VIG	VIG	iıh	ren	855	AIR		
45	ørt	<b>020</b>	agc		cac	<b>C3 P</b>	tac	ele		Cag	CZZ	226	acc			ccc	2704
	•		Ser														2104
		0.0	860	•••			•,,	865		•••		-,-	870				
50	aca	gig	tgaa	tcct	ga g	gtgo	CECC		lggcg	gilo	: tgo	t gc f		ctgo	agge	za t	2760
	Thr	• -			J- C	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-550		0.546	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					556	, - <del>-</del>	2.40
55	• • • •	875															
		010									•						-

aaggtggagc	taccgaacag	ctgattcata	igccaagaai	tiggagicti	ctttcaaacc	2820
agtgggggtt	ggacaatgaa	tgtagttaac	iggitccigc	tcacactcca	gaattaaatt	2880
ctattgaaaa	aggaaaatca	gcaaticagc	aaaaaaataa	ataaaaaata	aaaatgtaaa	2940
tatgatagta	ataaaataga	gcataacgaa	actgtgaaac	tttclgaagc	ctigicagig	3000
gttaaaagta	tttaacactc	tacigitaat	gacagatgtt	ctgtttttat	aacctaccaa	3060
aaggaaacta	gaggeticit	ggtgaagagc	atttttgtga	agtgggttct	gcaaggagcc	3120
tataaagcca	agggtggtgt	ccatticing	gaatggttaa	acacaaaagg	ctgatagctg	3180
gtatcacata	gttggagtca	gtgcataatt	ccaagtggct	ttttttttt	ttggcacggg	3240
gactgatcag	gaagatatat	tcctgcataa	ctcaatctga	accaaggatt	gtagtttagt	3300
ittcctcctt	gccttccctt	ctgtgtgacc	gaccccttgg	ccaaaaaaaa	aacaaaaagc	3360
aaaaaacaaa	aacctaccct	gttctggttt	ttttcctccc	tttagttcca	ccccaaccc	3420
ccattccctg	gtgtccttct	tagagatgaa	gaaataataa	ggaaacatct	ttcatagcca	3480
			,		cttataagaa	•
ccctgaaatt	tatataggtg	agacaataga	aataaaaaga	tcttcagcca	ggcctttctg	3600
aaggagtlat	tctgctaaaa	atggtcttag	ttgtctgaaa	agccagctct	tgaacctctt	3660
cacaacagta	tcaacactgg	cttctcccgg	ttcatt.ttat	gcgtgcgaga	agicagiggi	3720
aactgctgca	gggcttaata	cattagtggt	aactggiila	aaaaacaaag	acigiaagcc	3780
tgtgtgtgcc	actgtttgct	tcaacagtat	atcctactaa	taagcctcac	ctatttaatc	3840
caatgagitt	taaatctaaa	tctcattccc	ticticitic	cctaccitti	tttictttt	3900
ttcttaaaaa	aatattttgt	gilaitaaca	gaaattcata	tttggtgtgg	cttaacggta	3960
tttcagaagg	tcatcagatt	gigagacigc	ttccttgaaa	calititgtg	ctatigitti	4020
aaaaaaataa	l taaaaaaca	gitggcgtt				4049

⟨210⟩ 10

<211> 875

<212> PRT

<213> Homo sapiens

	<40	0> 1	0													
<b>.</b>	Met	Pro	Glu	Lys	Arg	Pro	Phe	Glu	Arg	Leu	Pro	Ala	Asp	Val	Ser	Pro
	1	•			5					10					15	
10	Ile	Asn	Tyr	Ser	Leu	Cys	Leu	Lys	Pro	Asp	Leu	Leu	Asp	Phe	Thr	Phe
				20					25				•	30	•	
45	Glu	Gly	Lys	Leu	Glu	Ala	Ala	Ala	Gİn	Val	Arg	Gln	Ala	Thr	Asn	Gln
15			35					40				٠	45			
	lle	Val	Met	Asn	Cys	Ala	Asp	He	Asp	Ile	He	Thr	Ala	Ser	Tyr	Ala
20		50					55			٠		60				
	Pro	Glu	Gly	Asp	Glu	Glu	Ile	His	Ala	Thr	Gly	Phe	Asn	Tyr	Gln	Asn
25	65		_			70					75					80
	Glu	Asp	Glu	Lys	Val	Thr	Leų	Ser	Phe	Pro	Ser	Thr	Leu	Gln	Thr	Gly
					85					90		•			95	
30	Thr	Gly	Thr	Leu	Lys	Ile	Asp	Phe	Yal	Gly	Glu	Leu	Asn	Asp	Lys	Met
				100					105					110		
35	Lys	Gly	Phe	Tyr	Arg	Ser	Lys	Tyr	Thr	Thr	Pro	Ser	Gly	Glu	Val	Arg
			115					120					125	٠		
	Tyr	Ala	Ala	Val	Thr	Gln	Phe	Glu	Ala	Thr	Asp	Ala	Arg	Arg	Ala	Phe
40		130					135				-	140				
	Pro	Cys	Trp	Asp	Glu	Рго	Ala	lle	Lys	Ala	Thr	Phe	Asp	He	Ser	Leu
45	145					150	٠				155					160
	Val	Val	Pro	Lys	Asp	Arg	Val	Ala	Leu	Ser	Asn	Met	Asn	Yal	lle	Asp
					165					170					175	
50	Arg	Lys	Pro	Tyr	Pro	Asp :	Asp	Glu	Asn	Leu	Val	Glu	Va 1	Lys	Phe	Ala
				180					185					190		
55	Arg	Thr	Pro	Va I	Met	Ser	Thr	Туг	Leu	Val	Ala	Phe	Val	۷al	Gly	Glu

			19	5				20	D				20	5		
5	Ту	r As	p Ph	e Va	I G1	u Th	r Arg	g Sei	r Lys	s Asp	Gly	/ Vai	l_Cys	s Val	Are	Yal
		21	0			٠	215	5				220	)			
10	Ty	r Th	r Pr	o Va	l G1;	y Lys	s Ala	Glu	Glr	ı Gly	Lys	Phe	Ala	Leu	G] u	Val
70	22	5				230	)				235					240
	Ala	a Ala	a Ly:	s Th	r Lei	Pro	Phe	Туг	Lys	Asp	Туг	Phe	e Asn	Va]	Pro	Tyr
15 ·					245	i				250					255	
	Pro	Lei	Pro	Ly:	s Ile	Asp	Leu	Ile	Ala	lle	Ala	Asp	Phe	Ala	A J.a	G 1.y
20				260	)				265					270		
	A l a	Met			Trp	Gly	Leu	Va l	Thr	Tyr	Arg	Glu	Thr	Ala	Leu	Leu
25	_1		275					280					285			
20	·Ile			Lys	Asn	Ser		Ser	Ser	Ser	Arg			Val	Ala	Leu
	Val	290		11: -	C1		295		01	_	<b>.</b> .	300				
30	305	vai	υју	HIS	Glu	310	Ala	HIS	Gin	lrp		Gly	Asn	Leu	Val	
		Glu	Trn	Trn	Thr		Ĭ en	Trn	ווס ו	Acn	315 Chu	Clv	Dha	41.	°	320 T-n
35		···	,,,		325	1113	DCG	111	Deu	330	010		1116	ліс	335	111
•	Ile	Glu	Туг	Leu	Cys	Val	Asp	His	Cys		Pro	Glu	Tyr	Asp		Trp
40				340					345				·	350		
	Thr	Gln	Phe	Val	Ser	Ala	Asp	Tyr	Thr	Arg	Ala	Gln	Glu	Leu	Asp	Ala
			355					360				•	365			
45	Leu	Asp	Asn	Ser	His	Pro	Île	Glu	Va l	Ser	Val	Gly	His	Pro	Ser	Glu
		370		٠		•	375					380				
50	Val	Asp	Glu	Ile	Phe	Asp	Ala	lle	·Se r	Туг	Ser	Lys	Gly	A'l a	Ser	Val
	385					390					395					400
55	lle	Arg	Me t	Leu	His	Asp	Tyr	lle	Gly	Asp	Lys	Asp	Phe	Lys	Lys	Gly
					405					410					415	

5	Met	Asn	Met	Tyr	Leu	Thr	Lys	Pbe	Gln	Gln	Lys	Asn	Ala	Ala	Thr	Glu
				420					425	-				430		
	Asp	Leu	Trp	Glu	Ser	Leu	Glu	Asn	Ala	Ser	Gly	Lys	Pro	Ile	Ala	Ala
10			435					440					445			
	Val	Met	Asn	Thr	Trp	Thr	Lys	Gln	Met	Gly	Phe	Pro	Leu	He	Tyr	Val
15		450					455					460				
	Glu	Ala	Glu	Gln	Val	Glu	Asp	Asp	Arg	Leu	Leu	Arg	Leu	Ser	Gln	Lys
	465					470					475					480
20	Lys	Phe	Cys	Ala	Gly	Gly	Ser	Tyr	Val	Gly	Glu	Asp	Cys	Pro	Gln	Trp
					485					490					495	
25	Met	Va l	Pro	Ile	Thr	Ile	Ser	Thr	Ser	Glu	Asp	Pro	Asn	Gln	Ala	Lys
•			-	500					505					510	•	
	Leu	Lys	He	Leu	Me t	Asp	Lys	Pro	Glu	Me t	Asn	Val	Val	Leu	Lys	Asn
30			515				٠	520					525			
•	Val	Lys	Pro	Asp	Gln	Trp	Val	Lys	Leu	Asn	Leu	Gly	Thr	Val	Gly	Phe
35		530					535					540				
	Tyr	Arg	Thr	Gln	Tyr	Ser	Ser	Ala	Me t	Leu	Glu	Ser	Leu	Leu	Pro	Gly
	545					550					555					560
40	lle	Arg	Asp	Leu	Ser	Leu	Pro	Pro	Val	Asp	Arg	Leu	Gly	Leu	Gln	Asn
					565					570					575	
45	Asp	Leu	Phe	Ser	Leu	Ala	Arg	Ala	Gly	He	He	Ser	Thr	Val	Glu	Ya l
				580					585					590	•	
	Leu	Lys	Val	Met	Glu	Ala	Phe	Val	Asn	Glu	Pro	Asn-	Tyr	Thr	Va)	Trp
50			595					600					605			
	Ser	Asp	Leu	Ser	Cys	Asn	Leu	Gly	lle	Leu	Ser	Thr	Leu	Leu	Ser	His
55		610					615					620				

	Thr	Asp	Phe	Tyr	Glu	Glu	He	Gln	Glu	Phe	Val	, Lys	Asp	Val	Phe	Ser
5	625			. •		630					635	•		,	•	640
	Pro	Ile	Gly	Glu	Arg	Leu	Gly	Trp	Asp	Pro	Lys	Pro	Gly	Glu	Gly	His
40					645					650			•		655	
10	Leu	Asp	Ala	Leu	Leu	Arg	Gly	Leu	Val	Leu	Gly	Lys	Leu	Gly	Lys	Ala
				660					665					670		
15	Gly	His	Lys	Ala	Thr	Leu	Glu	Glu	Ala	Arg	Arg	Arg	Phe	Lys	Asp	His
	•		675					680		•			685			
20	Vaj	Glu	Gly	Lys	Gln	Ile	Leu	Ser	Ala	Asp	Leu	Arg	Ser	Pro	۷al	Ţуг
		690					695					700				
	Leu	Thr	Val	Leu	Lys	His	Gly	Asp	Gly	Thr	Thr	Leu	Asp	Ile	Me t	Leu
25	705		~			710					715					720
	Lys	Leu	His	Lys	Gln	Ala	Asp	Met	Gln	Glu	Glu	Lys	Asn	Arg	lle	Glu
30					725					730					735	
	Arg	Val	Leu		Ala	Thr	Leu	Leu		Asp	Leu	He	Gln	Lys	Val	Leu
35				740					745					750		
	Thr	Phe		Leu	Ser	Glu	Glu		Arg	Рго	Gin	Asp		Yai	Ser	Val
	71.	CI.	755	17. 1	4.		01	760		,,,	۵,		765			_
10	116		GIY	vai	AIA	ыу	Gly	2er	Lys	HIS	GIA		Lys	Ala	Ala	Тгр
	1	770	110	T	4.55	4.00	775	C1	C1	1	т	780	4	Т	<b>61</b>	<b>C</b> 1
45	785	rne	116	LYS	nsp	790	111	010	GIU	rea	795	ASII	AIR	171	GIN	Gly.
		Dho	Lau	I l a	, Sar		Leu	Ila	Ive	lan		Val	Clu	Clu	Dho	800
50	diy	rne	Геп		805	VI R	ren	115	LYS	810	261	Yaı	010	ыу		BIA
	Vo 1	A c n	luc			Glv	G1 u	Val	Lve		Dha	Dha	C1 u		815	D-4
	Va]	vsh	LY2		VIG	GIÀ	410	101	825	VIQ	1 116	ιπα	ווט	•	uis	110
55	<b>41</b> ~	D = -	· Ca-	820	C1,.	۸	ፕե-	II.		C1=	r	•	<u>۲</u> ۱	830	11	1
	Ala	<b>L</b> 10	26 L	W19	O I U	VI.R	1111	116	0111	0 I II	LYS	υys	GIU	ASN	11e	Leu

840 845 835 5 Leu Asn Ala Ala Trp Leu Lys Arg Asp Ala Glu Ser Ile His Gln Tyr 855 860 10 Leu Leu Gln Arg Lys Ala Ser Pro Pro Thr Val 870 875 865 15 <210> 11 <211> 2007 <212> DNA 20 (213) Homo sapiens <220> 25 <221> CDS. <222> (1124).. (1330) <400> 11 30 totaaaagco cocttataco coactitgtg cagcaaagat coccgtgcag gtcacagcot 60 gatttgtggc caggctggac aaaitcctga ggcacaactt ggcttcagtt cagatttcaa 120 gcigigligg igitgggacc agcagaaggc aaacgtccag ccaacacaca ggactgtaag 180 aggactotga gotacgtgoc cigigaagac coccaggoti igtoatagga ggtogiicag 240 cttccccaaa gtcagaggtg attigattig gggaagacig aatattcaca cctaagicgt 300 40 gagcatatee tgagttitae ticettatgg etigecetee aagtletete teteataeae 360 acacacacco itgotocaga atcaccagac acciccatgg ciccagciai gggaacagci 420 45 gcattggggc tgcctttctg tittggcttag gaacttctgt gcttcttgtg gctccactcg 480 cgaggcagct cggaggigig gactccgatt gggcigcagg cagcictggg acggcacagg 540 gegggegete tgateagete gtgtaaaaca caeegtette ttggeeteet ggeagtteit 600 50 loigogaata giocicico iggocagiig aalgggggaa goigoiggoa caggaaggag 660 aggogatoco ggotgaggot taggaaattg olggagoogg olocaagoag ataattoact 720

55

ggggaggiti icagagicaa acatcatici gccigiktig ggggccaggi gigicacaca 780

_	ago	carc	I C a a	agt	caaa	agc	catc	(gggg	c (s	gctgo	cttc	cti	tete	agg	ctc	t gggga	a 840
<b>5</b> .	agg	gaa t	ctcc	ctc	tcct	ctc	actt	gatto	c aa	gtgt	ggt	gaa	ttgi	ctg	gago	cactgg	g 900
	ac t	ttt	tttc	tct	tttc	cit	gatg	gacca	ıa ca	gtgo	aaat	gca	atcl	cgc	cati	taact	t 960
10	tca	iggto	cgat	ttc	cttte	ect s	gatca	agaca	t ct	ttgt	gccc	cct	ttag	gaa	ggaa	aagaa	1020
	aca	ccta	acga	tgtg	gccag	ggc a	ctgi	gtta	g gc	gctt	ttat	ata	gato	ctc	gita	ggalga	1080
15	gac	taag	gga	tgag	gaca	itc t	cttt	ataa	a ag	gccc	ctaa	gta	atg	gat	aaa	cag	1135
													Met	Asp	Lys	Gin	
													i				
20	aaa	cac	tta	gag	gtg	aga	agg	tct	gtc	ttc	aag	atc	·caa	ggt	aag	at t	1183
	Lys	His	Leu	Glu	Val	Arg	Arg	Ser	Val	Phe	Lys	Ile	Gln	Gly	Lys	fle	
25	5		_			10					15					20	
	gcc	ttc	agt	ctg	atg	ttt	gtt	ctc	aag	gaç	tta	tcc	cct	aca	ata	ttc	1231
	Ala	Phe	Ser	Leu	Met	Phe	Val	Leu	Lys	Asp	Leu	Ser	Pro	Thr	Ile	Phe	
30					25					30					35		
	tcc	cac	tcc	ata	ctt	ctc	ctt	cta	ссс	cac	cat	gtg	ctc	ccg	tgc	act	1279
35	Ser	His	Ser	He	Leu	Leu	Leu	Leu	Pro	His	His	Vai	Leu	Pro	Cys	Thr	
•				40					45					50			
40	cct	cag	atg	gtc	aga <sub>.</sub>	ggg	gta	acc	caa	gtc	ctt	aga	gaa	ttt	ggg	gac	1327
40	Pro (	Gln	Met	Val	Arg	Gly	Val	Thr	Gln	Val	Leu	Arg	Glu	Phe	Gly	Asp	
			55					60					65				
45	caa	laga	atat	gt g	atgt	giga	a tt	tict	ttaa	aaa	actt	aag	gagt	cttt	gc		1380
	Gln														·		
50 ·	tacct	ttct	gc t	tgtt	gagt	t gt	tttg	gcat	tca	latt	aaa	agcc	agca	lc t	cáct	attta	1440
	ttgac	agg	tt g	ggc t	gtgt	g tg	tgcg	catg	tgt	gtat	aca	tttc	cagg	cg t	gcc t	gtgtc	1500
	cigia	gct	tt t	taaa	agga	a ac	ccag	tcat	ccc	acta	tga	atct	ggca	tc t	tctl	atgct	1560
55	tctag	tgt	tt t	ggcc	atac	a tc	aacc	aagg	ggt	ttaa	ttt	atcc	aalg	ct t	gacg	acatg	1620

	ttca	ggag	gg	gc t g	gatca	aa a	tttt	agag	ggt	tati	gga	aagg	gagg	gg	gagaa	gaaat	1680
5	tgac	att	t a t	tttai	ttati	tt a	tttta	aatg	ttt	acai	tctt	ctt	tatgi	tg	tatca	agcct	1740
	gaat	agaa	ac	tgata	egcal	it a	aaata	ctc	gtt	cct	tet	ctc	tct	gc	ttcci	ttttt	1800
10	ttt	ttt	tta a	aatt	tagga	at a	acaca	tttt	tgt	ttc	aaa	gtga	attt	gtg	attts	tgctg	1860
	tata	aaci	gt	ataa	aaggi	it c	tgttl	ttaa	age	tgg	attt	tca	tcct	ict	gggga	cagtg	1920
	gtcg	ccaa	iga (	cato	tacat	it g	taaga	gaac	aca	gtg	gaag	atco	tgto	ct	gatto	tcaaa	1980
	aatt	atti	tc	tctg	tatga	at t	aaaag	ţt							٠		2007
	<210	15 15	)														
20	<211								•								
	<212											• .					
25	<b>&lt;</b> 213	) Hc	mo s	sapie	ens												
	<400	> 12	-														
	Met	Asp	Lys	Gln	Lys	His	Leu	Glu	Val	Arg	Arg	Ser	Val	Phe	Lys	Ile	
30	j				5					10					15		•
·	Gln	Gly	Lys	Ile	Ala	Phe	Ser	Leu	Met	Phe	Val	Leu	Lys	Asp	Leu	Ser	
35				20					25					30			
	Pro	Thr		Phe	Ser	His	Ser		Leu	Leu	Leu	Leu		His	His	Val	
40			35		_			40		01	., .	**	45	,, ,	•		
	Leu		Cys	Thr	Pro	Gin	Met	Val	AIG	GIY	vaı		GIN	Vại	Leu	Arg	
	01	50	C1		C1 m		- 55					60					
45		Pne	GIY	Asp	6111		,	•						•			
	65																
50	<210	> 13	,														
	<211	> 19	53														
	<212	> DN	A								•						
55	<213	> Ho	mo s	sapie	ens												

	<220>					
5	<221> CDS	}				
	<222> (13	5) (1850)				
10	<400> 13					
	acgcc t gcc	a ggagcaag	cc gaagagcc	ag coggooggog c	acteegact eega	gcagtc 60
15	tetgteett	c gacccgag	cc ccgcgccc	it iccgggaccc c	tgccccgcg ggca	gcgctg 120
	. ccaacctgc	c ggcc atg	gag acc cc	g tcc cag cgg c	gc gcc acc cgc	agc 170
	•	Met	Glu Thr Pr	o Ser Gln Arg A	rg Ala Thr Arg	Ser <sub>.</sub>
<b>20</b>	•	. 1		. 5	10	
				g cig icg ccc a		
25		In Ala Ser 15		o Leu Ser Pro T		Arg
			gar ctg ca	u . g gag ctc aat g	25	ato 966
30				n Glu Leu Asn As		
	30		35	-	40	
	tạc atc ga	ic cgt gtg	cgc tcg cti	g gaa acg gag aa	ac gca ggg ctg	cgc 314
<i>35</i>	Tyr Ile As	p Arg Val	Arg Ser Le	u Glu Thr Glu As	sn Ala Gly Leu	Arg
į.	45		50	55		60
40	ctt cgc at	c acc gag	tot gaa gag	g gig gic agc cg	gc gag gtg tcc	ggc 362
	Leu Arg II	e Thr Glu	Ser Glu Glu	ı Val Val Ser Ar	rg Glu Val Ser	Gly
45		65		70	75	
				g cic ggg gai go		•
5 <i>0</i>	lle Lys Al		Glu Ala Glu	Leu Gly Asp Al		Leu
	000 too =1	80 .		85	90 .	
				cgc clg cag cl		

			95					100					105		٠		
5	gtg	cgt	gag	gag	ttt	aag	gag	ctg	aaa	gcg	cgc	aat	acc	aag	aag	gag	506
	.Val	Arg	Glu	G) u	Phe	Lys	Glu	Leu	Lys	Ala	Arg	Asn	Thr	Lys	Lys	Glu	
10		110					115					120					
	ggt	gac	ctg	ata	gct	gc t	cag	gct	cgg	ctg	aag	gac	ctg	gag	gc t	ctg	554
	Gly	Asp	Leu	lle	Ala	Ala	Gln	Ala	Arg	Leu	Lys	Asp	Leu	Glu	Ala	Leu	
15	125					130					135			٠.		140	
	ctg	aac	tcc	aag.	gag	gcc	gca	ctg	agc	ac t	gct	ctc	agt	gag	aag	cgc	602
20	Leu	Așn	Ser	Lys	Glu	Ala	ĄJa	Leu	Ser	Thr	Ala	Leu	Ser	Glu	Lys	Arg	
		•			145					150					155		
	acg	ctg	gag	ggc	gag	cig	cat	gat	ctg	cgg	ggc	cag	gtg	gcc	aag	ctt	650
25	Thr	Leu	Ğlu	Gly	Glu	Leu	H <sub>i</sub> i s	Asp	Leu	Arg	Gly	Gln	Val	Ala	Lys	Leu	
				160				•	165					170			
30	gag	gca	gcc	cta	ggt	gag	gcc	aag	aag	caa	ctt	cag	gat	gag	atg	cig	698
	Glu	Ala		Leu	Gly	Glu	Ala		Lys	Gln	Leu	Gln	Asp	Glu	Met	Leu	
25			175					180					185	•		J	
<b>35</b>		cgg															746
	Arg	Arg	Val	Asp	Ala	Glu		Arg	Leu	Gln	Thr		Lys	Glu	G] l u	Leu	
40	•	190					195					200					704
		tic															794
45		Phe	GID	Lys	ASN		lyr	Ser	GIU	610		Arg	610	Inr	Lys		
	205					210			-14	~~:	215	~~~				220	0.40
		cat													•		842
50	Arg	His	611	inr		ren	Yaj	610			YZII	GIÀ	LAZ	GIN			
					225					230					235		
55		gag															890
	Phe	Glu	Ser	Arg	Leu	Ala	Asp	Ala	Leu	Gin	Glu	Leu	Arg	Ala	Gin	His.	

				24	0				245	j				250	)		
5	ga	g ga	ıc ca	g gt	g gas	g cas	g ta	t aag	aag	gag	cte	gag	886	aci	l tat	tct	938
	GI	u As	p GI	n Va	l Glu	ı Gli	ту:	r Lys	Lys	Glu	Leu	Gļu	Lys	Thi	Tyi	Ser	
10 .			25	5				260	)				265	,			
	gc	c aa	g ct	g gao	: aat	gcc	agg	cag	tct	gct	gag	agg	aac	ago	aac	ctg	986
45	Al.	a Ly	s Le	u Asp	Asn	Ala	Arg	Gln	Ser	Ala	Glu	Arg	Asn	Ser	Asn	Leu	
15		27	0				275	<u>.</u>				280		•			
	gi	g gg	g gc	t gcc	cac	gag	gag	ctg	cag	cag	tcg	cgc	atc	cgc	atc	gac	1034
20	Val	G1:	y Ala	a Ala	His	Glu	Glu	Leu	Gln	Gln	Ser	Arg	He	Arg	Ile	Asp	
	285	<u>;</u>				290					295					300	
25	ago	cto	c tct	gcc	cag	ctc	agc	cag	cic	cag	aag	cag	ctg	gca	gcc	aag	1082
	Ser	Lei	ı Ser	Ala	Gln	Leu	Ser	Gln	Leu	Gln	Lys	Gln	Leu	Ala	Ala	Lys	
					305					310					315		•
30	gag	gcg	g aag	ctt	cga	gac	cig	gag	gac	tca	ctg	gcc	cgt	gag	cgg	gac	1130
	Glu	Ala	Lys	Leu	Arg	Asp	Leu	Glu	Asp	Ser	Leu	Ala	Arg	Glu	Arg	Asp	
35				320					325					330			•
	acc	agc	cgg	cgg	ctg	ctg	gcg	gaa	aag	gag	cgg	gag	atg	gcc	gag	atg	1178
	Thr	Ser	Arg	Arg	Leu	Leu	Ala	Glu	Lys	G) u	Arg	Glu	Met	Ala	Q J 'n	Met	
40			335					340					345				
	cgg	gca	agg	atg	cag	cag	cag	ctg	gac	gag	tac	cag	gag	ctt	ctg	gac	1226
45	Arg	Ala	Arg	Met	Gln	Gln	Gln	Leu	Asp	Glü	Tyr	Gln	Glu	Leu	Leu	Asp	
		350					355					360					
50	atc	aag	ctg	gcc	ctg	gac	alg	gag	alc	cac	gcc	tac	cgc	aag	ctc	ttg	1274
30	lle	Lys	Leu	Ala	Leu	Asp	Me t	Glu	He	His	Ala	Tyr	Arg	Lys	Leu	Leu	
	365					370					375	•				380	
55	gag	ggc	gag	gag	gag	agg	cta	cgc	ctg	tcc	ссс	agc	ccl	acc	tcg	cag	1322

	Glu	Gly	Glu	Glu	Glu	Arg	Leu	Arg	Leu	Ser	Pro	Ser	Pro	Thr	Ser	Gln	
5	•				385					390					395		
	cgc	agc	cgt	ggc	cgt	gct	tcc	tct	cac	tca	tcc	cag	aca	cag	ggt	ggg	1370
10	Arg	Ser	Arg	Gly	Arg	Ala	Ser	Ser	His	Ser	Ser	Gln	Thr	Gln	Gly	Gly	
	٠			400					405					410			
	ggc	agc	gtc	acc	a88	aag	cgc	aaa	ctg	gag	tcc	act	gag	agc	cgc	agc	1418
15	Gly	Ser	Val	Thr	Lys	Lys	Arg	Lys	Leu	Glu	Ser	Thr	Glu	Ser	Arg	Ser	
			415					420 <sup>.</sup>					425				
20	agc	ttc	tca	cag	cac	gca	cgc	act	agc	ggg	cgc	gtg	gcc	glg	gag	gag	1466
	Ser	Phe	Ser	Gin	His	Ala	Arg	Thr	Ser	Gly	Arg	Val	Ala	Val	Glu,	Glu	
		430					435					440					
25	gtg	gat	gag	gag	ggc	aag	ttt	gtc	cgg	ctg	cgc	a a c	aag	tcc	aat	gag	1514
	Val	Asp	Glu	Glu	Gly	Lys	Phe	Val	Arg	Leu	Arg	Asn	Lys	Ser	Asn	Glu	
30	445					450					455					460	
							t <sub>.</sub> gg										1562
05	Asp	Gln	Ser	Me t	Gly	Asn	Trp	Gln	lle			Gln	Asn	Gly		Asp	
35					465					470					475		
·							itc										1610
40	Pro	Leu	Leu		Туг	Arg	Phe	Pro		Lys	Phe	Thr	Leu		Ala	Gly	
				480					485					490			1000
45							gct										1658
	Gin	Va J		Thr	lle	Trp	Ala			Ala	GIY	BIA	•	HIS	Ser	PTO	
			495					500				•	505				1700
50							aag										1706
	Pro			Leu	Val	Trp	Lys		Gln	Asn	Thr			Cys	Gly	ASD	
55		510					515					520					
<i>33</i>	agc	cig	cgt	acg	gci	ctc	atc	aac	LCC	act	ggg	gaa	gaa	gtg	gcc	atg.	1754

	Ser	Leu	Arg	Tbr	Ala	Leu	He	Asn	Ser	Thr	Gly	Glu	Głu	Va)	Ala	Met	
5	525					530		•			535		•			540	
	cgc	aag	ctg	gtg	cgc	tca	gtg	act	gtg <sub>.</sub>	gtt	gag	gac	gac	gag	gàt	gag	1802
10 .	Arg	Lys	Leu	Va l	Arg	Ser	Val	Thr	Val	Val	Glu	Asp	Asp	Glu	Asp	Glu	
					545					550					555		
	gat	gga	gat	gac	ctg	ctc	cat	cac	cac	cac	glg	agt	ggt	agc	cgc	cgc	1850
15	Asp	Gly	Asp	Asp	Leu	Leu	His	His	His	His	Val.	Ser	Gly	Ser	Arg	Arg	
				560					565					570	•		
20													gcc	tct	ccca	agcctc	
	CCCE	gigco	caa a	aaato	ettt	ic a	ttaaa	gaai	l gti	ttg	gaac	ttt					1953
25	<210	)> 14	1_														
	<211	> 57	72														
30	<212	2> PF	TS												٠		•
30	<213	3> Hc	omo s	sapie	ens											•	
		)> 14															
<i>35</i>		Glu	Thr	Pro		Gln	Arg	Arg	Ala			Ser	Gly	Ala		Ala	
		°	Th -	Dro	5	Sar	P∙ro	Thr	Ara	10		Ara	l eu	Cln	15 Clu	1 ve	
40	261	261	1111	20	LCU	561	110	1111	25	110	1111	WI 9	Deu	30	010	Lya	
	Glu	Asp	Leu		Glu	Leu	Asn	Asp		Leu	Ala	Val.	Туг		Asp	Arg	
45		•	35					40					45				
	Yal	Arg	Ser	Leu	Glu	Thr	Glu	Asn	Ala	Ġly	Leu	Arg	Leu	Arg	lle	Thr	
50		50					55					60					•
	Glu	Ser	Glu	Glu	Val	Val	Ser	Arg	Glu	Val	Ser	Gly	He	Lys	Ala	Ala	
	65					70					75					80	
55	Туг	Glu	Ala	Glu	Leu	Gly	Asp	Ala	Arg	Lys	Thr	Leu	Asp	Ser	Val	Ala	

5					88	5				-90					95	5	
<b>.</b>	Lys	Glu	Arg	ala s	Arg	Leu	Gln	Leu	Glu	Leu	Ser	Lys	Val	Arg	Glu	Glu	
			•	100	)				105					110	)		
	Phe	Lys	Gli	ı Lev	Lys	Ala	Arg	Asn	Thr	Lys	Lys	Glu	Gly	/ Asp	Leu	lle	
			115	;				120					125	;			
15	Ala	Ala	Gln	Ala	Arg	Leu	Lys	Asp	Leu	Glu	Ala	Leu	Leu	Asn	Ser	Lys	
		130					135					140					
	Glu	Ala	Ala	Leu	Ser	Thr	Ala	Leu	Ser	Głu	Lys	Arg	Thr	Leu	Glu	Gly	
	145		•			150			•		155					160	
	Glu	Leu	His	Asp	Leu	Arg	Gly	Gln	Val	Ala	Lys	Leu	Glu	Ala	Ala	Leu	
25					165					170					175		
	Gly	Glu	Æla	Lys	Lys	Gln	Leu	Gln	Asp	Glu	Met	Leu	Arg	. Arg	·Val	Asp	
				180					185					190			
30	Ala	Glu	Asn	Arg	Leu	Gln	Thr	Met	Lys	G) u	Glu	Leu	Asp	Phe	Gln	Lys	
			195					200				•	205		٠		
35	Asn		Tyr	Ser	Glu	Glu		Arg	Glu	Thr	Lys		Arg	His	Glu	Thr	
		210					215					220					
40		Leu	Val	G) u	lle		Asn	Gly	Lys	Gln		G) u	Phe	G1 u	Ser		
,,,	225					230	•				235					240	
	Leu	Ala	ASP	Ala	<b>.</b>	GIn	GIU	ren	Arg		GIn	His	Glu	Asp		Val	
45	C1	C1	T	1	245	CI	<b>.</b>	C1	1	250 Th-	T	C	41.	•	255	,	
	610	GIN	1 7 1	Lys	LÄS	GIU	rea	מנט		1111	ıyı	261	AIa		Lev	ASD	
50	4	41.	A = ~	260	°	Alo	C1	1	265	C	4	T	V-1	270	41.	41.	
	Asn			0111	SEI	Ald	010		MSII	261	ASD	ren		GIA	AIS	Ala	
	11: -		275	1	C1-	Cl-	C	280	T1-	A	T ) -	<b>.</b>	285	,	C.	4.1	
55	His	6 J U	0 I U	ren	OID	GID	26 L	Arg	116	AT	116	ASP	261	ren	26 L	Ala	

Gin Leu Ser Gin Leu Gin Lys Gin Leu Ala Ala Lys Giu Ala Lys Leu 305 310 315 320			290					295		•			300		•		
305 310 315 320  Arg Asp Leu Glu Asp Ser Leu Ala Arg Glu Arg Asp Thr Ser Arg Arg 325 330 335  Leu Leu Ala Glu Lys Glu Arg Glu Met Ala Glu Met Arg Ala Arg Met 340 345 350  Gln Gln Gln Leu Asp Glu Tyr Gln Glu Leu Leu Asp 11e Lys Leu Ala 355 360 365  Leu Asp Met Glu I]e His Ala Tyr Arg Lys Leu Leu Glu Gly Glu Clu 370 375 380  226  Glu Arg Leu Arg Leu Ser Pro Ser Pro Thr Ser Gln Arg Ser Arg Gly 385 390 395 400  Arg Ala Ser Ser His Ser Ser Gln Thr Gln Gly Gly Gly Gly Ser Val Thr 405 410 415  Lys Lys Arg Lys Leu Glu Ser Thr Glu Ser Arg Ser Ser Phe Ser Gln 420 425 430  His Ala Arg Thr Ser Gly Arg Val Ala Val Glu Glu Val Asp Glu Glu 435 440 445  Gly Lys Phe Val Arg Leu Arg Asn Lys Ser Asn Glu Asp Glu Glu 450 455 460  45 Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr 465 470 475 480  Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr 485 490 495	5	Gln	Leu	Ser	Gln	Leu	Gln	Lys	Gln	Leu	Ala	Ala	Lys	Glu	Ala	Lys	Leu
10   325   330   335   336   120	-	305					310					315					320
Leu Leu Ala Glu Lys Glu Arg Glu Met Ala Glu Met Arg Ala Arg Met		Arg	Asp	Leu	Glu	Asp	Ser	Leu	Ala	Arg	Glu	Arg	Asp	Thr	Ser	Arg	Arg
15   340   345   350   361   350   361   361   361   361   361   362   365   366   365   365   366   365   366   365   366   365   360   365   365   360   365   360   365   360   365   360   365   360   365   360   365   360   365   360   365   360   365   360   365   365   360	10					325					330					335	
Gin. Gin. Gin. Leu. Asp. Giu. Tyr. Gin. Giu. Leu. Leu. Asp. lie. Lys. Leu. Ala  355 360 365  Leu. Asp. Met. Giu. Ile. His. Ala. Tyr. Arg. Lys. Leu. Leu. Giu. Giy. Giu. Giu. 370 375 380  25 Giu. Arg. Leu. Arg. Leu. Ser. Pro. Ser. Pro. Thr. Ser. Gin. Arg. Ser. Arg. Giy. 385 390 395 400  Arg. Ala. Ser. Ser. His. Ser. Ser. Gin. Thr. Gin. Giy. Giy. Giy. Ser. Yal. Thr.  406 410 415  Lys. Lys. Arg. Lys. Leu. Giu. Ser. Thr. Giu. Ser. Arg. Ser. Ser. Phe. Ser. Gin. 420 425 430  His. Ala. Arg. Thr. Ser. Giy. Arg. Val. Ala. Val. Giu. Giu. Val. Asp. Giu. Giu. 435 440 445  Giy. Lys. Phe. Val. Arg. Leu. Arg. Asn. Lys. Ser. Asn. Giu. Asp. Gin. Ser. Met. 450 455 460  45 Giy. Asn. Trp. Gin. Ile. Lys. Arg. Gin. Asn. Giy. Asp. Asp. Pro. Leu. Leu. Thr. 465 470 475 480  50 Tyr. Arg. Phe. Pro. Pro. Lys. Phe. Thr. Leu. Lys. Ala. Giy. Gin. Val. Val. Thr. 485 490 495  Ile. Trp. Ala. Ala. Giy. Ala. Giy. Ala. Thr. His. Ser. Pro. Pro. Thr. Asp. Leu. 55		Leu	Leu	Ala	G1 u	Lys	Glu	Arg	Glu	Me t	Ala	Glu	Met	Arg	Ala	Arg	Met
20    Leu Asp Met Glu I]e His Ala Tyr Arg Lys Leu Leu Glu Gly Glu Glu   370   375   380     25   Glu Arg Leu Arg Leu Ser Pro Ser Pro Thr Ser Gln Arg Ser Arg Gly   385   390   395   400     386   400   415   415     405   410   415     415   420   425   430     426   430   445     435   440   445     446   445   446     450   455   460     450   455   460     450   455   460     450   455   460     450   455   460     450   470   475   480     500   470   475   480     500   470   475   480     500   485   490   495     500   485   490   495     500   11e Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu Ser Ser Pro Tro Thr Asp Leu Ser Ser Pro Tro Tro Tro Tro Tro Tro Tro Tro Tro T	15				340					345					350	·	
Leu Asp Met Glu I]e His Ala Tyr Arg Lys Leu Leu Glu Gly Glu Glu 370 375 380  25 Glu Arg Leu Arg Leu Ser Pro Ser Pro Thr Ser Gln Arg Ser Arg Gly 385 390 395 400  Arg Ala Ser Ser His Ser Ser Gln Thr Gln Gly Gly Gly Ser Val Thr 405 410 415  Lys Lys Arg Lys Leu Glu Ser Thr Glu Ser Arg Ser Ser Phe Ser Gln 25 420 425 430  His Ala Arg Thr Ser Gly Arg Val Ala Val Glu Glu Val Asp Glu Glu 435 440 445  Gly Lys Phe Val Arg Leu Arg Asn Lys Ser Asn Glu Asp Gln Ser Met 450 455 460  45 Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr 465 470 475 480  50 Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr 485 490 495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu		Gln	Gln	Gln	Leu	Asp	Glu	Tyr	Gln	Glu	Leu	Leu	Asp	He	Lys	Leu	Ala
Leu Asp Met Glu Ile His Ala Tyr Arg Lys Leu Leu Glu Gly Glu Glu  370 375 380  25 Glu Arg Leu Arg Leu Ser Pro Ser Pro Thr Ser Gln Arg Ser Arg Gly 385 390 395 400  Arg Ala Ser Ser His Ser Ser Gln Thr Gln Gly Gly Gly Ser Val Thr 405 410 415  Lys Lys Arg Lys Leu Glu Ser Thr Glu Ser Arg Ser Ser Phe Ser Gln 25 420 425 430  His Ala Arg Thr Ser Gly Arg Val Ala Val Glu Glu Val Asp Glu Glu 40 435 440 445  Gly Lys Phe Val Arg Leu Arg Asn Lys Ser Asn Glu Asp Gln Ser Met 450 455 460  45 Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr 465 470 475 480  50 Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr 485 490 495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu	20			355					360					365			
25 Glu Arg Leu Arg Leu Ser Pro Ser Pro Thr Ser Gln Arg Ser Arg Gly 385 390 395 400  Arg Ala Ser Ser His Ser Ser Gln Thr Gln Gly Gly Gly Ser Val Thr 405 410 415  Lys Lys Arg Lys Leu Glu Ser Thr Glu Ser Arg Ser Ser Phe Ser Gln 25 420 425 430  His Ala Arg Thr Ser Gly Arg Val Ala Val Glu Glu Val Asp Glu Glu 435 440 445  Gly Lys Phe Val Arg Leu Arg Asn Lys Ser Asn Glu Asp Gln Ser Met 450 455 460  45 Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr 465 470 475 480  Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr 485 490 495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu		Leu	Asp	Me t	Glu	Ile	His	Ala	Tyr	Arg	Lys	Leu	Leu	Glu	Gly	Glu	.Glu
385 390 395 400  Arg Ala Ser Ser His Ser Ser Gln Thr Gln Gly Gly Gly Ser Val Thr 405 410 415  Lys Lys Arg Lys Leu Glu Ser Thr Glu Ser Arg Ser Ser Phe Ser Gln 420 425 430  His Ala Arg Thr Ser Gly Arg Val Ala Val Glu Glu Val Asp Glu Glu 435 440 445  Gly Lys Phe Val Arg Leu Arg Asn Lys Ser Asn Glu Asp Gln Ser Met 450 455 460  45 Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr 465 470 475 480  50 Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr 485 490 495  Ille Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu			370					375					380				
Arg Ala Ser Ser His Ser Ser Gln Thr Gln Gly Gly Gly Ser Val Thr  405  405  410  415  Lys Lys Arg Lys Leu Glu Ser Thr Glu Ser Arg Ser Ser Phe Ser Gln  420  425  430  His Ala Arg Thr Ser Gly Arg Val Ala Val Glu Glu Val Asp Glu Glu  435  440  Gly Lys Phe Val Arg Leu Arg Asn Lys Ser Asn Glu Asp Gln Ser Met  450  455  Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr  465  470  485  480  50  Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr  485  490  495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu	25	Glu	Arg 1	Leu	Arg	Leu	Ser	Pro	Ser	Pro	Thr	Ser	Gln	Arg	Ser	Arg	Gly
405 410 415  Lys Lys Arg Lys Leu Glu Ser Thr Glu Ser Arg Ser Ser Phe Ser Gln  425 420 425 430  His Ala Arg Thr Ser Gly Arg Val Ala Val Glu Glu Val Asp Glu Glu  435 440 445  Gly Lys Phe Val Arg Leu Arg Asn Lys Ser Asn Glu Asp Gln Ser Met  450 455 460  45 Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr  465 470 475 480  50 Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr  485 490 495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu		385					390					395					400
Lys Lys Arg Lys Leu Glu Ser Thr Glu Ser Arg Ser Ser Phe Ser Gln  420 425 430  His Ala Arg Thr Ser Gly Arg Val Ala Val Glu Glu Val Asp Glu Glu  435 440 445  Gly Lys Phe Val Arg Leu Arg Asn Lys Ser Asn Glu Asp Gln Ser Met  450 455 460  45 Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr  465 470 475 480  Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr  485 490 495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu	30	Arg	Ala :	Ser S			Ser	Ser	Gln			Gly	Gly	Gly	Ser		Thr
420 425 430  His Ala Arg Thr Ser Gly Arg Val Ala Val Glu Glu Val Asp Glu Glu  435 440 445  Gly Lys Phe Val Arg Leu Arg Asn Lys Ser Asn Glu Asp Gln Ser Met  450 455 460  45 Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr  465 470 475 480  50 Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr  485 490 495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu							٥,					_	_	_			
His Ala Arg Thr Ser Gly Arg Val Ala Val Glu Glu Val Asp Glu Glu  435 440  Gly Lys Phe Val Arg Leu Arg Asn Lys Ser Asn Glu Asp Gln Ser Met  450  455  Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr  465  470  485  Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr  485  490  495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu		Lys	Lys A			Leu	Glu	Ser	Thr		Ser	Arg	Ser	Ser		Ser	Gln
40  Gly Lys Phe Val Arg Leu Arg Asn Lys Ser Asn Glu Asp Gln Ser Met 450  455  Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr 465  470  475  Agra Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr 485  485  490  495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu	35	U: o	41a 4			۰	C1	A	Va l		V_ 1	C1	C1	W_ 1		C1.	01.
Gly Lys Phe Val Arg Leu Arg Asn Lys Ser Asn Glu Asp Gln Ser Met  450 455 460  Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr  465 470 475 480  Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr  485 490 495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu					1111	261	GIY	MIR		МІА	Val	GIU			ASP	610	610
450 455 460  Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr 465 470 475 480  Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr 485 490 495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu	40	Glv			/a )	Δισ	l en	Δτσ		lve	Ser	A e n			Gln	Sar	No t
Gly Asn Trp Gln Ile Lys Arg Gln Asn Gly Asp Asp Pro Leu Leu Thr 465 470 475 480  Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr 485 490 495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu										2,2				710 p	<b>3111</b>	501	no t
465 470 475 480  Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr  485 490 495  Ille Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu	45			rp G	Gln	Ile			Gln	Asn	Gly			Pro	Leu	Leu	Thr
Tyr Arg Phe Pro Pro Lys Phe Thr Leu Lys Ala Gly Gln Val Val Thr 485 490 495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu		•															
485 490 495  Ile Trp Ala Ala Gly Ala Gly Ala Thr His Ser Pro Pro Thr Asp Leu 55	50	Tyr /	Arg P	he P	ro l	Pro	Lys	Phe	Thr	Leu	Lys	Ala	Gly	Gin	Val	Val	
55	30	-			4	485					490					495	
		Ile :	Irp A	la A	la (	Gly	Ala	Gly	Ala	Thr	His	Ser	Рго	Pro	Thr	Asp	Leu
	55			5	00					505		•			510		• •

·	Val Trp Lys Ala Gin Asn Thr Trp Gly Cys Gly Asn Ser Leu Arg Thr
5	515 520 525
	Ala Leu lle Asn Ser Thr Gly Glu Glu Val Ala Met Arg Lys Leu Val
10	530 . 535 . 540
•	Arg Ser Val Thr Val Val Glu Asp Asp Glu Asp Glu Asp Gly Asp Asp
	545 550 555 560
15	Leu Leu His His His Val Ser Gly Ser Arg Arg
	565 570
20	<210> 15
	<211> 2865
25	<212> DNA
	<213> Homo sapiens
30	<220>
30	<221> CDS
	<222> (240) (1475)
35	<400> 15
	cacaccgcca gictglgcgc tgagtcggag ccagaggccg cggggacacc gggccatgca 60
40	cgccccaac tgaagctgca tctcaaagcc gaagattcca gcagcccagg ggatttcaaa 120
	gageteagae teagaggaae atetgeggag agaeeeega ageeetelee agggeagtee 180
	tcatccagac gctccgttag tgcagacagg agcgcgcagt ggccccggct cgccgcgcc 239
45	atg gag cgg atc ccc agc gcg caa cca ccc ccc gcc tgc ctg ccc aaa 287
	Met Glu Arg Ile Pro Ser Ala Gln Pro Pro Pro Ala Cys Leu Pro Lys
50	1 5 10 15
	gca ccg gga ctg gag cac cga gac cta cca ggg atg tac cct gcc cac 335
	Ala Pro Gly Leu Glu His Arg Asp Leu Pro Gly Met Tyr Pro Ala His
55	20 25 30

	atg	tac	caa	gtg	lac	aag	tca	aga	cgg	gga	ata	aag	cgg	agc	gag	gac	383
e	Met	Tyr	Gln	Val	Tyr	Lys	Ser.	Arg	Arg	Gly	Ile	Lys	Arg	Ser	Glu	Asp	
5			35		•			40					45				
	agc	aag	gag	acc	tac	aaa	ttg	ccg	cac	cgg	ctc	ttc	gag	aaa	aag	aga.	431
10	Ser	Lys	Glu	Thr	Tyr	Lys	Leu	Pro	His	Arg	Leu	Phe	Glu	Lys	Lys	Arg	
		50		·			55		•			60					
15	cgt	gac	cgg	at t	aac	gag	tgc	atc	gcc	cag	ctg	aag	gat	ctc	cta	ccc	479
	Arg	Asp	Arg	Ile	Asn	.G1 u	Cys	Ile	Ala	Gln	Leu	Lys	Asp	Leu	Leu	Pro	
20	65					70	ř				75					80	
	gaa	cat	ctc	aaa	ctt	aca	act	ttg	ggt	cac	ttg	gaa	aaa	gca	gtg	gtt	527
	Glu	His	Leu	Lys	Leu	Thr	Thr	Leu	Gly	His	Leu	Glu	Lys	Ala	Val	Val	
25			-		85	•				90					95		
	ctt	gaa	ctt	acc	l tg	aag	cat	gtg	aaa	gca	cta	aca	aac	cla	att	gat	575
30	Leu	Glu	Leu		Leu	Lys	His	Val		Ala	Leu	Thr	Asn		I i.e	Asp	
				100			•		105					110			
35		cag					•										623
	Gln	Gln		Gln	Lys	He	He		Leu	Gin	Ser	Gly		Gin	Ala	Gly	
40			115			+	÷+-	120		~~!			125		4	4	671
		ctg			•												671
	GIU	Leu 130	261	GIA	WIR		135	GIU	1111	илу	0111	140	mei	rne	C,YS	261	
45	aa t		000	003	t at	acc		asa	ata	ctt	rag		cta	acc	220	cac	. 719
		Phe															. 113
50	145	1116	Gin	1111	Uys	150	NI 6	010	,	DCu	155	271	LCU	77.10	LJS	160	
		aac	201	e 0 0	asc.		226	tet	tra	rao		øic	200	Cac	ctc		767
55		Asn															101
	O I U	VZU	1111	WI.R	vzħ	T C II	r 3 2	361	261	0111	PCU	1 4 1	1111	u12	ran	U 1 2	

					165					170				•	175		
5	Cgg	gtg	gtc	tcg	gag	ctg	ctg	cag	ggt	ggt	acc	tcc	agg	aag	cca	tca	815
	Arg	Val	Val	Ser	Glu	Leu	Leu	Gln	Gly	Gly	Thr	Ser	Arg	Lys	Pro	Ser	
				180					185					190			
10	gac	cca	gct	ccc	aaa	gtg	atg	gac	ttc	aag	gaa	aaa	ccc	agc	tct	ccg	863
	Asp	Pro	Ala	Pro	Lys	Val	Me t	Asp	Phe	Lys	Glu	Lys	Pro	Ser	Ser	Pro	
15			195					200					2. 205				
	gcc	aaa	ggt	tcg	gaa	ggt	cct	ggg	aaa	aac	tgc	gtg	cca	gtc	atc	cag	911
20	Ala	Lys	Gly	Ser	Glu	Gly	Pro	Gly	Lys	Asn	Cys	Val	Pro	Val	Ile	Gln	
20		210					215					220					
	cgg	act	ttc	gc t	cac	tcg	agt	ggg	gag	cag	agc	ggc	agc	gac	acg	gac	959
25	Arg	Thr	Phe	Ala	His	Ser	Ser	Gly	Glu	Gln	Ser	Gly	Ser	Asp	Thr	Asp	
	225					230		•			235					240	·
30	aca	gac	agt	ggc	tat	gga	gga	gat	tcg	gag	aag	ggc	gac.	ttg	cgc	agt	1007
	Thr	Asp	Ser	Gly	Tyr	Gly	Gly	Asp	Ser	G1u-	Lys	Gly	Asp	Leu	Arg	Ser	
					245					250					255		
35	gag	cag	ccg	tgc	ttc	aaa	agt	gac	cac	gga	cgc	agg	ttc	acg	atg	gga	1055
	Glu	Gln	Pro	Cys	Phe	Lys	Ser	Asp	His	Gly	Arg	Arg	Phe	Thr	Met	Gly	:
40				260				-	265					270			
	gaa	agg	atc	ggc	gca	att	aag	caa	gag	tcc	gaa	gaa	ccc	CCC	aca	888	1103
	Glu	Arg	He	Gly	Ala	Ile			Glu	Ser	Glu	Glu		Pro	Thr	Lys	
45			275			*		280					285				
			cgg														1151
50	Lys	Asn	Arg	Met	Gln	Leu	Ser	Asp	Ąsp	Glu	Gly		Phe	Thr	Ser	Ser	
		290					295					300					
55	gac	ctg	atc	agc	tcc	CCB	ttc	ctg	ggc	cca	cac	cca	cac	cag	cct	cct	1199
	Asp	Leu	He	Ser	Ser	Pro	Phe	Leu	Gly	Pro	His	Pro	His	Gln	Pro	Pro	

	30	5				310					315					320	
5	tt	c tgo	ctg	ccc	ttc	t ac	ctg	atc	cca	cct	tca	gcg	act	gcc	tac	ctg	.1247
	Ph	e Cys	Leu	Рго	Phe	Tyr	Leu	Ile	Pro	Pro	Ser	Ala	Thr	Ala	Туг	Leu	
40					325	•				330					335		
10	cce	c atg	ctg	gag	aag	t gc	tgg	tat	ccc	acc	tca	gtg	cca	gtg	cta	tac	1295
	Pro	Met	Leu	Glu	Lys	Cys	Trp	Tyr	Pro	Thr	Ser	Val	Pro	Val	Leu	Tyr	•
15				340					345					350	•		
	cca	ggc	ctc	aac	gcc	tct	gcc	gca	gcc	ctc	tct	agc	ttc	atg	aac	cca	1343
20	Pro	Gly	Leu	Asn	Ala	Ser	Ala	Ala	Ala	Leu	Ser	Ser	Phe	Met	Asn	Pro	
	•		355			٠		360					365				
25	gac	aag	atc -	tcg	gc t	ccc	ttg	ctc	atg	ccc	cag	aga	ctc	cct	tct	ccc	1391
	Asp		lle	Ser	Ala	Pro	Leu	Leu	Met	Pro	Gln	Arg	Leu	Pro	Ser	Рго	
20		370					375					380					
30			gct														1439
			Ala	His			Va,l	Asp	Ser	Ser		Leu	Leu	Gln	Ala		
35	385		. 4 .			390					395					400	
			atc										taaa	ctci	tct		1485
40	Lys		lle		405	Leu	ASII	ren	014	410	LÀS	ASP					•
	200	oga t c	rt o			c It	tect	ncct	coc		tcc	1222			renns	aagnt	1545
45	·															gagag	
							٠							•		tgcac	•
									٠					• .		cacga	
50															-	ncccc	
																gicti	
55				_												tactt	
	55.5	J - U	- 1			•							<b>J</b>				

tcaaaagagg gctttccagg gctcagctcc caaccagcig ttaggacccc acccttttgc 1965 ctitatigic gacgigacic accagacgic ggggagagag agcagicaga ccgagciitt 2025 cigciaacai ggggagggia gcagacacig gcalagcacg glagiggiti gggggagggi 2085 ticcgcaggi cigciccca ccccigccic ggaagaalaa agagaalgia giiccciaci 2145 10 caggetticg tagtgattag citactaagg aactgaaaat gggccccttg tacaagetga 2205 gctgccccgg agggaggag gagttccctg ggcttctggc acctgtttct aggcctaacc 2265 15 attagtacti actgigcagg gaaccaaacc aaggicigag aaatgcggac ancccgagcg 2325 agcaccecaa agtgeacaaa getgagtaaa aagetgeeee etteaaacag aactagaete 2385 agtiticaat iccaicciaa aacteetiii aaccaageti agetteteaa agggetaace 2445 20 aageetigga accgecagat cetticigta ggetaatice tetiggecaa eggeatatgg 2505 agigicotta ligotaaaaa ggalloogno tooticaaag aagiillali liiggicoag 2565 agtactigit ticccgatgt giccagccag ciccgcagca gcttitcaaa aigcactaig 2625 cctgattgct gatcgtgttt laactittic tittcctgtt titaltitigg tatlaagtcg 2685 ciggotttal tigiaaagot gitalaaala talatlatat naantalatt aasaaggaaa 2745 30 nigiincaga igitialitg lalaailaci igalicacan agngagaasa aniganigia 2805 ticciginii ngaagagaag annaattiii ittiticicia gggagaggia cagngtinni 2865 35 <210> 16 <211> 412 40 <212> PRT <213> Homo sapiens <400> 16 45 Met Glu Arg Ile Pro Ser Ala Gln Pro Pro Pro Ala Cys Leu Pro Lys 10 50 Ala Pro Gly Leu Glu His Arg Asp Leu Pro Gly Met Tyr Pro Ala His' 20 25 30 55 Met Tyr Gln Val Tyr Lys Ser Arg Arg Gly Ile Lys Arg Ser Glu Asp

			35					40					45			
5	Ser	Lys	Glu	Thr	Tyr	Lys	Leu	Pro	His	Arg	Leu	Phe	Glu	Lys	Lys	Arg
		50					55					60				
	Arg	Asp	Arg	Ile	Asn	Glu	Cys	He	Ala	Gln	Leu	Lys	Asp	Leu	Leu	Pro
10	65					70			٠		75					80
	Glu	His	Leu	Lys	Leu	Thr	Thr	Leu	Gly	His	Leu	Glu	Lys	Ala	Val	Val
15					85					90					95	
	Leu	Glu	Leu	Thr	Leu	Lys	His	Val	Lys	Ala	Leu	Thr	Asn	Leu	He	Asp
20				100					105					110		
	Gln	Gln	Gln	Gln	Lys	Ile	Ilε	Ala	Leu	Gln	Ser	Gly	Leu	Gln	Ala	Gly
			115					120	٠.				125			
25	Glu	Leu	Ser	Gly	Arg	Asn	Val	Glu	Thr	Gly	Gln	Glu	Met	Phe	Cys	Ser
		130					135					140				
30	Gly	Phe	Gln	Thr	Cys	Ala	Arg	Glu	Val	Leu	Gln	Tyr	Leu	Ala	Lys	His
	145					150					155				•	160
	Glu	Asn	Thr	Arg		Leu	Lys	Ser	Ser		Leu	Val	Thr	His	Leu	His
35					165					170		_		_	175	
	Arg	Val	Val		Glu	Leu	Leu	Gln		Gly	Thr	Ser	Arg		Pro	Ser
40				180					185	_		_	_	190		
	Asp	Pro		Pro	Lys	Val	Met		Phe	Lys	Glu	Lys		Ser	Ser	Рго
45			195				_	200		ě	_		205			· 
	Ala		Gly	Ser	Glu	Gly	•	Gly	Lys	Asn	Cys		Pro	Val	He	Gln
		210					215					220				
50		Thr	Phe	Ala	His		Ser	Gly	Glu	Gln		Gly	Ser	Asp	Thr	
	225					230					235					240
55	Thr	Asp	Ser	Gly	Tyr	Gly	Gly	Asp	Ser		Lys	Gly	Asp	Leu	Arg	Ser
					245			•		250					255	

5	Glu	Gln	Pro	Cys	Phe	Lys	Ser	Asp	His	Gly	Arg	Arg	Phe	Thr	Met	Gly
3				260					265					270		
	Glu	Arg	Ile	Gly	Ala	He	Lys	Gln	Glu	Ser	Glu	Glu	Pro	Pro	Thr	Lys
10			275					280					285			
	Lys	Asn	Arg	Me t	Gln	Leu	Ser	Ásp	Asp	Glu	Gly	His	Phe	Thr	Ser	Ser
15		290				•	295					300				
	Asp	Leu	Ile	Ser	Ser	Pro	Pbe	Leu	Gly	Pro	His	Pro	Hiś	Gln	Pro	Pro
	305					310					315					320
20	Pḥe	Cys	Leu	Pro	Phe	Tyr	Leu	He	Pro	Pro	Ser	Ala	Thr	Ala	Tyr	Leu
					325					330					335	
25	Pro	Met	Leu	Glu	Lys	Cys	Trp	Tyr	Pro	Thr	Ser	Val	Pro	Val	Leu	Tyr
			-	340					345			•		350	•	
	Pro	Gly	Leu	Asn	Ala	Ser	Ala	Ala	Ala	Leu	Ser	Ser	Phe	Met	Asn	Pro
30			355			•	•	360					365			
	Asp	Lys	lle	Ser	Ala	Pro		Leu	Me t	Pro	Gln		Leu	Pro	Ser	Pro
35		370					375					380				
		Pro	Ala	His	Рго		Val	Asp	Ser	Ser		Leu	Leu	Gln	Ala	
40	385				_	390					395					400
40	Lys	Pro	Ile	Pro		Leu	Asn	Leu	Glu		Lys	Asp				
					405					410						
45	<21	0> 17	, ·													
	<21	1> 38	117													
50	<21	2> DN	IA													
	<21	3> Hc	mo s	sapie	ns											
	<220	0>											•			
55	<22	1> CD	S													

	<b>&lt;22</b>	2> (	164)	(2	665)												
5	<40	0> 1	7														
	tga	attc	glg	agag	actt	ga g	ggag	gcgc	t gc	gact	gaca	agc	ggct	ctg	cccg	gacct	60.
10	tct	cgct	ttc	atct	agcg	ct g	cact	caati	g ga	gggg(	cggg	cac	cgca	gtg	ctta	atgotg	120
	tct	taac	tag	tgta	ggaa	aa c	ggct	caac	c ca	ccgc	tgcc	gaa	atg	aag	tat	aag	175
													Met	Lys	Туг	Lys	
15								•					1				
	aat	ctt	atg	gca	agg	gcc	tta	tat	gac	aat	gtc	cca	gag	tgt	gcc	gag	223
20	Asn	Leu	Me t	Ala	Arg	Ala	Leu	Tyr	Asp	Asn	Val	Pro	Glu	Cys	Ala	Glu	•
	5					10					15					20	
25	gaa	ctg	gcc	ttt	cgc	aag	gga	gac	atc-	ctg	acc	gtc	ata	gag	cag	aac	271
23	Glu	Leu	Āla	Phe	Arg	Lys	Gly	Asp	He	Leu	Thr	Val	He	Glu	Gln	Asn	
					25					30					35		
30	aca	ggg	gga	ctg	gaa	gga	t gg	t gg	ctg	tgc	tcg	t t a	cac	ggt	cgg	caa	319
	Thr	Gly	Gly	Leu	Glu	Gly	Trp	Trp	Leu	Cys	Ser	Leu	His	Gly	Arg	Glņ	
35 ·				40					45					50			
	ggc	att	gtc	cca	ggc	aac	cgg	gtg	aag	ctt	ctg	ati	ggt	ccc	atg	cag	367
	Gly	lle	Val	Pro	Gly	Asn	Arg	Val	Lys	Leu	Leu	He	Gly	Рго	Met	Gln	
40			55					60					65				
															cag		415
45	Glu	Thr	Ala	Ser	Ser	His	Glu	Gln	Pro	Ala	Ser		Leu	Met	Gln	Gln	•
		70					75					80					
50	acc	tit	ggc	caa	cag	aag	ctc	tat	caa	gtg	cca	aac	cca	cag	gct	gct	463
	Thr	Phe	Gly	Gln	Gln	Lys	Leu	Tyr	Gln	Val	Pro	Asn	Pro	Gln	Ala	Ala	
	85					90					95					100	

ccc cga gac acc atc tac caa gig cca cct icc tac caa aat cag gga 511

55

	P	ro	Arg	Asp	Thi	He	Туг	Gln	Val	Pro	Pro	Ser	Tyr	Gli	ı Ası	Glr	Gly	
5					•	105	j				110	)				115	; 	
	· <b>a</b> 1	t t	tac	caa	gto	ccc	act	ggc	cac	ggc	acc	caa	gaa	caa	gag	gta	tat	559
10	11	e	Tyr	.G1n	Val	Pro	Thr	Gly	His	Gly	Thr	Gln	Glu	Gli	Glu	ı Val	Tyr	
10					120				•	125					130	١.		
	Ca	g	gtg	cca	cca	tca	gtg	cag	aga	agc	att	ggg	gga	acc	agt	ggg	ccc	607
15	GI	n	Val	Pro	Pro	Ser	Val	Gln	Arg	Ser	He	G1 y	Gly	Thr	Ser	Gly	Pro	
			•	135					140					145	I			
20								ata										655
	Hi			Gly	Lys	Lys	Val	Ile	Thr	Pro	Val	Arg	Thr	Gly	His	Gly	Tyr	
			150					155					160					
25	gt	а	tac	gag	tac	cca	tcc	aga	tac	caa	aag	gal	gtc	tat	gat	atc	cct	703
	٧a	1	Туг	Glu	Tyr	Pro	Ser	Arg	Туг	Gln	Lys	Asp	Vai	Tyr	Asp	He	Pro	
30	16	5					170					175					180	
								ggg										751
05	Pr	0 5	Ser	His	Thr		Gin	Gly	Val	Tyr	Asp	He	Pro	Pro	Ser	Ser	Ala	
35	,				•	185					190					195		
								gli										799
40	Ly	s (	3ly	Pro		Phe	Ser	Val	Pro		Gly	Glu	Ile	Lys		Gln	Gly	
					200			•		205					210			
45	•							aca										847
	Val	T			Ile	Pro	Pro	Thr		Gly	Val	Tyr	Ala		Pro	Pro	Ser	
				215					220					225				
<b>50</b>	gct	t	gc	cgg	gat	gaa	gca	ggg	ctt	agg	gaa	aaa	gac	tal	gac	llc	ccc	895
	Ala	C	ys .	Arg	Asp	Glu	Ala	Gly	Leu	Arg	Glu	Lys	Asp	Туг	Asp	Phe	Pro	
55		2	30			٠		235					240					
-	cct	C	cc i	alg	aga	caa	gcl	gga	agg	ccg	gac	clc	aga	ccg	gag	ggg	gtt	943

	Pre	o Pr	o Me	t Ara	g Gln	Ala	Gly	/ Arg	Pro	Asp	Leu	Arg	Pro	Gli	Gly	/ Val		
5	24	5				250	}				255	i				260		
	ta	t ga	ati	l cct	cca	acc	tgo	acc	aag	cca	gca	ggg	aag	gac	ctt	cat	991	
	Туı	Ası	Ile	Pro	Pro	Thr	Cys	Thr	Lys	Pro	Ala	Gly	Lys	Asp	Leu	His		
					265					270					275	i		
	gta	aaa	lac	aac	tgt	gac	att	cca	gga	gc t	gca	gaa	CCg	gtg	gct	cga	1039	
15	Va J	Lys	Tyr	Asn	Cys	Asp	He	Pro	Gly	Ala	Ala	Glu	Pro	Val	Ala	Arg		
				280					285					290				
20	agg	cac	cag	agc	ctg	tcc	ccg	aat	cac	cca	ccc	ccg	caa	ctc	gga	cag	1087	
	Ārg	His	Gln	Ser	Leu	Ser	Pro	Asn	His	Pro	Pro	Pro	Gln	Leu	Gly	Gln		
05			295					300					305					
25	tca	gtg	ğgc	tct	cag	aac	gac	gca	tat	gat	gtc	ccc	cga	ggc	gtt	cag	1135	
	Ser	Val	Gly	Ser	Gln	Asn	Asp	Ala	Туг	Asp	Val	Pro	Arg	Gly	Val	Gln		
30		310					315					320						
	ttt	ctt	gag	cca	cca	gca	gaa	acc	agt	gag	aaa	gca	aac	ccc	cag	gaa	1183	
35	Phe	Leu	Glu	Pro	Pro	Ala	Glu	Thr	Ser	Glu	Lys	Ala	Asn	Pro	Gln	Glu		
	325					330					335					340		
	agg	gat	ggt	gtt	tat	gat	gtc	cct	ctg	cat	aac	ccg	cca	gat	gct	<b>aaa</b>	1231.	
40	Arg	Asp	Gly	Val	Tyr	Asp	Val	Pro	Leu	His	Asn	Pro	Pro	Asp	Ala	Lys		
					345					350					355	·		
45	ggc	tct	cgg	gac	ttg	gtg	gat	ggg	atc	aac	cga	ttg	tct	ttc	tcc	agt	1279	
	Gly	Ser	Arg	Asp	Leu	Val	Asp	Gly	He	Asn	Arg	Leu	Ser	Phe	Ser	Ser		
50				360					365					370				
	aca	ggc	agc	acc	cgg	agt	aac	atg	tcc	acg	tct	tcc	acc	tcc	tcc	aag	1327	
	Thr	Gly	Ser	Thr	Arg	Ser	Asn	Met	Ser	Thr	Ser	Ser	Thr	Ser	Ser	Lys		
55			375					380					385					

		gag	tco	tca	a cla	tca	gcc	tco	cca	gct	cag	gac	aaa	agg	cto	tto	ctg	: 1375
5		Glu	Ser	Sei	Leu	Ser	Ala	Ser	Pro	Ala	Gln	Asp	Lys	Are	e Leu	Phe	Leu	
			390	}				395					400		•			
10		gat	cca	gac	aca	gct	att	gag	aga	ctt	cag	cgg	cto	cag	cag	gco	ctt	1423
		Asp	Pro	Asp	Thr	Ala	lle	Glu	Arg	Leu	Gln	Arg	Leu	Gln	Gln	Ala	Leu	•
		405	•				410					415				•	-420	
15		gag	atg	ggt	gtc	tcc	agc	cta	atg	gca	clg	gtc	act	acc	gac	tgg	cgg	1471
		Glu	Me t	Gly	Vàl	Ser	Ser	Leu	Met	Ala	Leu	Val	Thr	.Thr	Asp	Trp	Arg	
20						425					430	•	·			435		
		tgt	tac	gga	tat	atg	gaa	aga	cac	atc	aat	gaa	ata	cgc	aca	gca	gtg	1519
		Cys	Туг	G] y	Tyr	Met	Glu	Arg	His	He	Asn	Glu	lle	Arg	Thr	Ala	Val	
25				-	440					445					450			
		gac	aag	gtg	gag	clg	ttc	ctg	aag	gag	lac	ctc	cac	ttt	gtc	aag	gga	1567
30		Asp	Lys	Val	Glu	Leu	Phe	Leu	Lys	Glu	Туг	Leu	His	Phe	Val	Lys	Gly	
				455					460					465	•			
25		gc t	gtt	gca	aat	gct	gcc	tgc	ctc	ccg	gaa	ctc	atc	ctc	cac	aac	aag	1615
35		Ala	Val	Ala	Asn	Ala	Ala	Cys	Leu	Pro	Glu	Leu	He	Leu	His	Asn	Lys	
			470					475					480					
40					gag													1663
	. 1	Met	Lys	Arg	Glu	Leu	Gln	Arg	Val	Glu	Asp	Ser	His	Gln	He	Leu	Ser	
45		485					490					495					500	
					cat													1711
	(	Gln '	Thr	Ser	His.		Leu	Asn	Glu	Cys	Ser	Trp	Ser	Leu	Asn	lle	Leu	
50						505					510					515		
	8	gcc a	atc	aac	aag	ccc	cag	aac	aag	tgt	gac	gat	ctg	gac	cgg .	ttt	gtg	1759
55	A	la 1	lle i	Asn	Lys I	Pro	Gln.	Asn	Lys	Cys	Asp	Asp	Leu	Asp	Arg	Phe	Val	
					520					525					530			

	at	g gti	g gca	a aag	acı	ggt	g cc	gal	gac	gco	aag	cag	cte	c ac	aca	a acc	1807
5	Me	t Val	l Ala	Lys	Th	r Val	Pro	) Asp	) Asp	Ala	Lys	Gln	Lei	u Thi	Thi	r Thr	
			535	j				540	)				549	5			
10	ate	c aac	acc	aac	gca	gag	gco	cto	ttc	aga	ccc	ggc	cci	ggo	ago	: ttg	1855
	110	e Asn	Thr	Asn	Ala	Glu	Ala	Lei	Phe	Arg	Pro	Gly	Pro	Gly	Ser	Leu	
		550	)				555		•			560					
15	cat	ctg	aag	aat	ggg	CCE	gag	agc	atc	atg	aac	tca	ace	gag	tac	cca	. 1903
	His	Leu	Lys	Asn	Gly	Pro	Glu	Ser	lle	Met	Asn	Ser	Thr	Glu	Туг	Pro	
20	565	;				570					575			ě		580	
	cac	ggt	ggc	tcc	cag	gga	cag	ctg	ctg	cat	cct	ggt	gac	cac	aag	gcc	1951
25 ·	His	Gly	Gly	Ser	Gln	Gly	Gln	Leu	Leu	His	Pro	Gly	Asp	His	Lys	Ala	
			-		585					590					595		
	cag	gcc	cac	aac	aag	gca	ctg	ccc	cca	ggc	ctg	agc	aag	gag	cag	gcc	1999
30	Gln	Ala	His	Asn	Lys	Ala	Leu	Pro	Pro	Gly	Leu	Ser	Lys	Glu	Gln	Ala	•
				600	٠	Į	,		605					610			
35	cct	gac	tgt	agc	agc	agt	gat	ggt	tct	gag	agg	agc	tgg	atg	gat	gac	2047
	Pro	Asp	Cys	Ser	Ser	Ser	Asp	Gly	Ser	Glu	Arg	Ser	Trp	Met	Asp	Asp	
40			615					620					625				٠
	tac	gat	tac	gtc	cac	cta	cag	ggt	aag	gag	gag	ttt	gag	agg	caa	cag	2095
	Tyr	Asp	Tyr	Val	His	Leu	Gln	Gly	Lys	Glu	Ģlu	Phe	Glu	Arg	Gln	Gln	•
45		630					635		•			640					
	aaa	gag	cta	ttg	gaa	aaa	gag	aat	atc	atg	aaa	cag	aac	aag	alg	cag	2143
50	Lys	Glu	Leu	Leu	Glu	Lys	Glu	Asn	lle	Met	Lys	Gln	Asn	Lys	Met	Gln	
	645					650					655					660	
55	ctg	gaa	cat	cat	cag	clg	agc	cag	ttc	cag	ctg	ttg	gaa	caa	gag	att	2191
	Leu	Glu	His	His	Gln	Leu	Ser	Gln	Phe	Gln	Leu	Leu	Glu	Gln	Glu	lle	

					66	5			•	670	)				675	5	
5	aca	aạs	g ccc	gtg	gag	g aat	t gad	ato	tcg	aag	tgg	g aag	ccc	tct	cag	agc	2239
	Thr	Lys	Pro	Val	Glu	ı Ası	) Asp	Ile	Ser	Lys	Trp	Lys	Pro	Ser	Gln	Ser	•
				680	j		•		685					690	<b>;</b>		
10	cta	ccc	acc	aca	aac	agt	ggc	gtg	agt	gct	cag	gat	cgg	cag	itg	ctg	2287
	Leu	Pro	Thr	Thr	Asn	Ser	Gly	Val	Ser	Ala	Gln	Asp	Arg	Gln	Leu	Leu	
15			695					700					705				
	tgc	ttc	tac	tat	gac	caa	tgt	gag	acc	cat	ttc	att	tcc	ctt	ctc	aac	2335
20	Cys	Phe	Tyr	Tyr	Asp	Gln	Cys	Glu	Thr	His	Phe	Ile	Ser	Leu	Leu	Asn	
		710					715		•			720	•				
•			gac	•												·	2383
<b>25</b>		He	Asp	Ala	Leu			Cys	Val	Ser			Gln	Pro	Pro	Arg	
	725					730					735					740	
30			gtg														2431
	Ile	Phe	Val	Ala		Ser	Lys	Phe	Val		Leu	Ser	Ala	His		Leu	
35					745					750					755		
			att														2479
	Yaı	rne	He		ASP	Ibr	Leu	Inr		GID	Yal	Thr	Ala		Asp	He	
40				760	- 4 -				765			·		770			
			aaa													•	2527
45	Arg.	ASII	775	Yaı	мет	ASD	ser.		ASI	611	Leu	Cys		Gin	Leu	Lys	
	act	ata		ata	ges.	200	220	780	go o	<b>700</b>	212		785				0000
	act		,														2575
50	Thr		Yaı	wc r	VIG	1111	795	MET	nia	NIG	reu		IVI	PTO	261	ınr	
		790	a • =	00-	ma.~	n • ~		000	000	a 1 -		800					0.000
55	acg (																2623
	Thr /	412	ren	UIN	ษเป	met	Y a J	nıs	UID	vai	ıúı	ASP	Leu	261	Arg	Ąşn	

805 810 815 820

gcc cag ctg ttc aag cgc tct ttg ctg gag atg gca acg ttc 2665

Ala Gln Leu Phe Lys Arg Ser Leu Leu Glu Met Ala Thr Phe

825 830

tgagaagaaa aaaaagagga aggggacigc gitaacggit actaaggaaa actggaaata 2725 cigiciggit titgiaaaig tiaictatti tigiagataa tittatataa aaatgaaata 2785 tittaacatt ttatgggica gacaacttic agaaattcag ggagciggag agggaaatct 2845 ttttttcccc cctgagtgtt cttatgtata cacagaagta tctgagacat aaactgtaca 2905 gaaaactigi ccacgiccti tigtatgccc atgtaticai giittigiti giagatgiii 2965 gicigaigea tileattaaa aaaaaaaeea tgaattaega ageaeettag taageaeett 3025 ctaatgctgc attitititg tigtigitaa aaacatccag ciggitataa taitgiictc 3085 cacglectig tgatgatict gagectggea etgggaatet gggaageata gittatitge 3145 aagtgitcac ciiccaaatc aigaggcata gcaigacita tictigiiti gaaaactcii 3205 ttcaaaactg accatcttaa acacatgatg gccaagtgcc acaaagccct cttgcggaga 3265 catttacgaa tatatatgtg gatccaagtc tcgatagtta ggcgttggag ggaagagag 3325 ccagagagtt tagaggccag gaccacagtt aggattgggt tgtttcaata ctgagagaca 3385 gctacaataa aaggagagca aligcciece iggggetgit caateiteig caliigigag 3445 tggttcagtc atgaggtttt ccaaaagatg ttttlagagt tgtaaaaacc atatttgcag 3505 caaagattta caaaggcgta tcagactatg attgttcacc aaaatagggg aatggttiga 3565 tecgecagit geaaglagag geetticiga etettaatat teaetitggt getaetacee 3625 ccattacctg aggaactggc caggiccitg atcatggaac tatagagcta ccagacatat 3685 cotgototot aagggaatti attgotatot tgcaccttot ttaaaactca aaaaacatat 3745 gcagacciga cacicaagag iggciagcia cacagagicc aictaatiti igcaacticc 3805 cccccgaat tc 3817

<210> 18

5

10

20

25

30

35

40

45

50

55

<211> 834

	⟨212⟩	PRT												•	
5	<213>	Homo	sapi	ens											
	<400>	18													
10	Met L	ys Tyr	Lys	Asn	Leu	Me t	Ala	Arg	Ala	Leu	Tyr	Asp	Asn	Yal	Pro
10	1			5					10					15	
	Glu C	s Ala	Glu	Glu	Leu	Ala	Phe	Arg	Lys	Gly	Asp	Ile	Leu	Thr	Va!
15			20					25					30		
	Ile G	u Gln	Ąsn	Thr	Gly	Gly	Leu	Głu	Gly	Trp	Trp	Leu	Cys	Ser	Leu
20		35					40					45			
	His G	y Arg	Gln	Gly	Ile	Val	Pro	Gly	Asn	Arg	Val	Lys	Leų	Leu	He
	Ę	0				55					60				
25	Gly Pr	o Net	Glin	Glu	Thr	Ala	Ser	Ser	His	GJu	Gln	Pro	Ala	Şer	Gly
	65				70					75					80
30	Leu Me	t Gln	Gln	Thr	Phe	Gly	Gln	Gln	Lys	Leu	Tyr	Gln	Va i	Pro	Asn
		,		85		•			90					95	
35	Pro Gl	n Ala	Ala	Pro	Arg	Asp	Thr	He	Tyr ·	Gln	Val	Pro	Pro	Ser	Tyr
			100					105					110		
	Gln As	n Gln	Gly	He	Tyr	Gln	Val	Pro	Thr	Gly	His	Gly	Thr	Gln	Glu
40		115					120					125			
	Gln Gl	u Val	Tyr	Gin	Val	Pro	Pro	Ser	Yal	Gln	Arg	Ser	He	Gly	Gly
45	13					135					140				
	Thr Se	r Gly	Pro	His	Val	Gly	Lys	Lys	Va]	He	Thr	Pro	Val	Arg	Thr
	145				150					155					160
50	Gly Hi	s Gly	Tyr	Vai	Tyr	Glu	Tyr	Pro	Ser	Arg	Tyr	Gln	Lys	Asp	Val
				165					170					175	
55	Tyr As	p Ile	Pro	Pro	Ser	His	Thr	Thr	Gln	Gly	Val	Туг	Asp	He	Pro

	•			180	}				185					190		
5	Pro	Ser	Ser	Ala	Lys	Gly	Pro	Val	Phe	Ser	Val	Pro	Val	Gly	Glu	Ile
			195					200					205			•
	Lys	Pro	Gln	Gly	Val	Tyr	Asp	Ile	Pro	Pro	Thr	Lys	Gly	Val	Tyr	A l·a
10		210					215					220				
	Ile	Pro	Pro	Ser	Ala	Cys	Arg	Asp	Glu	Ala	Gly	Leu	Arg	Glu	Lys	Asp
15	225					230					235					240
	Tyr	Asp	Phe	Pro	Pro	Pro	Me t	Arg	Gln	Ala	Gly	Arg	Pro	Asp	Leu	Arg
20					245					250					255	
	Pro	Glu	Gly	Val	Tyr	Asp	Ile	Pro	Pro	Thr	Cys	Thr	Lys	Pro	Ala	Gly
				260					265					270		
25	Lys	Asp	Leu	His	Val	Lys	Tyr	Asn	Cys	Asp	lle	Pro	Gly	Ala	A.l a	Glu
			275					280					285			
30	Pro	Val	Ala	Arg	Arg	His		Ser	Leu	Ser	Pro		His	Pro	Pro	Pro
•		290	1				295	_				300				
35		Leu	Gly	Gin	Ser		Gly	Ser	Gln	Asn		Ala	Tyr	Asp	Val	
	305	C1	Va l	Cla	Dha	310	C1	n	D	41	315	Th -	C	01		320
	AIR	Gly	va i		.325	Leu	GIU	PTO	rro	330	6111	inr	ser	611		Ala
40	Acn	Pro	Cln			Aen	Clv	Val	Tur		Val	Dro	I au	Uic	335	Dro
	дон		0111	340	W1 P	пор	u.,	141	345	пор	101	110	ren	350		rio
45	Рго	Asp	Ala		GIy	Ser	Arg	Asp		Val	Asp	Glv	Ile		•	Len
			355	•	•		٠.	360					365			
50	Ser	Phe		Ser	Thr	Gly	Ser		Arg	Ser	Asn	Met		Thr	Ser	Ser
		370					375					380				
	Thr		Ser	Lys	Glu	Ser	Ser	Leu	Ser	Ala	Ser		Ala	Gln	Asp	Lys
55	385					390					395			•	•	400

	Arg	Leu	Phe	Leu	Asp	PLO	Asp	Thr	Ala	He	Glu	Arg	Leu	Gin	Arg	Leu
5					405		•			410					415	
	Gln	Gln	Ala	Leu	Glu	Met	Gly	Val	Ser	Ser	Leu	Met	Ala	Leu	Val	Thr
1Ó				420					425					430		
	Thr	Asp	Trp	Arg	Cys	Туг	Gly	Tyr	Met	Glu	Arg	His	He	Asn	Glu	lle
15			435					440					445			
,3	Arg	Thr	Ala	Val	Asp	Lys	Val	Glu	Leu	Phe	Leu	Lys	Glu	Tyr	·Leu	His
		450					455					460				
20	Phe	Va l	Lys	Gly	Ala	Val	Ala	Asn	Ala	Ala	Cys	Leu	Pro	Glu	Leu	Ile
	465					470					475					480
25	Leu	His	Asn	Lys	Met	Lys	Arg	Glu	Leu	Gln	Arg	Val	Glu	Asp	Ser	His
					485					490					495	
÷	Gln	He	Leu	Ser	Gln	Thr	Ser	His	Asp	Leu	asA	Glu	Cys	Ser	Trp	Ser
30				500					505					510		
	Leu	Asn	Ile	Leu	Ala	He	Asn	Lys	Pro	Gin	Asn	Lys	Cys	Asp	Asp	Leu
35			515					520					525			
	Asp		Phe	Val	Met	Val		Lys	Thr	Val	Pro	Asp	Asp	Ala	Lys	Gln
40	:	530					535					540				
		Thr	Thr	Thr	Ile		Thr	Asn	Ala	Glu		Leu	Phe	Arg	Pro	
	545					550					555					560
45	Pro	Gly	Ser	Leu		Leu	Lys	Asn	Gly		G) u	Ser	lle	Met		Ser
					565					570					575	
50	Thr	Glu	Tyr		His	Gly	Gly	Ser		Gly	Gl <sub>i</sub> n	Leu	Leu		Pro	Gly
				580					585					590		
55	Asp	His	Lys	Ala	Gln	Ala	His	Asn	Lys	A]a	Leu	Pro	Pro	Gly	Leu	Ser
55			595					600					605		•	

	Ly	s Gla	ı Gli	n Ala	a Pro	o Ası	Cys	Ser	Ser	Ser	Asp	Gly	, Sei	Glu	Arg	Ser
5		610	)				615	i				620	)			
J	Tr	Me 1	i Ası	Asp	Туі	r Asp	Tyr	Val	His	Leu	Gln	Gly	Lys	Glu	Glu	Phe
	625	j				630	}				635					640
10	Glu	Arg	Gln	Gln	Lys	Glu	leu	Leu	Glu	Lys	Glu	Asn	Ile	Met	Lys	Gln
					645	,				650					655	
15	Asn	Lys	Met	Gln	Leu	Glu	His	His	Gln	Leu	Ser	Gln	Phe	Gln	Leu	Leu
				660					665					670		
	Glu	Gln	G] u	lle	Thr	Lys	Pro	Val	Glu	Asn	Asp	lle	Ser	Lys	Trp	Lys
20			675					680					685			
	Pro	Ser	Gln	Ser	Leu	Pro	Thr	Thr	Asn	Ser	Gly	Val	Ser	Ala	Gln	Asp
25		690	-				695					700				
	Arg	Gln	Leu	Leu	Cys	Phe	Туг	Tyr	Asp	Gln	Cys	Glu	Thr	His	Phe	Ile
30	.705					710					715					720
	Ser	Leu	Leu	Asn	Ala	He	Asp	Ala	Leu	Phe	Ser	Cys	۷al	Ser	Ser	Ala
					725					730					735	
35	Gln	Pro	Pro	Arg	Ile	Phe	Val	Ala	His	Ser	Lys	Phe	Yal	lle	Leu	Ser
				740					745					750		
40	Ala	His		Leu	Val	Phe	He		Asp	Thr	Leu	Thr		Gln	Val	Thr
			755					760					765			
45	Ala		Asp	He	Arg	Asn		Val	Met	Asn	Ser		Asn	Gln	Leu	Cys
		770					775					780				
		Gln	Leu	Lys	Thr		Val	Met	Ala	Thr		Met	Ala	Ala	Leu	
50	785					790					795					800
•	Туг	Pro	Ser				Leu	Gln	Glu	Met	Val	His	Gln	Val	Thr	Asp
55					805					810					815	
	Leu	Ser	Arg	Asn	Ala	Gln	Leu	Phe	Lys	Arg	Ser	Leu	Leu	Glu	Met	Дla

820 825 830 Thr Phe (210) 19 10 (211) 567 <212> DNA <213 Homo sapiens 15 <220> <221> CDS 20 <222> (36).. (506) <400> 19 tgtgacgcct gcagggctgg gacctgacgg tgaag atg ctg gcg ggc aac gaa 25 53 Met Leu Ala Gly Asn Glu 30 ttc cag gtg tcc ctg agc agc tcc atg tcg gtg tca gag ctg aag gcg Phe Gln Val Ser Leu Ser Ser Ser Met Ser Val Ser Glu Leu Lys Ala 10 35 15 cag atc acc cag aac att ggc gtg cac gcc ttc cag cag cgt ctg gct 149 Gln Ile Thr Gln Asn Ile Gly Val His Ala Phe Gln Gin Arg Leu Ala 40 25 30 35 gtc cac ccg agc ggt gtg gcg ctg cag gac agg gtc ccc ctt gcc agc 197 45 Val His Pro Ser Gly Val Ala Leu Gln Asp Arg Val Pro Leu Ala Ser 40 45 cag ggc ctg ggc cct ggc agc acg gic ctg ctg gtg gig gac aaa tgc 245 50 Gin Gly Leu Gly Pro Gly Ser Thr Val Leu Leu Val Val Asp Lys Cys 55 60 65 70 55 gac gaa col cig ago ato cig gig agg aat aac aag ggo cgo ago ago 293

	Asp	Glu	Pro	Leu	Ser	He	Leu	Val	Arg	Asn	Asn	Lys	Gly	Arg	Sei	Ser		
5					75					80					85	•		
	acc	tac	gag	gtg	cgg	ctg	acg	cag	acc	gtg	gcc	cac	ctg	aag	cag	caa	341	
10	Thr	Tyr	Glu	Val	Arg	Leu	Thr	Gln	Thṛr	Val	Ala	His	Leu	·Lys	Gln	Gln		
				90					95					100	١.	•		
	glg	agc	ggg	ctg	gag	ggt	gtg	cag	gac	gac	ctg	ttc	l gg	ctg	acc	ttc	389	
	Val	Ser	Gly	Leu	Glu	Gly	Va l	Gln	Asp	Asp	Leu	Phe	Trp	Leu	Thr	Phe		
			105				•	110					115					
20	gag	ggg	aag	ccc	clg	gag	gac	cag	ctc	ccg	ctg	ggg	gag	t ac	ggc	ctc	437	
	Glu	Gly	Lys	Pro	leu	Glu	Asp	Gln	Leu	Pro	Leu	Gly	Glu	Туг	Gly	Leu		
25		120	<u>.</u>				125		•			130						
	aag	ccc	ctg	agc	acc	glg	ttc	alg	aat	ctg	cgc	ctg	cgg	gga	ggc	ggc	485	
	Lys	Pro	Leu	Ser	Thr	Val	Phe	Me t	Asn	Leu	Arg	Leu	Arg	Gly	Gly	Gly		
30	135					140					145					150		
	aca	gag	cct	ggc	ggg	cgg	agc	taas	gggc	etc o	cacca	agcai	c c	gagc	agga	t	536	
35	Thr	Glu	Pro	Gly	Gly	Arg	Ser	•										
					155													
	caag	ggcc	gg a	ataa	aggo	t gi	tgt	agag	g a								567	
40	<210	> 20	l															
	<211	> 15	7															
45	<212	> PR	Ţ															
	<213	> Но	mo s	apie	ns										•	•		
50	<400	> 20																
	Met	Leu	Ala	Gly	Asn	Glu	Phe	Gln	Val	Ser	Leu	Ser	Ser	Ser	Met	Ser		
	1				5					10					15			
55	Val	Ser	Glu	Leu	Lys	Ala	Gln	lle	Thr	Gln	Asn	Ile	Gly	Val	His	Ala		

20 25 Phe Gln Gln Arg Leu Ala Val His Pro Ser Gly Val Ala Leu Gln Asp 35 40 45 Arg Val Pro Leu Ala Ser Gln Gly Leu Gly Pro Gly Ser Thr Val Leu 10 50 . 55 60 Leu Val Val Asp Lys Cys Asp Glu Pro Leu Ser Ile Leu Val Arg Asn 15 65 70 75 Asn Lys Gly Arg Ser Ser Thr Tyr Glu Val Arg Leu Thr Gln Thr Val 85 90 20 Ala His Leu Lys Gln Gln Val Ser Gly Leu Glu Gly Val Gln Asp Asp 100 105 Leu Phe Trp Leu Thr Phe Glu Gly Lys Pro Leu Glu Asp Gln Leu Pro 115 120 Leu Gly Glu Tyr Gly Leu Lys Pro Leu Ser Thr Val Phe Met Asn Leu 135 140 Arg Leu Arg Gly Gly Gly Thr Glu Pro Gly Gly Arg Ser 145 150 155 <210> 21 40 <211> 5095 <212> DNA <213> Homo sapiens <220> <221> CDS 50 <222> (14).. (2593) <400> 21 agaggoigog ago atg ggg coo tgg ggo tgg aaa itg cgc tgg acc giç.

				i	Me t	Gly [	Pro "	Irp (	Gly 1	[rp ]	Lys 1	Leu	Arg	Trp '	Thr	Val	
5					1				5					10			
	gcc	ttg	ctc	ctc	gcc	gcg	gcg	ggg	act	gca	gtg	ggc	gac	aga	tgt	gaa	97
10	Ala	Leu	Leu	Leu	Ala	Ala	Ala	Gly	Thr	Ala	Val	Gly	Asp	Arg	Cys	Ġlu	
			15					20					25				
	aga	aac	gag	ttc	cag	t gc	caa	gac	ggg	aaa	l gc	atc	tcc	tac	aag	tgg	145
15	Arg	Asn	Glu	Phe	Gln	Cys	Gln	Asp	Gly	Lys	Cys	lle	Ser	Tyr	Lys	Trp	
,		30					35					40					
20	gtc	tgc	gat	ggc	agc	gct	gag	tgc	cag	gat	ggc	tct	ga t	gag	tcc	cag	193
	Yal	Cys	Asp	Gly	Ser	Ala	Glu	Cys	Gln	Asp	Gly	Ser	Asp	Glu	Ser	Gln	
25	45		-			50				•	55					60	
	gag	acg	tgc	ttg	tct	gtc	acc	tgc	aaa	tcc	ggg	gac	ttc	agc	tgt	888	241
	Glu	Thr	Cys	Leu		Val	Thr	Cys	Lys		Gly	Asp	Phe	Ser		Gly	
30					65					70					75		
			gtc														289
35	GIY	Arg	Va l		Arg	Cys	116	PTO		rne	111	Arg	Cys		ыу	GIN	
	ata	<i>a</i> n a	tao	80	220	aac	tca		85		aac	tat	***	90	220	000	227
40			tgc Cys											•			337 -
	, , ,	no b	95	пор	21.511	0.,		100	<b>0.1</b> 2	• • • • • • • • • • • • • • • • • • • •	0.,	0,0	105	110	2,3	***	
	1gc	tcc	cag	gac	gag	ttt	cgc		cac	gat	ggg	aag		atc	tct	CEE	385
45	Cys		_														
		110					115					120					
50	cag		gtc	lgi	gac	tca	gac	cgg	gac	t gc	llg	gac	ggc	tca	gac	gag	433
	Gln	Phe	Val	Cys	Asp	Ser	Asp	Arg	Asp	Cys	Leu	Asp	Gly	Ser	Asp	Glu	
55	125					130					135					140	

	gcc	ıcc	igo	ccg	gıg	CIC	acc	ıgı	ggı	CCC	gcc	agc	llc	cag	ıgc	aac	481
5	Ala	Ser	Cys	Pro	Val	Leu	Thr	Cys	Gly	Pro	Ala	Ser	Phe	Gln	Cys	Asn	
					145					150					155		
10	agc	tcc	acc	tgc	atc	ccc	cag	ctg	tgg	gcc	tgc	gac	aac	gac	ccc	gac	529
70	Ser	Ser	Thr	Cys	He	Pro	Gln	Leu	Trp	Ala	Cys	Asp	Asn	Asp	Pro	Asp	
				160					165	•				170		•	•
15	tgc	gaa	gat	ggc	tcg	gat	gag	tgg	·ccg	cag	cgc	tgt	agg	ggt	ctt	tac	577.
	Cys	Glu	Asp	Gly	Ser	Asp	Glu	Trp	Pro	Gln	Arg	Cys	Arg	Gly	Leu	Туг	
20			175					180					185				
	gtg	ttc	caa	ggg	gac	agt	agc	ccc	tgc	tcg	gcc	tic	gag	ttc	cac	tgc	625
	Val	Phe	Gln	Gly	Asp	Ser	Ser	Pro	Cys	Ser	Ala	Phe	Glu	Phe	His	Cys	
25		190	-			÷	195					200					
	cta	agt	ggc	gag	tgc	atc	cac	tcc	agc	tgg	cgc	tgt	gal	g <u>g</u> t	ggc	ccc	673
30	Leu	Ser	Gly	Glu	Cys	Ile	His	Ser	Ser	Trp	Arg	Cys	Asp	Gly	Gly	Pro	
	205			٠		210					215					220	
	gac	tgc	aag	gac	aaa	tct	gac	gag	gaa	aac	tgc	gct	gtg	gcc	acc	tgt	721
<b>35</b>	Asp	Cys	Lys	Asp	Lys	Ser	Asp	Glu	Glu	Asn	Cys	Ala	Vai	Ala	Thr	Cys	
•					225					230				•	235		
40	cgc	cct	gac	gaa	ttc	cag	tgc	tct	gal	gga	aac.	tgc	atc	cat	ggc	agc	769
	Arg	Pro	Asp	Glu	Phe	Gln	Cys	Ser	Asp	Gly	Asn	Cys	He	His	Gly	Ser	•
45				240					245					250			
				gac								•					817
	Arg			Asp	Arg	Glu	Tyr		Cys	Lys	Asp	Me t		Asp	Glu	Val	
50			255					260					265				
	ggc																865
55	Gly		Val	Asn	Val			Cys	Glu	Gly	Pro			Phe	Lys	Cys	
•		270					275					280					

	•	cac	agc	ggc	gaa	tgc	atc	acc	clg	gac	aaa	gtc	t gc	aac	atg	gct	aga	913
5		His	Ser	Gly	Glu	Cys	He	Thr	Leu	Asp	Lys	 Val	Cys	Asn	Met	Ala	Arg	
		285					290			•		295					300	
10		gac	t gc	cgg	gac	tgg	tca	gat	gaa	ccc	atc	aaa	gag	tgc	ggg	acc	aac	961
		Asp	Cys	Arg	Asp	Trp	Ser	Asp	Glu	Pŗro	He	Lys	Glu	Cys	Gly	Thr	Asn	
						305	٠				310					315		
15	•	gaa	t gc	ttg	gac	aac	aac	ggc	ggc	tgt	tcc	cac	gtc	tgc	aat	gac	ctt	1009
		Glu	Cys	Leu	Asp	Asn	Asn	Gly	Gly	Cys	Ser	His	Yal	Cys	Asn	Asp	Leu	
20					320					325					330			
		aag	atc	ggc	tac	gag	t gc	ctg	tgc	ccc	gac	ggc	ttc	cag	ctg	gtg	gcc	1057
25		Lys	He	Gly ~	Tyr	Glu	Cys	Leu	Cys	Pro-	Asp	Gly	Phe	Gln	Leu	Val	Ala	
		•		335					340					345				
		cag	cga	aga	tgc	gaa	gat	atc	gat	gag	tgt	cag	gat	ccc	gac	acc	tgc	1105
30		Gln	Arg	Arg	Cys	Glu	Asp	lle	Asp	Glu	Cys	Gln	Asp	Pro	Asp	Thr	Cys	
			350		•			355					360					
35	•	agc	cag	ctc	tgc	gtg	aac	ctg	gag	ggt	ggc	tac	aag	tgc	cag	tgt	gag	1153
			Glń	Leu	Cys	Val		Leu	Glu	Gly	Gly		Lys	Cys	Gln	Cys		
40		365					370					375					380	
						cig												1201
		Glu	Gly	Phe	Gin	Leu	Asp	Pro	HIS	Inr		Ala	Cys	Lys	Ala		Gly	
45						385	4.4				390			_4 -		395	- 4	1040
						clc												1249
50		Ser	11e	A I a		Leu	rne <sub>.</sub>	rne	inr		Arg	HIS	GIU	vaı		LYS	Met	
					400					405					410			
£ £						agc												1297
55		Thr	Leu	Asp	Arg	Ser	Glu	Туг	Thr	Ser	Leu	He	Pro	Asn	Leu	Arg	Asn	

			415					420					425				
5	gtg	gtc	gct	ctg	gac	acg	gag	gtg	gcc	agc	aat	aga	atc	tac	tgg	tct	1345
	Yal	Val	Ala	Leu	Asp	Thr	Glu	Val	Ala	Ser	Asn	Arg	lle	Tyr	Trp	Ser	
		430			•		435					440					
	gac	ctg	tcc	cag	aga	atg	atc	tgc	agc	ącc	cag	ctt	gac	aga	gcc	cac	1393
	Asp	Leu	Ser	Gln	Arg	Met	He	Cys	Ser	Thr	Gln	Leu	Asp	Arg	Ala	His	
15	445					450					455					460	
	ggc	gtc	tct	tcc	tat	gac	acc	gtc	atc	agc	agg	gac	atc	cag	gcc	ccc	1441
?0	Gly	Val	Ser	Ser	Ţyr	Asp	Thr	Val	He	Ser	Arg	Asp	He	Gln	Ala	Pro	
					465					470					475		
	gac	ggg	ctg	gc t	gtg	gac	tgg	atc	cac	agc	aac	atc	tac	tgg	acc	gac	1489
25	Asp	Gly	Leu	Ala	Val	Asp	Trp	He	His	Ser	Asn	He	Туг	Trp	Thr	Asp	
				480					485					490			
30				ggc													1537
	Şer	Va]		Gly	Thr	Val	Ser		Ala	Asp	Thr	Lys		Val	Lys	Arg	
			495					500					505				4505
35				ttc													1585
			ren	Phe	Arg	610	515	GIÀ	Ser	Lys	Pro		AIĄ	116	Val	Yai	
10		510	<i></i> 1 1	an t	~~~			too	taa	noi.	<b>~~</b>	520		not		500	1622
	gat			His													1633
45	525	LIO	141	1112	GIA	530	MCL	171	111	1111	535	110	017	1111	110	540	
		atc	220	aaa	999		cte	aat	ggt	gie		atc	tac	trø	rtø		1681
	Lys																1001
50	LJS	110	r12	Lys	545	0.,	Dua	,,,,,,	0.,	550			7,1	00,	555	101	
	aci	<b>022</b>	220	att		100	ccc	aat	66.		ลดด	cta	gat	clc		ag t	1729
55				Ile									•			_	1163
	1 11 1	JIU	Vall	116	9111	Tib	0	***	013		* ***	שכע	wh	200	n C H	JC1.	

				560					565				•	570			
5	ggc	cgc	ctc	Tac	tgg	gtt	gac	tcc	aaa	ctt	cac	tcc	atc	tca	agc	alc	1777
	Gly	Arg	Leu	Tyr	Trp	Val	Asp	Ser	Lys	Leu	His	Ser	lle	Ser	Ser	He	
10			575					580				•	585				
	gat	gtc	aat	ggg	ggc	aac	cgg	aag	acc	atc	ttg	gag	gat	gaa	aag	agg	1825
	Asp	Val	Asn	Gly	Gly	Asn	Arg	Lys	Thr	Ile	Leu	Glu	Asp	Glu	Lys	Arg	
15		590					595				٠	600					
	ctg	gcc	cac	ccc	ttc	tcc	ttg	gcc	gtc	ttt	gag	gac	aaa	gta	ttt	tgg	1873
20	Leu	Ala	His	Pro	Phe	Ser	Leu	Ala	Val	Phe	Glu	Asp	Lys	Val	Phe	Trp	
	605					610					615			•		620	
25	aca	gat	atc	atc	aac	gaa	gcc	att	ttc	agt	gcc	aac	cgc	ctc	aca	ggt	1921
	Thr	Asp	Ile	He	Asn	Glu	Ala	He	Phe	Ser	Ala	Asn	Arg	Leu	Thr	Gly	
					625					630					635		
30	tcc	gat	gtc	aac	ttg	ttg	gct	gaa	aac	cta	ctg	tcc	cca	gag	gat	atg	1969
	Ser	Asp	Val	Asn	Leu	Leu	Ala	Glu	Asn	Leu	Leu	Ser	Pro	Glu	Asp	Met	
35				640					645					650			
				cac													2017
	Val	Leu		His	Asn	Leu	Thr		Рго	Arg	Gly	Val		Trp	Cys	Glu	٠
40			655		•			660					665			•	
				ctg													2065
45	Arg		Thr	Leu	Ser	Asn	•	Gly	Cys	GIn	Tyr		Cys	Leu	1. LO.	Ala	
		670					675					680					0.10
50				aac													2113
		Gln	He	Asn			Ser	Pro	Lys	Phe		Cys	Ala	Cys	Pro		
	685					690					695					700	
55	ggc ·	atg	ctg	ctg	gcc	agg	gac	alg	agg	agc	tgc	ctc	aca	gag	gct	gag	2161

	Gly	Met	Leu	Leu	Ala	Arg	Asp	Met	Arg	Ser	Cys	Leu	Thr	Glu	Ala	Glu	
5					705					710					715	٠	
	gct	gca	gtg	gcc	acc	cag	gag	aca	tcc	acc	gtc	agg	cta	aag	gtc	agc	2209
	Ala	Ala	Val	Ala	Thr	Gln	Glu	Thr	Ser	Thr	Val	Arg	Leu	Lys	Val	Ser	
10				720					725			•	•	730			
	tcc	aca	gcc	gta	agg	aca	cag	cac	aca	acc	acc	cgg	cct	gtt	ccc	gac	2257
15	Ser	Thr	Ala	Val	Arg	Thr	Gln	His	Thr	Thr	Thr	Arg	Pro	Va]	Pro	Asp	
			735					740					7.45				
20	acc	tcc	cgg	ctg	cct	ggg	gcc	acc	cct	ggg	ctc	acc	acg	gtg	gag	ata	2305
· .	Thr	Ser	Arg	Leu	Pro	Gly	Ala	Thr	Pro	Gly	Leu	Thr	Thr	Val	Glu.	Île	
		750					755					760					
25	gtg	aca	alg	tct	cac	caa	gct	ctg	ggc	gac	gtt	gct	ggc	aga	gga	aat	2353
	Val	Thr	Me t	Ser	His	Gln	Ala	Leu	Gly	Asp	Val	Ala	Gly	Arg	Gly	Asn	
30	765					770					775					780	٠.
	gag	aag	aag	ccc	agt	agc	gtg	agg	gct	ctg	tcc	ait	gtc	ctc	ccc	atc	2401
	Glu	Lys	Lys	Pro	Ser	Ser	Val	Arg	Ala	Leu	Ser	Ile	Val	Leu	Pro	Ile	
35					785					790					795		
	gtg	ctc	ctc	gtc	ttc	ctt	tgc	ctg	ggg	gtc	ttc	cll	cta	t gg	aag	aac	2449
40	Val	Leu	Leu	Val	Phe	Leu	Cys	Leu		Val	Phe	Leu	Leu	Тгр	Ļys	Asn	
				800					805					810			
45			ctt														2497
43	Trp	Arg	Leu	Lys	Asn	He	Asn		He	Asn	Phe	Asp		Pro	Val	Tyr	
			815		٠			820					825				
50																ggc .	2545
	Gln	Lys	Thr	Thr	Glu	Asp	Glu	Val	His	Ile	Cys		Asn	Gln	Asp	Gly	
55		830					835					840					
	tac	agc	tac	ccc	tcg	aga	cag	atg	gtc	agt	ctg	gag	gat	gac	gtg	acá	2593

	Tyr Ser Ty	r Pro Ser A	rg Gln Met \	al Ser Leu	Glu Asp Asp	Val Ala	
5	845	8!	50	855	•	. 860	
	tgaacatctg	cctggagtcc	cgccctgcc	cagaaccctt	cctgagacct	cgccggcctt	2653
	gttttattca	aagacagaga	agaccaaagc	attgcctgcc	agagctttgţ	tttatatatt	2713
10	tattcatctg	ggaggcagaa	caggcttcgg	acagtgccca	tgcaatggct	tgggttggga	2773
	ttttggtttc	ttcctttcct	gtgaaggata	agagaaacag	gcccggggcg	accaggatga	2833
15	cacctccatt	tctctccagg	aagtitigag	tttctctcca	ccgtgacaca	atcctcaaac	2893
	atggaagatg	aaagggcagg	ggatgicagg	cccagagaag	caagtggclt	tcaacacaca	2953
20	acagcagatg	gcaccaacgg	gacccctgg	ccctgcctca	tccaccaatc	tctaagccaa	3013
	acccctaaac	tcaggagtca	acgtgtttac	ctcttctatg	caagccttgc	tagacagcca	3073
	ggttagcctt	tgccctgtca	ccccgaatc	atgacccacc	cagtgtcttt	cgaggtgggt	3133
25	tigtaccilc	cttaagccag	gaaagggatt	catggcgtcg	gaaatgatct	ggctgaatcc	3193
	gtggtggcac	cgagaccaaa	ctcattcacc	aaatgatgcc	acttcccaga	ggcagagcct	3253
30	gagtcaccgg	tcacccttaa	tatttattaa	gtgcctgaga	cacccggtta	ccttggccgt	3313
	gaggacacgt	ggcctgcacc	caggtgtggc	tgtcaggaca	ccagcctggt	gcccatcctc	3373
35	ccgaccccta	cccacttcca	ttcccgtggt	ctccttgcac	tttctcagtt	cagagtigta	3433
	cactgigiac	atttggcatt	tgtgttalta	ttttgcactg	ttttctgtcg	tgtgtgttgg	3493
	gatgggatcc	caggccaggg	aaagcccgtg	tcaatgaatg	ccggggacag	agaggggcag	3553
40	gttgaccggg	acticaaagc	cgtgatcgtg	aatatcgaga	actgccattg	tegtetttat	3613
	glccgcccac	ctagtgctic	cacticiatg	caaatgcctc	caagccattc	acttccccaa	3673
45	tcttgtcgtt	gatgggtalg	tgtttaaaac	atgcacggig	aggccgggcg	cagtggcctc	3733
	acgcclgtaa	tcccagcact .	ttgggaggcc	gaggcgggtg	gatcatgagg	tcaggagatc	3793
	gagaccatcc	tggctaacaa	ggtgaaaccc	cglctctact	aaaaatacaa	aaaallagcc	3853
50	gggcgcggtg	gtgggcacct	gtagtcccag	ctactcggga	ggctgaggca	ggagaatggt	3913
4	gtgaacccgg	gaagcggagc	ttgcagtgag	ccgagaltgc	gccactgcag	tccgcagtct	3973
55	ggcctgggcg	acagagcgag	actccgtctc	aaaaaaaca	aaacaaaaa	aaaccatgca	4033

	tggtgcatca	gcagcccatg	gcctctggcc	aggcatggcg	aggclgaggt	gggaggatgg	4093
5	titgagetea	ggcatttgag	gctgtcgtga	gctatgatta	tgccactgct	ttccagcctg	4153
	ggcaacatag	taagacccca	tctcttaaaa	aatgaaittg	gccagacaca	ggtgcctcac	4213
10	gcctgtaatc	ccagcacttt	gggaggctga	gctggatcac	ttgagttcag	gagiiggaga	4273
	ccaggcctga	gcaacaaagc	gagatoccat	ctctacaaaa	accaaaaagt	taaaaatcag	4333
	ctgggtatgg	tggcacgtgc	ctgtgatccc	agctacttgg	gaggctgagg	caggaggatc	4393
15 <sup>'</sup>	gcctgagccc	aggaggtgga	ggttgcagtg	agccatgatc	gagccactgc	actccagcct	4453
	gggcaacaca	tgaagaccct	atttcagaaa	tacaactata	aaaaaaataa	atasstcctc	4513
20	cagtctggat	cgtttgacgg	gacticaggi	tctttctgaa	atcgccgtgt	tactgttgca	4573
	ctgatgtccg	gagagacagt	gacagcctcc	glcagacicc	cgcgtgaaga	tgtcacaagg	4633
05	gattggcaat	tgtccccagg	gacaaaacac	tgtgtccccc	ccagtgcagg	gaaccgtgat	4693
<b>25</b>	aagcctttet	ggiticggag	cacgtaaatg	cgtccctgta	cagatagtgg	ggatttttg	4753
	ttatgtttgc	actitgiata	ttggttgaaa	ctgttatcac	ttatatatat	atatacacac	4813
30	atatatataa	aatctattta .	tttttgcaaa	ccctggttgc	tgtatttgit	cagtgactat	4873
	tclcggggcc	cigigiaggg	ggttattgcc	tctgaaatgc	cicitciiia	tgtacaaaga	4933
35	ttatttgcac	gaaciggaci	gtgtgcaacg	ctttttggga	gaatgatgtç	cccgttgtat	4993
-	gtatgagtgg	clicigggag	atgggtgtca	ctttttaaac	cactgtatag	aaggittitg	5053
	tagccigaat	gicitacigi	gatcaattaa	atttcttaaa	tg		5095
40	<210> 22						
	<211> 860						•
45	<212> PRT						
	<213> Homo :	sapiens			•		
	<400> 22		-				
50	Met Gly Pro	Trp Gly Tr	p Lys Leu A	rg Trp Thr	Val Ala Leu	Leu Leu	
	1	. 5		10		15	
55	Ala Ala Ala	Glv Thr Al	a Val Glv A	SD ATE CVS	Glu Arg Asn	Glii Phe	

				20					25					30		
5	Gln	Cys	Gln	Asp	Gly	Lys	Cys	He	Ser	Tyr	Lys	Trp	Val	Cys	Asp	Gly
			35		•			40					45			
	Ser	Ala	Glu	Cys	Gln	Asp	Gly	Ser	Asp	Glu	Ser	Gln	Glu	Thr	Cys	Leu
10		50		•			55				٠	60				
	Ser	Val	Thr	Cys	Lys	Ser	Gly	Asp	Phe	Ser	Cys	Gly	Gly	Arg	Val	Asn
15	65					70					75					80
	. Arg	Cys	He	Pro	Gln	Phe	îrp	Arg	Çys	Asp	Gly	Gln	Val	Asp	Cys	Asp
20					85					90					95	
	Asn	Gly	Ser	Asp	Glu	Gln	Gly	Cys	Pro	Pro	Lys	Thr	Cys	Ser	Gln	Asp
	•			100					105					110		•
25	Glu	Phe	Arg	Cys	His	`Asp	Gly		Cys	Ile	Ser	Arg		Phe	Val	Cys
			115	ā				120		•			125			_
30	ASD		Asp	AIg	ASD	Cys		ASD	Gly	Ser	ASD		Ala	Ser	Cys	Pro
	Val	130	Thr	ſve	Glv	Dro	135	Sor	Dhe	Cln	Cue	140	80.	°22	Th-	C110
35	145	LCU	1111	0,3	GIY	150	VIG	361	Inc	Gin	155	VOII	261	261	1111	160
		Рго	Gln	Leu	Trp		Cys	Asp	Asn	Asp		Asp	Cvs	Glu	Asp	
					165			•		170		•			175	
10	Ser	Asp	Glu	Trp	Pro	Gln	Arg	Cys	Arg	Gly	Leu	Tyr	Val	Phe	Gln	Glý
				180					185	•				190		
15	Asp	Ser	Ser	Ь́со	Cys	Ser	S I A	Phe	Glu	Phe	His	Cys	Leu	Ser	Gly	Glu
			195					200					205			
50	Cys	Ile	His	Ser	Ser	Trp	Arg	Cys	Asp	Gly	Gly	Pro	Asp	Cys	Lys	Asp
		210					215					220				
	Lys	Ser	Asp	Glu	Glu	Asn	Cys	Ala	Val	Ala	Thr	Cys	Arg	Pro	Asp	Glu
55	225					230					235	•				240

	Phe	Gln	Cys	Ser	Asp	Gly	Asn	Cys	Lle	His	Gly	Ser	Arg	Gln	Cys	Asp
5					245					250					255	
	Arg	Glu	Tyr	Asp	Cys	Lys	Asp	Met	Ser	Asp	Glu	Val	Gly	Cys	Yal	Asn
10				260					265					270		
	Val	Thr	Leu	Cys	Glu	Gly	Pro	Asn	Lys	Phe	Lys	Cys	His	Şer	Gly	Glu
			275					280					285			
15	Cys	He	Thr	Leu	Asp	Lys	Val	Cys	Asn	Met	Ala	Arg	Asp	Cys	Arg	Asp
,		290					295					300				
20	Trp	Ser	Asp	Glu	Pro	Ile	Lys	Glu	Cys	Gly	Thr	Asn	Glu	Cys	Leu	Asp
	305					310					315					320
	Asn	.Asn	Gly	Gly	Cys	Ser	His	Val	Cys	Asn	Asp	Leu	Lys	He	Gly	Tyr
25			-		325					330					335	
	Glu	Cys	Leu	Cys	Pro	Asp	Gly	Phe	Gln	Leu	Val	Ala	Gln	Arg	Arg	Cys
30				340	•				345					350		
	Glu	Asp	lle	Asp	Glu	Cys	Gln	Asp	Pro	Asp	Thr	Cys	Ser	Gln	Leu	Cys
35			355					360					365			
	Val	Asn	Leu	Glu	Gly	Gly	Tyr	Lys	Cys	Gln	Cys	Glu	Glu	Gly	Phe	Gln
		370					375					380				
40	Leu	Asp	Pro	His	Thr		Ala	Cys	Lys	Ala		Gly	Ser	Ile	Ala	
	385					390					395					400
45	Leu	Phe	Phe	Thr		Arg	His	Glu	Val		Lys	Met	Thr	Leu		Arg
					405					410					415	
50	Ser	Glu			Ser	Leu	He	Pro		Leu	Arg	Asn	Val		Ala	Leu
				420					425					430		
	Asp			Val	Ala	Ser	Asn	-	lle	Tyr	Trp	Ser		Leu	Ser	Gln
55			435					440					445			

	Arg	Me t	He	Cys	Ser	Thr	Gln	Leu	Asp	Arg	Ala	His	Gly	Val	Ser	Ser
5		450					455	•				460			•	
	Tyr	Asp	Thr	Val	lle	Ser	Arg	Asp	He	Gln	Ala	Pro	Asp	Gly	Leu	Ala
•	465					470					475					480
0	Val	Asp	Trp	He	His	Ser	Asn	Ile	Tyr	Trp	Thr	Asp	Ser	Val	Leu	Gly
				•	485					490					495	
5	Thr	Val	Ser	Va l	Ala	Asp	Thr	Lys	Gly	Val	Lys	Arg	Lys	Thr	Leu	Phe
				500					505		•			510		
20	Arg	Glu	Asn	Gly	Ser	Lys	Pro	Arg	Ala	Ile	Val	Val	Asp	Pro	Val	His
•			515					520					525			
	Gly	Phe	Me t	Tyr	Trp	Thr	Asp	Trp	Gly	Thr	Рго	Ala	Lys	Ile	Lys	Lys
25		530	-				535					540				
	Gly	Gly	Leu	Asn	Gly	Val	Asp	Ile	Tyr	Ser	Leu	Val	Thr	Glu	Asn-	He.
30	545					550		•			555		•			560
	Gln	Trp	Pro	Asn	Gly	lle	Thr	Leu	Asp	Leu	Leu	Ser	Gly	Arg	Leu	Tyr
					565					570				•	575	
35	Trp	Val	Asp	Ser	Lys	Leu	His	Ser	He	Ser	Ser	He	Asp	Val	Asn	Gly
				580					585					590		
40	Gly	Asn	Arg	Lys	Thr	He	Leu	Glu	Asp	Glu	Lys	Arg	Leu	Ala	His	Pro
			595					600					605			
	Phe	Ser	Leu	Ala	Val	Phe	Glu	Asp	Lys	Va l	Phe	Trp	Thr	Asp	Ile	He
		610					615					620				
	Asn	Glu	Ala	He	Phe		Ala	Asn	Arg	Leu		·Gly	Ser	Asp	Val	
50	625					630					635					640
	Leu	Leu	Ala	Glu	Asn	Leu	Leu	Ser	Рго	Glu	Asp	Met	Val	Leu	Phe	His
55					645					650					655	
	Asn	Leu	Thr	Gln	Pro	Arg	Gly	Val	Asn	Trp	Cys	Glu	Arg	Thr	Thr	Leu

				660					665					670		
5	Ser	Asn	Gly	Gly	Cys	Gln	Tyr	Ļeu	Cys	Leu	Pro	Ala.	Pro	Gln	Ile	Asn
			675					680					685	•		
	Pro	His	Ser	Pro	Lys	Phe	Thr	Cys	Ala	Cys	Pro	Asp	Gly	Me t	Leu	Leu
10		690.	:				695					700				
	Ala	Arg	Asp	Met	Arg	Ser	Cys	Leu	Thr	Glu	Ala	Glu	Ala	Ala	Val	Ala
15	705	٠				710					715					720
	Thi	Gln	Glu	Thr	Ser	Thr	Val	Arg	Leu	Lys	Val	Ser	Ser	Thr	Ala	Val
20					725					730					735	•
	Arg	Thr	Gln	His	Thr	Thr	Thr	Arg	Pro	Yal	Pro	Asp	Thr	Ser	Arg	Leu
				740					745					750		
25	Pro	Gly	Лlа	Thr	Pro	Gly	Leu	Thr	Thr	Val	G) u	Ile	Val	Thr	Mėt	Ser
			755					760					765			
30	His	Gln	Ala	Leu	Gly	Asp	Val	Ala	Gly	Arg	Gly		Glu	Lys	Lys	Pro
		770					775					780				
	Ser	Ser	Val	Arg	Ala	Leu	Ser	He	Val	Leu		lle	Val	Leu	Leu	
35	785					790					795					800
	Phe	Leu	Cys	Leu	Gly	Val	Phe	Leu	Leu		Lys	Asn	Trp	Arg		
40					805					810				_	815	
	Asn	Ile	Asn	Ser	He	Asn	Phe	Asp			Val	Туг	Gln			Thr
45				820					825			<b>.</b>		830		<b>n</b> -
	Glu	Asp	Glu	Val	His	·Ile	Cys			Gln	Asp	Gly			lyr	Pro
			835					840				- 4	845			
50	Ser	Arg	Gln	Met	Val	Ser	Leu	Glu	Asp	Asp	Val					
		850					855					860	)			
55	<21	0> 2	3													

	<211> 1660				
5	<212> DNA				
	<213> Homo sapi	ens			
10	<220>				
	<221> CDS				•
	<222> (50) (529	9)			
15	<b>&lt;400&gt; 23</b>				
	gegeteteet egeas	ggcaga aactccg	ctg agcagaactt	gccgccaga atg c	tc ctc 58
20				Met L	eu Leu
				1	•
25	ctg ttg ctg agt	atc atc gtc c	tc cac gtc gcg	gtg ctg gtg ctg	ctg 106
	Leu Leu Leu Ser	lle lle Val L	eu His Val Ala	Val Leu Val Leu	Leu
	5	10	·	15	
30	ttc gtc tcc acg	atc gtc agc c	aa igg alc gig	ggc aat gga cac	gca 154
	Phe Val Ser Thr	lle Val Ser G	Sin Trp Ile Val	Gly Asn Gly His	Ala
35	20	25	30		35
	act gat ctc tgg	cag aac tgt a	gc acc ici tcc	tca gga aat gto	cac 202
40	Thr Asp Leu Trp				
70		40	.45	50	
	cac tgt ttc tca	,			
45	His Cys Phe Ser	Ser Ser Pro A			ı Ala
	55		60	65	
50	acc aig atc cig				
	Thr Met lle Leu				1 Phe
	70		75	80	
55	itc tgc caa ctc	ttc acc ctc a	icc aag ggg ggc	agg ttt tac ato	act 346

	Phe	Cys	Gln	Leu	Phe	Thr	Leu	Thr	Lys	Gly	Gly	Arg	Phe	Tyr	He	Thr	•
5	•	85					90					95					
	gga	atc	ttc	caa	att	ctt	gct	ggt	ctg	t gc	gtg	atg	agt	gct	gcg	8CC .	394
	Gly	He	Phe	Gln	He	Leu	Ala	Gly	Leu	Cys	Va l	Met	Ser	Ala	Ala	Ala .	
10	100					105				•	110					115	
	atc	tac	acg	gtg	agg	cac	ccg	gag	tgg	cat	ctc	acc	icg	gat	tac	tcc	442
15	He	Tyr	Thr	Val	Arg	His	Pro	Glu	Trp	His	Leu	Thr	Ser	Asp	Tyr	Ser	
					120					125					130		
20	tac	ggt	ttc	gcc	tac	atc	ctg	gcc	t gg	gtg	gcc	ttc	ccc	ctg	gcc	ctt	490
	Tyr	G1 y	Phe	Ala	Tyr	Ile	Leu	Ala	Trp	Val	Ala	Phe	Pro	Leu	Ala	Leu	
				135					140					145			
25	ctc	agc	ggt	gtc	atc	tat	gtg	atc	ttg	cgg	aaa	cgc	gaa	tga	ggcg	ccc	539
	Leu	Ser	Gly	Va l	He	Tyr	Val	He	Leu	Arg	Lys	Arg	Glu				
30 .			150					155					160				
	agac	ggtc	tg t	ctga	ggc t	c ts	gagcg	taca	tag	ggaa	ggg	agga	aggg	gaa :	aaca	gaaagc	599
	agac	aaag	aa a	aaag	agct	a go	ccaa	aato	cca	aact	icaa	acca	aaco	aa i	acaga	aagca	659
35	gtgg	aggt	gg g	ggtt	gctg	t te	gattg	aaga	tgt	atat	laat	atct	ccgg	gtt	tataa	aacct	719
	attt	ataa	ca c	tttt	taca	t at	atgt	acat	agt	atte	gt t t	gctt	ttta	tg	t t gad	catca	779
10	gcct	cgtg	ii g	agcc	ttaa	a ga	agta	igc t a	agg	aact	tta	cato	c t aa	ca (	gtata	atcca	839
	gctc	agta	tt t	tigi	tttg	t tt	ttlg	titg	itt	gttt	igt	ttta	ccca	iga a	aataa	ngataa	899
	ctcci	atct	cg c	ccci	tccc	t tt	cato	tgaa	aga	agat	acc	tccc	tccc	ag	tccad	ctcat	959
45	ttag	aaaa	cc a	aagt	gtgg	g ta	gaaa	cccc	888	tgto	caa	aago	cctt	tt	clggi	gggtg	1019
	accca	agtg	ca t	ccaa	caga	a ac	agcc	gcig	ccc	gaac	cic	tgtg	tgaa	gc	ttad	gcgca	1079
50	cacġ	gaca	aa a	tgcc	сааа	C C8	gago	cctc	gaa	aaac	gcg	gctt	gtgg	ca	itggo	atact	1139
	igcc	ttac	ag g	tgga	gtat	c tt	cgtc	acac	ato	taaa	lga	gaaa	tcag	ig a	acaac	aagtc	1199
· 55	ttlga	aaat	gg t	gcta	t gga	t tt	acca	ttcc	tta	ttat	cac	taat	cato	ta a	acaa	ctcac	1259
- <del>-</del>	tggaa	aatc	ca a	ttaa	caat	t li	ataa	cata	aga	taga	atg	gaga	cctg	aa t	laatt	ctgtg	1319

	1270
	taatataaat ggtttataac igciitigia cciagciagg cigciatiat tactataatg 1379
5	agtabateat aaageetteg teacteceae agtitietta eggleggage aleacaacaa 1439
	gcgtctagac tccttgggac cgtgagttcc tagagcttgg ctgggtctag gctgttctgt 1499
	gcctccaagg actgtctggc aatgactigt attggccacc aactgtagat gtatatatgg 1559
10	tgcccttctg atgctaagac tccagacctt tigtttttgc tttgcatttt ctgatttata 1619
	ccaacigigi ggactaagat gcattaaaat aaacatcaga g 1660
15	
	⟨210⟩ 24
	⟨211⟩ 160
20	(212) PRT
•	<213> Homo sapiens
25	<400> 24_
	Met Leu Leu Leu Leu Ser Ile Ile Val Leu His Val Ala Val Leu
	1 5 10 15
30	Val Leu Leu Phe Val Ser Thr lie Val Ser Gln Trp Ile Val Gly Asn
	20 25 30
35	Gly His Ala Thr Asp Leu Trp Gln Asn Cys Ser Thr Ser Ser Gly
	35 40 45
	Asn Val His His Cys Phe Ser Ser Ser Pro Asn Glu Trp Leu Gln Ser
40	50 55 60
	Val Gin Ala Thr Met Ile Leu Ser Ile Ile Phe Ser lie Leu Ser Leu
45	65 70 · 75 80
•	Phe Leu Phe Phe Cys Gln Leu Phe Thr Leu Thr Lys Gly Gly Arg Phe
	85 90 95
50	Tyr lle Thr Gly lle Phe Gln lle Leu Ala Gly Leu Cys Val Met Ser
	· 100 105 110
55	
	Ala Ala Ala Ile Tyr Thr Val Arg His Pro Glu Trp His Leu Thr Ser

	115	120	125
5	Asp Tyr Ser Tyr Gly F	he Ala Tyr lle Leu Ala Trp V	Val Ala Phe Pro
	130	135 140	•
10	Leu Ala Ļeu Leu Ser G	ly Val lie Tyr Val Ile Leu <i>F</i>	Arg Lys Arg Glu
,	145 1	50 155	160
	<010> 05		
15	<b>&lt;210&gt; 25</b>		
	<211> 3116		
20	<212> DNA		
20	<213> Homo sapiens		
	<220>		
25	<221> CDS .		
	<222> (36) (2717)		
20	<400> 25		
30	ggagcccagc aacttctgag	gaaagtiigg caccc aig gcg ig	g cgg tgc ccc 53
		Met Ala Tr	p Arg Cys Pro
35		1	5
	agg atg ggc agg gtc co	cg ctg gcc tgg tgc ttg gcg c	tg tgc ggc tgg 101
40	Arg Met Gly Arg Val P	ro Leu Ala Trp Cys Leu Ala L	eu Cys Gly Trp
40	10	15	20
	gcg tgc atg gcc ccc a	gg ggc acg cag gci gaa gaa a	gt ccc ttc gtg 149
45	Ala Cys Met Ala Pro A	rg Gly Thr Gln Ala Glu Glu S	er Pro Phe Val
	25	30	35
50	ggc aac cca ggg aat a	to aca ggt gcc cgg gga ctc a	cg ggc acc ctt 197
	Gly Asn Pro Gly Asn I	le Thr Gly Ala Arg Gly Leu T	hr Gly Thr Leu
	40	45 50	
55	cgg tgt cag ctc cag g	tt cag gga gag ccc.ccc gag g	la cal igg cti 245

	Arg	Cys	Gln	Leu	Gln	Val	Gln	Gly	Glu	Pro	Pro	Glu	Va 1	His	Trp.	Leu	
5	55	•				60				•	65					70	
-	cgg	gat	gga	cag	atc	clg	gag	ctc	gcg	gac	agc	acc	cag	acc	cag	gtg	293
	Arg	Asp	Gly	Gln	lle	Leu	Glu	Leu	Ala	Asp	Ser	Thr	Glņ	Thr	Gln	Val	
10					75					.80				•	85		
	ccc	ctg	ggt	gag	gat	gaa	cag	gat	gac	tgg	ata	gtg	gtc	agc	cag	ctc	341
15	Pro	Leu	Gly	Glu	Asp	Glu	Gln	Asp	Asp	Trp	Ile	Val	V <sub>,</sub> a 1	Ser	Gln	Leu	
				90					95					100			
20	aga	atc	acc	tcc	ctg	cag	ctt	tcc	gac	acg	gga	cag	tac	cag	tgt	ttg	389
	Arg	De	Thr	Ser	Leu	Gln	Leu	Ser	Asp	Thr	Gly	Gln	Tyr	Gln	Cys	Leu	
			105					110				•	115				
25	gtg	ttt	ctg	gga	cat	cag	acc	ttc	gtg	tcc	cag	cct	ggc	tat	gtt	ggg	437
	Val	Phe	Leu	Gly	His	Gln	Thr	Phe	Val	Ser	Gln	Pro	Gly	Tyr	Val	Gly	
30		120					125					130					
	ctg	gag	ggc	ttg	cct	tac	ttc	ctg	gag	gag	CCC	gaa	gac	agg	act	gtg	485
35	Leu	Glu	Gly	Leu	Pro	Tyr	Phe	Leu	Glu	Glu	Pro	Glu	Asp	Arg	Thr	Val	
	135					140					145					150	
	gcc																533 .
40	Ala	Ala	Asn	Thr	Pro	Phe	Asn	Leu	Ser	Cys	Gln	Ala	Gln	Gly	Pro	Pro	
					155					160					165		
45							•									acg	58,1
	Glu	Pro	Val	Asp	Leu	Leu	Trp	Leu	Gln	Asp	Ala	Val	Pro	Leu	Ala	Thr	
50·				170					175					180	٠		
	gct	cca	ggt	cac	ggc	ccc	cag	cgc	agc	ctg	cat	gtt	cca	ggg	ctg	aac	629
	Ala	Pro	Gly	His	Gly	Pro	Gln	Arg	Ser	Leu	His	Val	Pro	Gly	Leu	Asn	
55			185					190			•		195				

	aa	g ac	a tco	: tct	itc	tcc	tgc	gaa	gcc	cat	aac	gcc	aag	ggg	gtc	acc	677
5	Ly	s Th	r Sei	Ser	Phe	Ser	Cys	Glu	Ala	His	Asn	Ala	Lys	Gly	Val	Thr	
J		201	0				205				•	210					•
	aca	a tc	c cgc	aca	gcc	acc	atc	aca	gtg	ctc	ccc	cag	cag	ccc	cgt	aac	725
10	Thi	r Se	r Arg	Thr	Ala	Thr	Ile	Thr	Val	Leu	Pro	Gln	Gln	Pro	Arg	Asn	•
	215	5				220					225					230	
15	cto	cac	ctg	gtc	tcc	cgc	caa	ссс	acg	gag	ctg	gag	gţg	gc t	tgg	act	773
	Leu	His	Leu	Val	Ser	Arg	Gln	Pro	Thr	Glu	Leu	Glu	٧a i	Ala	Trp	Thr	
20					235					240					245		
	cca	ggc	ctg	agc	ggc	atc	tac	ccc	ctg	acc	cac	t gc	acc	ctg	cag	gct	821
	Pro	Gly	Leu	Ser	Gly	He	Tyr	Pro	Leu	Thr	His	Cys	Thr	Leu	Gln	Ala	
25			~	250					255					260			
				gac													869
30	Val	Leu		Asp	Asp	Gly	Met		He	Gln	Ala			Pro	Asp	Pro	
			265					270			-4-		275			- 4 4	01.7
<i>3</i> 5				ccc Pro													917
	110	280	010	110	Dea	1111	285	ОП	Ala	361	101	290	110	1112	9111	ren	
·	CEE		· ggc	agc	ctc	cat		cac	ccc	cct	tat		alc	cgc	gig	gca	965
40				Ser													
	295					300	•	•		•	305					310	
45	tgc	acc	agc	agc	cag	ggc	ccc	tca	tcc	tgg	acc	cac	t gg	ctt	cct	gtg	1013
	Cys	Thr	Ser	Ser	Gln	Gly	Pro	Ser	Ser	Trp	Thr	His	Trp	Leu	Pro	Val	
50					315					320					325		
	gag	acg	ccg	gag	gga	gtg	ccc	ctg	ggc	ccc.	cct	gag	аас	att	agt	gct	1061
	Glu	Thr	Pro	Glu	Gly	Val	Pro	Leu	Gly	Pro	Pro	Glu	Asn	lle	Ser	Ala	
55				330			•		335				•	340	_		
															-	-	

	acg cgg aat ggg agc cag gcc ttc gtg cat tgg caa gag ccc cgg gcg 1109
5	Thr Arg Asn Gly Ser Gln Ala Phe Val His Trp Gln Glu Pro Arg Ala
·	345 350 355
	ccc ctg cag ggt acc ctg tta ggg tac cgg ctg gcg tat caa ggc cag 1157
10	Pro Leu Gln Gly Thr Leu Leu Gly Tyr Arg Leu Ala Tyr Gln Gly Gln
	360 365 370
15	gac acc cca gag gtg cta atg gac ata ggg cta agg caa gag gtg acc 1205
	Asp Thr Pro Glu Val Leu Met Asp Ile Gly Leu Arg Gln Glu Val Thr
20	375 380 385 390
	ctg gag ctg cag ggg gac ggg tc1 gtg tcc aat ctg aca gtg tgt gtg 1253
25	Leu Glu Leu Gln Gly Asp Gly Ser Val Ser Asn Leu Thr Val Cys Val
20	395 400 405
	gca gcc tac act gct gcg gat gga ccc tgg agc ctc cca gta ccc 1301
30	Ala Ala Tyr Thr Ala Ala Gly Asp Gly Pro Trp Ser Leu Pro Val Pro 410 415 420
	ctg gag gcc tgg cgc cca ggg gaa gca cag cca gtc cac cag ctg gtg 1349
<b>35</b>	Leu Glu Ala Trp Arg Pro Gly Glu Ala Gln Pro Val His Gln Leu Val
	425 430 435
40	aag gaa cot toa act cot goo tto tog tgg coo tgg tgg tat gta ctg 1397
	Lys Glu Pro Ser Thr Pro Ala Phe Ser Trp Pro Trp Trp Tyr Val Leu
45	440 445 450
	cta gga gca gtc gtg gcc gct gcc tgt gtc ctc atc ttg gct ctc ttc 1445
	Leu Gly Ala Val Val Ala Ala Cys Val Leu Ile Leu Ala Leu Phe
50	455 460 465 470
	ctt gtc cac cgg cga aag aag gag acc cgt tat gga gaa gtg ttt gaa 1493
55	Leu Val His Arg Arg Lys Lys Glu Thr Arg Tyr Gly Glu Val Phe Glu

					475					480	•			•	485		
5	cca	aca	gtg	gaa	aga	ggt	gaa	ctg	gta	gtc	agg	tac	cgc	gtg	cgc	aag	1541
	Pro	·Thr	Val	Glu	Arg	Gly	Glu	Leu	Val	Val	Arg	Tyr	Arg	Val	Arg	Lys	
				490					495					500	•	•	
10	tcc	tac	agt	cgt	cgg	acc	act	gaa	gc.t	acc	ttg	áac	agc	ctg	ggc	atc	1589
	Ser	Tyr	Ser	Arg	Arg	Thr	Thr	Glu	Ala	Thr	Leu	Asn	Ser	Leu	Gly	lle	
15			505					510			•		515			٠	
	agt	gaa	gag	ctg	aag	gag	aag	ctg	cgg	gat	gtg	atg	gtg	gac	cgg	cac	1637
20	Ser	Glu	Glu	Leu	Lys	Glu	Lys	Leu	Arg	Asp	Val	Met	Val	Asp	Arg	His	
20		520					525					530					
	aag	gtg	gcc	ctg	ggg	aag	ac t	ctg	gga	gag	gga	gag	ttt	gga	gct	gtg	1685
25	lys	Val	Дlа	Leu	Gly	Lys	Thr	Leu	Gly	Glu	Gly	Glu	Phe	Gly	Ala	Val	
	535			٠		540					545					550	
30	atg	gaa	ggc	cag	ctc	aac	cag	gac	gac	tcc	atc	ctc	aag	gtg	gct	gtg	1733
	Met	Glu	Gly	Gln	Leu	Asn	Gln	Asp	Asp	Ser	He	Leu	Lys	Val	Aļa	Val	
					555		•			560					565		
35	aag	acġ	atg	aag	att	gcc	atc	tgc	acg	agg	tca	gag	ctg	gag	gat	ttc	1781
	Lys	Thr	Me t	Lys	Ile	Ala	He	Cys	Thr	Arg	Ser	Glu	Leu	Glu	Asp	Phe	
40	•			570					575					580	•		•
	ctg	agt	gaa	gcg	gtc	t gc	atg	aag	gaa	ttt	gac	cat	ccc	aac	gtc	alg	1829
45	Leų	Ser	Glu	Ala	Val	Cys	Met	Lys	Glu	Phe	Asp	His	Pro	Asn	Val	Met	
			585				.•	590					595				
	agg	ctc	atc	ggt	gtc	tgt	tlc	cag	ggt	tct	gaa	cga	gag	agc	ttc	cca	1877
50	Arg	Leu	lle	Gly	Val	Cys	Phe	GIn	Gly	Ser	Glu	Arg	Glu	Ser	Phe	Pro	
		600				•	605					610					
55	gca	cct	gtg	gtc	atc	tta	cct	ttc	atg	aaa	cat	gga	gac	cta	cac	agc	1925
	Ala	Pro	Va l	Val	He	Leu	Pro	Phe	Met	Lys	His	Gly	Asp	Leu	His.	Ser	

	615	•				620					625					630	
5	ttc	ctc	ctc	tat	tcc	cgg	ctc	ggg	ggc	cag	cca	gtg	tac	ctg	cċc	act	1973
	Phe	Leu	Leu	Tyr	Ser	Arg	Leu	Gly	Gly	Gln	Pro	Val	Tyr	Leu	Pro	Thr	
		·			635					640					645		
10	cag	atg	cta	gtg	aag	ttc	atg	gca	gac	atc	gcc	agt	ggc	atg	gag	tat	2021
	Gln	Met	Leu	Val	Lys	Phe	Met	Ala	Asp	Ile	Ala	Ser	Gly	Met	Glu	Туг	
15				650					655					660			
	ctg	agt	acc	aag	aga	ttc	ata	cac	cgg	gac	ctg	gcg	gcc	agg	aac	tgc	2069
20	Leu	Ser	Thr	Lys	Arg	Phe	Ile	His	Arg	Asp	Leu	Ala	Ala	Arg	Asn	Cys	
			665					670					675				
25		ctg	••														2117
23	Met	Leu	Asn	Glu	Asn	Met		Val	Cys	Va l	Ala		Phe	Gly	Leu	Ser	
		680					685					690					0105
30		aag								•							2165
		Lys	He	Туг	Asn		ASP	Туг	lyr	Arg		GIY	Arg	116	AIA		٠.
35	695		-10		taa	700	<b>700</b>	211	a a a	a or t	705	act	σac	cat	atc	710	2213
		cca Pro							•								2010
40	met	110	V & 1	r) 2	715	110	AIG	110	0,0	720	500	7.7.4	11.54		725	•,•	٠
	acc	agc	228	agc		ete	igg	tcc	ttc		gtg	aca	atg			att	2261
		Ser												•			
45			_, _	730	•		•		735					740			
	gcc	aca	aga		caa	acc	cca	tat	CCE	ggc	gtg	gag	aac	agc	gag	att	2309
50													,			He	
			745					750					755				
55	tat	gac		ctg	cgc	cag	gga	aat	cgc	clg	aag	cag	cct	gcg	gac	tgt	2357

	Tyr	Asp	Туг	Leu	Arg	Gln	Gly	Asn	Alg	Leu	Lys	Gln	Pro	Ala	Asp	Cys	
5		760					765					770			٠		
	ctg	gat	gga	ctg	tat	gcc	itg	alg	.tcg	cgg	tgc	tgg	gag	cta	aat	ccc	2405
	Leu	Asp	Gly	Leu	Tyr	Ala	Leu	Met	Ser	Arg	Cys	Trp	Glu	Leu	Asn	Pro	
10	775					780					785				•	.790	
	cag	gac	cgg	cca	agt	ttt	aca	gag	ctg	cgg	gaa	gaţ	tig	gag	aac	aca	2453
15	Gln	Asp	Arg	Pro	Ser	Phe	Thr	Glu	Leu	Arg	Glu	Asp	Leu	Glu	Asn	Thr	
					795					800					805		
20	ctg	aag	gcc	ttg	cct	cct	gcc	cag	gag	cct	gac	gaa	atc	ctc	tat	gtc	2501
	Leu	Lys	ΑÌа	Leu	Pro	Рго	Ala	Gln	G1 u	Pro	Asp	Glu	He	Leu	Tyr	Va 1	
				810					815					820			
25	aac	atg.	gat	gag	ggt	gga	ggt	tat	cct	gaa	ccc	cct	gga	gct	gca	gga	2549
	Asn	Met	Asp	Glu	Gly	Gly	Gly	Tyr	Pro	Głu	Pro	Pro	Gly	Ala	Ala	Gly	
30			825					830					835				
		gc t															2597
	Gly	Ala.	Asp	Pro	Pro	Thr		Рго	Asp	Рго	Lys		Ser	Cys	Ser	Cys	
35		840					845					850					
	ctc														-		2645
40		Thr	Ala	Ala	GIu-		His	Pro	Ala	Gly		Tyr	Val	Leu	Cys		
	855					860			_		865					870	
45		aca										·					2693
	261	Thr	inr			PFO	Ala	GIN	rro		ASP	Arg	GIY	Ser	•	Ala	
					875	4				880		4	4 -	4.	885		
50									igag	acaa	icc c	cca	ccig	gla	CICC	ctct	2747
	Ala	110			GIU	ASP	GIA	AIA							•		
55				890													000-
	cagg	atcc	aa g	claa	gcac	t go	cact	gggg	gaa	acto	cac	CIIC	ccac	ii i	ccca	cccca	2807

	egectiatee ecactigeag eccigiette etacetatee cacetecate ecagacaggi	2867
5	ccctggcctt ctctgtgcag tagcatcacc ttgaaagcag tagcatcacc atctgtaaaa	2927
	ggaaggggtt ggattgcaat atctgaagcc ctcccaggig ttaacattcc aagactctag	2987
	agiccaaggi tiaaagagic tagaiicaaa ggiiclaggi ticaaagaig cigigagici	3047
10	tiggiictaa ggaccigaaa ticcaaagic ictaaticta tiaaagigci aaggiictaa	3107
	ggcctaaaa	3116
15	<210> 26	
	<211> 894	
20	<212> PRT	
	<213> Homo sapiens	
25	<400> 26.	
	Met Ala Trp Arg Cys Pro Arg Met Gly Arg Val Pro Leu Ala Trp Cys	
	1 5 . 10 15	
30	Leu Ala Leu Cys Gly Trp Ala Cys Met Ala Pro Arg Gly Thr Gln Ala	
	20 25 30	
35	Glu Glu Ser Pro Phe Val Gly Asn Pro Gly Asn Ile Thr Gly Ala Arg	
	35 40 45	
40	Gly Leu Thr Gly Thr Leu Arg Cys Gln Leu Gln Val Gln Gly Glu Pro	
·	50 55 60	
40	Pro Glu Val His Trp Leu Arg Asp Gly Gln Ile Leu Glu Leu Ala Asp	
45	65 70 75 80	
	Ser Thr Gln Thr Gln Val Pro Leu Gly Glu Asp Glu Gln Asp Asp Trp  85 90 95	
50	85 90 95  Ile Val Val Ser Gln Leu Arg lle Thr Ser Leu Gln Leu Ser Asp Thr	
	The sat sat par our par wie the lut par par all Par 261 W2D IIII	
	100 105 110	

			115					120					125			
5	Gln	Pro	Gly	Tyr	Val	Gly	Leu	Glu	Gly	Leu	Pro	Tyr	Phe	Leu	Glu	Glu
		130	•				135					140				
	Pro	Glu	Asp	Arg	Thr	Val	Ala	Ala	As'n	Thr	Pro	Phe	Asn	Leu	Ser	Cys
10 :	145					150					155					160
	Gln	Ala	Gln	Gly	Pro	Pro	Glu	Pro	Val	Asp	Leu	Leu	Trp	Leu-	.G1n	Asp
15			•		165					170					175	
	Ala	Val	Pro	Leu	Ala	Thr	Ala	Pro	Gly	His	Gly	Pro	Gln	Arg	Ser	Leu
20 ′				180					185		•			190		
	His	Val	Pro	Gly	Leu	Asn	Lys	Thr	Ser	Ser	Phe	.Ser	Cys,	Glu	Ala	His
			195					200					205			
25	Asn	Ala	Lys	Gly	Val	Thr	Thr	Ser	Arg	Thr	Ala	Thr	Ile	Thr	Val	Leu
		210					215					220				
30	Pro	Gln	Gln	Pro	Arg	Asn	Leu	His	Leu	Val	Ser	Arg	Gln	Pro	Thr	Glu
	225					230					235					240.
35	Leu	Glu	Val	Ala		Thr	Pro	Gly	Leu	•	Gly	He	Tyr	Pro		Thr
•		_			245				_	250					255	
40	His	Cys	Thr		GIn	Ala	Yal	Leu		Asp	Asp	Gly	Met		lie	Gln
40	4.3	<b>0</b> 1	01	260	<b>4</b>	D	D	C1	265	D		Th	C	270	41.	¢
	Ala	Gly		PTO	ASP	110	riu	280	UIU	PTO	ren	1111	285	GIN	Ala	261
45	Val	Pro	275 P=0	Vic	Cin	l an	۸÷σ		Clv	<b>5</b> 07	I au	ui i c		Vic	Dro	Dro
	141	290	LIU	n i S	GIII	LCU	295	ren	GIY		LCU	300	110		110	110
50	Tur	His	ماآ	Ara	Val	د ۱ ۵		The	Sar	Sar	Cln		Pro	907	Ser.	Trn
		1112	116		401	310	013	1111		261	315	diy	110	361	361	320
<i>EE</i>	305	u; a	T	I o	Dra		C) u	<b>የ</b> ኮ-	D=~	Ç1		Val	Dro	I au	Clv	
55	1111	His	11D	ren	LIU	Yd I	OIU	1111	110	טוט	GIA	7 4 1	110	rca	GIA	110

					325					330					335	
5	Pro	Glu	Asn	lle	Ser	Ala	Thr	Arg	Asn	Gly	Ser	Gln	Ala	Phe	Val	His
				340					345					350	•	
	Trp	Gln	Glu	Pro	Arg	Ala	Pro	Leu	Gln	Gly	Thr	Leu	Leu	Gly	Туг	Arg
10			355					360					365			
	Leu	Ala	Tyr	Gln	Gly	Gin	Asp	Thr	Pro	Glu	Val	Leu	Me t	Asp	He	Gly
15		370					375			-		380				
	Leu	Arg	Gln	Glu	Val	Thr	Leu	Glu	Leu	Gln	Gly	Asp	Gly	Ser	Val	Ser
20	385					390					395					400
•	Asn	Leu	Thr	Ya l	Cys	Val	Ala	Ala	Tyr	Thr	Ala	Ala	Gly	Asp	Gly	Pro
					405					410					415	
25	Trp	Ser	Leu	Pro	Val	Pro	Leu	Glu	Ala	Trp	Arg	Pro	Gly	Glu	Ala	Gln
				420					425					430		
30	Pro	Val	His	Gln	Leu	Val.	Lys	Glu	Pro	Ser	Thr	Pro	Ala	Phe	Ser	Trp
·			435	•				440					445			
	Pro	Trp	Trp	Туг	Val	Leu	Leu	Gly	Ala	.Va l	Val	Ala	Ala	Ala	Cys	Val
35		450					455					460				
	Leu	Ile	Leu	Ala	Leu	Phe	Leu	Val	His	Arg		Lys	Lys	Glu	Thr	Arg
40	465					470					475					480
•	Tyr	Gly	Glu			Glu	Pro	Thr	Val		Arg	Gly	Glu	Leu		Val
45					485		•	<b>.</b>	0	490		<b>T</b> L.	<b></b>	01	495	•
	Arg	Tyr	Arg		Arg	Lys	Ser	lyr		Arg	Arg	ihr	lpr		Ala	Thr
			_	500	٥,	* * .	C	C1	505	•	1	01		510		•
50	Leu	ASN	Ser	Leu	GIY	116	261		GIU	ren	Lys	GIU		Leu	Arg	ASP
			515					520		_		•	525			
55	Val		Val	Asp	Arg	HIS			Ala	Leu	ыу		inr	ren	Gly	Glu
		530					535	•				540				<b>.</b> .

	Gly	Glu	Phe	Gly	Ala	Val	Me t	Glu	Gly	Gln	Leu	Asn	Gln	Asp	Asp	Ser
5	545					550					555					560
	lle	Leu	Lys	Val	Ala	Val	Lys	Thr	Met	Lys	He	Ala	Ile	Cys	Thr	Arg
					565					570				•	575	
10	Ser	Glu	Leu	Glu	Asp	Phe	Leu	Ser	Glu	Ala	Val	Cys	Met	Lys	Glu	Phe
				580					585					590		
15	Asp	His	Pro	Asn	Val	Met	Arg	Leu	lle	Gly	Val	Cys	Phe <sub>.</sub>	Gln	Gly	Ser
			595					600					605			
<b>20</b> .	Glu	Arg	Glu	Ser	Phe	Pro	Ala	Pro	Val	Val	Ile	Leu	Pro	Phe	Met	Lys
		610					615					620				
25	His	Gly	Asp	Leu	His	Ser	Phe	Leu	Leu	Tyr	Ser	Arg	Leu	Gly	Gly	Gln
	625	•	-			630					635					640
	Pro	Val	Tyr	Leu	Pro	Thr	Gln	Me t	Leu	Val	Lys	Phe	Met	Ala	Asp	lle
30		٠			645			•		650			•		655	•
	Ala	Ser	Gly	Me t	Glu	Tyr	Leu	Ser	Thr	Lys	Arg	Phe	Ile	His	Arg	Asp .
<i>3</i> 5				660					665					670		
	Leu	Ala	Ala	Arg	Asn	Cys	Met	Leu	Asn	Glu	Asn	Met	Ser	Val	Cys	Val
40			675					680					685			
40	Ala	Asp	Phe	CLV	Leu	500			11.	T	Acn	Glv	Acn	Tur	Tvr	Arg
			1 110	uiy	Dea	261	Lys	Lys	116	1 7 1	หราเ	01,	пор	.,.	•	
		690	1110	u,	Dea	261	695	Lys	116	1 1 1	หราเ	700	лор	.,.	•	
45	Gln	690					695			Lys		700				Ser
45	G1 n 705	690					695					700 11e				Ser 720
<b>45</b>	705	690 Gly	Arg	lle	Ala	Lys 710	695 Me t	Pro	Val		Trp 715	700 11e	Ala	lle	Glu	720
	705	690 Gly	Arg	lle	Ala	Lys 710	695 Me t	Pro	Val	Lys	Trp 715	700 11e	Ala	lle	Glu	720
	705 Leu	690 Gly Ala	Arg Asp	lle Arg	Ala Val 725	Lys 710 Tyr	695 Met Thr	Pro Ser	Val Lys	Lys Ser	Trp 715 Asp	700 lle Val	Ala	lle Ser	Glu Phe 735	720 Gly

	Yal	Glu	Asn	Ser	Glu	Ile	Tyr	Asp	Tyr	Leu	Arg	Gln	Gly	Asn	Arg	Leu
5			755					760					765			
	Lys	Gln	Pro	Ala	Asp	Cys	Leu	Asp	Gly	Leu	Tyr	Ala	Leu	Met	Ser	Arg
40		770					775					780				
10	Cys	Trp	Glu	Leu	Asn	Pro	Gln	Asp	Arg	Pro	Ser	Phe	Thr	Glu	Leu	Arg
	785	•				790	•				795					800
15	Glu	Asp	Leu	Glu	Asn	Thr	Leu	Lys	Ala	Leu	Pro	Pro	Ala	Gln	Glu	Pro
					805					810					815	
20	Asp	Glu	Ile	Leu	Tyr	Val	Asn	Met	Asp	Glu	Gly	Gly	Gly	Tyr	Pro	Glu
				820					825					830		
	Pro	Pro	Gly	Ala	Ala	Gly	Gly	Ala	Asp	Pro	Pro	Thr	Gln	Pro	Asp	Pro
25			-835					840					845			
	Lys	Asp	Ser	Cys	Ser	Cys	Leu	Thr	Ala	Ala	Glu	Val	His	Pro	Ala	Gly
30		850					855				•	860				
	Arg	Туг	Val	Leu	Cys	Pro	Ser	Thr	Thr	Pro		Pro	Ala	Gln	Pro	
35	865					870					875					880
	Asp	Arg	Gly	Ser		Ala	Ala	Pro	Gly		Glu	Asp	Gly	Ala	•	
		•			885					890	,					
40	<210	)> 27	7			•										
	<211	> 37	781													
45	<212	!> D!	NA.													
	<213	3> H	omo s	sapi	ens											
	<220	)>														
	<221	) CI	20													
	<222	?> (4	1)	(299	4)											
55	<400	)> 2	7													

	gcc	atg	gag	aac	gcg	cac	acc	aag	acg	gtg	gag	gag	gtg	ctg	ggc	cac	48
		Me t	G} u	Asņ	Ala	His	Thr	Lys	Thr	Val	Glu	Glu	Val	Leu	Gly	His	
5		1				5					10					15	
	ttc	ggc	gtc	aac	gag	agt	acg	ggg	ctg	agc	ctg	gaa	cag	gtc	aag	aag	96
10	Phe	Gly	Va l	Asn	Glu	Ser	Thr	Gly	Leu	Ser	Leu	Glu	Gln	Val	Lys	Lys	
					20					25					30		
. 15	ctt	aag	gag	aga	lgg	ggc	tcc	aac	gag	tta	ccg	gct	gaa	gaa	gga	aaa	144
	Leu	Lys	Glu	Arg	Trp	Gly	Ser	Asn	Glu	Leu	Pro	Ala	Glu	Glu	Gly	Lys	
				35					40					45			
20	acc	ttg	ctg	gaa	ctt	gtg	att	gag	cag	ttt	gaa	gac	ttg	cta	gtt	agg	192
	Thr	Leu	Leu	Glu	Leu	Val	He	Glu	Gln	Phe	Glu	Asp	Leu	Leu	Val	Arg	
25			<b>~</b> 50					55					60				
•	att	tta	lta	ctg	gca	gca	tgt	ata	tct	ttt	gţţ	ttg	gc t	tgg	ttt	gaa	240
30	Ile		Leu	Leu	Ala	Ala		ile	Ser	Phe	Val		Ala	Trp	Phe	Glu	
		65					70		•			75					
				gaa													288
35		Gly	Glu	Glu	Thr		Thr	Ala	Phe	Val		Рго	Phe	Val	lle		
	80	-4-	11-			85		-44	-1-		90					95	
40				gta													336
	ren	116	ren	Val	100	NSI	Ald	116	, raı	105	Yaj	111	uin	שנט	110	VZII	
45	ar t	<b>0</b> 22	aat	gcc		<b>022</b>	øኮr	ctt	226		tat	<b>6</b> 36	cct	633		por	384
	Ala																001
		014	nan	115		O.u	лга	DCU	120	0.0	.,.	0.0		125	1401	0.,	
50	222	øtø	fat	cga	CSE	gac	aga	ลลช		ete	cag.	CEE	att		gct	aaa	432
	Lys																
55	273	141	130	6		,	**** 0	135			V 1 11		140	~, u		-,0	
			100					100					1 10				

	ga	c ata	a gt	t cc	t gg	t gat	att	gta	gaa	att	gct	gtt	ggt	gac	aaa	gtt	480
5	Ası	p Ile	e Vai	l. Pro	Gly	/ Asp	Ile	. Val	Glu	Ile	Ala	Val	Gly	Asp	Lys	·Val	
		148	5				150					155					
40	ccl	t gc i	gal	ata	ı agg	tta	act	tcc	atc	aaa	tct	acc	aca	cta	aga	gtt.	528
10	Pro	Ala	Asp	lle	Ага	Leu	Thr	Ser	Ile	Lys	Ser	Thr	Thr	Leu	Arg	Val	
	160	)				165					170					175	
	gac	cag	tca	att	ctc	aca	ggt	gaa	tct	gtc	tct	gtc	atc	aag	cac	act	576
	Asp	Gln	Ser	lle	Leu	Thr	Gly	Glu	Ser	Val	Ser	Val	He	Lys	His	Thr	
20				•	180					185			•		190		
	gat	ccc	gtc	cct	gac	cca	cga	gc t	gtc	aac	caa	gat	aaa	aag	aaç	atg	624
25	Asp	Pro	Val	Pro	Asp	Pro	Arg	Ala	Val	Asn	Gln	Asp	Lys	Lys	Asn	Met	
				195					200					205			
	ctg	ttt	tct	ggt	aca	aac	att	gc t	gct	ggg	aaa	gct	atg	gga	gtg	gtg	672
30	Leu	Phe		Gly	Thr	Asn	He		Ala	Gly	Lys	Ala	Met	Gly	Val	Val	
			210					215					220				
<b>35</b> .				gga													720
	Val		Thr	Gly	Val	Asn		Glu	He	Gly	Lys		Arg	Asp	Glu	Met	
40	-1-	225					230			- 4.4		235					
40				gaa													768
		AIA	inr	Glu	GIN		Arg	inr	PTO	Leu		GIN	LYS	Leu	Asp		
45	240	000	·	cag	011	245		ato.	010	100	250		1.50	~1.4		255	010
				Gln			•				•						816
50	1116	GIY		Gin	260	361	Lys	141	116	265	ren	116	CA2.	116		Va1	
	taa	212	212			~~~		110	i			~4.4			270		004
				aat											•		864
55	irp	116	116	Asn	116	UIY	uis	rne	ASN	ASP	110	Yal	HIS	uly	Gly	Se r	

				275					280					285			
5	tgg	atc	aga	ggt	gct	att	tac	tac	ttt	888	att	gca	gtg	gcc	ctg	gct	912
	Trp	Ile	Arg	Gly	Ala	Ile	Tyr	Tyr	Phe	Lys	He	Ala	Va l	Ala	Leu	Ala	
			290					295					300				
10	gta	gca	gcc	att	cct	gaa	ggt	ctg	cc t	gca	gtc	atc	acc	acc	tgc	ctg	960
	Val	Ala	.Ala	He	Pro	Glu	Gly	Leu	Pro	Ala	Yal	Ile	Thr	Thr	Cys	Leu	
15		305					310	•				315					
	gct	ctt	gga	ac t	cgc	aga	atg	gca	aag	aaa	aa t	gcc	att	gtt	cga	agc	1008
20	Ala	Leu	Gly	Thr	Arg	Arg	Met	Ala	Lys	Lys	Asn	Ala	He	Yal	Arg	Ser	
	320					325					330					335	
	ctc	ccg	tct	gtg	gaa	acc	ctt	ggt	tgt	ac t	tct	gtt	atc	t gc	tca	gac	1056
25	Leu	Pro	_Se r	Val	Glu	Thr	Leu	Gly	Cys	Thr	Ser	Val	Ile	Cys	Ser	Asp	
					340					345		:			350		
30			ggt														1104
	Lys	Thr	Gly		Leu	Thr	Thr	Asn		Met	Ser	Val	Cys		Met	Phe	
35	- 1 1	_ 1 _		355			4	·	360	1 1	4	- 4 4	4	365			1150
<b></b>			gac					•									1152
	116	Leu	Asp 370	W1 R	Vai	o i u	GIA	375	1111	Lys	261	Leu	380	GIU	rne	1111	
40	ata	art	gga	tca	act	tat	gca		att	222	gaa	ete		ลลล	gat	gat	1200
			Gly												,		7500
45		385	•				390		•	•		395					
	aaa		gtg	aat	tgt	cac	cag	tat	gat	ggt	ctg	•	gaa	tta	gca	aca	1248
50	Lys	Pro	Val	Asn	Cys	His	Gln	Tyr	Asp	Gly	Leu	Yal	Glu	Leu	Ala	Thr	
	400					405					410					415	
	att	tgt	gct	cti	tgt	aat	gac	lct	gct	tlg	gat	tac	aat	gag	gca	aag	1296
55	lle	Cys	Ala	Leu	Cys	Asn	Asp	Ser	Ala	Leu	Asp	Tyr	Asn	Glu	Ala	Lys	
														•			

					420				•	425	•				430		
5	ggt	gtg	tat	gaa	aaa	gtt	gga	gaa	gc t	aca	gag	act	gc t	ctc	ac t	tgc	1344
	Gly	Val	Tyr	Glu	Lys	Val	Gly	Glu	Ala	Thr	Glu	Thr	Ala	Leu	Thr	Cys	
				435					440					445			
10	cta	gta	gag	aag	atg	aat	gta	ttt	gat	acc	gaa	ttg	aag	ggt	ctt	tct	1392
	Leu	Val	Glu	Lys	Met	Asn	Val	Phe	Asp	Thr	Glu	Leu	Lys	Gly	Leu	Ser	
15			450		•			455					460	•			
	aaa	ata	gaa	cgt	gca	aat	gcc	tgc	aac	tca	gtc	att	aaa	cag	ctg	atg	1440
20	Lys	Ile	Glu	Arg	Ala	Asn	Ala	Cys	Asn	Ser	Val	lle	Lys	Gln	Leu	Met	
	•	465					470					475			*		
05	aaa	aag	gaa -	tic	act	cta	gag	ttt	tca	cgt	gac	aga	aag	tca	atg	tcg	1488
25	Lys	Lys	Glu	Phe	Thr	Leu	Glu	Phe	Ser	Arg	Asp	Arg	Lys	Ser	Met	Ser	
	480					485					490					495	
30	gtt	tac	tgt	aca	cca	aat	aaa	cca	agc	agg	aca	tca	atg	agc	aag	atg	1536
	Val	Tyr	Cys	Thr		Asn	Lys	Pro	Ser		Thr	Ser	Met	Ser		Met	
35					500					505					510		
				ggt													1584
	Phe	Val	Lys	Gly	Ala	Pro	Glu	GIY		116	ASP	Arg	Lys		HIS	116	•
40				515	4			+	520		tat	<i>a</i> .c.o.	ato	525		20.5	1699
	cga			agt													1632
45	Arg	vai		Ser	inr	Lys	481	535	MET	1111	261	оту	540	r y 2	GIII	LYS	
		- 4 -	530	- 1 -			ana		aat	a a t	nac	200		202	ota	000	1690
50				gtc													1680
	116		261	Val	116	Arg		111	GIY	261	GIY		vah	1111	ren	MIR	
		545					550				- · -	555	0.00	<b>~</b> ~~		a t =	1700
55	lgc	ctg	gcc	cig	gcc	act	cai	gac	aac	cca	CIE	aga	aga	gaa	gaa	aig	1728

	Cys	Lei	ı Ala	Leu	Ala	Thr	His	Asp	Asn	Pro	Leu	Arg	Arg	Glu	Glu	Met		
5	560			•		565	i				570					575		
	cac	ctt	gag	gac	tct	ġcc	aac	ttt	att	aaa	tat	gag	acc	aat	ctg	acc	1776	
40	His	Leu	Glu	Asp	Ser	Ala	Asn	Phe	lle	Lys	Tyr	Glu	Thr	Asn	Leu	Thr		
10					580	•				585	•			-	590			
	ttc	gtt	ggc	tgc	gtg	ggc	atg	ctg	gat	cct	ccg	aga	atc	gag	gig	gcc	1824	
15	Phe	Val	Gly	Cys	Val	Gly	Me t	Leu	Asp	Pro	Pro	Årg	lle	Glu	Val	Ala	•	
				595					600					605				
20	tcc	tcc	gtg	aag	ctg	tgc	cgg	caa	gca	ggc	atc	cgg	gtc	atc	atg	atc	1872	
	Ser	Ser	Val	Lys	Leu	Cys	Arg	Gln	Ala	Gly	lle	Arg	Val	Ile	Met	Ile		
			610					615					620					
25	act	ggg	gac	aac	aag	ggc	act	gct	gtg	gcc	atc	tgt	cgc	cgc	atc	ggc	1920	
	Thr		Asp	Asn	Lys	Gly	Thr	Ala	Va]	Ala	He	Cys	Arg	Arg	lle	Gly		
30		625					630					635		•				
				cag													1968	
9E		Phe	Gly	Gln	Asp		Asp	Val	Thr	Ser		Ala	Phe	Thr	Gly			
35	640			١	- 4 -	645		4			650					655		
	gag																2016	
40	Glu	rne	ASP	GIU		ASII	rro	Ser	Ala		Arg	ASP	Ala	Cys		ASN		
	<b>800</b>	cao	f a t		660	0.00	alt	<b>~</b> • • •		665			101		670	-1-	0004	
45	gcc															_	2064	
	nja	VI P		675	V10	лів		010	680	361	1113	Lys		685	116	Yai		
	gaa	111			tci	111	ga t	<b>020</b>		202	ac t	ato		•	as t	aac	2112	
50	Glu																6116	
			690	V14	J-1		,,op	695		·ii	a		700	013	voh	a11		
55	ata			gr I	cc t	gr t	cia		222	acc	<b>62</b> 6			211	ge t	ate .	2160	
	gtg	aat	<b>δαι</b>	50 L	UUL	övl	ULB	aab	aaa	<b>6</b> 66	Pag	all	RRC	αιι	RCI	a 1 B	2160	

	٧al	Asn	Ası	Ala	Pro	Ala	Leu	Lys	Lys	Ala	Glu	Ile	Gly	He	Ala	Met	
5		705					710					715					
	ggc	tct	ggc	act	gcg	gtg	gct	aaa	acc	gcc	tct	gag	atg	gtc	ctg	gcg	2208
40	Gly	Ser	Gly	Thr	Ala	Val	Ala	Lys	Thr	Ala	Ser	Glu	Met	Val	Leu	Ala	•
10	720					725					730					735	•
	gat	gac	aac	tlc	tcc	acc	att	gtg	gc t	gcc	gtt	gag	gag	ggg	cgg	gca	2256
15	Asp	Asp	Asn	Phe	Ser	Thr	lle	Val	Ala	Ala	Val	Glu	Glu	Gly	Arg	Ala	•
					740					745					750		
20	atc	tac	aac	aac	alg	aaa	cag	ttc	atc	cgc	tac	ctc	atc	tcg	tcc	aac	2304
	Île	Tyr	Asn	Asn	Met	Lys	Gln	Phe	lle	Arg	Tyr	Leu	He	Ser	Ser	Asn	
25				755					760					765			
25	gtc	ggg	gaa	gtt	gtc	tgt	att	ttc	ctg	aca	gca	gcc	ctt	gga	ttt	ccc	2352
	Val	Gly	Glu	Val	Val	Cys	Ile	Phe	Leu	Thr	Ala	Ala	Leu	Gly	Phe	Pro	
30			770	•				775					780				
	gag	gc t	ttg	att	cct	gtt	cag	ctg	ctc	tgg	gtc	aat	ctg	gtg	aca	gat	2400
35	Glu	Ala	Leu	He	Pro	Val	Gln	Leu	Leu	Trp	Val	Asn	Leu	Val	Thr	Asp	
		785					790					795					
	ggc	ctg	cct	acċ	ac t	gca	ctg	ggg	ttc	aac	cct	cct	gat	ctg	gac	atc	2448 ·
40	Gly	Leu	Pro	Ala	Thr	Ala	Leu	Gly	Phe	Asn	Рго	Рго	Asp	Leu	Asp	lle	
	800	•				805					810					815	
45	atg	aat	aaa	cct	ccc	cgg	aac	cca	aag	gaa	cca	ttg	atc	agc	ggg	t gg	2496
	Met	Asn	Lys	Pro	Pro	Arg	Asn	Pro	Lys	Glu	Pro	Leu	He	Ser	Gly	Trp	
·50					820					825					830		
	ctc	ttt	ttc	cgt	tac	ttg	gct	att	ggC	tgt	t ac	gic	ggc	gct	gct	acc	2544
	Leu	Phe	Phe	Arg	Tyr	Leu	Ala	Ile	Gly	Cys	Tyr	Val	Gly	Ala	Ala	Thr	
55				835				•	840					845			

	gig ggt gct gc	t gca tgg tgg ttc att	gct gct gac ggt ggt	cca aga 2592
5	Val Gly Ala Ala	a Ala Trp Trp Phe Ile	Ala Ala Asp Gly Gly	Pro Arg
	850	855	860	
10	gtg tcc ttc tac	c cag ctg agt cat tto	cta cag tgt aaa gag	gac aac 2640
	Val Ser Phe Typ	r Gln Leu Ser His Phe	Leu Gln Cys Lys Glu	Asp Asn
	865	· 870	875	
15	ccg gac ttt gaa	a ggc gtg gat tgt gca	atc tti gaa tcc cca	tac ccg 2688
	Pro Asp Phe Glu	u Gly Val Asp Cys Ala	lle Phe Glu Ser Pro	Tyr Pro
20	880	885	890	895
	atg aca atg gcg	g ctc tct git cta gia	act ata gaa atg tgt :	aac gcc 2736
0.5	Met Thr Met Ala	a Leu Ser Val Leu Val	Thr Ile Glu Met Cys	Asn Ala
25	-	900	905	910
	ctc aac agc ttg	g too gaa aac cag too	tig cig agg atg ccc o	ccc tgg 2784
30			Leu Leu Arg Met Pro I	Pro Trp
	915			
<i>35</i>			tgc ctg tcc atg tca c	
			Cys Leu Ser Met Ser I	Leu His
	930	935	940	
40		•	cca ctc atc ttc cag a	
	945	950	955	ite ini
45			gig cig aaa aic icc i	tg ccc 2928
			Val Leu Lys Ile Ser I	_
	960	965	970	975.
50		gat gag acg cic aag	tti gig gcc cgc aac i	·
			Phe Val Ala Arg Asn 1	•
55		980		990
				• •

gaa cct gca ata ctg gag taaccgcttc ctaaaccatt ttgcagaaat 3024 Glu Pro Ala Ile Leu Glu

995

5

10

15

20

25

30

35

40

45

50

55

gtaagggtgt teggitgegt geatgtgegt tittageaac acatetacea accetgtgea 3084
tgaetgatgt tggggaaaaa gaaaagtaaa aaactteeea acteactitg tgitaigtgg 3144
aggaaatgtg tattaceaat ggggttgtta getittaaat caaaatactg attacagatg 3204
tacaattiag citaateaga aageeteee aggaaagtit ggttietitg etgeaagag 3264
aatgaggete igtaacetta tetaagaact tggaageegt cageeaagte gecacatte 3324
tetgeaaaat gleatagett atataaatgt acagtattea attglaatge atgetteggt 3384
tgtaagtage cagateeete teeagtgaca ttggaacatg etactitta attggeeetg 3444
tacagtitge ttattataa atteattaaa aacactacag gtgttgaatg gttaaaatgt 3504
aggeeteeag tleattitea gttattitet gagtglgeag acagetatt egeactgtat 3564
taaatgtaac ttatttaatg aaateagaag eagtagacag atgitggtge aatacaaata 3624
ttgtgatgea titatettaa taaaatgeta aatgteaatt tateactgeg catgittgac 3684
tttagaetgt aaatagagat eagtitgtit ettietgte tggtaacaat gagegtegea 3744
cagacatggt tteaggtaaa taaatetatt etatgat

<210> 28

<211> 997

<212> PRT

<213> Homo sapiens

**<400> 28** 

Met Glu Asn Ala His Thr Lys Thr Val Glu Glu Val Leu Gly His Phe

1 5 10 15

Gly Val Asn Glu Ser Thr Gly Leu Ser Leu Glu Gln Val Lys Lys Leu

20 25 30

Lys Glu Arg Trp Gly Ser Asn Glu Leu Pro Ala Glu Glu Gly Lys Thr

			35	,				40					45			
5	Leu	Leu	Glu	Leu	Val	Ile	Glu	"G] n	Phe	Glu	Asp	Leu	Leu	Val	Arg	lle
		50					55					60				
10	Leu	Leu	Leu	Ala	Ala	Cys	He	Ser	Phe	Val	Leu	Ala	Trp	Phe	Glu	Glu
	65			•		70					75					. 80
	Gly	Glu	Glu	Thr	Ile	Thr	Ala	Phe	Val	Glu	Pro	Phe	Val	Ile	Leu	Leu
15					85					90					95	
	He	Leu	Val	Ala	Asn	Ala	He	Val	Gly	Val	Trp	Gln	Glu	Arg	Asn	Ala
20				100					105					110		
	Glu	Asn	Ala	Ile	Glu	Ala	Leu	Lys	Glu	Tyr	Glu	Pro	Glu	Me t	Gly	Lys
25			115					120					125			
	Val	Tyr	Arg	Gln	Asp	Arg		Şer	Val	Gln	Arg		Lys	Ala	Lys	Asp
		130	_				135					140				
30		Va}	Pro	Gly	Asp		Val	G1 u	He	Ala		Gly	Asp ·	Lys	Val	
	145	<b>A</b>	71.	4	7	150	•	.,		•	155	•				160
35	Ala	Asp	116	Arg		Ihr	Ser	He	Lys		Thr	Thr	Leu	Arg		Asp
	Cln	Car.	Ιla	Lau	165	Clu	Cl.	° - 2	Vo l	170	Val	110	Luc	u i o	175	1
40	. UIN	Ser	116	180	1111	GIY	GIU	261	185	261	Val	116	LYS	190	1111	KSP
	Pro	Val	Pro		Pro	Arg	Ala	Val		Gln	Asp	Lvs	l.vs		Met	l.en
45			195			0		200		• • • • • • • • • • • • • • • • • • • •	,	-,0	205		1.00	
•5	Phe	Ser		Thr	Asn	Ile	Ala		Gly	Lys	Ala	Met		Val	Val	Val
		210					215					220				
50	Ala	Thr	Gly	Val	Asn	Thr	Glu	He	Gly	Lys	Ile	Arg	Asp	Glu	Met	Val
	225					230					235	•				240
55	Ala	Thr	Glu	Gln	Glu	Arg	Thr	Pro	Leu	Gln	Gln	Lys	Leu	Asp	Glu	Phe

					245					250			•		255	
5	Gly	/ Glu	Gln	Leu	Ser	Lys	Val	He	Ser	Leu	lle	Cys	Ile	Ala	Ya I	Trp
				260					265					270		
	He	lle	Asn	·Ile	Gly	His	Phe	Asn	Asp	Pro	Val	His	Gly	Gly	Ser	Trp
10			275					280	•				285		•	
	He	Arg	Gly	Ala	Ile	Tyr	Туг	Phe	Lys	Ile	Ala	Yal	Ala	Leu	Ala	· Val
15		290					295					300				
	Ala	Ala	Ile	Pro	Glu	Gly	Leu	Pro	Ala	Val	Ile	Thr	Thr	Cys	Leu	Ala
20	305					310					315					320
	Leu	Gly	Thr	Arg	Arg	Met	Ala	Lys	Lys	Asn	Ala	Ile	Val	Arg	Şer	Leu
					325					330					335	
25	Pro	Ser	∛al	Glu	Thr	Ļeu	Gly	Cys	Thr	Ser	Va l	Ile	Cys	Ser	Asp	Lys
				340					345					350		
30	Thr	Gly	Thr	Leu	Thr	Thr	Asn	Gln	Met	Ser	Val	Cys	Arg	Met	Phe	lle
			355					360					365			
25	Leu	Asp	Arg	Val	Głu	Gly	Asp	Thr	Cys	Ser	Leu	Asn	Glu	Phe	Thr	Ile
35		370					375					380				
		Gly	Ser	Thr	Tyr			lle	Gly	Glu		His	Lys	Asp	Asp	Lys
40	385					390					395					400
	Pro	Val	Asn			Gln	Tyr	Asp			Val	Glu	Lev	Ala		He
45	•		-		405					410	_				415	
	Cys	Ala			Asn	ASP	Ser	Ala		Asp	Tyr	Asn	Glu		Lys	Gly
		_		420					425					430		•
50	Val	Tyr		Lys	Val	Gly	Glu		Thr	GIU	Thr	Ala		Thr	Cys	Leu
			435					440			_		445			
55		Glu	Lys	Met	Asn	Val		Asp	Thr	Ģlu			Gly	Leu	Ser	Lys
		450					455				٠	460				

	11e	GIU	Arg	Ala	Asn	Ala	Cys	Asn	261	val	He	Lys	Gln	Leu	Met	Lys
5	465	i				470					475					480
	Lys	Glu	Phe	Thr	Leu	Glu	Phe	Ser	Árg	Asp	Arg	Lys	Ser	Met	Ser	Val
10					485					490	٠				495	
	Tyr	Cys	Thr	Pro	Asn	Lys	Pro	Ser	Arg	Thr	Ser	Met	Ser	Lys	Met	Phe
				500					505					510		
15	Val	Lys	Gly	Ala	Pro	Glu	Gly	Val	lle	Asp	Arg	Cys	Thr	His	Ile	Arg
			515					520					525			
20	Val	Gly	Ser	Thr	Lys	Val	Pro	Met	Thr	Ser	Gly	Va l	Lys	Gln	Lys	Ile
		530					535					540				
<b>25</b>	Met	Ser	Val ~	Ile	Arg	Glu	Trp	Gly	Ser	Gľy	Ser	Asp	Thr	Leu	Arg	Cys
	545					550					555					560
	Leu	Ala	Leu	Ala	Thr	His	Asp	Asn	Pro	Leu	Arg	Arg	Glu	Glu	Met	His
30					565	•				570					575	
	Leu	Glu	Asp	Ser	Ala	Asn	Phe	Ile	Lys	Tyr	Glu	Thr	Asn	Leu	Thr	Phe
35		•		580					585					590		
•	Val	Gly	Cys	Vai	Gly	Met	Leu	Asp	Pro	Pro	Arg	Ile	Glu	Val	Ala	Ser
			595			•		600	•				605			
40	Ser	Val	Lys	Leu	Cys	Arg	Gln	Ala	Gly	Ile	Årg	Val	lle	Met	He	Thr
		610					615					620				
45	Gly	Asp	Asn	Lys	Gly	Thr	Ala	Val	Ala	lle	Cys	Arg	Arg	lle	Gly	He
	625			•		630				•	635					640
50	Phe	Gly	Gln	Asp	Glu	Asp	Va l	Thr	Ser	Ĺys	Ala	Phe	Thr	Gly	Arg	Glu
					645					650					655	
	Phe	Asp	Glu	Leu	Asn	Рго	Ser	Ala	Gln	Arg	Asp	Ala	Cys	Leu	Asn	Ala
55				660					665					670		

	Arg	Cys	Phe	Ala	Arg	Val	Glu	Pro	Ser	His	Lys	Ser	Lys	He	Yal	Glu
5			675					680					685			
	Phe	Leu	Gln	Ser	Phe	Asp	Glu	He	Thr	Ala	Met	Thr	Gly	Asp	Gly	Val
		690		٠			695					700				
10	Asn	Asp	Ala	Pro	Ala	Leu	Lys	Lys	Ala	Glu	He	Gly	İÌe	Ala	Met	Gly
	705			•	•	710					715					720
15	Ser	Gly	Thr	Ala	Val	Ala	Lys	Thr	Ala	Ser	Glu	Met	Ÿal	Leu	Ala	Asp
	•				725					730		•			735	
	Asp	Asn	Phe	Ser	Thr	He	Va]	Ala	Ala	Val	Glu	Glu	Gly	Arg	Ala	lle
20				740					745					750		
	Tyr	Asn	Asn	Me t	Lyś	Gln	Phe	lle	Arg	Tyr	Leu	Ile	Ser	Ser	Asn	Val
25			755					760					765			•
	Gly	G} u	Va]	Val	Cys	He	Phe	Leu	Thr	Ala	Ala	Leu	Gly	Phe	Pro	Glu
30		770					775					780				
	Ala	Leu	lle	Pro	Val	Gln	Leu	Leu	Trp	Val	Asn	Leu	Val	Thr	Asp	Gly
	785					790					795					800
35	Leu	Pro	Ala	Thr	Ala	Leu	Gly	Phe	Asn	Pro	Pro	Asp	Leu	Asp.	He	Met
		-		٠	805					810					815	
40	Asn	Lys	Pro	Pro	Arg	Asn	Pro	Lys	Glu	Pro	Leu	He	Ser	Gly	Trp	Leu
				820					825					830		
	Phe	Phe		Туг	Leu	Ala	Ile	-	Cys	Tyr	Val	Gly		Ala	Thr	Val
45			835					840					845			
	Gly	Ala	Ala	Ala	Trp	Trp		He	Ala	Ala	Asp		Gly	Pro	Arg	Val
50		850					855					860				
	Ser	Phe	Tyr	Gln	Leu	Ser	His	Phe	Leu	Gln		Lys	Glu	Asp	Asn	Pro
55	865		•			870					875					880
	Asp	Phe	Glu	Gly	Val	Asp	Cys	Ala	He	Phe	Glu	Ser	Pro	Tyr	Pro	Met

	885 890 895	
5	Thr Met Ala Leu Ser Val Leu Val Thr Ile Glu Met Cys Asn Ala Leu	
	900 905 910	
10	Asn Ser Leu Ser Glu Asn Gln Ser Leu Leu Arg Met Pro Pro Trp Glu	
10	915 920 925	
	Asn Ile Trp Leu Val Gly Ser Ile Cys Leu Ser Met Ser Leu His Phe	
15	930 935 940	
	Leu Ile Leu Tyr Val Glu Pro Leu Pro Leu Ile Phe Gln Ile Thr Pro	
20	945 950 955 960	
	Leu Asn Val Thr Gln Trp Leu Met Val Leu Lys Ile Ser Leu Pro Val	
25	965 970 975	
23	lle Leu Met Asp Glu Thr Leu Lys Phe Val Ala Arg Asn Tyr Leu Glu	
	980 985 990	
30	Pro Ala Ile Leu Glu	
	995	
35	<210> 29	
	<211> 1103	
40	<212> DNA	
	<213> Homo sapiens	
	<220>	
45	<221> CDS	
	<222> (133) (834)	
50	<400> 29	
	citeggicet getglagige citetgegee aggeceggit caalcagegg ceacaacigt 60	)
<b>55</b> .	ctagggetea gacaceacea gecaatgagg gagggeaegt ggageegegt etgggetege 15	30
	ggotoctgac ca atg ggg aag igg cat gtg gga ggg cgc cgg ggt icc_ccc 17	1

# Met Gly Lys Trp His Val Gly Gly Arg Arg Gly Ser Pro

5					1	•			5 .				1	10			
	cgc	caa	t gg	gga	gct	acg	gcg	cgc <sub>.</sub>	ggc	cgg	gac	ttg	gag	gcg	gtg	cgg	219
10	Arg	Gln	Trp	Gly	Ala	Thr	Ala	Arg	Gly	Arg	Asp	Leu	Glu	Ala	Val	Arg	
		15					20					25					
	cgc	ggc	ggg	tgc	ggt	tca	glc	ggt	cgg	cgg	cgg	cag	cgg	agg	agg	agg	267
15	Arg	Gly	Gly	Cys	Gly	Ser	Val	Gly	Arg	Arg	Arg	Gln	Arg	Arg	Arg	Arg	
	30	•				35	•				40					45	
20	agg	agg	agg	agg	atg	agg	agg	atg	agg	agg	atg	tgg	gcc	acg	cag	ggg	315
	Arg	Arg	Arg	Arg	Met	Arg	Arg	Met	Arg	Arg	Met	Trp	Ala	Thr	Gln	Gly	
25			~		50		·			55					60		
	cţg	gcg	gtg	cgc	gtg	gct	ctg	agc	gtg	ctg	ccg	ggc	agc	cgg	gcg	ctg	363
	Leu	Ala	Val	Arg	Val	Ala	Leu	Ser	Va I	Leu	Pro	Gly	Ser	Arg	Ala	Leu	
30				65					70					75			
	cgg	ccg	ggc	gac	tgc	gaa	gtt	tgt	att	tct	tat	ctg	gga	aga	ttt	tac	411
35	Arg	Pro		Asp	Cys	Glu	Val		lle	Ser	T.yr	Leu	Gly	Arg	Phe	Tyr	
			80					. <b>85</b>		•			90				
40		gac															459-
40	Gln	Asp	Leu	Lys	Asp	Arg		Val	Thr	Phe	Ser		Ala	Thr	lle	Glu	
	•	95					100					105					
45		gaa															507
	•	Glu	Leu	lle	Lys		Cys	Arg	Glu	Ala		Gly	Lys	Glu	Asn		
50	110					115					120					125	
		tgc.		•							•						555
	Leu	Cys	Tyr	Туг		Gly	Ala	Thr	λsp		Ala	Ala	Thr	Lys		lle	
55		•			130					135					140		

	aat gag gta toa aag oot otg goo cac cac atc oot gtg gag aag atc 60%	3
5	Asn Glu Val Ser Lys Pro Leu Ala His His Ile Pro Val Glu Lys Ile	
	145 150 155	
	tgt gag aag cit aag aag aag gac agc cag ata tgt gag cit aag tat 65	ĺ
10	Cys Glu Lys Leu Lys Lys Asp Ser Gln Ile Cys Glu Leu Lys Tyr	
	160 165 170	
15	gac aag cag atc gac cig agc aca gig gac cig aag aag cic cga gii 699	ı
	Asp Lys Gln Ile Asp Leu Ser Thr Val Asp Leu Lys Lys Leu Arg Val	
20	175 180 185	
	aaa gag cig aag aat cig gai gac igg ggg gag aca igc aaa ggc 747	
	Lys Glu Leu Lys Lys Ile Leu Asp Asp Trp Gly Glu Thr Cys Lys Gly	
25	190 195 200 205	
•	tgt gca gaa aag tot gao tac atc cgg aag ata aat gaa cig atg cot 795	
30	Cys Ala Glu Lys Ser Asp Tyr lle Arg Lys lle Asn Glu Leu Met Pro	
	210 215 220	
35	asa tat gcc ccc aag gca gcc agt gca ccg acc gat ttg tagtctgctc . 844	
	Lys Tyr Ala Pro Lys Ala Ala Ser Ala Pro Thr Asp Leu	
	225 230	
40	aatototgit goacotgagg gggaaaaaac agticaacig ottaciocca aaacagooti 904	
	titglaatit alittitaag tgggctcctg acaatacigi atcagatgig aagcciggag 964	
45	ctttcctgat gatgctggcc ctacagtacc cccatgaggg gattcccttc cttctgttgc 102	
	tggtgtactc taggactica aagigtgict gggattitti tattaaagaa aaaaaattic 108	4
	tagctgtcaa aaaaaaaaa 110	3
50	⟨210⟩ 30	
	⟨211⟩ 234	
55	<212> PRT	

	<213>	Homo sar	iens				•		
5	<400>	30				. •			
	Met Gl	y Lys Tr	p His Va	al Gly	Gly Arg	Arg.Gly	Ser Pro	Arg Gli	Trp
	1		5 .			10		15	5
10	Gly Al	a Thr Al	a Arg G	ly Arg.	Asp Leu	Glu Ala	Val Arg	Arg Gly	Gly
		2	0		25			30	
15	Cys Gly	y Ser Va	l Gly Ar	g Arg	Arg Gln	Arg Arg	Arg Arg	Arg Arg	Arg
		35			40		45		
20	Arg Met	t Arg Ar	g Met Ar	g Arg i	Met Trp	Ala Thr	Gln Gly	Leu Ala	Val
	50	)		·55			60		
	Arg Val	Ala Le	u Ser Va	l Leu I	Pro Gly	Ser Arg	Ala Leu	Arg Pro	Gly
25	65	-	7	0		75			80
	Asp Cys	Glu Va	Cys Il	e Ser 1	Tyr Leu	Gly Arg	Phe Tyr	Gin Asp	Leu
30			85			90		95	
	Lys Asp	Arg Ası	Val Th	r Phe S	Ser Pro	Ala Thr	Ile Glu	Asn Glu	Leu
		100	).		· 105			110	
35	lle Lys		Arg Gl		•	Lys Glu	Asn Arg	Leu Cys	Tyr
		115			120		125		
40		Gly Ala	Thr As		Ala Ala	Thr Lys	Ile Ile	Asn Glu	Val
	130			135			140		
		Pro Leu			lle Pro	•	Lys Ile	Cys Glu	
45	145		15			155	•		160
,	Leu Lys	Lys Lys		r Gln I	lle Cys	•	Lys Tyr		Gln
50			165			170		175	
	lle Asp	Leu Ser	Thr Va	l Asp L	eu lys	Lys Leu	Arg Val	Lys Glu	Leu
		180			185			190	
55	Lys Lys	lle Leu	Asp As	p Trp G	Sly Glu	Thr Cys	Lys Gly	Cys Ala	Glu

200 195 205 Lys Ser Asp Tyr lle Arg Lys lle Asn Glu Leu Met Pro Lys Tyr Ala 210 215 220 Pro Lys Ala Ala Ser Ala Pro Thr Asp Leu . 10 230 225 <210> 31 15 (211) 1860 <212> DNA <213> Homo sapiens <220> <221> CBS 25 <222> (94).. (1266) <400> 31 cgtgaacggt cgttgcagag attgcgggcg gctgagacgc cgcctgcctg gcacctagga 60 gcgcagcgga gccccgacac cgccgccgcc gcc atg gag tcc gag acc gaa ccc 114 Met Glu Ser Glu Thr Glu Pro 35 1 gag ccc gic acg cic ctg gtg aag agc ccc aac cag cgc cac cgc gac 40 Glu Pro Val Thr Leu Leu Val Lys Ser Pro Asn Gln Arg His Arg Asp 10 15 20 45 its gag cig agt ggc gac cgc ggc igg agt gig ggc cac cic aag gcc 210 Leu Glu Leu Ser Gly Asp Arg Gly Trp Ser Val Gly His Leu Lys Ala 25 30 35 50 cac cig age ege gie lac ece gag egi eeg egi eca gag gae eag agg 258 His Leu Ser Arg Val Tyr Pro Glu Arg Pro Arg Pro Glu Asp Gln Arg 55 40 45 50 55

_	tta	att	tat	tct	ggg	aag	ctg	ttg	ttg	gat	cac	caa	tġt	ctc	agg	gac	306
5	Leu	lle	Tyr	Ser	Gly	Lys	Leu	Leu	Leu	Asp	His	Gln	Cys	Leu	Arg	Asp	
					60					65					70		
0	ttg	ctt	CCB	aag	cag	gaa	aaa	cgg	cat	gtt	ttg	cat	ctg	gtg	t gc	aat	354
	Leu	Leu	Pro	Lys	Gln	Glu	Lys	Arg	His	Val	Leu	His	Leu	Va I	Cys	Asn	
15				75					80					85			
3	gtg	aag	agt	cct	tca	aaa	atg	сса	gaa	atc	aac	gcc	aag	gtg	gct	gaa	402
	Val	Lys	Ser	Pro	Ser	Lys	Met	Pro	Glu	Ile	Asn	Ala	Lys	Va 1	Ala	Glu	•
20			90					95					100				
	tcc	aca	gag	gag	cct	gct	ggt	tct	aat	cgg	gga	cag	tat	cc t	gag	gat	450
25	Ser	Thr	Glu	Glu	Pro	Ala	Gly	Ser	Asn	Arg	G}y	Gln	Tyr	Pro	Glu	Asp	
		105	-				110					115					
	tcc	tca	agt	gat	ggt	tta	agg	caa	agg	gaa	gtt	ctt	cgg	aac	ctt	tct	498
	Ser	Ser	Ser	Asp	Gly	Leu	Arg	Gin	Arg	Glu	Val	Leu	Arg	Asn	Leu	Ser	
	120					125					130				•	135	
35	tcc	cc t	gga	tgg	gaa	aac	atc	tca	agg	cct	gaa	gct	gcc	cag	cag	gca	546
	Ser	Pro	Gly	Trp	Glu	Asn	lle	Ser	Arg	Pro	Glu	Ala	Ala	Gln	Gln	Ala	
					140					145					150		
	ttc	caa	ggc	clg	ggt	cct	ggt	ttc	tcc	ggt	tac	aca	ccc	tat	ggg	tgg	594
	Phe	Gln	Gly	Leu	Gly	Pro	Gly	Phe	Ser	Gly	Tyr	Thr	Pro	Tyr	Gly	Trp	
15				155		•			160					165			
	ctt	cag	ctt	tcc	tgg	ttc	cag	cag	ata	tat	gca	cga	cag	tac	tac	atg	642
	Leu	Gln	Leu	Ser	Trp	Phe	Gln	Gln	Ile	Tyr	Ala	Arg	Gln	Tyr	Tyr	Met	
50			170					175					1.80				
	caa	tat	tta	gca	gcc	act	gc t	gca	tca	ggg	gc t	ttt	gtt	cca	cca	cca	690
55	Gln	Tyr	Leu	Ala	Ala	Thr	Ala	Ala	Ser	Gly	Ala	Phe	Val	Pro	Pro	Pro	

		185	)				190	}				195	i				
5	agt	t gca	caa	a gag	g ata	cct	gte	gto	: tct	gca	cct	gct	cca	gco	cct	att	738
	Sei	r Ala	Gln	Glu	ı Ile	Pro	Val	Va I	Ser	Ala	·Pro	Ala	Pro	Ala	Рго	Ile	
	200					205	i				210					215	
10	cac	: aac	cag	ttt	cca	gct	gaa	aac	cag	cct	gcc	aat	cag	aat	gct	gct	786
	His	Asn	Gln	Phe	Pro	Ala	Glu	Asn	Gln	Pro	Ala	Asn	Gln	Asp	Ala	Ala	
15					220				<b>4</b> .	225					230		
	cct	caa	gtg	gtt	gtt	aat	cct	gga	gcc	aat	caa	aat	ttg	cgg	atg	aat	834
20	Pro	Gln	Va 1	٧al	Yal	Asn	Pro	Gly	Ala	Asn	Gln	Asn	Leu	Arg	Met	Asn	
20				235					240					245			
	gca	caa	ggt	ggc	ccţ	a t t	gtg	gaa	gaa	gat	gat	gaa	ata	aat	cga	gat	882
25	Ala	Gln	Gly	Gly	Pro	Ile	Val	Glu	Glu	Asp	Asp	Glu	Ile	Asn	Arg	Asp	
			250					255					260				
30	t gg	ttg	gat	tgg	acc	tat	tca	gca	gct	aca	ttt	tct	gti	ttt	ctc	agt	930
	Trp	Leu	Asp	Trp	Thr	Tyr	Ser	Ala	Aŀa	Thr	Phe	Ser	Val	Phe	Leu	Ser	
		265					270					275		٠			
35	atc	clc	tac	ttc	tac	tcc	tcc	clg	agc	aga	ttc	ctc	atg	gtc	atg	ggg	978
	Ile	Leu	Tyr	Phe	Tyr	Ser	Ser	Leu	Ser	Arg	Phe	Leu	Met	Va]	Met	Gly	
40	280					285					290					295	•
	gcc	acc	gtt	gtt	atg	tac	ctg	cat	cac	gli	ggg	tgg	ttt	cca	ttt	aga	1026
	Ala	Thr	Val	Va 1	Me t	Туг	Leu	His	His	Val	Gly	Trp	Phe	Pro	Phe	Arg	
45					300					305					310		
	ccg	agg	ccg	gtt	cag	aac	llc	cca	aat	gat	ggt	cct	cct	cct	gac	gtt	1074
50	Pro	Arg	Pro	Val	Gin	Asn	Phe	Pro	Asn	Asp	Gly	Pro	Рго	Pro	Asp	Val	
				315	,				320				•	325			
<i></i>	gta	aat	cag	gac	ccc	aac	aat	aac	tta	cag	gaa	ggc	act	gat	cct	gaa	1122
55	Ya]	Asn	Gln	Asp	Pro	Asn	Asn	Asn	Leu	Gln	Glu	Gly	Thr	Asp	Pro	Glu	

		330		335	340		
5	act gaa	gac ccc aa	cac ctc	cct cca gac	agg gat gta	cta gat ggc	1170
	Thr Glu	Asp Pro Asi	ı His Lev	Pro Pro Asp	Arg Asp Val	Leu Asp Gly	
10	345		. 350		355		
	gag cag	acc agc ccc	tcc ttt	atg agc aca	gca tgg ctt	gtc ttc aag	1218
	Glu Gln	Thr Ser Pro	Ser Phe	Met Ser Thr	Ala Trp Leu	Val Phe Lys	•
15	360		365	•	370	375	
	act ttc	ttt gcc tct	ctt_ctt	cca gaa ggc	ccc cca gcc	atc gca aac	1266
20	Thr Phe	Phe Ala Ser	Leu Leu	Pro Glu Gly	Pro Pro Ala	lle Ala Asn	
	•	380		385		390	
25	tgatggtg	tt igigcigi	ag cigii	ggagg cittga	cagg aatggact	gg atcacctgac	1326
	tccagcta	ga iigccici	cc tggaca	atggc aatgat	gagt iittaaaa	aa cagtgtggat	1386
	gatgatat	gc ttttgtga	gc aagcaa	aagc agaaac	gtga agccgtga	ta caaattggtg	1446
30	aacaaaaa	at gcccaagg	ct teteat	igigt ttattc	tgaa gagottia	at atatactcta	1506
	tgtagttt	aa taagcact	gt acgtas	aagg ccttag	gigt igcatgic	ta tgcttgagga	1566
35	acttttcc	aa atgtgtgt	gt ctgcat	gigt gitigt	acat agaagtca	ta gatgcagaag	1626
·	tggttctg	ct ggtaagat	tt gattco	tgit ggaatg	ttta aattacac	ta agtgtactac	1686
	tttatataa	at caatgaaa	tt gctaga	catg tittage	cagg actitici	ag gaaagactta	1746
40	tgtataati	ig cittitaa	aa tgcagt	gett tactit	aaac taagggga	ac ttigcggagg	1806
	tgaaaacct	t tgctgggt	tt tctgtt	caat aaagtt	tiac tatgaatg	ac cctg	1860
45	<21 <b>0</b> > 32	•		•			•
	<211> 391	l					
50	<212> PRT	•					
	<213> Hom	no sapiens		٠			
	<b>&lt;400&gt; 32</b>						
55	Met Glu S	er Glu Thr	Glu Pro	Glu Pro Val	Thr Leu Leu V	lal Lvs Ser	

1				5			•		10			•		15	
Pro	Asn	Gln	Arg	His	Arg	Asp	Leu	Glu	-Leu	Ser	Gly	Asp	Arg	Gly	Trp
			20					25					30		
Ser	Val	Gly	His	Leu	Lys	Ąla	His	Leu	Ser	Arg	Val	Tyr	Pro	Glu	Arg
		35					40					45			
Pro <sub>.</sub>	Arg	Pro	Glu	Asp	Gln	Arg	Leu	Ile	Tyr	Ser	Gly	Lys	Leu	Leu	Leu
٠	50	•				55					<b>6</b> 0				
Asp	His	Gln	Cys	Leu	Arg	Asp	Leu	Leu	Pro	Lys	Gin	Glu	Lys	Arg	His
65					70					75					80
Val	Leu	His	Leu	Val	Cys	Asn	Va l	Lys	Ser	Pro	Ser	Lys	Met	Pro	Glu
				85					90					95	
. Ile	Asn	Ala		Val	Ala	Glu	Ser		Glu	Glu	Pro	Ala	Gly	Ser	Asn -
				_			_		_				110		
Arg	G1 ý		Туг	Pro	Glu	Asp		Ser	Ser	Asp	Gly		Arg	Gln	Arg
Class.	Val		1-0	Acn	Lou	Ca-		D-0	Cl.	T	C1		11-	C	
		Leu	W1 R	ASII	ren		261	710	илу	Пр		ASII	116	ser.	Arg
		Ala	Ala	Gln	Gln		Phe	Gln	Clv	Len		Pro	Glv	Pho	Sar
						,,,,		<b></b>	·.,		0.,		01,	1 110	160
	Гуг	Thr	Pro	Туг		Trp	Leu	Gln	Leu		Тгр	Phe	Gin	Gln	
				165					170						
Tyr A	Ala.	Arg	Gln	Туг	Туг	Me t	G) n	Tyr	Leu	Ala	Alà	Thr	Ala	Ala	Ser
•			180					185					190		
Gly A	Ala :	Phe	Val	Рго	Рго	Pro	Ser	Ala	Gln	Glu	I l e	Pro	Va!	Val	Ser
		195					200					20 <b>5</b>			
Ala I	Pro .	Ala	Pro	Ala	Pro	lle	His	Asn	Gln	Phe	Pro	Ala .	Glu	Asn	Gln
	Pro Ser Pro 65 Val Ile Arg Glu Pro 145 Gly Tyr Gly	Pro Asn Ser Val Pro Arg 50 Asp His 65 Val Leu Ile Asn Arg Gly Glu Val 130 Pro Glu 145 Gly Tyr Tyr Ala Gly Ala	Pro Asn Gln  Ser Val Gly  35  Pro Arg Pro  50  Asp His Gln  65  Val Leu His  Ile Asn Ala  Arg Gly Gln  115  Glu Val Leu  130  Pro Glu Ala  145  Gly Tyr Thr  Tyr Ala Arg  Gly Ala Phe  195	Pro Asn Gln Arg 20 Ser Val Gly His 35 Pro Arg Pro Glu 50 Asp His Gln Cys 65 Val Leu His Leu Ile Asn Ala Lys 100 Arg Gly Gln Tyr 115 Glu Val Leu Arg 130 Pro Glu Ala Ala 145 Gly Tyr Thr Pro Tyr Ala Arg Gln 180 Gly Ala Phe Val 195	Pro Asn Gln Arg His 20 Ser Val Gly His Leu 35 Pro Arg Pro Glu Asp 50 Asp His Gln Cys Leu 65 Val Leu His Leu Val 85 Ile Asn Ala Lys Val 100 Arg Gly Gln Tyr Pro 115 Glu Val Leu Arg Asn 130 Pro Glu Ala Ala Gln 145 Gly Tyr Thr Pro Tyr 165 Tyr Ala Arg Gln Tyr 180 Gly Ala Phe Val Pro	Pro Asn Gln Arg His Arg 20 Ser Val Gly His Leu Lys 35 Pro Arg Pro Glu Asp Gln 50 Asp His Gln Cys Leu Arg 65 70 Val Leu His Leu Val Cys 85 Ile Asn Ala Lys Val Ala 100 Arg Gly Gln Tyr Pro Glu 115 Glu Val Leu Arg Asn Leu 130 Pro Glu Ala Ala Gln Gln 145 150 Gly Tyr Thr Pro Tyr Gly 165 Tyr Ala Arg Gln Tyr Tyr 180 Gly Ala Phe Val Pro Pro	Pro Asn Gln Arg His Arg Asp 20  Ser Val Gly His Leu Lys Ala 35  Pro Arg Pro Glu Asp Gln Arg 50 55  Asp His Gln Cys Leu Arg Asp 65 70  Val Leu His Leu Val Cys Asn 85  Ile Asn Ala Lys Val Ala Glu 100  Arg Gly Gln Tyr Pro Glu Asp 115  Glu Val Leu Arg Asn Leu Ser 130 135  Pro Glu Ala Ala Gln Gln Ala 145 150  Gly Tyr Thr Pro Tyr Giy Trp 165  Tyr Ala Arg Gln Tyr Tyr Met 180  Gly Ala Phe Val Pro Pro Pro	Pro Asn Gln Arg His Arg Asp Leu  20  Ser Val Gly His Leu Lys Ala His  35 40  Pro Arg Pro Glu Asp Gln Arg Leu  50 55  Asp His Gln Cys Leu Arg Asp Leu  65 70  Val Leu His Leu Val Cys Asn Val  85  Ile Asn Ala Lys Val Ala Glu Ser  100  Arg Gly Gln Tyr Pro Glu Asp Ser  115 120  Glu Val Leu Arg Asn Leu Ser Ser  130 135  Pro Glu Ala Ala Gln Gln Ala Phe  145 150  Gly Tyr Thr Pro Tyr Gly Trp Leu  165  Tyr Ala Arg Gln Tyr Tyr Met Gln  180  Gly Ala Phe Val Pro Pro Pro Ser	Pro Asn Gln Arg His Arg Asp Leu Glu 20 25  Ser Val Gly His Leu Lys Ala His Leu 35 40  Pro Arg Pro Glu Asp Gln Arg Leu Ile 50 55  Asp His Gln Cys Leu Arg Asp Leu Leu 65 70  Val Leu His Leu Val Cys Asn Val Lys 85  Ile Asn Ala Lys Val Ala Glu Ser Thr 100 105  Arg Gly Gln Tyr Pro Glu Asp Ser Ser 115 120  Glu Val Leu Arg Asn Leu Ser Ser Pro 130 135  Pro Glu Ala Ala Gln Gln Ala Phe Gln 145 150  Gly Tyr Thr Pro Tyr Gly Trp Leu Gln 165  Tyr Ala Arg Gln Tyr Tyr Met Gln Tyr 180 185  Gly Ala Phe Val Pro Pro Pro Ser Ala 195 200	Pro Asn Gln Arg His Arg Asp Leu Glu Leu         20       25         Ser Val Gly His Leu Lys Ala His Leu Ser       35       40         Pro Arg Pro Glu Asp Gln Arg Leu Ile Tyr       50       55         Asp His Gln Cys Leu Arg Asp Leu Leu Pro       65       70         Val Leu His Leu Val Cys Asn Val Lys Ser       85       90         Ile Asn Ala Lys Val Ala Glu Ser Thr Glu       100       105         Arg Gly Gln Tyr Pro Glu Asp Ser Ser Ser       115       120         Glu Val Leu Arg Asn Leu Ser Ser Pro Gly       130       135         Pro Glu Ala Ala Gln Gln Ala Phe Gln Gly       145       150         Gly Tyr Thr Pro Tyr Gly Trp Leu Gln Leu       165       170         Tyr Ala Arg Gln Tyr Tyr Met Gln Tyr Leu       180       185         Gly Ala Phe Val Pro Pro Pro Pro Ser Ala Gln       195       200	Pro Asn Gln Arg His Arg Asp Leu Glu Leu Ser 20           20         25           Ser Val Gly His Leu Lys Ala His Leu Ser Arg 35         40           Pro Arg Pro Glu Asp Gln Arg Leu Ile Tyr Ser 50         55           Asp His Gln Cys Leu Arg Asp Leu Leu Pro Lys 65         70         75           Val Leu His Leu Val Cys Asn Val Lys Ser Pro 85         90           Ile Asn Ala Lys Val Ala Glu Ser Thr Glu Glu 100         105           Arg Gly Gln Tyr Pro Glu Asp Ser Ser Ser Asp 115         120           Glu Val Leu Arg Asn Leu Ser Ser Pro Gly Trp 130         135           Pro Glu Ala Ala Gln Gln Ala Phe Gln Gly Leu 145         150         155           Gly Tyr Thr Pro Tyr Gly Trp Leu Gln Leu Ser 165         170           Tyr Ala Arg Gln Tyr Tyr Met Gln Tyr Leu Ala 180         185           Gly Ala Phe Val Pro Pro Pro Ser Ala Gln Glu Glu 195	Pro Asn Gln Arg His Arg Asp Leu Glu Leu Ser Gly         20       25.         Ser Val Gly His Leu Lys Ala His Leu Ser Arg Val         35       40         Pro Arg Pro Glu Asp Gln Arg Leu Ile Tyr Ser Gly         50       55       60         Asp His Gln Cys Leu Arg Asp Leu Leu Pro Lys Gln         65       75         Val Leu His Leu Val Cys Asn Val Lys Ser Pro Ser         85       90         Ile Asn Ala Lys Val Ala Glu Ser Thr Glu Glu Pro         100       105         Arg Gly Gln Tyr Pro Glu Asp Ser Ser Ser Asp Gly         115       120         Glu Val Leu Arg Asn Leu Ser Ser Pro Gly Trp Glu         130       135       140         Pro Glu Ala Ala Gln Gln Gln Ala Phe Gln Gly Leu Gly         145       155         Gly Tyr Thr Pro Tyr Gly Trp Leu Gln Leu Ser Trp         165       170         Tyr Ala Arg Gln Tyr Tyr Met Gln Tyr Leu Ala Ala         185         Gly Ala Phe Val Pro Pro Pro Ser Ala Gln Glu Ile	Pro Asn Gln Arg His Arg Asp Leu Glu Leu Ser Gly Asp 20         20       25.         Ser Val Gly His Leu Lys Ala His Leu Ser Arg Val Tyr 35       40       45         Pro Arg Pro Glu Asp Gln Arg Leu Ile Tyr Ser Gly Lys 50       55       60         Asp His Gln Cys Leu Arg Asp Leu Leu Pro Lys Gln Glu 65       70       75         Val Leu His Leu Val Cys Asn Val Lys Ser Pro Ser Lys 85       90         Ile Asn Ala Lys Val Ala Glu Ser Thr Glu Glu Pro Ala 100       105         Arg Gly Gln Tyr Pro Glu Asp Ser Ser Ser Asp Gly Leu 115       120       125         Glu Val Leu Arg Asn Leu Ser Ser Pro Gly Trp Glu Asn 130       135       140         Pro Glu Ala Ala Gln Gln Ala Phe Gln Gly Leu Gly Pro 145       150       155         Gly Tyr Thr Pro Tyr Gly Trp Leu Gln Leu Ser Trp Phe 165       170         Tyr Ala Arg Gln Tyr Tyr Met Gln Tyr Leu Ala Ala Thr 180       185         Gly Ala Phe Val Pro Pro Pro Pro Ser Ala Gln Glu Ile Pro 195       200       205	Pro Asn Gln Arg His Arg Asp Leu Glu Leu Ser Gly Asp Arg         20       25       30         Ser Val Gly His Leu Lys Ala His Leu Ser Arg Val Tyr Pro       35       40       45         Pro Arg Pro Glu Asp Gln Arg Leu Ile Tyr Ser Gly Lys Leu       50       55       60         Asp His Gln Cys Leu Arg Asp Leu Leu Pro Lys Gln Glu Lys       65       70       75         Val Leu His Leu Val Cys Asn Val Lys Ser Pro Ser Lys Met       85       90         Ile Asn Ala Lys Val Ala Glu Ser Thr Glu Glu Pro Ala Gly       100       105       110         Arg Gly Gln Tyr Pro Glu Asp Ser Ser Ser Asp Gly Leu Arg       115       120       125         Glu Val Leu Arg Asn Leu Ser Ser Pro Gly Trp Glu Asn Ile       130       135       140         Pro Glu Ala Ala Gln Gln Gln Ala Phe Gln Gly Leu Gly Pro Gly       145       150       155         Gly Tyr Thr Pro Tyr Gly Trp Leu Gln Leu Ser Trp Phe Gln       165       170         Tyr Ala Arg Gln Tyr Tyr Net Gln Tyr Leu Ala Ala Thr Ala       180       185       190         Gly Ala Phe Val Pro Pro Pro Ser Ala Gln Clu Ile Pro Val       195       200       205	Pro Asn Gln Arg His Arg Asp Leu Glu Leu Ser Gly Asp Arg Gly         20       25.       30         Ser Val Gly His Leu Lys Ala His Leu Ser Arg Val Tyr Pro Glu       35       40       45         Pro Arg Pro Glu Asp Gln Arg Leu Ile Tyr Ser Gly Lys Leu Leu       50       55       60         Asp His Gln Cys Leu Arg Asp Leu Leu Pro Lys Gln Glu Lys Arg       65       70       75         Val Leu His Leu Val Cys Asn Val Lys Ser Pro Ser Lys Met Pro       85       90       95         Ile Asn Ala Lys Val Ala Glu Ser Thr Glu Glu Pro Ala Gly Ser       100       105       110         Arg Gly Gln Tyr Pro Glu Asp Ser Ser Ser Asp Gly Leu Arg Gln       115       120       125         Glu Val Leu Arg Asn Leu Ser Ser Pro Gly Trp Glu Asn Ile Ser       130       135       140         Pro Glu Ala Ala Gln Gln Ala Phe Gln Gly Leu Gly Pro Gly Phe       145       150       155         Gly Tyr Thr Pro Tyr Gly Trp Leu Gln Leu Ser Trp Phe Gln Gln       165       170       175         Tyr Ala Arg Gln Tyr Tyr Met Gln Tyr Leu Ala Ala Thr Ala Ala       180       185       190         Gly Ala Phe Val Pro Pro Pro Ser Ala Gln Glu Ile Pro Val Val       181       190

		210	)				215					220				
5	Pro	Ala	Asn	Gln	Asn	Ala	Ala	Pro	Gln	Val	Yal	Val	Asn	Pro	Gly	Ala
	225					230					235					240
10	Asn	Gln	Asn	Leu	Arg	Met	Asn	Ala	Gln	Gly	Gly	Pro	lle	Val	Glu	Glu
					245					250		•			255	
·	Asp	Ásp	Glu	Ile	Asn	Arg	Asp	Trp	Leu	Asp	Trp	Thr	Tyr	Ser	Ala	Ala
15				260					265					270		
	Thr	Phe	Ser	Val	Phe	Leu	Ser	Ile	Leu	Tyr	Phe	Tyr	Ser	Ser	Leu	Ser
20			275					280					285		٠	
	Arg	Phe	Leu	Me t	Val	Met	Gly	Ala	Thr	Val	Val	Met	Tyr	Leu	His	His
25		290					295					300				
	Val	Gly	Jrp	Phe	Pro	Phe	Arg.	Pro	Arg	Pro	Val	Gln	Asn	Phe	Pro	Asn
	305					310					315					320
30	Asp	Gly	Pro	Pro		Asp	Val	Val	Asn	Gln	Asp	Pro	Asn	Asn	neA	Leu
					325					330	•				335	
35	Gln	Glu	Gly		Asp	Рго	Glu	Thr		Asp	P.ro	Asn	His	Leu	Рго	Pro
				340					345					350		
	Asp	Arg		Val	Leu	Asp	Gly		Gln	Thr	Ser	Рго	Ser	Phe	Met	Ser
40			355					360					365			
	Thr		Trp	Leu	Val	Phe		Thr	Phe	Phe	Ala		Leu	Leu	Рго	Glu
45		370	_				375					380				
	Gly	Pro	Pro	Ala	He		Asn									
	385					390		•				•		_		
50	<210	> 33	ļ													
	<211	> 40	67													•
55	<212	> DN	IA											•		

<213> Homo sapiens

5	<220>															
•	<221>	CDS														
	<222>	(812	) (1	138)		•										
10	<b>&lt;400&gt;</b>	33														
	cttgaa	tctt	gggg	cagga	ас	tcag	aaaac	tto	ccag	cccg	ggc	agcg	cgc	gc t t	ggigca	60
15	agacto	agga	gcta	gcagc	c c	gtcc	ccctc	cga	actc	tccg	gtg	ccgc	cgc	tgcc	tgctcc	120
	cgccad	ccta	ggag	gcgcg	g ti	gcca	ccac	tac	ctcl	gtcc	tct	gcct	gtg	ctcc	gtgccc	180
20	gaccci	atcc	cggc	ggagt	c to	cccc	atcct	cci	tttg	cttt	ccg	actg	ссс	aagg	cacttt	240
	caatci	caat	ctct	tetet	c to	ctct	ctctc	tct	tctc	tgtc	tet	ctct	ctc	tctc	tctctc	300
	tetete	tctc	gcag	ggtgg	g gs	ggaai	gagga	gga	agga	attc	ttt	cccı	gcc	taac	atttca	. 360
25	agggad	acaa	ttca	ctcca	a g	tctc	tccc	ttt	tcca	agcc	gct	tccg	aag	tgct	cccggt	420
	gcccgc	aact	cctg	atccc	a ac	cccg	cgaga	gga	agcc	tctg	cga	cctc	aaa	gcci	ctcttc	480
30	cttctc	cctc	gctte	cctc	c to	cctc	ttgct	aco	tçc	acct	cca	ccgc	cac	ctcc	acctcc	540
	ggcacc	cacc	cacci	gccgc	c go	ccgc	caccg	gca	gcg	cctc	ctc	ctct	cct	cctc	ctcctc	600
	ccctct	tete	tttt	t ggcai	g co	cgcts	gacg	tco	eggt	gttg	atg	gtgg	cag	cggc	ggcagc	660
35	ctaago	aaca	gcago	cctc	g ca	agcc(	gcca	gct	cgc	gctc	gcc	ccgc	cgg	cgtc	cccagc	720
	cctatc	acct	catc	cccga	a a a	aggtg	gctgg	gca	agct	ccgg	ggc	ggtc	gag	gcga	agcggc	780
40	tgcagc	ggcg	gtago	eggegg	g Cg	ggag	gcag	ga	atg	agc	gca (	cgc (	ggt	gag	ggc	832
								N	le t	Ser .	Ala .	Arg (	Gly	G] u	Gly	
									1				5			
45	gcg gg	g cas	ccg	tcc a	act	tċa	gcc	cag	gga	caa	c.c t	gcc	gcc	cca	gcg	880
	Ala Gl	y Gli	Pro	Ser 3	Thr	Ser	Ala	Gļn	Gly	Gln	Pro	Ala	Ala	Pro	Ala	•
50		1(	)				15					20			•	
	cct ca	g aag	gaga	gga	cgc	ggc	cgc	ссс	agg	aag	cag	cag	caa	gaa	cca	928
	Pro Gl	n Lys	Arg	Gly A	g1	Gly	Arg	Pro	Arg	Lys	Gln	Gln	Gln	Glu	Pro	
55	2	5				30					35					

	acc	ggt	gag	ccc	tct	cct	aag	aga	ccc	agg	gga	aga	ccc	aaa	ggc	agc	976
5	Thr	Gly	Glu	Pro	Ser	Pro	Lys	Arg	Pro	Arg	Gly	Arg	Pro	Lys	Gly	"Ser	
	40					45					50					55	
. 10	aaa	aac	aag	agt	ccc	tct	asa	gca	gc t	caa	aag	aaa	gca	gaa	gcc	act	1024
	Lys .	Asn	Lys	Seŗ	Pro	Ser	Lys	Ala	Ala	Gln	Lys	Lys	Ala	G} u	Ala	Thr	-
					60					65					70		
15	gga	gaa	aaa	cgg	cca	aga	ggc	aga	cc t	agg	aaa	tgg	cca	caa	caa	gtt	1072
	`Gly (	Glu	Lys	Arg	Pro	Arg	Gly	Arg	Pro	Arg	Lys	Trp	Рго	Gln	Gln	Val	
20				75				•	80					85	•		
	gtt	cag	aag	aag	cc t	gct	cag	gag	gaa	act.	gaa	gag	aca	tcc	tca	caa	1120
25	Val (	Gln	Lys	Lys	Pro	Ala	Gln	Glu	G) u.	Thr	Glu	Glu	Thr	Ser	Ser	Gln	
		•	90					95					100				
	gag t	tct	gcc	gaa	gag	gac	tagg	gggc	gc a	acgt	tcga	t ti	ctac	ctca	a		1168
30	Glu S	Ser	Ala	Glu	Glu	Asp		•									•
	1	105															
35	gcago	agt	tg g	atct	tttg	a ag	ggag	aaga	cac	tgca	gtg	acca	ctta	tt c	etgta	attgcc	1228
,	atggt	ctt	tc c	actt	tcat	c tg	gggt	gggg	tgg	ggtg	ggg	t ggg	ggag	gg g	gggg	gtgggg	1288
	tgggg	agaa	aa t	caca	taac	c tt	aaaa	agga	cta	tatt	aat	cacc	ttct	tt g	taat	tccctt	1348
40	cacag	tcc	a g	gtit	agtg	a aa	aact	gctg	taa	acac	agg	ggac	acag	ct 1	aaca	aatgca	1408
	acttt	taat	t a	ctgt	tttc	t tt	tttc	ttaa	ccl	acta	ata	giti	gitg	ato	tgat	taagca	1468
45	agagt	gggc	g g	gtga	gaaa	a ac	cgaa	ltgg	gtt	tagt	caa	tcac	tgca	ct g	gc a t g	caaac	1528
	aagaa	acgt	gt	caca	cttg	t ga	cgtc	gggc	att	cata	tag	gaag	aacg	cg g	tgte	taaca	1588
50	ctgtg	taca	c c	tcaa	atac	c ac	ccca	accc	act	ccct	gta	gtga	atcc	tc t	gtt	agaac	1648
	accaa	agat	a a	ggac	taga	t ac	tact	ttct	ctt	tttc	gta	taat	cttg	ta g	acad	ttact	1708
	tgatg	attt	t t	aact	tttt	a tt	tcta	aatg	aga	cgaa	atg	ctga	tgta	tc c	tttc	attca	1768
55	gctaa	caaa	ic ta	agaa	aagg	t ta	igit	catt	ttt	caaa	aag	ggaa	gtaa	gc a	aaca	aatat	1828

Igccaacic	i iciailiaie	g gatatcacac	atatcagcag	gagtaataa	ttlactcaca	1881
gcacttgtt	t tcaggacaac	acttcatttt	caggaaatct	acticciaca	gagccaaaat	1948
gccatttag	c aataaataac	actigicage	ctcagagcat	ttaaggaaac	tagacaagta	2008
aaattatcc	t ctttgtaatt	taatgaaaag	gtacaacaga	ataatgcatg	atgaactcac	2068
ctaattatg	a ggtgggagga	gcgaaatcta	aatttettt	gctatagtta	tacatcaatt	2128
taaaaagcaa	a aaaaaaaaag	gggggggcaa	tctctctg	tgtctttctc	tctctctctc	2188
cetetecete	ctcttttca	igigtaicag	tttccatgaa	agaccigaat	accacttacc	2248
tcaaattaag	catatgtgt1	acttcaagta	atacgtittg	acataagatg	gttgaccaag	2308
gigcilité	teggettgag	ttcaccatct	cttcattcaa	actgcacttt	tagccagaga	2368
tgcaatatat	ccccactact	caatactacc	tctgaatgtt	acaacgaatt	tacagtctag	2428
tacttattac	atgctgctat	acacaagcaa	tgcaagaaaa	aaacttactg	ggtaggtgat	2488
tctaatcatc	tgcagttctt	itigiacact	taattacagt	taaagaagca	atctccttac	2548
tgigtticag	catgactatg	lattiticta	tgtttttta	attaaaaatt	tttaaaatac	2608
tigiticage	tictctgcta	gattictaca	ttaacttgaa	aatttttaa	ccaagtcgct	2668
cctaggtict	taaggataat	tttcctcaat	cacactacac	atcacacaag	atttgactgt	2728
aatatttaaa	tattaccctc	caagtctgta	cctcaaatga	attetttaag	gagatggact	2788
aattgacttg	caaagaccta	cctccagact	tcaaaaggaa	tgaacttgtt	acttgcagca	2848
ticatitgit	ttttcaatgt	tigaaatagt	tcaaactgca	gctaacccta	gtcaaaacta	2908
tttttgtaaa	agacatttga	tagaaaggaa	cacgtttta	catactitig	caaaataagt	2968
aaalaataaa	taaaataaag	ccaaccttca	aagaacttga	agctttgtag	gtgagatgca	3028
acaagcccig	cttttgcala	atgcaatcaa	aaatatgtgt	ttttaagatt	agttgaatat	3088
aagaaaatgc	ttgacaaata	tttlcatgta	ttttacacaa	atgtgatttt	lgtaatatgt	3148
cicaaccaga	tttatittaa	acgcticita	tglagagttt	ttatgccttt	ctctcctagt	3208
gagigigcig	actitttaac	alggtattat	caactgggcc	aggaggtagt	ticicatgac	3268
ggcttttgtc	agtatggctt	ttagtactga	agccaaatga	aactcaaaac	catctctctt	3328
ccagctgctt	cagggaggta	giticaaagg	ccacatacct	cicigagaci	ggcagatege	3388
tcactgligt	gaalcaccaa	aggagctatg	gagagaatta	aaactcaaca	ttactgttaa	3448

ctgtgcgtta aataagcaaa taaacagtgg ctcataaaaa taaaagtcgc attccatatc 3508 titggalggg ccititagaa accicatigg ecagcicata aaatggaagc aattgcicat 3568 5 gttggccaaa catggtgcac cgagtgattt ccatctctgg taaagttaca cttttatttc 3628 ctgtatgttg tacaatcaaa acacactact acctcttaag tcccagtata cctcattttt 3688 10 catactgaaa aaaaaagctt giggccaatg gaacagtaag aacatcataa aattittata 3748 tatatagitt attitigigg gagataaatt i tataggact gitcitigci gitgitggic 3808 gcagctacat aagactggac atttaacttt tctaccattt cigcaagtta ggtatgtttg 3868 caggagaaaa gtatcaagac gtttaactgc agttgacttt ctccctgttc ctttgagtgt 3928 citctaacii taticiigi iciitatgia gaatigcigi claigatigi aciitgaatc 3988 20 getigetigt igaaaatali teletagigi attaleacig leigiteige acaalaaaca 4048 taacagccic igigatccc 4067 <210> 34 <211> 109 30 <212> PRT <213> Homo sapiens <400> 34 35 Met Ser Ala Arg Gly Glu Gly Ala Gly Gln Pro Ser Thr Ser Ala Gln 1 5 10 15 40 Gly Gln Pro Ala Ala Pro Ala Pro Gln Lys Arg Gly Arg Pro 20 25 30 Arg Lys Gin Gin Gin Giu Pro. Thr Gly Giu Pro Ser Pro Lys Arg Pro 35 40 45 Arg Gly Arg Pro Lys Gly Ser Lys Asn Lys Ser Pro Ser Lys Ala Ala 50 50 55 60 Gln Lys Lys Ala Glu Ala Thr Gly Glu Lys Arg Pro Arg Gly Arg Pro 55 65 70 75 80

	Arg Lys Trp Pro Gin Gln Val Val Gln Lys Lys Pro Ala Gln Glu Glu
5	85 90 95 .
	Thr Glu Glu Thr Ser Ser Gln Glu Ser Ala Glu Glu Asp
10	100 105
	⟨210⟩ 35
15	<211> 4228 ·
	<212> DNA
	<213> Homo sapiens
20	⟨220⟩ .
	<221> CDS
25	<222> (148) (1032)
	<b>&lt;400&gt; 35</b>
30	ggcgcagtag cagcgagcag cagagtccgc acgctccggc gagggggcaga agagcgcgag 60
	ggagcgcggg gcagcagaag cgagagccga gcgcggaccc agccaggacc cacagccctc 120
	cccagctgcc caggaagagc cccagcc atg gaa cac cag ctc ctg tgc tgc gaa 174
35	Net Glu His Gln Leu Leu Cys Cys Glu
	1 5
40	gig gaa acc atc cgc cgc gcg tac ccc gal gcc aac cic ctc aac gac 222
	Val Glu Thr Ile Arg Arg Ala Tyr Pro Asp Ala Asn Leu Leu Asn Asp
	10 15 20 25
45	cgg gig cig cgg gcc aig cig aag gcg gag acc igc gcg ccc icg 270
	Arg Val Leu Arg Ala Met Leu Lys Ala Glu Glu Thr Cys Ala Pro Ser
50	30 35 40
	gig icc lac tic aaa igi gig cag aag gag gic cig ccg icc aig cgg 318
E E	Val Ser Tyr Phe Lys Cys Val Gin Lys Glu Val Leu Pro Ser Met Arg
55	45 50 55

	aa	g at	c gto	gcc	acc	tgg	alg	ctg	gag	gio	tgc	gag	gaa	cag	aag	tgc	366
5	Ly	s II	e. Vai	Ala	Thr	Trp	Net	Leu	Glu	Val	Cys	Glu	Glu	Gln	Lys	Cys	
			60	)				65					· 70	l			
10	ga	g ga	g gag	gtc	ttc	ccg	ctg	gcc	atg	aac	tac	ctg	gac	cgc	ttc	ctg	414
	GI	u Glu	ı Glu	Val	Phe	Pro	Leu	Ala	Met	Asn	Tyr	Leu	Asp	Arg	Phe	Leu	
		75	j				80					85					•
15	tcs	ctg	gag	ccc	gtg	aaa	aag	agc	cgc	ctg	cag	ctg	ctg	ggg	gcc	act	462
	Sei	Leu	Glu	Pro	Val	Lys	Lys	Ser	Arg	Leu	Gln	Leu	Leu	Gly	Ala	Thr	
20	90	)				95					100					105	
	tgo	atg	ttc	gtg	gcc	tct	aag	atg	aag	gag	acc	atc	ccc	ctg	acg	gcc	510
25	Cys	Met	Phe	Val	Ala	Ser	Lys	Met	Lys	Glu	Thr	Ile	Pro	Leu	Thr	Ala	
<b></b>			~		110					1,15					120		
				tgc													558
30	Glu	Lys	Leu	Cys	Ile	Tyr	Thr	Asp		Ser	He	Arg	Pro		Glu	Leu	
	:			125					130					135			
35				gag													606
	Leu	GIN		Glu	Leu	Leu	Leu		Asn	Lys	Leu	Lys		Asn	Leu	Ala	
40	gre a	n t a	140		000	~ n t	***	145	~~^				150				054
•				ccg Pro													654
		155	1111	110	1113	лэр	160	116	010	1113	1 116	165	261	nys.	Met	rio	
45	gag		23 g	gag	аас	222		atc.	atc	CEC	222		ac b	rag	3 C C	ttc	702
				Glu													102
50	170					}75	•,			0	180			· · · ·	***	185	
		gcc	ctc	tgt	gcc		gat	gte	aag	ltc		tee	aat	CCE	cer		750
55				Cys													
															0	JU1	

					190	)				195					200		
5	atı	ggtg	gca	gcg	ggg	agc	glg	gtg	gcc	gca	gtg	caa	ggc	ctg	aac 	cig	798
	Me	t Val	Ala	Ala	Gly	Ser	Val	Val	Ala	Ala	Val	Gln	Gly	Leu	Asn	Leu	•
				205					210					215	•		
10	agg	gago	ccc	aac	aac	ttc	ctg	tcc	tac	tac	cgc	ctc	aca	cgc	ttc	ctc	846
	Arg	Ser	Pro	Asn	Aśn	Phe	Leu	Ser	Tyr.	Туг	Arg	Leu	Thr	Arg	Phe	Leu	
15			220					225					230				
	tcc	aga	gtg	atc	aag	tgt	gac	cca	gac	tgc	ctc	cgg	gcc	t gc	cag	gag	894
20	Ser	Arg	Val	Ile	Lys	Cys	Asp	Pro	Asp	Cys	Leu	Arg	Ala	Cys	Gln	Glu	
		235					240					245					
	cag	atc	gaa	gcc	ctg	cig	gag	tca	agc	ctg	cgc	cag	gcc	cag	cag	aac	942
25	Gln	Ile	Glu	Ala	Leu	Leu	Glu	Ser	Ser	Leu	Arg	Gln	Ala	Gln	Gln	Asn	
	250					255					260	•			•	265	
30		gac															990
	Met	Asp	Рго	Lys		Ala	Glu	Glu	Glu		Glu	Glu	Glu	Glu	Glu	Val	
					270			. ,		275					280		
35		ctg													•		1032
	Asp	Leu	Ala		Thr	Pro	Thr			Arg	Asp	Val					
40				285					290	•				295			
																cccag	
45									•							ttcat	
																taagc	
																atagt	
50																tttta	
																atagg	
55																taaaa	
	aaaa.	gcat	aa a	aaca	ttt	a aa	aaca	taga	aaa	attc	agc	aaac	catt	ttt	aaag	tagaa	1512

	gagggtttt	a ggtagaaaaa	Cataticits	iguillicu	Rataaagcac	agcigiagig	1912
	gggttctagg	g catcicigia	ctttgcttgc	tcatatgcat	gtagtcactt	tataagtcat	1632
	tgtatgttat	tataticcgi	aggtagatgt	gtaacctctt	caccttattc	atggctgaag	1692
	tcacctctte	gitacagiag	cgtagcgtgg	ccgtgtgcat	gtcctttgcg	cctgtgacca	1752
	ccaccccaac	: aaaccatcca	gigacaaacc	atccagtgga	ggtttgtcgg	gcaccagcca	1812
	gcgtagcagg	gicgggaaag	gccacctgtc	ccactcctac	gatacgctac	tataaagaga	1872
	agacgaaata	gtgacataat	atatictatt	tttatactct	tcctatttt	gtagtgacct	1932
	gtttatgaga	tgctggtttt	ctacccaacg	gccctgcagc	cagctcacgt	ccaggiicaa	1992
	cccacagcta	cttggtttgt	gttcttcttc	atattctaaa	accattccat	ttccaagcac	2052
	tttcagtcca	ataggtgtag	gaaatagcgc	tgtttttgtt	gtgtgtgcag	ggagggcagt	2112
•	ttictaatgg	aatggtttgg	gaatatccat	glacttgttt	gcaagcagga	ctttgaggca	2172
	agtgtgggčc	actgtggtgg	cagtggaggt	ggggtgtttg	ggaggctgcg	tgccagtcaa-	2232
	gaagaaaaag	gittgcatic	tcacattgcc	aggatgataa	gttcctttcc	ttttctttaa	2292
	agaagttgaa	gtttaggaat	cctttggtgc	caaciggigi	ttgaaagtag	ggacctcaga	2352
•	ggittaccta	gagaacaggt	ggtttttaag	ggttatctta	gatgtttcac	accggaaggt	2412
	ttttaaacac	taaaatatat	aatttatagt	taaggotaaa	aagtatattt	attgcagagg	2472
	atgttcataa	ggccagtatg	atttataaat	gcaatctccc	ctigatttaa	acacacagat	2532
	acacacacac	acacacacac	acacacaaac	cttctgcctt	igaigitaca	gatitaatac	2592
	agtttatttt	taaagataga	tccttttata	ggtgagaaaa	aaacaatctg	gaagaaaaaa	2652
	accacacaaa	gacattgatt	cagcctgttt	ggcgtttccc	agagicatet	gattggacag	2712
	gcatgggtgc	aaggaaaalt	agggtactca	acctaagttc	ggticcgatg	aattettate	2772
	ccctgcccct	tcctttaaaa	aacttagtga	caaaatagac	aaittgcaca	tcttggctat	2832
	gtaaticttg	taatttttat	ttaggaagtg	t t gaagggag	gtggcaagag	tgtggaggct	2892
	gacgigigag	ggaggacagg	cgggaggagg	tgtgaggagg	aggctcccga	gggaagggg	2952
	cggtgcccac	accggggaca	ggccgcagct	ccattttctt	attgcgctgc	taccgligac	3012
	tlccaggcac	ggtliggaaa	tattcacatc	gcttctgtgt	atctctttca	catigitige	3072

	tgctattgga	ggatcagttt	tttgttttac	aatgtcatat	actgccatgt	actagtttta	3132
;	gttttctctt	agaacattgt	attacagatg	ccttttttgt	agttttttt	ttttttatgt	3192
	gátcaatttt	gacttaatgt	gattactgct	ctattccaaa	aaggttgctg	tttcacaata	3252
	cctcatgctt	cacttagcca	tggtggaccc	agcgggcagg	ttctgcctgc	tttggcgggc	3312
0	agacacgcgg	gcgcgatccc	acacaggctg	gcgggggccg	gccccgaggc	cgcgtgcgtg	3372
	agaaccgcgc	cggtgtcccc	agagaccagg	ctgtgtccct	cttctcttcc	ctgcgcctgt	3432
5	gatgctgggc	acttcatctg	atcgggggcg	tagcatcata	gtagttttta	cagcigigit	3492
	atwctttgcg	tgtagctatg	gaagttgcat	aattattatt	attattatta	taacaagigi	3552
0	gtcttacgtg	ccaccacggc	gtigtacctg	taggactete	attcgggatg	attggaatag	3612
	cttctggaat	ttgttcaagt	tttgggtatg	tttaatctgt	tatgtactag	tgttctgttt	3672
	gttattgttt	tgttaattac	accataatgc	taatttaaag	agactccaaa	tctcaatgaa	3732
5	gccagctcac	agtgctgtgt	gccccggtca	cctagcaagc	tgccgaacca	aaagaatttg	3792
	caccccgctg	cgggcccacg	tggttggggc	cctgccctgg	cagggtcatc	ctgtgctcgg	3852
0	aggccatctc	gggcacaggc	ccaccccgcc	ccacccctcc	agaacacggc	tcacgcttac	3912
	ctcaaccatc	ciggcigcgg	cgtctgtctg	aaccacgcgg	gggccttgag	ggacgctttg	3972
	tctgtcgtga	tggggcaagg	gcacaagtcc	tggalgttgt	gtgtrtcgag	aggccaaagg	4032
5	ciggiggcaa	gtgcacgggg	cacagcggag	tctgtcctgt	gacgcgcaag	tctgagggtc	4092
	tgggcggcgg	gcggctgggt	ctgtgcattt	ctggttgcac	cgcggcgctt	cccagcacca	4152
o	acatgtaacc		cagcagaaga	caaaaagaca	aacatgaaag	tctagaaata	
	aaactggtaa	aacccc					4228
5	<210> 36						
	<211> 295		• .		٠		

55

<212> PRT

<213> Homo sapiens

⟨400⟩ 36

Met Glu His Gln Leu Leu Cys Cys Glu Val Glu Thr Ile Arg Arg Ala

		1			5	)				10	)				15	j	
£	Ту	r Pr	o Asj	Ala	a Asn	Leu	Leu	ASI	ı Asp	Arg	. Val	Leu	Arg	g Ala	Met	Leu	
5				20	)				25	<u>;</u>				30			
	Lys	s Ala	a Glu	Glu	Thr	Cys	Ala	Pro	Se I	Val	Ser	Tyr	Phe	Lys	Cys	Val	
10			35	i				40					45	i			
	Glr	Lys	Glu	Val	Leu	Pro	Ser	Met	.Arg	Lys	He	Va]	Ala	Thr	Trp	Met	
15		50	)				55					60					
	Leu	Glu	Val	Cys	Glu	Glu	Gln	Lys	Cys	Glu	Glu	Glu	Val	Phe	Pro	Leu	
20	65					70					75					80	
	Ala	Met	Asn	Туг	Leu	Asp	Arg	Phe	Leu	Ser	Leu	Glu	Pro	Val	Lys	Ļys	
					85					90					95		
25	Ser	Arg	Leu	Gln	Leu	Leu	Gly	Ala	Thr	Cys ·	Met	Phe	Val	Ala	Ser	Lys	
				100					105					110			
30	Met	Lys	Glu	Thr	He	Pro	Leu		Ala	Glu	Lys	Leu			Tyr	Thr	
	<b>4</b> -		115			_		120					125				
<i>35</i>	·Asp		Ser	11e	Arg	Pro		Glu	Leu	Leu	Gln		Glu	Leu	Leu	Leu	
	Val	130	1	ı'a.ı.	l ue	T	135	1	41.	41.0	No.+	140	n	11: -		<b>D</b> 1	
	145	וופת	Lys	TÉN	L)2	150	ASII	Leu	MIA	AIB		inr	PTO	nis	ASP		
40		n f 3	His	Phe	Ī en		īve	Mat	Pro	Glu	155	Glu	G1 n	A ć n	Luo	160	
	470	0.0		1 110	165	361	Lys	IUC C	110	170	VIG	Giu	010	VSII	175	GIII	
45	Ile	lle	Arg	Lvs		Ala	Gln	Thr	Phe		Ala	Len	Cvs	Ala		A en	
				180					185				0.70	190			
50	Val	Lys	Phe		Ser .	Asn	Pro			Me t	Val	Ala	Ala		Ser	Val	
			195					200	-	-	- <del>-</del>	- <b>-</b>	205	,			
	Val		Ala '	Val	Gln (	Glv			Leu	Arg	Ser	Pro		Asn	Phe	l.en	
55		210		-			215			•		220					

Ser Tyr Tyr Arg Leu Thr Arg Phe Leu Ser Arg Val Ile Lys Cys Asp .. 225 230 235 Pro Asp Cys Leu Arg Ala Cys Gln Glu Gln Ile Glu Ala Leu Leu Glu 245 250 10 255 Ser Ser Leu Arg Gin Ala Gin Gin Asn Met Asp Pro Lys Ala Ala Giu 260 265 270 15 Glu Glu Glu Glu Glu Glu Glu Val Asp Leu Ala Cys Thr Pro Thr. 275 280 285 Asp Val Arg Asp Val Asp Ite 290 295 25 (210) 37. <211> 5007 <212> DNA 30 <213> Homo sapiens · ⟨220⟩ 35 <221> CDS <222> (436).. (3402) <400> 37 ERRECECCE CREECCREAR CCREERCREE RECCREERCE taggogogog gaccteogag 60 cggacccgag aggcggcggc ggcgcagcgg aacggcagag cgggccggag gcggccgagg 120 cgcccggcgc aggcacccgt gcctcccctc tgccaggaac cttggggcct tgtgtgtgac 180 caggacetgg tggccccgg geggtggcag ageceetgte ccaagetget teetgeegge 240 accictgate aagtgeetag agggatgigt gigecageee teggiecagi geeegeteet 300 50 gagetgacte etgetgggee ecgacagett geegtgttte etgtgeetgt ageteetgg 360 tiggalaget geogeologig agaggigace egggegeet gelagggiga aggeologige 420 55 cctcggcccg ggatc atg aaa ggc clc ggt gac agc cgc ccc cgc cac clc 471

					Ме	et Ly	's Gl	y Le	u Gi	y As	p Se	r Ar	g Pr	o Ar	g Hi	s Lei	l
5						1				5				ì	0		
	tcc	gad	ago	cta	gac	cca	ccc	cac	gag	ccc	ctg	ttt	gca	ggg	acc	gac	519
10	Ser	Ası	Ser	Leu	Asp	Pro	Pro	His	Glu	Pro	Leu	Phe	Ala	Gly	Thr	Asp	
			15	i				20			·		25				
15	cgc	aac	ccc	tac	ctg	ctg	tcg	ссс	acg	gag	gcc	ttc	gcc	cgc	gag	gcc	567
,5	Arg	Asn	Pro	Tyr	Leu	Leu	Ser	Pro	Thr	Glu	Ala	Phe	Ala	Arg	Glu	Ala	
		30					35					40					
20	cgc	ttc	ccc	ggg	cag	aac	acc	ctg	cca	gga	gat	ggc	ctc	ttt	ccc	ctc	615
	Arg <sub>.</sub>	Phe	Pro	Gly	Gln	Asn	Thr	Leu	Pro	Gly	Asp	Gly	Leu	Phe	Pro	Leu	
25	45					50					55					60	
				ctg			*				•						663
30	Asn	Asn	Gln	Leu		Pro	Pro	Ser	Ser	•	Phe	Pro	Arg	lle		Tyr	
				44.	65					70					75		
				lic													711
35	ASII	261	піг	Phe 80	GIU	vaı	PTO	GIU	63u 85	Ser	PTO	rne	Pro		HIS	Ala	
	Caa	ec c	acc	aag	atc	aac		rto		۵C.	220	ctc	cta	90			759.
40				Lys													133.
			95				0	100				200	105	ПОР	0111	1110	
45	gag	aag		ctg	ccc	atc	cac		gat	ggc	tic	agc		ctc	caa	itt	807
				Leu			•	٠.									
		110					115					120					
50	ccc	cgt	ggc	gag	gcc	aag	gcc	cgt	ggt	gag	agc	cct	ggc	cgc	atc	cgc	855
	Pro	Arg	Gly	Glu	A l a	Lys	Ala	Arg	Gly	Glu	Ser	Pro	Gly	Arg	lle	Arg	
55	125			•		130					135					140	

	cac ctg gtc cac tca gtc cag cgg cit ttc ttc acc aag gca ccc tca 9	03
5	His Leu Val His Ser Val Gln Arg Leu Phe Phe Thr Lys Ala Pro Ser	
	145 150 155	
	ctg gag ggc aca gcg ggc aag gtc ggt ggc aat ggc agc aag aag ggt 9	51
10	Leu Glu Gly Thr Ala Gly Lys Val Gly Gly Asn Gly Ser Lys Lys Gly,	
	160 165 170	
15	ggc atg gag gac ggc aag ggc cgg agg gcc aaa agc aag gag cgg gcc 9	99
	Gly Met Glu Asp Gly Lys Gly Arg Arg Ala Lys Ser Lys Glu Arg Ala	
20	175 180 185	
	aag get ggg gag eec aaa egg ege age ege tee aac ate tea gge tgg	047
	Lys Ala Gly Glu Pro Lys Arg Arg Ser Arg Ser Asn Ile Ser Gly Trp	
25	190 195 200	
		095
30	Trp Ser Ser Asp Asp Asn Leu Asp Gly Glu Ala Gly Ala Phe Arg Ser	
	205 . 210 215 220	1 4 9
<i>35</i>	agt ggc cca gcc tct ggg ctg atg ata cta ggc cgc cag gca gaa cgc 1 Ser Gly Pro Ala Ser Gly Leu Met IIe Leu Gly Arg Gln Ala Glu Arg	143
55	225 230 . 235	
		191 <sup>°</sup>
40	Ser Gln Pro Arg Tyr Phe Met His Ala Tyr Asn Thr Ile Ser Gly His	
	240 245 250	
45	atg ctc aaa acc acc aag aac aac act act gag ctg act gcc cca cca 1	239
	Met Leu Lys Thr Thr Lys Asn Asn Thr Thr Glu Leu Thr Ala Pro Pro	
50	255 260 265	
,	ccc ccg ccc gca ccc cca gcc acc tgc ccc agc ctt ggg gtg ggc act l	287
	Pro Pro Pro Ala Pro Pro Ala Thr Cys Pro Ser Leu Gly Val Gly Thr	
55	270 275 280	
	· · · · · · · · · · · · · · · · · · ·	

	ga	c ac	c aad	c tac	glc	aaa	e cgg	ggc	tcc	tgg	tcc	act	ctg	acc	cto	agc	1335
5	Ası	p Th	r Ası	ı Tyr	Yal	Lÿs	Arg	Gly	Ser	Trp	Ser	Thr	Leu	Thr	Leu	Ser	
	28	5				290	)				295					300	
10	cad	c gc	cac	gag	glc	lgo	cag	aag	acc	tca	gcc	acc	ttg	gat	aag	agc	1383
70	His	s Ala	His	Glu	Va]	Cys	Gln	Lys	Thr	Ser	Ala	Thr	Leu	Asp	Lys	Ser	
					305					310					315	•	
15	cts	cto	aag	tcc	aaa	tcc	tgc	cac	cag	ggt	cta	gcc	tac	cat	tac	ctg	1431
	Leu	ı Leu	Lys	Ser	Lys	Ser	Cys	His	Gln	Gly	Leu	Ála	Tyr	His	Tyr	Leu	
20				320					325					330			
	cag	gig	ccc	ggc	ggc	ggc	ggc	gag	tgg	agc	acc	acg	ctg			cca	1479
				Gly													
25		•	335					340					345				
	cgc	gag	acg	gat	gcc	gcg	gcc	gag	ggc	cct	atc	ccg	tgc	cgg	CgC	atg	1527
30				Asp													
		350					355				•	360			_		
	cgc	agc	ggc	agc	tac	atc	aag	gcc	atg	ggc	gac	gag	gac	agc	gac	gag	1575
35				Ser													
	365				•	370					375				•	380	
-	tcc	ggc	ggc	agc	ccc	aag	ccc	tca	ccc	aag	acc	gcg	gcg	cgg	cgc		1623
				Ser													
<b>1</b> 5					385					390					395		•
	agc	tat	ctg	agg	gcc	acg	cag	cag	tcg	ctg	gga	gag	cag	agc	aac	ccc	1671
		•		Arg													
50				400					405					410			
	CEC	agg	agt	ctg	gac	CEC	cig	gat		gtg	gac	atg	cte		ccc	tee	1719
55			•	Leu													
	0	0											~ ~ ~				

			41	5.				420	)				425	,			
5	aaı	g tgi	cci	gago	tgg	gaa	gas	g gac	tac	acc	ccc	gtc	agc	gac	agc	ctc	1767
	Lys	s Cys	Pro	Ser	Trp	Glu	Gli	) Asp	Tyr	Thr	Pro	Val	Ser	Asp	Ser	Leu	•
		430	)		•		439	5				440					
10	aac	gac	tco	ago	tgc	atc	ago	; cag	att	ttt	gga	cag	gcc	tcc	ctg	atc	1815
	Asn	Asp	Ser	Ser	Cys	He	Sei	Gln	Ile	Phe	Gly	Gln	Ala	Ser	Leu	Ile	
15	445	i		,		450					455					460	
	ccc	cag	ttg	ttt	ggc	cat	gag	cag	cag	gta	cgg	gag	gca	gag	ctg	agt	1863
20	Pro	Gln	Leu	Phe	Gly	His	Glu	Gln	Gln	Val	Arg	Glu	Ala	Glu	Leu	Ser	
20					465					470					475		
	gac	cag	tat	gag	gcg	gcc	t gc	gag	tca	gcc	tgc	agt	gaa	gcg	gag	tcc	1911
25	Asp	Gln	Ţуг	Glu	Ala	Ala	Cys	Glu	Ser	Ala	Cys	Ser	Glu	Ala	Glu	Ser	
				480					485					490			
30	aca	gcg	gca	gag	acg	ctt	gac	ttg	cca	ctg	ccc	agc	tac	ttc	cgc	tcc	1959
	Thr	Ala	Ala	Glu	Thr	Leu	Asp	Leu	Pro	Leu	Pro	Ser	Tyr	Phe	Arg	Ser	
ę.			495					500					505				
35	cgc	agc	cac	agc	tac	cig	cgt	gcc	atc	cag	gca	ggc	tgc	tcg	cag	gag	2007
	Arg	Ser	His	Ser	Tyr	Leu	Arg	Ala	He	Gln	Ala	Gly	Cys	Ser	Gln	Glu	
40		510					515					520					•
								tcc									2055
	Glu	Asp	Ser	Val	Ser	Leu	Gln	Ser	Leu	Sét	Pro	Pro	Pro	Ser	Thr	Gly	
45	525					530	٠				535					540	
	agc	ctc	agc	aat	agt	cgc	acg	clt	ccg	agt	tca	tca	tgc	cta	glg	gcg	2103
50	Ser	Leu	Ser	Asn	Ser	Arg	Thr	Leu	Pro	Ser	Ser	Ser	Cys	Leu	Va l	Ala	
					545					550					555		
	tat	aag	aag	acc	ccg	cca	ccg	gtc	cct	cca	cgc	acc	act <sub>.</sub>	l ca	aag	ccg	2151
55	Tyr	Lys	Lys	Thr	Pro	Pro	Pro	Val	Pro	Pro	Arg	Thr	Thr	Ser	Lys	Pro	

	5	60	565	570
5	tic atc tca g	tc aca gtc cag	age agt act gag tet g	scc cag gac acc 2199
	Phe Ile Ser V	al Thr Val Gln S	Ser Ser Thr Glu Ser A	ala Gln Asp Thr
10	575	5	580 5	85
	tac ctg gac a	ge cag gae cae a	nag age gag gig act a	gc cag tcg ggc 2247
	Tyr Leu Asp Se	er Gln Asp His I	ys Ser Glu Val Thr S	er Gln Ser Gly
15	590	595	. 600	
	ctg agc aac to	eg teg gae age e	tg gac agc agt acc o	ga ccg ccc agc 2295
20	Leu Ser Asn Se	er Ser Asp Ser L	eu Asp Ser Ser Thr A	rg Pro Pro Ser
	605	610	615	620
25	•		ca gcc cct gag gcc c	
	Val Thr Arg Gl		Pro Ala Pro Glu Ala P	
		625	630	635
30		•	igt gaa caa ggg acg c	
	FIG LYS MIS AT		er Glu Gln Gly Thr L 645	eu int ser ser
<b>35</b>			cc aaa agg aaa ctg t	
			ro Lys Arg Lys Leu S	
40	655			65
	ala caa gag ag	g act aga agg a	ac ggt tcc cac ctc t	cg gag gac aac 2487
45	Ile Gin Glu Ar	g Thr Arg Arg A	sn Gly Ser His Leu S	er Glu Asp Asn
45	670	675	680	
	gga ccc aaa gc	g atc gat gig a	tg gca ccc tcc tca g	aa agc agc gtc 2535
50	Gly Pro Lys Al	a lle Asp Val M	et Ala Pro Ser Ser G	lu Ser Ser Val
	685	690	695	700
55	ccc lct cac ag	t atg tcc tcc c	ga cgg gac aca gac t	cg gat acc cag 2583

	Pro Se	r His	Ser Met	Ser S	Ser Arg	Arg	Asp Th	r Asp	Ser	Asp	Thr	Gln	
			705	ı			710				715		
5	gat gc	aat	gac tca	agc	tgt aag	tca	tct ga	g agg	agc	clc	ccg	gac	2631
	Asp Ala	Asn.	Asp Ser	Ser (	Cys Lys	Ser	Ser Gl	u Arg	Ser	Leu	Pro	Asp	
10	٠		720			725				730		•	
	tgt acc	cct	cac ccc	aac 1	tcc atc	agc	aic ga	t gcc	ggt	ссс	cgg	cag	2679
15	Cys Th	Pro	His Pro	Asn S	Ser Ile	Ser	Ile As	p Ala	Gly	Pro	Arg	Gln	
		735			740				745				
	gcc ccc	aag	att gcc	cag a	atc aag	cgc	aac ct	c tcc	tat	gga	gac	aac	2727
20	Ala Pro	Lys	lle Ala	Gln l	lle Lys	Arg	Asn Le	ı Ser	Tyr	Gly	Asp	Asn	
	750	)		7	755			760					•
25	agc gac	cct i	gcc cta	gag g	gcg tcc	tcg	ctg cc	cca	ccc	gac	ccc	t gg	2775
	Ser Asp	Pro A	Ala Leu	Glu A	Ala Ser	Ser .	Leu Pr	) Pro	Pro	Asp	Pro	Trp	
	765			770			77	5 .				780	
30	ctc gag	acc	tcc tcc	agc t	tcc cca	gca	gag cc	g gca	cág	cca	ggg	gcc	2823
	Leu Glu	Thr S	Ser Ser	Ser S	Ser Pro	Ala	Glu Pro	Ala	Gln	Pro	Gly	Ala	
35			785				790				795		
	tgc cgc	cga g	gac ggc	tac t	igg tic	cta	aag cta	ctg	cag	gca	gaa	aca	2871
40	Cys Arg	Arg A	Asp Gly	Tyr T	Trp Phe	Leu	Lys Lei	Leu	Gln	Ala	Glu	Thr	•
		8	800			805				810			
	gag cgg	ctg	gaa ggc	tgg t	tgc tgc	cag	atg gad	aag	gag	acc	aaa	gag	2919
45	Glu Arg	Leu (	Glu Gly	Trp C	Cys Cys	Gln	Met Ası	Lys	Glu	Thr	Lys	Glu	
		815 -			820		•		825				
50	aac aac	ctc t	ict gaa	gaa g	gtc tta	gga	aaa gt	ctc	agt	gct	gtg	ggc	2967
	Asn Asn	Leu S	Ser Glu	Glu V	al Leu	Gly	Lys Val	Leu	Ser	Ala	Val	Gly	
	830			8	335			840					
55	agt gcc	cag c	ta ctg	atg t	cc cag	aaa	ttc cas	cag	ttc	cgg	ggc	cic	3015

	Sei	Ala	Gln	Leu	Leu	Met	Ser	Gln	Lys	Phe	Gln	Gln	Phe	Arg.	Gly	Leu	
5	845	;				850					855					860	
	tgt	gag	caa	aac	ttg	aac	cct	gat	gcc	aac	cca	cgc	ccc	aca	BCC	cag	3063
40	Cys	Glu	Gln	Asn	Leu	Asn	Pro	Asp	Ala	Asn	Pro	Arg	Pro	Thr	Ala	Gln	
10					865					870					875		
	gac	ctg	gca	ggg	ttc	tgg	gac	clg	cta	cag	ctg	tcc	atc	gag	gat	atc	3111
15	Asp	Leu	Ala	Gly	Phe	Trp	Asp	Leu	Leu	Gln	Leu	Ser	lle	Glu	Asp	lle	
				880					885			•		890			
20	agc	atg	aag	ttc	gat	gaa	ctc	tac	cac	ctc	aag	gcc	aac	agc	tgg	cag	3159
	Ser	Ne t	Lys	Phe	q2A	G]u	Leu	Туг	His	Leu	Lys	Ala	Asn	Ser	Trp	Gln	
	•		895					900			•		905				
25	ctg	gtg	gag	acc	ccc	gag	aag	agg	aag	gaa	gag	aag	aaa	cca	cċc	cct	3207
	Leu	Val	Glu	Thr	Pro	Glu	Lys	Arg	Lys	Glu	Glu	Lys	Lys	Pro	Pro	Pro	
30		910					915					920					•
	ccg	gtc	cca	aag	aag	cca	gcc	aaa	tcc	aag	ccg	gca	gtg	agc	cgc	gac	3255
35	Ъго	Val	Pro	Lys	Lys	Pro	Ala	Lys	Ser	Lys	Рго	Ala	Val	Ser	Arg	Asp	
	925					930					935					940	
	aag	gcc	tca	gac	gcc	agc	gac	aag	cag	cgc	cag	gag	gcc	CgC	aag	aga	3303
40	Lys	Ala	Ser	Asp	Ala	Ser	Asp	Lys	Gln	Arg	Gln	Glu	Ala	Arg	Lys	Arg	
					945					950					955		
45	ctc	ctg	gcg	gcc	aag	cgg	gca	gct	tct	gtg	cgg	cag	aaċ	tca	gcc	acc	3351
	Leu	Leu	Ala	Ala	Lys	Arg	Ala	Ala	Ser	Val	Arg	Gln	Asn	Ser	Ala	Thr	
				960					965				•	970		·	
50	gag	agc	gca	gac	agc	atc	gag	att	tat	gtc	ccg	gag	gcc	cag	асс	agg	3399
	Glu	Ser.	Ala	Asp	Ser	lle	Glu	Ile	Tyr	Val	Pro	Glu	Ala	Gln	Thr	Arg	
55			975					980					985				

	ctc tgagaccatg caggaggaaa gaaacgattt taaatcatta aaaacacaaa	3452
5	Leu	
	aactaagigo gaacggaaca gagtiticio aaccitigoi alggitatio igiotagaga	3512
	cccigageca actiteaaat igaegeatae aagggeteae aattiggeti tiligggiee	3572
10	ctcccagctt taggitatga agattitaci cacaaaaaaa atcaacaaaa atcacgaaac	3632
	tagaaaacti tittiiteet etigeiggee giggiggaet agatagaigg aegieggeaa	3692
15	ctcccggccc agcctccata ctgcggtctt tttactcgtt ctatctgatg agaactcaca	3752
	ctagettgtt tacaagatga egacagteca agggeageet tgggeacetg ceatgteeet	3812
20	cettteecca getateeccg etetgacett gatttteatt ettatgitit tetettttee	3872
20	cticagaget cacacagtgg teaccattgt ggeaagegge ttictgggte teagecetet	3932
	ctgcggttga gggcccagag gacagagaga tggacatgcg tcccctccct cccccgcca	3992
25	agigateaca cacaaccica agagacacaca cacacacgoa gaiggaggag coicaciggg	4052
	aggigeceeg ceageceigg geagigicag geaggaetea eteacegeig ageagaigag	4112
30	agaagitita giciiggcgg giggaaalga gacgaagcca cagitalcac aciccagaci	4172
	cotgecetti tattitetee ageceettei teetteagea aaatetagga eleeegagtg	4232
	gcttccaggg ggccgtcagt cctcagccgc gcctgtgtcc ggtgcccgag gggcgggcgg	4292
35	cgglgicigi aigtaigigi acataigcac aiagacctla gagigtalag itaacaaacg	4352
	cccatcigci cacccaigce cacccagege egecgeeget ggeteteggg geaceiggea	4412
40	ggaggcgggt gigtgaatag catatattit tacatgiact atatctaggt gigtgtacaa	4472
,	gigigiaa aaatalatac ciigigigia agcagcccii ilililiig giciccaccc	4532
,	ccciccccc gccccgcact cctaagggcc catcigccca gcctcigagi titcigiici	4592
45	attititit taaccccaat taicclicic iciciccigo coccegcatec cacicccage	4652
	gigicacgag cocigagoig caaiggcoog ggccigcagg gcggggiagg ggagggcagg	4712
50	ggctcagccc cgaagccagc tcagtacctg aggggctgct ctatgctgtg tatgcgcctc	4772
	totggcatco gagacatect ottggctggc gottgctgca gggggggacco coccocgto	4832
	cccaggtgaa ccaagggtot gotooggggo ccattlocag ottggcogco glotgtgaco	4892
55	tigggcaagt cactigacci cigtgigcci caacticcic cicigiaaaa cggggacagi	4952

	ccctgcccc	t ccctacct	ca caggcatgt	t gigagaataa	atgaggtaac gtgta	5007
5	<210> 38					. <b>.</b>
	<211> 989				•	
10	<212> PRT				•	
	· <213> Hom	o sapiens				
15	<400> 38					
	Met Lys G	ly Leu Gly	Asp Ser Arg	Pro Arg His	Leu Ser Asp Ser	Leu
	1	5		10	15	
20	Asp Pro P	ro His Glu	Pro Leu Phe	Ala Gly Thr	Asp Arg Asn Pro	Tyr
		20		25	30	
25	Leu Leu_S	er Pro Thr	Glu Ala Phe	Ala Arg Glu	Ala Arg Phe Pro	Gly
		35	40		45	
30	Gln Asn T	hr Leu Pro	Gly Asp Gly	Leu Phe Pro	Leu Asn Asn Gln	Leu
	50		55		60	
	Pro Pro P	ro Ser Ser	Thr Phe Pro	Arg Ile His	Tyr Asn Ser His	Phe
35	65		70	75		80
	Glu Val P	ro Glu Glu	Ser Pro Phe	Pro Ser His	Ala Gln Ala Thr	Lys
40		85		90	95	٠
	lle Asn An		Ala Asn Leu		Phe Glu Lys Gln	Leu
45		100		105	110	
45					Phe Pro Arg Gly	Glu
	11		. 120		125	
50		a Arg Gly		Gly Arg Ile	Arg His Leu Val	His
	130		135		140	
55	Ser Val G	n Arg Leu	Phe Phe Thr	Lys Ala Pro	Ser Leu Glu Gly	Thr
	145	*	150	155		160

		ыу	Lys	Val	Gly	Gly	Asn	Gly	Ser	Lys	Lys	Gly	Gly	Met	Glu	Asp
5					165					170					175	
	Gly	Lys	Gly	Arg	Arg	Ala	Lys	Ser	Lys	Glu	Arg	Ala	Lys	Ala	Gly	Glu
10				180					185					190		
	Pro	Lys	Arg	Arg	Ser	Arg	Ser	Asn	He	Ser	Gly	Trp	Trp	Ser	Ser	Asp
			195					200					205			
15	Asp	Asn	Leu	Asp	Gly	Glu	Ala	Gly	Ala	Phe	Arg	Ser	Ser	Gly	Pro	Ala
		210			٠		215					220				
20	Ser	Gly	Leu	Me t	He	Leu	Gly	Arg	Gln	Ala	Glu	Arg	Ser	Gln	Pro	Arg
	225					230					235					240
25	Tyr	Phe	Met	His	Ala	Tyr	Asn	Thr	He	Ser	Gly	His	Met	Leu	Lys	Thr
2.0			-		245					250					255	
	Thr	Lys	Asn	Asn	Thr	Thr	Glu	Leu	Thr	Ala	Pro	Pro	Pro	Pro	Pro	Ala
30				260					265					270		
	Pro	Pro		ጥե -	Caro	D	C		01	17 - 1	Δ1					_
	110	110	nia	1111	CYS	110	261	Leu	GIY	Val	GIY	Thr	Asp	Thr	Asn	Туг
35	110		275	ınr	Cys		261	Leu 280	GIY	ASI	GIY	Thr	Asp 285		Asn	Tyr
35			275	Gly				280	•				285			
<b>35</b>			275					280	•				285			
35 40	Val	Lys 290	275 Arg		Ser	Trp	Se 1 295	280 Thr	Leu	Thr	Leu	Ser 300	285 His	Ala	His	Glu
	Val	Lys 290	275 Arg	Gly	Ser	Trp	Se 1 295	280 Thr	Leu	Thr	Leu	Ser 300	285 His	Ala	His	Glu
	Val Val 305	Lys 290 Cys	275 Arg GIn	Gly Lys	Ser Thr	Trp Ser 310	Ser 295 Ala	280 Thr Thr	Leu Leu	Thr	Leu Lys 315	Ser 300 Ser	285 His Leu	Ala Leu	His Lys	Glu Ser
40	Val Val 305	Lys 290 Cys	275 Arg GIn	Gly Lys	Ser Thr	Trp Ser 310	Ser 295 Ala	280 Thr Thr	Leu Leu	Thr	Leu Lys 315	Ser 300 Ser	285 His Leu	Ala Leu	His Lys	Glu Ser 320
40 45	Val Val 305 Lys	Lys 290 Cys Ser	275 Arg Gln Cys	Gly Lys	Ser Thr Gln 325	Trp Ser 310 Gly	Ser 295 Ala Leu	280 Thr Thr	Leu Leu Tyr	Thr Asp His	Leu Lys 315 Tyr	Ser 300 Ser Leu	285 His Leu Gln	Ala Leu Val	His Lys Pro 335	Glu Ser 320 Gly
40	Val Val 305 Lys	Lys 290 Cys Ser	275 Arg Gln Cys	Gly Lys His	Ser Thr Gln 325	Trp Ser 310 Gly	Ser 295 Ala Leu	280 Thr Thr	Leu Leu Tyr	Thr Asp His	Leu Lys 315 Tyr	Ser 300 Ser Leu	285 His Leu Gln	Ala Leu Val	His Lys Pro 335	Glu Ser 320 Gly
40 45	Val Val 305 Lys	Lys 290 Cys Ser	275 Arg Gin Cys	Gly Lys His Glu 340	Ser Thr Gln 325 Trp	Trp Ser 310 Gly Ser	Ser 295 Ala Leu	280 Thr Thr Ala	Leu Leu Tyr Leu 345	Thr Asp His 330 Leu	Leu Lys 315 Tyr	Ser 300 Ser Leu	285 His Leu Gln	Ala Leu Val Glu 350	His Lys Pro 335 Thr	Glu Ser 320 Gly Asp

	Tyı	110	e Lys	Ala	Met	Gly	Asp	Glu	Asp	Ser	Asp	Glu	Ser	Gly	Gly	Ser
· 5		37(	0				375					380				
	Pro	Ly	s Pro	Ser	Pro	Lys	Thr	Ala	Ala	Arg	Arg	G1 n	Ser	Tyr	Leu	Arg
	385	•				390					395					400
10	Ala	Thi	Gln	Gln	Ser	Leu	Gly	Glu	Gln	Ser	Asn	Pro	Arg	Arg	Ser	Leu
					405					410					415	
15	Asp	Arg	Leu	Asp	Ser	Val	Asp	Met	Leu	Leu	Pro	Ser	Lys	Cys	Pro	Ser
				420					425					430		
	Trp	Glu	Glu	Asp	Tyr	Thr	Pro	Va]	Ser	Asp	Ser	Leu	Asn	Asp	Ser	Ser
20			435					440					445			
	Cys	Ile	Ser	Gln	He	Phe	Gly	Gln	Ala	Ser	Leu	He	Pro	Gln	Leu	Phe
25		450	J				455					460				
	Gly	His	Glu	Gln	Gln	Val	Ārg	Glu	Ala	Glu	Leu	Ser	Asp	Gln	Tyr	Glu
30	465					470	•				475					480
	Ala	Ala	Cys	Glu	Ser	Ala	Cys	Ser	Glu	Ala	Glu	Ser	Thr	Ala	Ala	Glu
					485					490					495	
35	Thr	Leu	Asp	Leu	Pro	Leu	Pro	Ser	Tyr	Phe	Arg	Ser	Arg	Ser	His	Ser
				500					505					510		
40	Tyr	Leu	Arg	Ala	He	Gln	Ala	Gly	Cys	Ser	Gln	Glu	Glu	Asp	Ser	Val
			515					520					525			
	Ser	Leu	Gln	Ser	Leu	Ser	Pro	Pro	Pro	Ser	Thr	Gly	Ser	Leu	Ser	Asn
45		530					5.35					540				
	Ser	Arg	Thr	Leu	Pro	Ser	Ser	Ser	Cys	Leu	Val	Ala	Туг	Lys	Lys	Thr
50	545		د			550					555					560
	Pro	Pro	Pro	Val	Pro	Pro	Arg	Thr	Thr	Ser	Lys	Pro	Phe	He	Ser	Va l
					565		•			570					575	
55	Thr	Va]	GIn	Ser	Ser	Thr	Glu	Ser	Ala	Gln	Asp	Thr	Tyr	Leu	Asp	Ser

				580	)				585				•	590	١	
5	Gln	Asp	His	Lys	Ser	Glu	Val	Thr	Ser	Gln	Ser	Gly	Leu	Ser	Asn	Ser
			595	i				600	•	•			605			
10	Ser	Asp	Ser	Leu	Asp	Ser	Ser	Thr	Arg	Pro	Pro	Ser	Val	Thr	Arg	Gly
		610	}				615	ı				620				
15	Gly	Val	Ala	Pro	Ala	Pro	Glu	Ala	Pro	Glu	Pro	Pro	Pro	Lys	His	Ala
,,,	625					630					635			•		640
	Ala	Leu	Lys	Ser	Glu	Gln	Gly	Thr	Leu	Thr	Ser	Ser	Glu	Ser	His	Pro
20					645		-			650					655	
	Glu	Ala	Ala	Pro	Lys	Arg	Lys	Leu	Ser	Ser	lle	Gly	He	Gln	Glu	Arg
25				660					665					670		
	Thr	Arg		Asn	Gly	Ser	His		Ser	Glu	Asp	Asn		Pro	Lys	Ala
30			675			_	_	680		_			685			
	116		vai	Met	Ala	Pro		Ser	Glu	Ser	Ser			Ser	His	Se.r
	Mot	690	Sp. 7	Δτα	Ara	Acn	695	Aen	Sar	Acn	ፕኤ-	700		410	100	100
35	705	561	561	Arg	ліб	710	1111	лър	261	nsy	715	0111	nsp	AIG	ASII	720
	,	Ser	Cvs	Lys	Ser		Glu	Arg	Ser	l.eu		Asp	Cvs	Thr	Pro	
40	7.		-,-		725					730		,	•,,,		735	
	Pro	Asn	Ser	Ile		lle	Asp	Ala	Gly		Arg	Gln	Ala	Pro		lle
45 ·				740					745					750		
	Ala	Gln	Ile	Lys	Arg	Asn	Leu	Ser	Tyr	Gly	Asp	Asn	Ser	Asp	Pro	Ala
			755					760					765		•	
50	Leu	G1 u	Ala	Ser	Ser	Leu	Pro	Pro	Pro	Asp	Pro	Trp	Leu	G1 u	Thr	Ser
	•	770					775					780				
55	Ser :	Ser	Ser	Рго	Ala	Glu	Pro	Ala	Gln	Рго	Gly	Ala	Cys	Arg	Arg	Asp

	785					790					795		•	•		800
5	Gly	Tyr	Trp	Phe	Leu	Lys	Leu	Leu	Gln	Ala	Glu	Thr	Glu	Arg	Leu	Glu
			•		805					810					815	
10	Gly	Trp	Cys	Cys	Gln	Met	Asp	Lys	Glu	Thr	Lys	Glu	Asn	Asn	Leu	Ser
·				820					825					830		
	Glu	Glu	Va l	Leu	Gly	Lys	Val		Ser	Ala-	Val	Gly	Ser	Ala	Gln	Leu
15	_		835		_			840					845			
	Leu		Ser	Gin	Lys	Phe		Gln	Phe	Arg	Gly		Cys	Glu	Gln	Asn
20	100	850	Dro	Aan	A 1 a	Aan	855 B	1	Dro	Th.	A I o	860	4	Lan	41.	C1
	865	ASII	Pro	ASP	WIG	870	riu	AIR	LIO		875	GII	ASP	ren	. Ala	880
25		Trp	Asp	Leu	Leu		Leu	Ser	Ile			Ile	Ser	Met	Lvs	
,			•		885					890	_				895	
30	Asp	Glu	Leu	Туг	His	Leu	Lys	Ala	Asn	Ser	Trp	Gln	Leu	Val	Glu	Thr
				900					905					910		
	P.ro	Glu	Lys	Arg	Lys	Glu	Glu	Lys	Lys	Рго	Pro	Pro	Pro	Val	Pro	Lys
35			915			•		920					925			
·	Lys		Ala	Lys	Ser	Lys		Ala	Va l	Ser	Arg		Lys	Ala	Ser	Asp
40	410	930	Ann	1	C1 =	4	935	C1			ī.u.s	940	1	1	41-	41.
	945	261	Asp	LA2	GII	950	GID	GIU	MIA	HIR.	955	MIR	. Leu	ren	AlZ	960
45		Arg	Ala	Ala	Ser		Arg	Gin	Asn	Ser		Thr	Glu	Ser	Ala	
	•				965			•		970					975	
50	Ser	Ile	Glu	Ile	Tyr	Val	Pro	Glu	Ala	Gln	Thr	Arg	Leu			
				980			•		985							
	<210	> 20														
	× 7. 111	Z .3 Y														

	<b>&lt;</b> 21	1> 2	522														
5	<21	2> D	NA			•				٠							
	<21	3> H	ото	sapi	ens												
·	<22	0>												•	•		
10	<22	1> C	DS														
	<22	2> (	1)	(154	5)												•
15	<40	0> 3	9						•								•
	ac t	gct	ctc	agt	gag	aag	cgc	acg	ctg	gag	ggc	gag	ctg	cạt	gat	ctg	48
20	Thr	Ala	Leu	Ser	Glu	Lys	Arg	Thr	Leu	Glu	Gly	Glu	Leu	His	Asp	Leu	
20	1				5					10					15		
	cgg	ggc	cag	gtg	gcc	aag	ctt	gag	gca	gcc	cta	ggt	gag	gcc	aag	aag	96
25	Arg	Gly	Gln	Val	Ala	Lys	Leu	Glu	Ala	Ala	Leu	Gly	Glu	Ala	Lys	Lys	
				20					25					30			
30				gat												•	] <b>44</b>
	Gln	Leu		Asp	Glu	Met	Leu		Arg	Val	Asp	Ala		Asn	Arg	Leu	
05			35					40					45				
<b>35</b>				aag													192
	GIN	50	wer	Lys	GIU	GIU	55	ASP	rne	·6111	raz	60 60	116	IÀL	261	GIU	
40	äασ		cat	gag	200	аав		cai	cat	ខ្ន	acc		ctø	øtø	<b>727</b>	att	240
				Glu													230
45	65	. 200	0		••••	70	0	0		•••	75					80	
		aat	ggg	aag	cag	•	gag	ttt	gag	agc		ctg	gcg	gat	gcg		288
50				Lys	•	_						•					
50	·				85					90					95		
	cag	gaa	clg	cgg			cat	gag	gac	cag	gtg	gag	cag	tat	aag	aag	336
55				Arg													

				100					105					110			
5	gag	ctg	gag	g aag	act	tat	tct	gcc	aag	ctg	gac	aat	gcc	agg	cag	tct	384
	G] u	Leu	Glu	Lys	Thr	Tyr	Ser	Ala	Lys	Leu	Asp	Asn	Ala	Arg	Gln	Ser	•
10			115					120					125				
	gc t	gag	agg	aac	agc	aac	ctg	gtg	ggg	gct	gcc	cac	gag	gag	c.tg	cag	432
15	Ala	Glu	Arg	Asn	Ser	Asn	Leu	Val	Gly	Ala	Ala	His	Glu	Glu	Leu	Gln	
		130					135					140					
	cag	tcg	cgc	atc	cgc	atc	gac	agc	ctc	tct	gcc	cag	ctc	agc	cag	cic	480
20	Gln	Ser	Arg	lle	Arg	Ile	Asp	Ser	Leu	Ser	Ala	Gln	Leu	Ser	Gln	Leu	
	145					150		•			155					160	
25	cag	aag	cag	ctg	gca	gcc	aag	gag	gcg	aag	ctt	cga	gac	ctg	gag	gac	528
	Gln	Lys	~Gln	Leu	Ala	Ala	Lys	Glu	Ala	Lys	Leu	Arg	Asp	Leu	Glu	Asp	
					165					170					175		
30	tca	ctg	gcc	cgt	gag	cgg	gac	acc	agc	cgg	cgg	ctg	ctg	gcg	gaa	aag	576
	Ser	Leu	Ala	Arg	Glu	Arg	Asp	Thr	Ser	Arg	Arg	Leu	Leu	Ala	Glu	Lys	
35				180					185					190			
				atg													624
40	Glu	Arg		Met	Ala	Glu	Met		Ala	Arg	Met	Gln		Gln	Leu	Asp	
		ē	195					200					205				
	gag																672
45	Glu		GIN	GIU	Leu	Leu		116	Lys	reu	AIZ		ASP	мет	GIU	He.	
		210				- 1 -	215					220		-1-		•	200
50	cac																720
	His	Ala	Tyr	Arg	Lys		Leu	61 U	GIY	GIU		610	Arg	Leu	Arg		
	225					230					235		_			240	
55	icc	ccc	agc	cct	acc	tcg	cag	cgc	agc	cgt	ggC	cgt	gcl	tcc	tct	cac	768

	Ser	Pro	Ser	Pro	Thr	Ser	Gln	Arg	Ser	Arg	Gly	Arg	Ala	Ser	Ser	His	
5					245					250					255		
	tca	tco	cag	aca	cag	ggt	ggg	ggc	agc	gtc	acc	aaa	aag	cgc	aaa	clg	816
	Ser	Ser	Gln	Thr	Gln	Gly	Gly	Gly	Ser	Val	Thr	Lys	Lys	Arg	Lys	Leu	
10			•	260					265					270			
	gag	tcc	act	gag	agc	cgc	agc	agc	ttc	tca	cag	cac	gca	cgc	act	agc	864
15	Glu	Ser	Thr	Glu	Ser	Arg	Ser	Ser	Phe	Ser	Gln	His	Ala	Arg	Thr	Ser	
			275					280					285				
20	ggg	cgc	gtg	gcc	gtg	gag	gag	gtg	gat	gag	gag	ggc	aag	ttt	gtc	cgg	912
	Gly	Arg	Val	Ala	Va l	Glu	Glu	Val	Asp	Glu	Glu	Gly	Lys	Phe	Va 1	Arg	
		290					295					300				•	
25			aac -														960
		Arg	Asn	Lys	Ser		Glu	Asp	Gln	Ser	Met	Gly	Asn	Trp	Gln	He	
30	305					310					315					320	
			cag											•			1008
35	Lys	Arg	Gln	Asn		Asp	Asp	Pro	Leu		Thr	Tyr	Arg	Phe		Pro	
33		44.		- 4	325				_4_	330			•		,335		
	_		acc														1056
40	Lys	rne	Thr	340	Lys	AIA	ĠīÀ	GIN	345	Yaı	107	116	irp		Ala	GIY	
	art	aaa	acc		C 2 C	200	ccc	cct		<b>G2C</b>	cta	ata	1 00	350	<b>ac</b> a	607	1104
45			gcc Ala														1104
	vi'a		355	1111	1113	261	11,0	360	1111	nop	Dea		365	LY3	Λια	GIII	
	220		tgg	aar	tar	9 <b>9 8</b>	220		rto	nat	200	ar t		210	990	too	1152
50			Trp														11.92
			117	OIA	UYS	ΩΙΆ		261	ren	WIR	1111		TC (I	116	VŽII	ser	
55		370			-1-		375			- 4 -	_4 -	380		_1			1000
	act	ggg	gaa	gaa	gig	gcc	atg	cgc	aag	clg	gig	cgc	lca	glg	act	gtg	1200

5	Thr	Gly	Glu	Glu	Va l	Ala	Met	Ald	Lys	Leu	Val	Arg	Ser	Val	Thr	Val	
3	385					390					395					400	
	gtt	gag	gac	gac	gag	gat	gag	gat	gga	gat	gac	ctg	ctc	cat	cac	cac	1248
10	Val	Glü	Asp	Asp	Glu	Asp	Gļu	Asp	Gly	Asp	Asp	Leu	Leu	His	His	His	-
·					405					410					415		
15	cac	ggc	tcc	cac	tgc	agc	agc	tcg	ggg	gac	ccc	gc t	gag	tac	aac	ctg	1296
	His	Gly	Ser	His	Cys	Ser	Ser	Ser	Gly	Asp	Pro	Ala	Glu	Туг	Asn	Leu	
				420					425					430			
20	cgc	tcg	cgc	acc	gtg	ctg	tgc	ggg	acc	tgc	ggg	cag	cct	gcc	gac	aag	1344
	Arg	Ser	Arg	Thr	Val	Leu	Cys	Gly	Thr	Cys	Gly	Gln	Pro	Ala	Asp	Lys	
25			435					440					445				
•	gca	tct	gcc	agc	ggc	tca	gga	gcc	cag	gtg	ggc	gga	ccc	atc	tcc	tct	1392
30	Ala	Ser	Ala	Ser	Gly	Ser	Gly	Ala	Gln	Val	Gly	Gly	Pro	He	Ser	Ser	
		450					455					460					
	ggc	tct	tct	gcc	tcc	agt	gtc	acg	gtc	act	cgc	agc	tac	CgC	agt	gtg .	1440
35	Gly	Ser	Ser	Ala	Ser	Sei	Val	Thr	Val	Thr	Arg	Ser	Tyr	Arg	Ser	Val	
	465					470					475					480	
40		ggc															1488
	Gly	Gly	Ser	Gly		Gly	Ser	Phe	Gly		Asn	Leu	Val	Thr	Arg	Ser ·	
					485					490	•				495		
45		ctc															1536
	Туг	Leu	Leu		Asn	Ser	Ser	Pro		Thr	Gln	Ser	Рго		Asn	Cys	
50				500					505			•		510	٠		
		atc		taat	ctgg	ga c	ctgo	cage	C ag	gggt	ggg	glg	gage	ctt			1585
	Ser	He	Met							•							
55			515														

	cctgcgtcct	cctcacctca	tgcccacccc	cigcccigca	cgtcatggga	gggggcttga	1645
5	agccaaagaa	aaataaccct	ttggttttt	tcttctgtat	ttttttttt	aagagaagtt.	1705
-	atttictaca i	gtggtttiat	actgaaggaa	aaacacaagc	aaaaaaaaa	aaaaagcatc	-1765
	tatctcatct	atctcaatcc	taattictcc	tcccttcctt	ttccctgctt	ccaggaaact	1825
10	ccacatcigc (	cttaaaacca	aagagggcit	cctctagaag	ccaagggaaa	ggggigcttt	1885
	tatagagget	agcitcigci	tttctgccct	ggctgctgcc	ccaccccggg	gaccctgtga	1945
15	catggtgcct (	gagaggcagg	catagaggct	tctccgccag	cctcctctgg	acggcaggct	2005
	cactgccagg (	ccagcciccg	agagggagag	agagagagag	aggacagctt	gagccgggcc	2065
20	cctggcttgg (	cctgctgtga	ticcactaca	cctggctgag	gttcctctgc	ctgccccgcc	2125
20	cccagtcccc a	accctgccc	ccagccccgg	ggtgagtcca	ttctcccagg	taccagctgc	2185
	gcttgctttt	ctgtatttta	tttagacaag	agatgggaat	gaggtgggag	gtggaagaag	2245
25	ggagaagaaa g	ggtgagtttg	agcigcciic	cctagcttta	gaccctgggt	gggctctgtg	2305
	cagtcactgg a	iggttgaagc	caagtggggt	gctgggagga	gggagaggga	ggtcactgga	2365
30	aaggggagag c	ctgctgcac	ccaccgtgga	ggaggaaggc	aagagggggt	ggaggggtgt	2425
	ggcagttggt t	ttggcaaac	gcttaaagag	cccttgcctc	cccatttccc	atctgcaccc	2485
	cliciciect e	cccaaatca	atacactagt	tgtttct			2522
35	⟨210⟩ 40						
	<211> 515						
40	<212> PRT						•
	<213> Homo s	apiens					
45	<b>&lt;400&gt; 40</b>						
45	Thr Ala Leu	Ser Glu Ly	s Arg Thr L	eu Glu Gly	Glu Leu His	Asp Leu	•
,	. 1	5		10		15	
50	Arg Gly Gln	Val Ala Ly	s Leu Glu A	la Ala Leu	Gly Glu Ala	Lys Lys	
		20		25	30	,	
	Gln Leu Gln	Asp Glu Me	t Leu Arg A	rg Val Asp	Ala Glu Asn	Arg Leu	

			3	5				40	)				4	5		
5	GI	n Th	r Me	Ly	s Gl	u Gli	u Lei	ı Ası	Phe	Glr	Lys	s Asi	n Ile	e Tyı	Sei	Glu
		5	0				5 8	5				60	)	••		
10	Gli	u Lei	J Arg	Glu	ı Thi	r Lys	Arg	, Arg	His	Glu	Thr	Arg	z Lei	ı Val	Glu	Ile
	65	5	٠			. 70	)				75	•				80
	Asp	Asr	Gly	Lys	Glr	Arg	Glu	Phe	Glu	Ser	Arg	Leu	Ala	Asp	Ala	Leu
15					85	j .				90					95	
	Gln	Glu	Leu	Arg	Ala	Gln	His	Glu	Asp	Gln	Val	Glu	Gln	Туг	Lys	Lýs
20				100					105					110		
	Glu	Leu	Glu	Lys	Thr	Туг	Ser	Ala	Lys	Leu	Asp	Asn	Ala	Arg	Gln	Ser
25	.,		115				_	120					125			
	Ala		Arg	Asn	Ser	Asn		Val	Gly	Ala	Ala		Glu	G}u	Leu	Gln
	Gln	130	1.0	110	A ===	I I a	135	°	ĭ	C	41.	140	,	•		•
30	145	261	Arg	116	MIR	150	КSР	261	Leu	ser	155	GIN	reu	Ser	Gin	
	•	Lys	Gln	Leu	Ala		Lvs	Glu	Ala	l.vs		Arg	Asn	l en	Clo	160
35		•			165		-,-			170	200	0	nsp	DÇU	175	vah
	Ser	Leu	Ala	Arg	Glu	Arg	Asp	Thr	Ser		Arg	Leu	Leu	Ala		Lys
40				180					185					190		
	Glu	Arg	Glu	Me t	Ala	Glu	Met	Arg	Ala	Arg	Met	Gln	Gln	Gln	Leu	Asp
			195				•	200				•	205			
45	Glu	Tyr	Gln	Glu	Leu	Leu	Aşp	He	Lys	Leu	Ala	Leu	Asp	Met	Glu	lle
		210					215		•			220				
50	His	Ala	Tyr .	Arg !	Lys	Leu	Leu	G 1 u	Gly	Glu	Glu	Glu	Arg	Leu	Arg	Leu
	225					230			•		235					240
55	Ser I	Pro .	Ser 1	210	Thr	Ser	Gln.	Arg	Ser	Arg	Gly	Arg	Ala	Ser	Ser	His
				:	245					250					255	

	Ser	Ser	Gln	Thr	Gln	Gly	Gly	Gly	Ser	Val	Thr	Lys	Lys	Arg	Lys	Leu
5				260					265					270		
	Glu	Ser	Thr	Glu	Ser	Arg	Ser	Ser	Phe	Ser	Gln	His	Ala	Arg	Thr	Ser
10			275					280					285			
	Gly	Arg	Va]	Ala	Val	Glu	Glu	Val	Asp	Glu	.G] u	Gly	Lys	Phe	Val	Arg
	•	290					295		•			300				
15	Leu	Arg	Asn	Lys	Ser	Asn	Glu	Asp	Gln	Ser	Me t	Gly	Asn	Trp	Gln	Ile
	305					310					315					320
20	Lys	Arg	Gln	Asn	Gly	Asp	Asp	Pro	Leu	Leu	Thr	Tyr	Arg	Phe	Pro	Pro
					325					330					335	
25	Lys	Phe	Thr	Leu	Lys	Ala	Gly	Gln	Val	Val	Thr	Ile	Trp	Ala	Ala	Gly
			-	340					345					350		
	Ala	Gly	Ala	Thr	His	Ser	Pro	Pro	Thr	Asp	Leu	Yal	Trp	Lys	Ala	Gln
30			355					360					365			
·	Asn	Thr	Trp	Gly	Cys	Gly	Asn	Ser	Leu	Arg	Thr	Ala	Leu	Ile	Asn	Ser
35		370					375					380				
	Thr	Gly	Glu	Glu	Val	Ala	Met	Arg	Lys	Leu	Val	Arg	Ser	Val	Thr	Val
40	385					390					395				•	400
40	Val	Glu	Asp	Asp		Asp	Glu	Asp	Gly		Asp	Leu	Leu	His	His	His
					405					410					415	
45	His	Gly	Ser	His	Cys	Ser	Ser	Ser		Asp	Pro	Ala	Glu		Asn	Leu
				420					425			•		430		
50	Arg	Ser		Thr	Val	Leu	Cys		Thr	Cys	Gly	Gln		Ala	Asp	Lys.
			435					440					445			
	Ala	Ser	Ala	Ser	Gly	Ser	Gly	Ala	Gln	Val	Gly	Gly	Pro	He	Ser	Ser
55		450					455					460				

	Gly Ser Ser Ala Ser Ser Val Thr Val Thr Arg Ser Tyr Arg Ser Val
5	465 470 475 480
	Gly Gly Ser Gly Gly Ser Phe Gly Asp Asn Leu Val Thr Arg Ser
	485 490 495
10	Tyr Leu Leu Gly Asn Ser Ser Pro Arg Thr Gln Ser Pro Gln Asn Cys
	500 . 505 510
15	Ser Ile Met
	515
20	<210> 41
	<211> 3474
25	<212> DNA
23	<213> Homo sapiens
	<220>
30	<221> CDS
	<222> (78) (2813)
35	⟨400⟩ 41
	gcgcgccggc ggctcgggca gagggggcggg agctgaggcg ggagcggaca ggctggtggg 60
40	cgagcgagag gcgcgga atg gtg gac tac cac gcg gcg aac cag tcg tac 110
	Met Val Asp Tyr His Ala Ala Asn Gln Ser Tyr
	1 5 10
45	cag tac ggc ccc agc agc gcg gca atg gct tgg cgg cgg ggg agc atg 158
	Gin Tyr Gly Pro Ser Ser Ala Ala Met Ala Trp Arg Arg Gly Ser Met
50	15 20 25
	ggc gac tac atg gcc cag gag gac gac tgg gac cgg gac ctg ctg ctg 206
55	Gly Asp Tyr Met Ala Gln Glu Asp Asp Trp Asp Arg Asp Leu Leu
	30 35 40

		gae	cc	g gc	c tgg	gag	g aag	g cag	cag	cgc	aag	aco	tto	ace	gca	tge	agc	254
5		Ası	Pr	o Ala	a Tr	Glu	Lys	Gln	Gln	Arġ	Lys	Thr	Phe	Thr	Ala	Trp	Ser	
-			4	5				50	ı				55					
		aac	tco	cac	ctg	cgg	äag	gca	ggc	aca	cag	atc	gag	aac	att	gat	gag	302
10		Asn	Sei	His	Leu	Arg	Lys	Ala	Gly	Thr	Gln	He	Glu	Asn	lle	Asp	Glu	
	•	60					65			•		70					75	
15		gac	tto	çga	gac	ggg	ctc	aag	ctc	alg	ctg	ctc	ctg	gag	gtc	ata	tca	350
	I	lsp	Phe	Arg	Asp	Gly	Leu	Lys	Leu	Met	Leu	Leu	Leu	Glu	Val	lle	Ser	
20						80					85					90		
20	g	gg	gag	cgg	tta	cct	aag	ccg	gag	cgg	ggg	aag	atg	aga	gtg	cac	aaa	398
	G	Ìу	Glu	Arg	Leu	Pro	Lys	Pro	Glu	Arg	Gly	Lys	Met	Arg	Val	His	Lys	
25	·			-	95					100					105			
	a	tc	aac	aat	gtg	aac	aaa	gcg	ctg	gac	t t·t	att	gcc	agc	aaa	ggg	atc	446
30	1	l e	Asn		Val	Asn	Lys	Ala		Asp	Phe	lle	Ala	Ser	Lys	Gly	Ile	
				110					115					120				
					ttc													494
35	L			ASP	Phe	HIS	Aŗg		Glu	Glu	He	Val		Gly	Asn	Ala	Lys	
			125	c t s	000	210	212	130				- 4 4	135					• • •
40					gga Gly				•									542
,		0 .		Dea	0.,		145	111	1111	116		150	VIE	rne	VIG	116	155	
45			atc	tcc	gig			acc	tcg	gcc			2 E E	rtr	ctt	ctc		590
					Val			•										330
		•				160					165	•••	J.,	200	<i>D</i> C 0	170		
50	tg	C (	cag	aga	aag		gcc	cca	tat			gtc	aat	ete	cag		ite	638
					Lys '													000
55	•				175		'			180			-14#		185	-1011		

	cac	ato	ago	tgg	aag	gat	ggt	ctt	gcc	ttc	aat	gcc	ctg	atc	cac	Cgg	686
5	His	He	Ser	Trp	Lys	Asp	Gly	Leu	Ala	Phe	Asn	Ala	Leu	Ile	His	Arg	
		٠	190					195					200				•
10	cac	aga	cca	gag	ctg	att	gag	tat	gac	aag	clg	agg	aag	gac	gac	cct	734
	His	Arg	Pro	Glu	Leu	I l <sub>.</sub> e	Glu	Tyr	Asp	Lys	Leu	Arg	Lys	Asp	Asp	Pro	
		205					210				•	215					
15	gic	acc	aac	ctg	aac	aat	gcc	ttc	gaa	gtg	gct	gag	aaa	tac	ctc	gac	782
	Val	Thr	Asn	Leu	Asn	Asn	Ala	Phe	Glu	Val	Ala	Glu	Lys	Tyr	Leu	Asp	
20	220					225					23.0					235	
	atc	ccc	aag	atg	cig	gat	gca	gag	gac	atc	gtg	aac	acg	gcc	cgg	ссс	830
25	Ile	Pro	Lys	Met	Leu	Asp	Ala	Glu	Asp	Ile	Val	Asn	Thr	Ala	Arg	Pro	
25			-		240					245					250		
	gac	gag	aag	gcc	ata	atg	acc	tat	gtg	tcc	agc	ttc	tac	cat	gcc	ttt	878
30	Asp	Glu	Lys	Ala	Ile	Met	Thr	Tyr	Val	Ser	Ser	Phe	Tyr	His	Ala	Phe	
		•		255	•				260					265			
35	tca	gga	gcg	cag	aag	gct	gaa	act	gaa	act	gcc	gcc	aac	cgg	atc	tgt	926
	Ser	Gly	Ala	Gln	Lys	Ala	Glu	Thr	Glu	Thr	Ala	Ala	Asn	Arg	Ile	Cys	
			270					275					280		•		
40	aag	gig	ctg	gcl	gtc	aac	caa	gag	aac	tgc	agc	acc	ţcg	atg	gag	gac	974
	Lys	Val	Leu	Ala	Va 1	Аѕп	Gln	Glu	Asn	Cys	Ser	Thr	Ser	Met	Glu	Asp	
45		285					290					295					
	taç	gag	aag	clg	gcc	agc	gac	ctc	clg	gag	tgg	a-t c	cgg	cgc	acc	atc	1022
50	Tyr	Glu	Lys	Leu	Ala	Ser	Asp	Leu	Leu	Glu	Trp	lle	Arg	Arg	Thr	lle	
	300					305					310					315	
	ccc	lgg	ctg	gag	gac	cgt	gtg	ссс	caa	aag	act	atc	cag	gag	atg	cag	1070
55	Pro	Trp	Leu	Glu	Asp	Arg	Val	Pro	Gln	Lys	Thr	Ile	Gln	Glu	Met	Gln	

		320	325	330
5	cag aag ctg ga	g gac tic cgc ga	c tac cgg cgt gtg ca	c aag ccg ccc 1118
	Gln Lys Leu Gl	u Asp Phe Arg As	p Tyr Arg Arg Val Hi	s Lys Pro Pro .
	. 33	5	340 ·	345
10	aag gtg cag ga	g aag tgc cag ct	g gag atc aac ttc aa	c agc gtg cag 1166
	Lys Val Gin Gi	u Lys Cys Gln Le	u Glu Ile Asn Phe Asi	n Ser Val Gin
15	350	35	5 360	0
	acc aag ctg cg	c ctc agc aac cg	g ccc gcc ttc atg cc	c tcc gag ggc 1214
20	Thr Lys Leu Arg	g Leu Ser Asn Ar	g Pro Ala Phe Met Pro	o Ser Glu Gly
20	365	370	375	
	aag atg gic to	g gac atc aac aa	t ggc tgg cag cac tt	g gag cag gct 1262
25	Lys Met Val Ser	r Asp Ile Asn As	n Gly Trp Gln His Leu	ı Glu Gln Ala
	380	385	390	395
30	gag aag ggc tad	gag gag tgg ct	g cig aat gag ait cgo	c agg ctg gag 1310
	Glu Lys Gly Tyr	Glu Glu Trp Le	u Leu Asn Glu Ile Arg	g Arg Leu Glu
		400	405	410 .
<i>35</i>			g tic cgg cag aaa gco	
			s Phe Arg Gln Lys Ala	
40	415		420	425 .
	•		a gcc atg ctg aag cac	
45	•		u Ala Met Leu Lys His	
	430	. 43	•	
	•,	•	c asa gcc ctc att cgc	,
50			e Lys Ala Leu Ile Arg	g Lys His Glu
	445	450	455	
55			g cac cag gac cgc glg	
	Ala Phe Glu Ser	Asp Leu Ala Al	a His Gln Asp Arg Val	Glu Gln Ile

	46	0				46	5				470	0 .				475	,
5	gc	c gc	c tc	c gc	c ca	g ga	g ct	c aad	ga	g cts	g gal	t ta	c ta	c ga	ctc	c cac	1550
	ΑJ	a Al	a Se	r Al	a Gl	n G1	u Le	u Ası	Gli	ı Lei	ı Asp	Ty	Ty:	r Ası	p Se	r His	
10					48	0				485	5				49	)	
	aa	t gt	c aa	c ac	c cg	g tg	c ca	g aag	ato	tgt:	gac	cag	tg	gga	gc	ctc	1598
	As	n Va	l Ası	n Th	r Arg	g Cys	s Gli	l Lys	:T1e	Cys	Asp	Gln	Tri	Asp	Ala	Leu	
15				495	5				500	)			·	505	i		
	ggo	ctc	tcte	g aca	a cat	agt	cgo	agg	gaa	gcc	ctg	gag	aaa	aca	gag	aag	1646
20	Gly	/ Sei	r Leu	Thr	His	Ser	. Vie	Arg	Glu	Ala	Leu	Glu	Lys	Thr	Glu	Lys	
			510					515					520				
25																ccc	1694
	GIN			Ala	lle	He	•		Leu	His	Leu		Tyr	Ala	Lys	Pro	
30	900	525		ttc	220	220	530		<b>7</b> 2.7	200		535					
				ttc Phe													1742
	540				,,,,,	545	11.5	140 0	0.0	501	550	шст	010	nsp	reu	555	
35	gac	atg	ttc	atc	gtc		acc	atc	gag	gag		gag	ggc	ctg	atc		1790
				Ile													
40					560					565					570		
	gcc	cat	gac	cag	ttc	aag	tcc	acc	ctg	ccg	gac	gcc	gat	agg	gag	cgc	1838
45	Ala	His	Asp	Gln	Phe	Lys	Ser	Thr	Leu	Pro	Asp	Ala	Asp	Arg	Glu	Arg	
				575			•		580					585			
50	gag	gcc	atc	ctg	cat	cca	caa	gga	ggc	cag	agg	atc	gcl	gag	agc	aac	1886
	Glu	Ala	He	Leu	His	Pro	Gln	Gly	Gly	Gln	Arg	lle	Ala	GÌu	Ser	Asn	
			590					595					600				
55	cac	atc	aag	cig	icg	ggc	agc	aac	ccc	tac	acc	acc	gtc	acc	ccg	caa	1934

	His Ile Lys	Leu Ser Gly	Ser Asn Pro Tyr	Thr Thr Val Thr Pro	Gln
5	605		610	615	
	atc atc aac	tcc aag ügg	gag aag gig cag	cag ctg gtg cca aaa o	.1982
	lle lle Asn	Ser Lys Trp	Glu Lys Val Gln	Gin Leu Val Pro Lys A	lrg
10	620	625	ı	630	335
	gac cat gcc	ctc ctg gag	gag cag agc aag	cag cag cag tcc aac g	gag 2030
15	Asp His Ala	.eu Leu Glu	Glu Gln Ser Lys	Gln Gln Gln Ser Asn (	Glu
		640	645	650	
20	cac ctg cgc	gc cag tic	gcc agc cag gcc	aat gtt gtg ggg ccc t	gg 2078
	His Leu Arg	rg Gln Phe	Ala Ser Gln Ala	Asn Val Val Gly Pro 7	rp .
	. 1	55	660	665	
25	•			tcc att gag atg aac g	
		ys Met Glu	Glu Ile Ala Ile	Ser Ile Glu Met Asn G	ly
30	670		675	680	
				cag tat gaa cgc agc a	
<b>35</b>		sp Gin Leu		Gin Tyr Glu Arg Ser I	le
	685	30 000 000	690	695	4- 0000
				gag cag cag cac cag c Glu Gln Gln His Gln L	
40	700	705			15
			lic gac aac aag	cac acc aac tat acc a	
45				His Thr Asn Tyr Thr M	_
		720	725	730	
50	gag cac atc c			ctc acc acc att gcc c	gc 2318
			•	Leu Thr Thr Ile Ala A	
		35	740	745	-
55	•		aac cag atc ctl	acc cgc gac gcc aag g	gc 2366
	_	· - <del>-</del>	-	0 0 0	

	Thr	lle	Asn	Glu	Val	Glu	Asn	Gln	He	Leu	Thr	Arg	Asp	Ala	Lys	Gly	
5			750					755					760				
	atc	agc	cag	gag	cag	atg	cag	gag	ttc	cgg	gcg	tcc	ttc	aac	cac	ttc	2414
10	Ile	Ser	Gln	Glu	Gin	Met	Gln	Glu	Phe	Arg	Ala	Ser	Phe	Asn	His	Phe	
		765					770					775					
	gac	aag	gat	cat	ggc	ggg	gcġ	ctg	ggg	cga	gga	gtt	caa	ggc	ctg	cct	2462
15	Asp	Lys	Asp	His	Gly	Gly	Ala	Leu	Gly	Arg	Gly	Val	Gln	Gly	Leu	Pro	
	780					785					790					795	
20	cat	cag	cct	ggg	cta	cga	cgt	gga	gaa	cga	ccg	gca	ggt	gag	gcc	gag	2510
	His	Gln	Pro	Gly	Leu	Arg	Arg	Gly	Glu	Arg	Pro	Ala	Gly	Glu	Ala	Glu	
25					800					805					810		
	ttc	aac	-cgc	atc	atg	agc	ctg	gtc	gac	ccc	aac	cat	agc	ggc	ctt	gtt	2558
	Phe	Asn	Arg	He	Met	Ser	Leu	Val	Asp	Pro	Asn	His	Ser	Gly	Leu	Yal	
30				815					820					825			
	acc	ttc	caa	gcc	ttc	atc	gac	ttc	alg	tcg	cgg	gag	acc	acc	gac	acc	2606
35	Thr	Phe	Gln	Ala	Phe	He	Asp	Phe	Met	Ser	Arg	Glu	Thr	Thr	Asp	Thr ·	
			830					835					840				
40						gta											2654
	Asp	Thr	Ala	Asp	Gln	Val	He	Thr	Ser	Phe	Lys	Val	Leu	Ala	Gly	Asp	•
		845					850					855					
45	aag	aac	ttc	atc	aca	gct	gag	gag	ctg	Cgg	aga	gag	ctg	ccc	ccc	gac	2702
	Lys	Asn	Phe	Ile	Thr	Ala	Glu	Glu	Leu	Arg	Arg	Glu	Leu	Pro	Pro	Asp	
50	860					865				•	870			٠		875	
																	2750
•	cag	gcc	gag	tac	tgc	atc	gcc	cgc	alg	gcg	cca	lac	cag	ggc	CCI	gac	2750
55		_				lle											2130

ggc gtg cgc ggt gcc ctc gac tac aag tcc ttc tcc acg gcc ttg tat Gly Val Arg Gly Ala Leu Asp Tyr Lys Ser Phe Ser Thr Ala Leu Tyr 5 895 900 905 ggc gag agc gac cig igaggcccca gagaccigac ccaacacccc cgacgccicc 2853 10 Gly Glu Ser Asp Leu 910 15 aggageetgg cageeccaca gleecattee tecacietgi atetatgeaa ageactetet 2913 cigcagicic cggggigggi gggigggcag ggagggcig gggcaggcic iciccicic 2973 ctctttgigg gttggccagg aggitccccc gaccaggttg gggagacttg gggccagcgc 3033 20 ttclggicig glaaalatgi algatgigit gigciittii aaccaaggag gggccagigg 3093 atteceacag cacaaceggi cecitecatg ceetgggatg ceteaceaca eccaggiete 3153 25 ttcctttgct ctgaggtccc ttcaaggcct ccccaatcca ggccaaagcc ccatgtgcct 3213 tgiccaggga actgcciggg ccaigcgagg ggccagcaga gggcgccacc acctgacggc 3273 tgggacccac ccagccccic tccccicict gctccagact cacttgccat tgccaggaga 3333 30 tggccccaac aagcaccccg cilitgcagc agaggagcig agitggcaga ccgggccccc 3393 ctgaaccgca ccccatccca ccagcccgg ccttgctitg tctggcctca cgtgtctcag 3453 attictaag aaccaaaaaa a 3474 <210> 42 40 <211> 912 <212> PRT <213 Homo sapiens 45 <400> 42 Met Val Asp Tyr His Ala Ala Asn Gln Ser Tyr Gln Tyr Gly Pro Ser 50 1 5 10 15 Ser Ala Ala Met Ala Trp Arg Arg Gly Ser Met Gly Asp Tyr Met Ala 55 20 25 30

	Gli	n Gli	ızkı	) Asp	Trp	) Asp	Arg	Asp	Leu	Leu	Leu	Asp	Pro	Ala	Trp	Glu
5			35	j				40					· 45			
	Ly:	s Gli	Gli	Arg	Lys	Thr	Phe	Thr	Ala	Trp	Ser	Asn	Ser	His	Leu	Arg
		50	)				55					60	1			
10	Lys	s Ala	Gly	Thr	Gln	Ile	Glu	Asn	lle	Asp	Glu	Asp	Phe	Arg	Asp	Gly
	65	5				70					75					80
15	Lei	ı Lys	Leu	Met	Leu	Leu	Leu	Glu	Val	He	Ser	Gly	Glu	Arg	Leu	Pro
					85					90					95	
20	Lys	Pro	Glu	Arg	Gly	Lys	Met	Arg	Va 1	His	Lys	lle	Asn	Asn	Yal	Asn
				100					105					110		
	Lys	Ala	Leu	Asp	Phe	Ile	Ala	Ser	Lys	Gly	He	Lys	Leu	Asp	Phe	His
25			115					120					125			
	Arg		Glu	Glu	lle	Val		Gly	Asn	Ala	Lys		Thr	Leu	Gly	Met
30		130					135					140				
			Thr	lle	He	•	Arg	Phe	Ala	lle		Asp	He	Ser	Val	•
35 .	145		Sar	410	1 2/0	150	Clar	Lou	Lan	Lan	155	Cun	Cl.	۸	1	160 Th-
	610	1111	261	Ala	165	GIU	GIY	reu	reu	170		Lys	GIN	Arg	175	ınr
	Ala	Pro	Tvr	Lys		Val	Asn	Val	Gln		Phe	His	He	Ser		I ve
40			-,,	180					185				•••	190	.,,	D,3
	Asp	Gly	Leu	Ala	Phe	Asn	Ala	Leu		His	Arg	His	Arg		Glu	Leu
45			195					200					205		٠	
	lle	Glu	Tyr	Asp	Lys	Leu	Arg	Lys	Asp	Asp	Pro	Val	Thr	Asn	Leu	Asn
50		210					215					220				
	Asn	Ala	Phe	Glu	Val	Ala	Glu	Lys	Туг	Leu	Asp	Île	Pro	Lys	Met	Leu
	225	•				230					235					240
55	Asp	Ala	Glu	Asp	lle	Val	Asn	Thr	Ala	Arg	Pro	Asp	Glu	Lys	Ala	lle

					245			-		250				•	255	
5	Met	Thr	Tyr	Val	Ser	Ser	Phe	Tyr	His	Ala	Phe	Ser	Gly	Ala	Gln	Lys
•				260					265					270		•
10	Ala	Glu	Thr	Glu	Thr	Ala	Ala	Asn	Arg	He	Cys	Lys	Val	Leu	Ala	Val
			275					280				•	285			
	Asn	Gln	Glu	Asn	Cys	Ser	Thr	Ser	Met	Glu	Asp	Tyr	Glu	Lys	Leu	Ala
15		290					295					300				
	Ser	Asp	Leu	Leu	Glu	Trp	Ile	Arg	Arg	Thr	Ile	Pro	Trp	Leu	Glu	Asp
20	305		•			310					315					320
	Arg	Va 1	Pro	Gln	Lys ·	Thr	lle	Gln	Glu	Met	Gln	Gln	Lys	Leu	Glu	Asp
25					325					330					335	
	Phe	Arg	Asp	Tyr	Arg	Arg	Val	His	Lys	Pro	Pro	Lys	Val	Gln	Glu	Lys
				340					345					350		•
30	Cys	Gln	Leu	Glu	Ile	Asn	Phe		Ser	Val	Gln	Thr		Leu	Arg	Leu
			355	_				360		•			365		_	
35	Ser		Arg	Pro	Ala	Phe		Pro	Ser	610	Gly		Met	Vai	Ser	Asp
	Ho	370	Asn	Clv	Trn	Cln	375	Lau	Clu	Cin	Ala	380	Luc	Cly	Tu-	CI.
40	385	VOII	VOII	O I Y	IIP	390	1113	LCu	Giu	GIN	395	010	Lys	GIY	1 9 1	400
		Trn	Leu	l.en	Asn		Ile	Arg	Arg	Len		Arg	Len	Asp	His	
	0.0	1.,	200	200	405	•••				410				,,,,,	415	Dea
45	Ala	Glu	Lys	Phe		Gln	Lýs	Ala	Ser		His	Glu	Ala	Trp		Asp
				420					425			•		430		·
50	Gly	Lys	Glu		Met	Leu	Lys	His	Arg	Asp	Tyr	Glu	Thr	Ala	Thr	Leu
	·		435					440					445			
55	Ser	Asp	lle	Lys	Ala	Leu	Ile	Arg	Lys	His	Glu	Ala		Glu	Ser	Asp

		450	)				459	j				460	)	•		
5	Lei	ı Ala	a Ala	His	Gli	Asp	Arg	. Val	Glu	Gln	Ile	Ala	ı Al-a	Ser	Ala	Gln
	465	5				470	)				475					480
10	Glu	ı Lev	Asn	Glu	Lev	ı Asp	Туг	Tyr	Asp	Ser	His	Asn	Va1	Asn	Thr	Arg
					485	;				490					495	
	Cys	Gln	Lys	Ile	Cys	Asp	Gìn	Trp	Ąsp	Ala	Leu	Gly	Ser	Leu	Thr	His
15				500					505					510		
	Ser	Arg	Arg	Glu	Ala	Leu	Glu	Lys	Thr	Glu	Lys	Ğln	Leu	Glu	Ala	He
20			515					520					525			
	He	Asp	Gln	Leu	His	Leu	Glu	Tyr	Ala	Lys	Pro	Ala	Ala	Pro	Phe	Asn
25		530					535					540				
		Trp	Me t	Glu	Ser		Met	Glu	Asp	Leu			Met	Phe	He	Val
	545					550					555	•				560
30	His	Thr	Ile	Glu		He	Glu	Gly	Leu		Ser	Äla	His	Asp	Gln	Phe
				_	565					570					575	
<i>35</i>	Lys	Ser	Thr		Pro	Asp	Ala	Asp		Glu	Arg	Glu	Ala		Leu	His
	D	Cl-	C1	580	C1-	<b>.</b>	T1-	41-	585			•••		590		_
	rio	Gin	595	GIY	GIN	AIg	116		eín	261	ASN	HIS		Lys	Leu	Ser
40	Clv	Sar		Dro	Tur	The	The	600 Val	The	Dro	Cln	110	605	A = ==	C	1
	uiy	Ser 610	ASII	110	171	1111	615	141	1111	710	6111	620	116	ASII	ser	LYS
45	Tro	Glu	Lvs	Val	Gln	Gln		Val	Pro	Lvs	Arg		Hie	Δla	I an	Lau
	625	J. <b>J</b>	2,0		J	630	Þ.C.u	,		Lys	635	пэр	1113	ліа	ren	640
50		Glu	Gln	Ser	lvc		Gln	Gln	Set	Aen		Ніс	I a n	Ara	A - a	
30	•••		•••		645	•••	<b>01.</b>	<b></b>		650	0,0	1113	LCU	мъ	655	0111
	Phe	Ala	Ser			Acn	Val	Val	Clv		Ten	ماآ	Cla	ፕъ -		Ma+
55	1116	1116		660	a	MOII	141		665		11h	116		670	L A 2	MEL
				<b>J U U</b>					UUJ					UIV		

	Glu	Glu	Ile	Ala	lle	Ser	lle	Glu	Met	Asn	Gly	Thr	Leu	Glu	Asp	Gln
5			675					680				•	685			
	Leu	Ser	His	Leu	Lys	Gln	Туг	Glu	Arg	Ser	He	Val	Asp	Tyr	Lys	Pro
10		690	ţ				695					700				
	Asn	Leu	Asp	Leu	Leu	Glu	Gln	Gln	His.	Gln	Leu	Ile	Gln	Glu	Ala	Leu
	705					710					715					720
15	He	Phe	Asp	Asn	Lys	His	Thr	Asn	Туг	Thr	Met	Glu	His	He	Arg	Val
					725					730					735	
20	Gly	Trp	Glu	Gln	Leu	Leu	Thr	Thr	Ile	Ala	Arg	Thr	lle	Asn	Glu	Val
				740					745					750		
25	Glu	Asn	Gln	lle	Leu	Thr	Arg	Asp	Ala	Lys	Gly	He	Ser	Gln	Glu	Gln
			<i>J</i> 55					760					765			
	Met		Glu	Phe	Arg	Ala		Phe	Asn	His	Phe	Asp	Lys	Asp	His	Gly
30		770					775					780				
		Ala	Leu	Gly	Arg		Val	Gln	Gly			His	Gla	Pro		
35	785		•			790	. •				795					800
	Arg	Arg	Gly	GIU		Pro	Ala	Gly	Glu		Glu	Phe	Asn	Arg		Met
40	20.5	l au	Vol.	A = =	805	400	U: a	°	C1	810	V-1	Th	Dh.	C1-	815	n.
	261	ren	Val	820	rio	W2II	п12	261	825	ren	Val	1111	rne	830	AIZ	rne
	He	4 e n	Phe		Ser	A ra	C) II	Thr		4 cn	The	Acn	Thr		A cn	Cln
45	110	no p	835	met	JC1	лц		840	****	иар	,,,,	пэр	845	VIG	лзр	GIII
	Val	He		Ser:	Phe'	I.vs	Vai		Ala	Glv	Asp	Lvs		Phe	Tle	Thr
50		850	•••	•••	0	2,0	855			•••		860			•••	••••
	Ala		Glu	Leu	Arg	Arg		Leu	Pro	Pro	Asp		Ala	Głu	Tvr	Cvs
55	865	<b>-</b>		<b>-</b>		870		~~ <b>-</b>	<del>-</del>	<del>-</del>	875			-,-		880
•						J. V					J. U					555

	lle.	Ala Ar	g Me	t Al	a Pr	о Туі	Gln	Gly	Pro	Asp	Gly	Val	Arg	Gly	/ Ala	
5				88	5				890					895	;	
	Leu .	Asp Ty	r Lys	s Se	r Ph	e Sei	Thr	Ala	Leu	Tyr	Gly	Glu	Ser	Asp	Leu	
			900	)				905					910			
10	<b>/010</b> \	. 40														
•	(210)												•			
15		8971														
	<212>	DNA														
	<213>	Homo	sapi	ens												
20	<220>			•												
	<221>	CDS														
25	<222>	(110)	(8	224)					•							
	<400>	43-						•								
	agccc	aaacc	gcgg	ccct	ag c	cccg	BCCBC	acc	ccca	gcc	cgc	gccag	ca i	tgat	gaaca	a 60
30																
	cagcg	gctac	tcag	acgc	cg g	cctc	gcc	ggg	cgat	gag	acag	gacga	g a	ig c	cg to	118
·	cagcg	gctac	tcag	acgc	cg g	cctc	gcc	ggg	cgal	gag	acag	gacga			cg to ro Se	
35	cagcg	gctac	tcag	acgc	cg g	ccte	gcc (	688	cga (	gag	acag	zacga				
35		gctac ag aag											Me	et P	ro Se	
		ng aag	gac	ctg	gcg	gag	gac	gcg	ccg	tgg	aag	aag	Me atc	et P	ro Se	r
35	acg ga	ng aag	gac	ctg	gcg	gag	gac	gcg	ccg	tgg	aag	aag	Me atc	et P	ro Se	r
	acg ga	ag aag u Lys 5	gac Asp	c t g Leu	gcg Ala	gag Glu 10	gac Asp	gcg Ala	ccg Pro	tgg Trp	aag Lys 15	aag Lys	Me atc Ile	l cag	cag Gln	r
	acg ga	ng aag u Lys 5 a ttc	gac Asp	ctg Leu	gcg Ala igg	gag Glu 10 tgc	gac Asp	gcg Ala	ccg Pro cac	tgg Trp	aag Lys 15 aag	aag Lys tgc	Me atc Ile	et P l cag Gln	cag Gln aag	166
40	acg ga	ng aag u Lys 5 a ttc	gac Asp	ctg Leu	gcg Ala igg	gag Glu 10 tgc	gac Asp	gcg Ala	ccg Pro cac	tgg Trp	aag Lys 15 aag	aag Lys tgc	Me atc Ile	et P l cag Gln	cag Gln aag	166
40	acg ga Thr G	ng aag u Lys 5 a ttc r Phe	gac Asp acg Thr	ctg Leu cgc	gcg Ala igg Trp 25	gag Glu 10 tgc Cys	gac Asp · · aat Asn	gcg Ala gag Glu	ccg Pro cac	tgg Trp ctc Leu 30	aag Lys 15 aag Lys	aag Lys tgc Cys	Me atc Ile gtg	cag Gln ggc	cag Gln aag Lys 35	166
40	acg ga Thr Gi aac ac Asn Th 20 cgc ct	ag aag u Lys 5 a ttc r Phe	gac Asp acg Thr	ctg Leu cgc Arg	gcg Ala igg Trp 25	gag Glu 10 tgc Cys	gac Asp  aat Asn	gcg Ala gag Glu	ccg Pro cac His	tgg Trp ctc Leu 30 gac	aag Lys 15 aag Lys	aag Lys tgc Cys	Me atc Ile gtg Val	cag Gln ggc Gly	cag Gln aag Lys 35 atc	166
40	acg ga Thr Gi aac ac Asn Th	ag aag u Lys 5 a ttc r Phe	gac Asp acg Thr	ctg Leu cgc Arg	gcg Ala igg Trp 25	gag Glu 10 tgc Cys	gac Asp  aat Asn	gcg Ala gag Glu	ccg Pro cac His	tgg Trp ctc Leu 30 gac	aag Lys 15 aag Lys	aag Lys tgc Cys	Me atc Ile gtg Val	cag Gln ggc Gly ctc Leu	cag Gln aag Lys 35 atc	166
40	acg ga Thr Gi aac ac Asn Th 20 cgc ct	ng aag u Lys 5 a ttc r Phe g acc u Thr	gac Asp acg Thr gac Asp	ctg Leu cgc Arg ctg Leu 40	gcg Ala igg Trp 25 cag Gin	gag Glu 10 tgc Cys  cgc Arg	gac Asp aat Asn gac	gcg Ala gag Glu ctc Leu	ccg Pro cac His agc Ser 45	tgg Trp ctc Leu 30 gac	aag Lys 15 aag Lys ggg	aag Lys tgc Cys ctc Leu	Me atc Ile gtg Val cgg	cag Gln ggc Gly ctc Leu	cag Gln aag Lys 35 atc	166

	Ala	Leu	Leu	Glu	Val	Leu	Ser	Gln	Lys	Arg	Met	Туг	Arg	Lys	Phe	His	
5				55	ı		•		60					65			
	ccg	cgc	ccc	aac	ttc	cgc	caa	atg	aag	cťg	gag	aac	gtg	tcc	gtg	gcc	358
	Pro	Arg	Pro	Asn	Phe	Arg	Gln	Me t	Lys	Leu	Glu	Asn	Va l	Ser	Va]	Ala	
10			70					75					80			_	
	ctc	gag	ttc	ctc	gag	cgc	gag	cac	atc	aag	ctc	gtg	tcc	ata	gac	agc	406
15	Leu	Glu	Phe	Leu	Glu	Arg	Glu	His	He	Lys	Leu	Yal	Ser	lle	Asp	Ser	
		85	٠ .				90					95					
00	aag	gcc	atc	gtg	gat	ggg	aac	ctg	aag	ctg	atc	ctg	ggc	ctg	atc	t gg	454
20	Lys	Ala	Ile	۷ał	Asp	Gly	. Asn	Leu	Lys	Leu	He	Leu	Gly	Leu	He	Trp	
	100					105					110					115	•
25	acg	clg	atc -	ctg	cac	tac	tcc	atc	tcc	atg	ccc	atg	t gg	gag	gat	gaa	502
	Thr	Leu	He	Leu	His	Tyr	Ser	He	Ser	Me t	Pro	Met	Trp	Glu	Asp	Glu	
30					120					125					130		
										ccc					•		550
_	Asp	Asp	Glu		Ala	Arg	Lys	Gln		Pro	Lys	Gln	Arg		Leu	Gly	
35		_4_		135		_ 4 _			140					145			
,										CCC						-	598
40		116	150	V2II	LY2	Yaı	rio	155	reu	Рго	ile	INF		rne	AST.	Arg	•
	asc	1 a a			aar	222	art		aac	acc.	e t a	a 1 a	160		1.50		C 4 C
45	Asp								•	gcc Ala							646
		165	0111	мэр	01,	2,5	170	Dea	01,	11.0	DCU	175	nsp	nsıı	CYS	nia	
	ccc		ctc	tec	ccc	gac		gag	acc	tee	gat		aac		ccc	ata	694
50	Pro																034
	1.80	01,		0,5		185	,	0.0		11.6	190	110	11311	9111			
55	gag	aar	ter	rga	gag		alo	Lag	Cag	ac.		gar	taa	cit	a e e	195	749
	605	ααι		∨65	6 a 5	906	a 1 5	- a 5	v a 5	<u> </u>	846	gat	188	Lil	888	RIR	742

	GI	u Ası	ser	Arg	Glu	Ala	Met	Gln	Gln	Ala	Asp	Asp	Trp	Leu	Gly	Val	
5					200	}				205	•				210		
	CCC	cag	gto	att	gcc	cct	gag	gag	att	gtg	gac	ccc	aac	gtg	gat	gag	790
10	· Pro	Gln	·Vai	Ile	Ala	Pro	Glu	G) u	lle	Val	Asp	Pro	Asn	Val	Asp	Glu	·
				215					220			·		225			
15	cat	tct	gtt	atg	acc	ťac	ctg	tcc	cag	ttc	ccc	aag	gcc	aag	ctc	aaa	838
	His	Ser	Val	Me t	Thr	Tyr	Leu	Ser	Gln	Phe	Рго	Lys	Ala	Lys	Leu	Lys	
			230					235					240				
20	cct	ggt	gcc	cct	gtt	cga	tcc	aag	cag	ctg	.aac	ccc	aag	aaa	gcc	atc	886
	Pro	Gly	Ala	Pro	Val	Arg	Ser	Lys	Gln	Leu	Asn	Pro	Lys	Lys	Ala	Ile	
25		245					250					255					
			-ggg												_		934
20		Tyr	Gly	Pro	Gly	Ile	Glu	Pro	Gln	Gly	Asn	Thr	Val	Leu	Gln	Pro	•
30	260	•				265					270					275	
	gcc	cac	ttc	acc	gtg	cag	acg	gtg	gac	gcg	ggc	gtg	ggc	gag	gtg	ctg	982
35	Ala	His	Phe	Thr	Val	Gln	Thr	Va I	Asp	Ala	Gly	Val	Gly	Glu	Val	Leu	
					280					285					290		
40			atc														1030
	Val	Туг	He		Asp	Pro	Glu	Gly-		Thr	Glu	Glu	Ala		Val	Val	
				295	·				300					305			
45			aat														1078
	Pro		Asn	Asp	Lys	Asp	Arg	Thr	Tyr	Ala	Val	Ser	Tyr	V a J	Pro	Lys	
50			310				•	315					320	•			
	gtc	gct	ggg	tta	cac	aag	gtg	acc	gtg	ctc	ttt	gct	ggc	cag	aac	att	1126
	Val	Ala	Gly	Leu	His	Lys	Val	Thr	Val	Leu	Phe	Ala	Gly	Gln	Asn	Ile	
55		325					330					335					

		gaa	cgo	agi	cco	ittt	gag	gtg	aac	gtg	ggc	atg	gcc	ctg	gga	gat	gcc	1174
5		Glu	Arg	Sei	Pro	Phe	Glu	Val	Asn	Val	Gly	Met	Ala	Leu	Gly	Asp	Ala	
		340			•		345					350					355	
		.aac	aag	gtg	tca	gcc	cgt	ggc	cct	ggc	ctg	gaa	cct	gtg	ggc	aat	glg	1222
10		Asn	Lys	Val	Ser	Ala	Arg	Gly	Pro	Gly	Leu	Glu	Pro	Va l	Gly	Asn	Val	
						360					365					370		
15		gcc	aac	aaa	ccc	acc	tac	ttt	gac	atc	tac	act	gcg	ggg	gcc	ggc	act	1270
		Ala	Asn	Lys	Pro	Thr	Tyr	Phe	Asp	Ile	Tyr	Thr	Ala	Gly	Ala	Gly	Thr	
20					375					380					385			
		ggc	ga t	gtt	gct	gtg	gtg	atc	gtg	gac	cca	cag	ggc	cgg	cgg	gac	aca	1318
		Gly	Asp	Val	Ala	Yal	Val	lle	Val	Asp	Pro	Gln	Gly	Arg	Arg	Asp	Thr	
25				390 -					395					400			•	
		gtg	gag	gtg	gcc	ctg	gag	gac	aag	ggt	gac	agc	acg	ttc	cgc	t gc	aca	1366
30		Val		Val	Ala	Leu	Glu		Lys	Gly	Asp	Ser	Thr	Phe	Arg	Cys	Thr	
			405					410		•			415					
35			•		gcc													1414
		1yr 420	Arg	PTO	Ala	иет		GIA	110	HIS	inr		HIS	Val	Ala	Phe		
			acc	ccc	aic	200	425	a cr t	000	110	cat	430	401	a t a			435	
40		Gly			atc													1462
					110	440	711 B	001		1110	445	,	1112	, 4,	561	450	חום	
45		tgt	aac	ccc	aac		tgc.	CRC	gcc	tct		cga	ggc	ctg	cag		220	1510
		Cys						•										1010
50					455					460	•				465		2,0	
23		ggt	gtt			aaa	gag	gtg	gct		ttc	aag	gtg			aag	ggt	1558
		Gly														_		
55	•			470		-			475	-				480			,	

_	gc	c gg	c ag	c gg	gag	g cto	c aas	gto	ace	gto	aag	ggg	cca	aag	ggo	aca	1606
5	Al.	a Gl	y Se	r Gly	/ Glu	ı Lei	u Lys	Val	Thr	Val	Lys	Gly	Pro	Lys	Gly	Thr	
		48	5				490	)				495					
10	gaş	g ga	g cca	gte	388	ggtg	g cgg	gag	gct	ggg	gat	ggt	gtg	ttc	gag	tgc	1654
	Glu	ı Gli	Pro	Val	Lys	. Val	Arg	Glu	Ala	Gly	Asp	Gly	Va J	Phe	Glu	Cys	
15	500	)				505	;				510					515	
	gag	tac	tac	ccg	gtg	gtg	cct	ggg	aag	tat	gtg	gtg	acc	atc	acg	tgg	1702
	Glu	Tyr	Туг	Pro	Val	Val	Pro	Gly	Lys	Tyr	Val	Val	Thr	lle	Thr	Trp	
20					520					525					530		
	ggc	ggc	tac	gcc	atc	cc t	cgc	agc	ccc	ttt	gag	gta	cag	gig	agc	cca	1750
25	Gly	Gly	Tyr	Ala	lle	Pro	Arg	Ser	Pro	Phe	Glu	Val	Gln	Val	Ser	Pro	
			•	535					540					545			
	gag	gca	gga	gtg	caa	aag	gtc	cgg	gcc	tgg	ggţ	cct	ggt	tig	gag	act	1798
30	Glu	Ala	Gly	Val	Gln	Lys	Val	Arg	Ala	Trp	Gly	Pro	Gly	Ľeu	Glu	Thr	
			550					555					560				
35	ggc	cag	gtg	ggc	aag	tca	gcc	gat	ttt	gtg	gtg	gaa	gcc	att.	ggc	acc	1846
	Gly	Gln	Val	Gly	Lys	Ser	Ala	Asp	Phe	Val	Val	Glu	Ala	He	Gly	Thr	
40		565					570					575					
-	gag	glg	ggg	aca	ctg	ggc	ttc	tcc	atc	gag	ggg	ccc	tca	caa	gcc	aag	1894
	Glu	Val	Gly	Thr	Leu	Gly	Phe	Ser	lle	Glu	Gly	Pro	Ser	Gln	Ala	Lys	
45	580.					585					590					595	
	atc	gaa	tgt	gac	gat	aag	ggg	gat	ggc	tcc	t gc	gat	gtg	cgg	tac	t gg	1942
50	He	Glu	Cys	Asp	Asp	Lys	Gly	Asp	Gly	Ser	Cys	Asp	Val	Arg	Tyr	Trp	
					600					605					610		
	ccc	acg	gag	cc t	ġgg	gag	tac	gct	gtg	cac	gtc	atc	igi	gac	gat	gag	1990
55	Pro	Thr	Glu	Pro	Gly	Glu	Tyr	Ala	Val	His	Val	lle	Cys	Asp	Asp	Glu '	

				615	•				620					625			
5	gac	atc	cga	gac	tca	ccc	ttc	att	gcc	cac	atc	ctg	ccc	gcc	cca	cct	2038
	Asp	Ile	Arg	Asp	Ser	Pro	Phe	He	Ala	His	He	Leu	Pro	Ala	Pro	Pro	•
			630					635					640				
10	gac	tgc	ttc	cca	gat	aag	gtg	aag	gcc	ttt	ggg	cct	ggc	ctg	gag	cct	2086
	Asp	Cys	Phe	Рго	Asp	Lys	Val	Lys	Ala	Phe	Gly	Pro	Gly	Leu	Glu	Pro	
15		645					650					655					
	acc	ggc	tgc	atc	gtg	gac	aag	ccc	gct	gag	ttc	acc	att	gat	gc t	cgt	2134
20	Thr	Gly	Cys	lle	Val	Asp	Lys	Pro	Ala	Glu	Phe	Thr	Ile	Asp	Ala	Arg	
	660					665					670					675	
	gca	gc t	ggc	aag	gga	gac	ctg	aag	ctc	tat	ġcc	cag	gac	gcc	gac	ggc	2182
25	Ala	Ala	Gly -	Lys	Gly	Asp	Leu	Lys	Leu	Tyr	Ala	Gln	Asp	Ala	Asp	Gly	
					680					685					690		
30			atc			·											2230
	Cys	Pro	He		lle	Lys	Val	He		Asn	Gly	Asn	Gly		Phe	Arg	
0.5				695					700					705			0.50
35			tac				Ì										2278
	cys	261	Tyr 710	vai	PIO	1111	LYS	715	116	LYS	uis	Int	720	116	116	261	
40	taa	000	ggc	a to	220	ata	000		200	000	110	r 0 a			ata	aae	2326
			Gly														2320
45	111	725	0.,	741	лэп	701	730	Lys	001		1 nc	735		N 3 II	141	Oly	
	gag		agc	cac	ccc	gag	•	gla	аад	gtg	tac		ccc	gga	gtg	gag	2374
			Ser														
50	740	•				745.			-		750	·		-		755	
		aca	ggc	ctc	aag		aat	gag	ccc	acc		ttc	acg	gte	gac		2422
55			Gly	•													
	_,,		,								- • •					-,-	

					760					765					770		
5	agc	gag	gcg	ggg	caa	ggc	gac	gtg	agc	atc	ggc	atc	aag	t gc	gcc	cca	2470
	Ser	Glu	Ala	Gly	Gln	Gly	Asp	Val	Ser	He	Gly	He	Lys	Cys	Ala	Pro	·
10				775					780					785			
	ggc	gtg	gtg	ggc	cct	gca	gag	gc t	gac	att	gac	itc	gac	atc	atc	aag	2518
15	Gly	Va 1	Val	Gly	Pro	Ala	Glu	Ala	Ásp	Ile	Asp	Phe	Asp	He	Ile	Lys	
•			790					795					800				٠
	aat	gac	aac	gac	acc	ttc	acc	gtc	aag	tac	acg	cca	cca	ggg	gcg	ggc	2566
20	Asn	Asp	Asn	Asp	Thr	Phe	Thr	Va l	Lys	Tyr	Thr	Pro	Pro	Gly	Ala	Gly	
		805					810					815					
25			acc														2614
		Tyr	-Thr	He	Met		Leu	Phe	Ala	Asn		Glu	He	Рго	Ala		
30	820			_4_		825					830					835	0000
			cac														2662
	FIU	rue	His	116	840	181	. ASP	FIU	361	845	nsp	міа	3e1.	Lys	850	LYS	
35	RCC	gag	ggc	cc t		clg	aat	c.gc	aca		ele	gaa	gtc			ccc	2710
			Gly														2110
40	•			855					860					865			•
	acc	cac	ttc	acg	gtg	cig	acc	aag	gga	gcc	ggc	aag	gcc		cig	gat	2758
45	Thr	His	Phe	Thr	Val	Leu	Thr	Lys	Gly	Ala	Gly	Lys	Ala	Lys	Leu	Asp	
•			870				•	875					880				
	gtg	cag	ttt	gca	ggg	aca	gcc	aag	ggc	gag	glt	glg	cáa	gac	ttt	gag	2806
50	Va l	Gln	Phe	A]a	Gly	Thr	Ala	Lys	Gly	Glu	Val	Val	Arg	Asp	Phe	Glu	
		885					890					895					
55	atc	ata	gac	aac	cat	gac	t ac	tcc	tac	act	gtc	aag	tac	acc	gc t	glc	2854
																•	

	11	e Ile	e Ası	ısA q	His	Asp	Туі	Ser	Tyr	Thr	Val	Lys	Ţyı	Thi	Ala	Val	
_	90	0				905	i				910					915	
5	cas	g cag	ggg	aac	atg	gca	gtg	aca	gtg	act	tat	ggc	ggg	gac	cct	gtc	2902
	. Gl ı	Gln	Gly	/ Asn	Met	Ala	Val	Thr	Val	Thr	Туг	Gly	Glý	Asp	Pro	Val	
10					920					925					930	ı	
	ccc	: aag	ago	ccic	ttt	gtg	gtg	aat	gig	gċa	ccc	ccg	ctg	gac	ctc	agc	2950
15	Pro	Lys	Ser	Pro	Phe	Val	Va l	Asn	Val	Ala	Pro	Pro	Leu	Asp	Leu	Ser	
				935					940					945		•	
	aaa	atc	aaa	gtt	cag	ggc	ctt	aat	agc	aag	gtg	gct	gtg	gga	cag	gaa	2998
20	Lys	lle	Lys	Val	Gln	Gly	Leu	Asn	Ser	Lys	Va l	Ala	۷al	Gly	Gln	Glu	
			950					955					960				
25	caa	gca	ttc	tct	gtg	aac	aca	cga	ggg	gct	ggc	ggt	cag	ggc	caa	ctg	3046
	Gln	Ala	Phe	Ser	Val	Asn	Thr	Arg	Gly	Ala	Gly	Gly	Gln	Gly	Gln	Leu	
30		965					970					975					
55	gat	gtg	cgg	atg	act	lcg	ccc	tct	cgc	cgg	ccc	atc	ccc	t gc	aag	ctg	3094
	Asp	Val	Arg	Met	Thr	Ser	Pro	Ser	Arg	Arg	Pro	Ile	Pro	Cys	Lys	Leu	
35	980					985					990					995	
	gag	cca	ggc	ggt	gga	gcg	gaa	gcc	cag	gct	gtg	cgc	tac	atg	ccc	ccg	3142
40	Glu	Pro	Gly	Gly	Gly	Ala	G] u	Ala	GIn	Ala	Val	Arg	Tyr	Met	Pro	Pro	•
				1	000				1	1005				1	1010		
	. gag														_		3190
45	Glu	Glu		Pro	Туг	Lys	Val	Asp	Ile	Thr	Tyr	Asp	Gly	His	Pro	Val	
			1	015				1	020			•	. 1	025			
50				ccg													3238
	Pro	Gly	Ser	Pro	Phe	Ala	Val	Glu	Gly	Val	Leu	Pro'	Pro	Asp	Pro	Ser	
55		I	030				I	035				1	040				
	aag	glc	tgt	gct	lat	ggc	CCg	ggt	clc	aag	ggt	gga	ctg	gta	ggc	асс	3286

	Lys	va:	l Cys	Ala	Tyr	Ġly	Pro	Gly	Leu	Lys	Gly	Gly	Leu	Va]	Gly	Thr	
5		1048	j				1050	I				1055		Ē			
	ccc	gce	cca	ttc	tcc	atc	gac	acc	aag	ggg	gct	ggc	aca	ggt	ggc	ctg	3334
10	Pro	·Ala	Pro	Phe	Ser	Ile	Asp	Tbr	Lys	Gly	Ala	Gly	Thr	Gly	Gly	Leu	
	106	0			•	1065					1070					1075	•
15	ggg	ctg	acc	gta	gag	ggc	ccc	t gc	gag	gcc	aag	atc	gag	tgc	cag	gac	3382
	Gly	Leu	Thr	Val	Glu	Gly	Pro	Cys	Glu	Ala	Lys	lle	Glu	Cys	Gln	Asp	
					1080					1085					1090		
20	aai	ggt	gat	ggc	tca	tgt	gc t	gtc	agc	tac	ctg	ccc	acg	gag	cct	ggc	3430
	Asn	Gly	Asp	Gly	Ser	Cys	Ala	Val	Ser	Tyr	Leu	Pro	Thr	Glu	Pro	Gly	
25				1095					1100				,	1105			
		_		atc													3478
20	Glu			He	Asn	He			Ala	Glu	Ala	His	lle	Pro	Gly	Ser	
30			1110					1115					120				
				gcc													3526
35			Lys	Ala	Thr	He	Arg	Pro	Val	Phe	Asp	Рго	Ser	Lys	Val	Arg	
	1	125				1	130	•			]	135					
40		_		ccg													3574
	Ala		Gly	Pro			Glu	Arg	G)y			Gly	Glu	Ala	Ala	Thr	
	1140					145					150					1155	
45				gac													3622
	Phe	Thr	Val	•		Ser	Gľu	Ala		•	Ala	Glu	Leu	Thr	He	Glu	
50					160					165					170		
	alc																3670
	Ile :	Leu	Ser	Asp	Ala	Gly	Vai	Lys	Ala	Glu	Va J	Leu	He	His	Asn	Asn	
55			1	175				1	180				]	185			

	gcg gat ggc acc	tac cac atc acc	tac agc cct gcc	ttc cct ggc acc 3718
5	Ala Asp Gly Thr	Tyr His Ile Thr	Tyr Ser Pro Ala	Phe Pro Gly Thr
J	1190	1195	1	200
	tac acc att acc	atc aag tat ggc	ggg cat ccc gtg	ccc ass ttc ccc 3766
10	Tyr Thr lle Thr	Ile Lys Tyr Gly	Gly His Pro Val	Pro Lys Phe Pro
•	1205	1210	1215	
15	acc cgt gtc cat	gtg cag cct gcg	gtc gat acc agt	ggc gtc aag gtc 3814
	Thr Arg Val His	Val Gin Pro Ala	Val Asp Thr Ser	Gly Val Lys Val
20	1220	1225	1230	1235
20	tca ggg cct ggt	gtt gag cca cac	ggt gtc ctg cgg g	gag gig acc act 3862
	Ser Gly Pro Gly	Val Glu Pro His	Gly Val Leu Arg (	Glu Val Thr Thr
25	-	1240	1245	1250
	•		cta aca gcc aca g	
30			Leu Thr Ala Thr (	·
	1255		260	1265
25	•		tog ggg gcc aag a	
35	1270	1275	Ser Gly Ala Lys 1	nr asp inr lyr
			tac cga gtg cag t	
40	,		Tyr Arg Val Gin T	
	1285	1290	1295	,
45			gto cig tat gat g	as gtc gct gtg 4054
		•	Val Leu Tyr Asp G	•
50	1300	1305	1310	1315
55	ccc aag agc ccc	ttc cga gtg ggc	gtg acc gag ggc t	gt gat ccc acc 4102
	Pro Lys Ser Pro	Phe Arg Val Gly	Val Thr Glu Gly C	
55	1	320	1325	. 1330

	cgc	gto	cga	gco	tto	ggg	cca	ggc	cig	gag	ggt	ggc	t t g	gtc	aac	aag	4150
5	Arg	Val	Arg	Ala	Phe	e Gly	Pro	Gly	Leu	Glu	Gly	Gly	Leu	Vai	Asn	Lys	
				1335	i				1340					1345			
10	gcc	aac	cga	ttc	act	gtg	gag	acc	agg	gga	gcg	ggc	acc	ggg	ggc	ctt	4198
	Ala	Asn	Arg	Phe	Thr	Val	Glu	Thr	Arg	Gly	Ala	Gly	Thr	Gly	Gly	Leu	•
15			1350					1355		•			1360				
	ggc	cta	gcc	atc	gag	ggt	ccc	tcg	gaa	gcc	aag	atg	tcc	t gc	aag	gac	4246
	Gly	Leu	Ala	lle	Glu	Gly	Pro	Ser	Glu	Ala	Lys	Met	Ser	Cys	Lys	Asp	
20		1365					1370					1375					
			gat													_	4294
25			Asp	Gly			Thr	Val	Glu			Pro	Phe	Thr			
	1380		~			1385					1390					1395	
30			gac						•								4342
	иsр	lyi	Asp		ASII 1400	116	1111	rne		GIY 1405	Arg	Pro	116			Ser	
	CCE	ttc	cgc			gtg	aag	gal	٠		gar	cct	000		410	220	4390
35			Arg														4030
				415			-•		420					1425		2,5	
40	1 gc	tca	ggg	cca	ggg	ctg	ggg	gct	ggt	gtc	agg	gcc			cct	cag	4438
	Cys																
45		1	430				i	1435				1	440				
	acc	l t c	aca	gtg	gac	t gc	aġt	caa	gct	ggc	cgg	gcg	ccc	ctg	cag	gtg	4486
	Thr	Phe	Thr	Val	Asp	Cys	Ser	Gln	Ala	Gly	Arg	Alá	Рго	Leu	Gln	Yai	-
50	1	445				l	450				1	455					
	gct	gtg	ctg	ggc	ccç	aca	ggt	gtg	gcc	gag	cc t	gtg	gag	gtg	cgg	gac	4534
55	Ala '	Val	Leu	Gly	Pro	Thr	Gly	Val	Ala	Glu	Pro	Val	G I u	Ya J	Arg	Asp	

	1460	•	1465	1470	1475	i
5	aat gga	gat ggc ac	c cac act g	tc cac tac acc	cca gcc act gac ggg	4582
,	Asn Gly	Asp Gly Ti	nr His Thr V	al His Tyr Thr	Pro Ala Thr Asp Gly	<b>'</b> .
		148	30	1485	1490	
10	ccc tac	acg gta go	c gtc aag t	at gct gac cag	gag gtg cca cgc ago	4630
	Pro Tyr	Thr Val Al	a Val Lys T	yr Ala Asp Gln	Glu Val Pro Arg Ser	
15		1495		1500	1505	
	ccc ttc	aag atc aa	g gtc ctc c	ca gct cat gat	gcc agc aag gig cgg	4678
20	Pro Phe	Lys Ile Ly	s Val Leu P	ro Ala His Asp	Ala Ser Lys Val Arg	
		1510	15	15	1520	
				•	cct gcc agc ctg cct	
25		Gly Pro Gl			Pro Ala Ser Leu Pro	
	1525		1530		535	
30					gag ggg ttg ctc act	
		Phe Thr 11			Glu Gly Leu Leu Thr	
as.	1540		1545	1550	1555	
35		•			aag gcc aac atc cgg Lys Ala Asn Ile Arg	
	vai Gin	156		1565	1570	
40	gac aat				cig ccg gac atg agt	4870
					Leu Pro Asp Met Ser	
45		1575		1580	1585	
	ggc cgg	tac acc at	c acc atc a	ag tat ggc ggt	gat gag atc ccc tac	4918
50	Gly Arg	Tyr Thr Il	e Thr Ile L	ys Tyr Gly Gly	Asp Glu lle Pro Tyr	
	1	1590	15	95	1600	
	tcg ccc	tic cgc at	c cat gct c	tg ccc act ggg	gat gcc agc aag igc	4966
55	Ser Pro	Phe Arg II	e His Ala L	eu Pro Thr Gly	Asp Ala Ser Lys Cys	

	1605	1610	1615	
5	ctc gtc aca gtg	tcc att gga ggc c	at ggc ctg ggt gcc tgc	cig ggc 5014
•	Leu Val Thr Val	Ser Ile Gly Gly H	is Gly Leu Gly Ala Cys	Leu Gly
10	1620	1625	1630	1635
	cct cga atc cag	att ggg cag gag a	cg gtg atc acg gtg gat	gcc aag 5062
15	Pro Arg Ile Gin	lle Gly Gln Glu T	hr Val Ile Thr Val Asp	Ala Lys
		1640	1645	1650
	gca gcc ggt gag	ggg aag gtg aca t	gc acg gtg tcc acg ccg	gat ggg 5110
20	Ala Ala Gly Glu	Gly Lys Val Thr C	yş Thr Val Ser Thr Pro	Asp Gly
	1655	16	60 1665	
25	gca gag ctc gat	gtg gat gtg gtt g	ag aac cat gac ggt acc	ttt gac 5158
	Ala Glu <del>L</del> eu Asp	Val Asp Val Val G	lu Asn His Asp Gly Thr	Phe Asp
20	1670	1675 .	1680	
30	atc tac tac aca	gcg ccc gag ccg g	gc aag tac gtc atc acc	atc cgc 5206
	lle Tyr Tyr Thr	Ala Pro Glu Pro G	ly Lys Tyr Val lie Thr	Ile Arg
35	1685	1690	1695	
	ttc ggg ggt gag	cac atc ccc aac ag	gc ccc ttc cac gtg ctg	gcg tgt 5254
40	Phe Gly Gly Glu	His Ile Pro Asn Se	er Pro Phe His Val Leu	Ala Cys
	1700	1705	1710	1715
	gac ccc ctg ccg	cac gag gag gag co	cc tot gaa gtg cca cag	ctg cgc 5302
45	Asp Pro Leu Pro	His Glu Glu Glu Pr	ro Ser Glu Val Pro Gln	Leu Arg .
	. 1	1720	1725	1730
50	cag ccc tac gct	cct ccc cgg ccc gg	gc gcc cgc ccc aca cac	tgg gcc 5350
	Gln Pro Tyr Ala	Pro Pro Arg Pro Gl	ly Ala Arg Pro Thr His	Trp Ala
	1735	174	1745	•
55	aca gag gag cca	gtg gtg cct gtg ga	ag cca aig gag icc aig	cig agg 5398

	Thr Glu Glu Pro	o Val Val Pro Val Gl	u Pro Met Glu Ser Met	Leu Arg
5	1750	1755	1760	
•	ccc ttc aac ct	g gtc atc ccc ttc gc	g gig cag aaa ggg gag	ctc aca 5446
	Pro Phe Asn Lei	ı Val Ile Pro Phe Al	a Val Gln Lys Gly Glu	Leu Thr
10	1765	1770	1775	
	gga gag gtg cgg	g atg ccc tcg ggg aa	g acg gca cgg ccc aac	atc acc 5494
15	Gly Glu Val Ara	g Met Pro Ser Gly Ly	s Thr Ala Arg Pro Asn	lle Thr
	1780	1785	1790	1795
20	gac aac aag gac	ggc acc atc acg gt	g agg tat gca ccc act	gag aaa 5542
20	Asp Asn Lys Asp	Gly Thr Ile Thr Va	l Arg Tyr Ala Pro Thr	Glu Lys
		1800	1805 1	810
25	ggc ctg cac cag	atg ggg atc aag ta	t gac ggc aac cac atc	cct ggg 5590
	Gly Leu His Gln		r Asp Gly Asm His Ile	Pro Gly
30	1815			
		•	c atc aac agc cgc cat	
as	•		a lle Asn Ser Arg His	Val Ser
<i>35</i>	1830	1835	1840	
			c atg gtc aac aag cca; y Met Val Asn Lys Pro.	
40	1845	1850	1855	Ala III
·			a gaa ggg ggt ctg tca	cig gcc 5734
45			y Glu Gly Gly Leu Ser	
	1860	1865	1870	1875
50		tcc aag gca gag at	c acc tgt aag gac aac	aag gat 5782
50			e Thr Cys Lys Asp Asn l	
		1880	1885	890
55	ggc acc tgc acc	gig icc tal cig co	g act gcg cct gga gac	tac agc 5830

5	Gly Thr Cy	s Thr Val Ser	Tyr Leu Pro Inr	Ala Pro Gly Asp	Tyr Ser
3		1895	1900	1905	
	atc atc gt	g cgc ttc gat	gac aag cac atc	ccg ggg agc ccc	ttc aca 5878
10	Ile Ile Va	Arg Phe Asp	Asp Lys His Ile	Pro Gly Ser Pro	Phe Thr
	1910	)	1915	1920	
15	gcc aag ate	c aca ggt gat	gac tcc atg agg	acc tca cag ctg	aat gtg 5926
	Ala Lys Ile	Thr Gly Asp	Asp Ser Met Arg	Thr Ser Gln Leu	Asn Val
	1925	1	930	1935	
20	ggc acc tco	acg gac gtg	tca çig aag atc	acc gag agt gat	ctg agc 5974
	Gly Thr Sei	Thr Asp Val	Ser Leu Lys Ile	Thr Glu Ser Asp	Leu Ser
25	1940	1945	•	1950	1955
	cag ctg acc	gcc agc atc	cgt gcc ccc tcg	ggc aac gag gag	ccc tgc 6022
20	Gin Leu Thi	Ala Ser Ile	Arg Ala Pro Ser	Gly Asn Glu Glu	Pro Cys
30	•	1960	1965		1970
	ctg ctg aag	cgc ctg ccc	aac cgg cac att	ggg atc tcc ttc	acc ccc 6070
35	Leu Leu Lys	Arg Leu Pro	Asn Arg His Ile	Gly lle Ser Phe	Thr Pro
				ory ric ber ric	•
	•	1975	1980	1985	
40		ggg gag cac	1980 gig gig agc gig	1985 cgc aag agl ggc	aag cat 6118
40		ggg gag cac	1980 gig gig agc gig	1985 cgc aag agt ggc Arg Lys Ser Gly	aag cat 6118
40		ggg gag cac	1980 gig gig agc gig	1985 cgc aag agl ggc	aag cat 6118
40 45	Lys Glu Val 1990 gtc acc aac	ggg gag cac g	1980 gig gig agc gig Val Val Ser Val 1995 aag atc cig gig	1985  Cgc aag agt ggc  Arg Lys Ser Gly  2000  ggg cca tct gag	aag cat 6118 Lys His atc ggg 6166
	Lys Glu Val 1990 gtc acc aac	ggg gag cac g Gly Glu His Y agc ccc ttc a	1980 gig gig agc gig Val Val Ser Val 1995 aag atc cig gig Lýs Ile Leu Val	1985 cgc aag agt ggc Arg Lys Ser Gly 2000 ggg cca tct gag Gly Pro Ser Glu	aag cat 6118 Lys His atc ggg 6166
	Lys Glu Val 1990 gtc acc aac	ggg gag cac g Gly Glu His Y agc ccc ttc a	1980 gig gig agc gig Val Val Ser Val 1995 aag atc cig gig	1985  Cgc aag agt ggc  Arg Lys Ser Gly  2000  ggg cca tct gag	aag cat 6118 Lys His atc ggg 6166
<b>45</b>	Lys Glu Val 1990 gtc acc aac Val Thr Asn 2005	ggg gag cac g Gly Glu His Y agc ccc ttc a Ser Pro Phe 1	1980 gig gig agc gig Val Val Ser Val 1995 aag atc cig gig Lýs Ile Leu Val	1985 cgc aag agt ggc Arg Lys Ser Gly 2000 ggg cca tct gag Gly Pro Ser Glu	aag cat 6118 Lys His atc ggg 6166 Ile Gly
<b>45</b>	Lys Glu Val 1990 gtc acc aac Val Thr Asn 2005 gac gcc ago	ggg gag cac g Gly Glu His Y agc ccc ttc g Ser Pro Phe l	1980 gig gig agc gig Val Val Ser Val 1995 aag atc cig gig Lys Ile Leu Val 010 gic tgg ggc aag	cgc aag agt ggc Arg Lys Ser Gly 2000 ggg cca tct gag Gly Pro Ser Glu 2015	aag cat 6118 Lys His atc ggg 6166 Ile Gly gga cac 6214

	aca	ttc	cag	glg	gca	gag	ttc	atc	gtg	gac	act	cgc	aat	gca	ggt	tat	6262
5	Thi	Phe	Gln	Val	Ala	Glų	Phe	He	Val	Asp	Thr	Arg	Asn	Ala	Gly	Tyr	
3					2040				,	2045					2050		
	888	ggc	ttg	ggg	ctg	agt	att	gaa	ggc	cca	agc	aag	gtg	gac	atc	aac	6310
10	Gly	Gly	Leu	Gly	Leu	Ser	He	Glu	Gly	Pro	Ser	Lys	Val	Asp	Ile	Asn	
				2055				. :	2060				;	2065			
15	tgt	gag	gac	atg	gag	gac	ggg	aca	tgc	aaa	gtc	acc	tac	tgc	ccc	acc ·	6358
	Cys	Glu	Asp	Met	Glu	Asp	Gly	Thr	Cys	Lys	Val	Thr	Tyr	Cys	Pro	Thr	
00		•	2070				;	2075				;	2080				
20	gag	ccc	ggc	acc	tac	atc	atc	aac	atc	aag	ttt	gct	gac	aag	cac	gtg	6406
	Glu	Pro	Gly	Thr	Tyr	lle	Ile	Asn	He	Lys	Phe	Ala	Asp	Lys	His	Val	
25		2085	_			;	2090				;	2095					
	cct	gga	agc	ccc	ttc	act	gtg	aag	gtg	acc	ggc	gag	ggc	cgc	atg	aag	6454
30	Pro	Gly	Ser	Pro	Phe	Thr	Yal	Lys	Yal	Thr	Gly	Glu	Gly	Arg	Met	Lys	
	210	0			;	2105					2110				1	2115	
		agc															6502
35	Glu	Ser	Ile			Arg	Arg	Gln			Ser	lie	Ala			Gly	
					2120					2125					2130		
40		acc					•										6550
	Ser	Thr			Leu	ASN	Leu			Lio	GIY	ASN			GIN	Met	
45		1		135					2140					145			erno
		tct					•										6598
	Yaı	Ser	150	Gill	GIU	WI R		2155	иів	1111	rile		2160		361	n13	
50	200	tac			200	as a			<b></b>	alc	200			caa	886	0.00	6646
																	0040
55			1111	WIR	1111			1111	010	116			1111	V1 R	GIA	Gly	
	Ž.	165				4	170				4	175					

	gag	aca	aag	ccc	gag	gtg	cgg	gtg	gag	gag	tcc	acc	cag	gtc	ggc	ggg	6694
5	Glu	Thr	Lys	Pro	Gļu	Val	Arg	Val	Glu	Glu	Ser	Thr	Gin	Val	Gly	Gly	
	218	0				2185					2190	÷				2195	•
10	gac	ccc	ttc	cct	gc t	gtg	ttt	ggg	gac	ttc	clg	ggc	cgg	gag	cgc	ctg	6742
•	Asp	Pro	Phe	Pro	Ala	Yal	Phe	Gly	Asp	Phe	Leu	Gly	Arg	Glu	Arg	Leu	
15					2200			-	;	2205					2210		
.5	gga	tcc	ttc	ggc	agc	atc	acc	cgg	cag	cag	gag	ggt	gag	gcc	agc	tct	6790
	Gly	Ser	Phe	Gly	Ser	Ile	Thr	Ārg	Gln	Gln	Glu	Gly	Glu	Ala	Ser	Ser	
20			1	2215		٠		;	2220				;	2225		•	
	cag	gac	atg	ac t	gca	cag	gtg	acc	agc	cca	tcg	ggc	aag	gtg	gaa	gcc	6838
25	Gln	Asp	Met	Thr	Ala	Gln	Val	Thr	Ser	Pro	Ser	Gly	Lys	۷al	Glu	Ala	
•		;	<del>2</del> 230				2	2235				2	2240				
	gca	gag	atc	gtc	gag	ggc	gag	gac	agc	gcc	tac	agc	gtc	cgc	ttt	gtg	6886
30	Ala	Glu	Ile	Val	Glu	Gly	Glu	Asp	Ser	Ala	Tyr	Ser	Val	Arg	Phe	Val	
	2	2245				2	2250			•	2	2255					
35	ccc	cag	gaa.	atg	ggg	ccc	cat	acg	gtc	gct	gtc	aag	tac	cgt	ggc	cag	6934
	Pro	Gln	Glu	Me t	Gly	Pro	His	Thr	Val	Ala	Val	Lys	Tyr	Arg	Gly	Gln	
40	2260			•		265					270					275	
40	cac	gtg	ccc	ggc	agc	ccc	ttt	cag	ttc	act	gtg	ggg	ccg	ctg	ggt	gaa	6982
	His	Val	Pro	Gly	Ser	Pro	Phe	Gln	Phe	Thr	Val	Gly	Рго	Leu	Gly	Glu	
45					280					285					290		
	ggt	ggt	gcc	cac	aag	gtg	cġg	gcc	gga	cga.	gca	ggg	ctg	gag	cga	ggt	7030
50	Gly	Gly	Ala	His	Lys	Val	Arg	Ala	Gly	Arg	Ala	Gly	Leu	Glu	Arg	Gly	
			. 2	295				2	300				2	305			
	gtg	gcc	ggc	gtg	cca	gcc	gag	lic	agc	atc	tgg	acc	cgg	gag	gct	ggc	7078
55	Val	Ala	Gly	Val	Pro	Ala	G) u	Phe	Ser	Ile	Trp	Thr	Arg	Glu	Ala	Gly	

	2310	231	5 2320	
	gct ggg ggc ctg	tcc att gct gt	g gag ggt cct agc aaa	a gcg gag att 7126
5	Ala Gly Gly Leu	Ser Ile Ala Ya	l Glu Gly Pro Ser Lys	Ala Glu lle
	2325	2330	2335	
10	gca itt gag gat	cgc aaa gat ggo	c tee tge gge gie tee	tat gtc gtc 7174
	Ala Phe Glu Asp	Arg Lys Asp.Gly	y Ser Cys Gly Val Ser	Tyr Val Val
15	2340	2345	2350	2355
	cag gaa cca ggt	gac tat gag gto	c tee ate aag tte aat	gat gag cac 7222
·	Gln Glu Pro Gly	Asp Tyr Glu Val	l Ser lle Lys Phe Asn	Asp Glu His
20	2	2360	2365	2370
			g ccl glg gcc tcc ctc	
25	-	•	l Pro Val Ala Ser Leu	
	2375			2385
30			ctc cag gag acg ggg	•
	Ala Arg Arg Leu 2390		Leu Gin Glu Thr Gly	Leu Lys Val
		2395	2400 cag ctg aac ggt gcc	2000
<b>35</b>			Gln Leu Asn Gly Ala	
	2405	2410	2415	nte diy vai
40			tcg ggg gct gtg gag	gag tgc tac 7414
			Ser Gly Ala Val Glu	
45	2420	2425	2430	2435
	gic ict gag cig	gac agt gac aag	cac acc atc cgc ttc	atc ccc cac 7462
50	'Val Ser Glu Leu	Asp Ser Asp Lys	His Thr Ile Arg Phe	lle Pro His
50	24	440 .	2445	2450
	gag aat ggc gtc (	cac tcc atc gat	gtc aag ttc aac ggt	gcc cac atc 7510
55	Glu Asn Gly Val I	His Ser Ile Asp	Val Lys Phe Asn Gly	Ala His Ile

				2455				;	2460					2465			
5	cct	gga	agt	ccc	ttc	aag	atc	cgc	gtt	ggġ	gag	cag	agc	cag	gct	ggg	7558
	Pro	Gly	Ser	Pro	Phe	Lys	He	Arg	Val	Gly	Glu	Gln	Ser	Gln	Ala	Gly	
10		;	2470				;	2475				1	2480	•			
	gac	cca	ggc	ttg	gtg	tca	gcc	tac	ggt	cct	ggg	ctc	gag	gga	ggc	act	7606
15	Asp	Pro	Gly	Leu	Val	Ser	Ala	Tyr	Gly	Pro	Gly	Leu	Glu	Gly	Gly	Thr	
	4	2485				;	2490				;	2495					
	acc	ggt	gtg	tca	tca	gag	ttc	atc	gtg	aac	acc	ctg	aat	gcc	ggc	tcg	7654
20	Thr	Gly	Val	Ser	Ser	Glu	Phe	He	Val			Leu	Asn	Ala	Gly	Ser	
	2500	)				2505				1	2510					2515	
25					•		att										7702
	Gly	Ala	Leu			Thr	He	Asp			Ser	Lys	Val			Asp	
				2	2520				2	2525				7	2530		
30	tgt	cgg	gag	tgt	cct	gag	gg¢	cat	gtg	gtc	act	tat	act	ccc	atg	gcc	7750
	Cys	Arg.			Pro	Glu	Gly			Val	Thr	Tyr			Met	Ala	•
35			2	2535				1	2540					2545		•	
							gcc										7798
40	Pro			Tyr	Leu	He	Ala		Lys	Tyr	Gly			Gln	His	He	
			2550					2555					2560				
							gcc										7846
45			Ser	Pro	Phe		Ala	Lys	Val	Thr			Arg	Leu	Ser	Gly	
		565					2570					2575					•
50							aca										7894
	Gly	His	Ser	Leu	His	Glu	Thr	Ser	Thr	Val	Leu	Ya!	Glu	Thr	Val	Thr	
	2580	1			2	2585				2	2590				;	2595	
55	aag	tcc	tcc	tca	agc	cgg	ggc	tcc	agc	lac	agc	tcc	atc	CCC	aag	ttc	7942

	Lys Ser S	er Ser Ser A	Arg Gly Ser	Ser Tyr Ser	Ser Ile Pro Lys Phe	
5		2600		2605	2610	
•	tcc tca g	at gcc agc a	aag gtg gtg	act cgg ggc	cct ggg ctg tcc cag	.7990
	Ser Ser A	sp Ala Ser I	Lys Val Val	Thr Arg Gly	Pro Gly Leu Ser Gln	
10		2615	2	2620	2625	
	gcc ttc g	tg ggc cag a	aag aac tcc	ttc acc gtg	gac igc agc aaa gca	8038
15	Ala Phe Va	al Gly Gln L	Lys Asn Ser	Phe Thr Val	Asp Cys Ser Lys Ala	
	263	30	2635		2640	
20	ggc acc aa	ac atg atg a	atg gtg ggc	gtg cac ggc	ccc aag acc ccc tgt	8086
	Gly Thr As	sn Met Met M	Met Val Gly	Val His Gly	Pro Lys Thr Pro Cys	
	2645		2650	2	655	
25	-			•	gtg tac aat gtc acc	8134
					Val Tyr Asn Val Thr	
30	2660	•	365	2670	2675	
					att gtc aag tgg ggt	8182
0.5	Tyr Thr Ya		ys Gly Asp.		Ile Val Lys Trp Gly	
35	820 820 08	2680		2685	2690	0004
				tic aaa gic a		8224
40	ASP GIU DE	2695		700	2705	·
	tgaatcccaa				cagocacaca cacattacac	8284
45					cacagaalca gacactacaa	
			•		cccaccgcg ccccaggggt	
50	•		•		atgigacatg aggccgactg	
50	gggccaggct	caggggcaga	ggctgggaca	caaggggctg g	scgagggcig cgaggccagg	8524
					itigigtigt gggigtetgt	
55	glgtgaggtc	accctcaaac	lgcaccgccg	gccagatacc (	ctcctgaccc cgaggacitg	8644
			•		_	

gtctggtctc tctggtggct acaaccccag agttttaagg acttggaaag gaagcacaat 8704 cagagaagaa aacagcccc aaccagcagg agcggccigg cacaiggacc ggccigagcg 8764 atgigcacte cacceaagee aggeteecag ggggeeigat tietetetea etgietetti 8824 ttttaaaatg gttgcacggc tctgccccat ggggggcctt ttttacacac tgcgaggccc 8884 10 agciticiag gggacitilg cacaigical gcagcicage igggagetge itaggiggaa 8944 aactccaaat aaagtgcgcc tgtcgcc 8971 15 <210> 44 <211> 2705 20 <212> PRT <213> Homo sapiens <400> 44 Met Pro Ser Thr Glu Lys Asp Leu Ala Glu Asp Ala Pro Trp Lys Lys 1 5 10 15 30 Ile Gln Gln Asn Thr Phe Thr Arg Trp Cys Asn Glu His Leu Lys Cys 20 25 30 Val Gly Lys Arg Leu Thr Asp Leu Gln Arg Asp Leu Ser Asp Gly Leu 35 Arg Leu Ile Ala Leu Leu Glu Val Leu Ser Gln Lys Arg Met Tyr Arg 40 50 55 Lys Phe His Pro Arg Pro Asn Phe Arg Gln Met Lys Leu Glu Asn Val 65 70 75 Ser Val Ala Leu Glu Phe Leu Glu Arg Glu His Ile Lys Leu Val Ser 85 90 50 lle Asp Ser Lys Ala lle Val Asp Gly Asn Leu Lys Leu Ile Leu Gly 100 105 110 Leu Ile Trp Thr Leu Ile Leu His Tyr Ser Ile Ser Met Pro Met Trp

				115	j				120	1				125			
5		Glu	Asp	Glu	.Asp	Asp	Glu	Asp	Ala	Arg	Lys	Gln	Thr	Pro	Lys	Gln	Arg
			130	)				135					140				
10		Leu	Leu	Gly	Trp	He	Gln	Asn	Lys	Val	Pro	GIn	Leu	Pro	Ile	Thr	Asn
		145					150					155					160
		Phe	Asn	Arg	Asp	Trp	Gln	Asp	Gly	Lys	Ala	Leu	Gly	Ala	Leu	Va]	Ażp
15						165					170					175	
		Asn	Cys	Ala	Pro	Gly	Leu	Cys	Pro	Asp	Trp	Glu	Ala	Trp	Asp	Pro	Asn
20					180					185					190		
		Gln	Pro	Val	Glu	Asn	Ser	Arg	Glu	Ala	Met	Gln	Gln	Ala	Asp	Asp	Trp
25				195					200					205			
		Leu	Gly	-Val	Pro	Gln	٧al	He	Ala	Pro	Glu	Glu	He	Va)	Asp	Pro	Asn
			210					215					220				
30		Va l	Asp	Glu	His	Ser	Val	Met	Thr	Tyr	Leu	Ser	Gln	Phe	Pro	Lys	Ala
		225					230			•		235					240
35		Lys	Leu	Lys	Pro	Gly	Ala	Pro	Val	Arg	Ser	Lys	Gln	Leu	Asn	Pro	Lys
•	•					245					250					255	
		Lys	Ala	He		Tyr	Gly	Pro	Gly		Gl <sub>.</sub> u	Pro	Gln	Gly		Thr	Val
40					260					265					270		
		Leu	Gln		Ala	His	Phe	Thr		Gln	Thr	Val	Asp		Gly	Val	Gly
45				275					280					285		•	
	(		Val	Leu	Val	Tyr	He		Asp	Pro	Glu	Gly	•	Thr	Glu	Glu	Ala
50			290					295					300				
50	1	Lys	Val	Val	Pro	Asn	Asn	Asp	Lys	Asp	Arg	Thr	Туг	Ala	Val	Ser	Туг
	;	305					310					315					320
55	1	Val	Pro	Lys	Val	Ala	Gly	Leu	His	Lys	Val	Thr	Val	Leu	Phe	Ala	Gly

					325					330	)				335	!
5	Glr	a Asi	ılle	Glu	Arg	Ser	Pro	Phe	Glu	Val	Asn	Va]	Gly	Met	Ala	Leu
			•	340	1				345					350		•
	Gly	/ Asp	Ala	Asn	Lys	Val	Ser	Ala	Arg	Gly	Pro	Gly	Leu	Glu	Pro	Val
10			355					360					365		•	
·	Gly	Asn	Val	Ala	Asn	Lys	Pro	Thr	Tyr	Phe	Asp	He	Tyr	Thr	Ala	Gly
15		370					375					380				
	Ala	Gly	Thr	Gly	Asp	Va l	Ala	Val	Val	He	Val	Asp	Pro	Gln	Gly	Arg
20	385					390					395					400
	Arg	Asp	Thr	Val	Glu	Val	Ala	Leu	Glu	Asp	Lys	Gly	Asp	Ser	Thr	Phe
					405					410					415	
25	Arg	Cys	Thr -	Tyr	Arg	Pro	Ala	Me t	Glu	Gly	Pro	His	Thr	Val	His	Val
	•			420		•			425					430		
30	Ala	Phe	Ala	Gly	Ala	Pro	He	Thr	Arg	Ser	Pro	Phe	Pro	Val	His	Val
			435					440					445			
35	Ser	Glu	Ala	Cys	Asn	Pro		Ala	Cys	Arg	Ala	Ser	Gly	Arg	Gly	Leu
35	à.	450	·				455					460				
		Pro	Lys	Gly	Val		Va)	Lys	Glu	Val		Asp	Phe	Lys	Val	
40	465	1	C1		<b>0</b> 1	470	01	0.1	•		475	<b></b>				480
	ınr	Lys	GIY			Ser	Gly	GIU	Leu		Val	Thr	Val	Lys		Рго
45	Luc	Clu	The		485	D-0	Va I	1	Val	490	C1	41	C1		495	<b>V</b> - 1
	Lys	Gly	1111	500	GIU	710	Yaı	LYS		Arg	6111	. Ala	ч		GIY	Yal
	Dha	C1 u	Cuc	•	Tur	Tur	Dro	Val	505	D-0	Clu	Luc	T	510	Val	<b>TL</b>
50	rne	Glu		VIU	1 9 1	lyi			481	rio	GIY	L\2		Yaı	va į.	ınr
	114		515 T-n	C1··	C1	T., -		520	D=-	۸	°	D	525	C1	V. I	<b>0</b> 1
55	116	Thr	11 b	OIÀ	OIA			116	710	AIg			rne	618	4 9 I	GID
		530					535					540				

	Va!	Ser	Pro	Glu	Ala	Gly	Val	Gln	Lys	Val	Arg	Ala	Trp	Gly	Pro	Gly
5	545	j				550					555					560
	Leu	Glu	Thr	Gly	Gln	Val	Gly	Lys	Ser	Ala	Asp	Phe	Val	Val	Glu	Ala
10					565					570					575	
	He	Gly	Thr	Glu	Val	Gly	Thr	Leu	Gly	Phe	Ser	He	Glu	Gly	Pro	Ser
				580					585		·			590		
15	Gin	Ala	Lys	Ile	Glu	Cys	Asp	Asp	Lys	Gly	Asp	Gly	Ser	Cys	Asp	Va]
			595					600					605			
20	Arg	Туг	Trp	Pro	Thr	Glu	Pro	Gly	GJu	Tyr	Ala	Val	His	Val	He	Cys
		610					615					620				•
25	Asp	Asp	Glu	Asp	Ile	Arg	Asp	Ser	Pro	Phe	lle	Ala	His	lle	Leu	Pro
	625		<b>-</b>		•	630					635					640
	Ala	Pro	Pro	Asp	Cys	Phe	Pro	Asp	Lys	Val	Lys	Ala	Phe	Gly	Pro	Gly
30					645					650					655	
	Leu	Glu	Pro	Thr	Gly	Cys	He	Val	Asp	Lys	Pro	Ala	Glu	Phe	Thr	lle
35				660					665					670		
	Asp	Ala	Arg	Ala	Ala	Gly	Lys	Gly	Asp	Leu	Lys	Leu	Tyr	Ala	Gln	Asp
			675					680					685			
40	Ala	Asp	Gly <sub>.</sub>	Cys	Pro	Ile	Asp	lle	Lys	Val	He	Pro	Asn	Gly	Asn	Gly
		690					695					700				
45	Thr	Phe	Arg	Cys	Ser	Tyr	Val	Рго	Thr	Lys	Pro	Ile	Lys	His	Thr	He
	705					710	•				715	٠				720
	lle	lle	Ser	Trp	Gly	Gly	Val	Asn	Val	Pro	Lys	Ser	Pro	Phe	Arg	Val
50					725					730					735	
	Asn	Val	Gly	Glu	Gly	Ser	His	Pro	Glu	Arg	Val	Lys	Va I	Туг	G] y	Pro
55				740					745					750	•	

	Gl	y Va	] G1	L Ly:	s Thi	r Gly	/ Lei	ı Lys	Ala	Asn	Glu	Pro	Th 1	Tyı	Phe	Thr
5			75	5				760	)				765	;		
	٧a	l As	р Су	s Sei	r Gli	ı Ala	Gly	Gln	Gly	Asp	Yai	Ser	. 11e	Gly	He	Lys
10		77	0				775	j			٠	780	)			
	Cy	s Ala	a Pro	Gly	v Val	Va]	Gly	Pro	Ala	Glu	Ala	Asp	lle	Asp	Phe	Asp
·	78	5		٠,		790	١				795					800
15	He	lle	Lys	Asn	Asp	Asn	Asp	Thr	Phe	Thr	Ya]	Lys	Туг	Thr	Pro	Pro
					805				•	810					815	
20	Gly	/ Ala	Gly	Arg	Tyr	Thr	ile	Met	Val	Leu	Phe	Ala	Asn	Gln	Glu	Ile
				820					825					830	•	
	Pro	Ala	Ser	Pro	Phe	His	Ile	Lys	Va l	Asp	Pro	Ser	His	Asp	Ala	Ser
25			835					840					845			
	Lys	Val	Lys	Ala	Glu	Gly	Pro	Gly	Leu	Asn	Arg	Thr	Gly	Val	Ğlu	Val
30		850					855					860				
		Lys	Pio	Thr	His	Phe	Thr	Va)	Leu	Thr	Lys	Gly	Ala	Gly	Lys	Ala
35	865					870					875					880
	Lys	Leu	Asp	Val		Phe	Ala	Gly	Thr		Lys	Gly	Glu	Val	Val	Arg
		<b>D</b> .			885			•••		890					895	
40	Asp	Phe	Glu		116	Asp	Asn	His		Tyr	Ser	Tyr	Thr		Lys	Туг
	ምኒ _	41.	W - 1	900	C1-	C1	<b>.</b>		905	11 - 1	mı	17 . 1	mı.	910	٥.	
45	ınr	AIA		GIN	GIN	ыу	AST		AIA	Vai	lnr	vaı		lyr	Gly	Gly
	<b>A</b> o o	Dro	915	Dro	1	خدع	D=0	920 Dha	Va I	V-1		V. 1	925	D	n .	<b>y</b> .
50	wsh	Pro 930	Yaı	rio	LA2	261		riie	Aģī	491			Ala	110	Pro	Leu
-			°-2	1	11.	1	935	C1-	C1 s.	1		940		W - 1	41.	
		Leu	261	rys	116		IBV	GIN	ыу	Leu		96 L	LYS	Yaı	Aia	
55	945	01	<b>6</b> 1	C1 -	4.1	950	•			<b>5</b> 1	955					960
	617	Gln	Մ I Ս	UID	Ala	rne	261	vai	ASN	lnr	AIR	GIY	Ala	GIY	GIV	Gln

					965					970		:			975	
5	Gly	/ Glr	ı Leu	Asp	Yal	Arg	Net	Thr	Ser	Pro	Ser	Arg	Arg	Pro	Ile	Pro
				980					985					990		
10	Cys	Lys	Leu	Glu	Pro	Gly	Gly	Gly	Ala	GIu	Ala	Gla	Ala	Val	Arg	Tyr
			995					100	0				100	5		•
	Met	Pro	Pro	Glu	Glü	Gly	Pro	Tyr	Lys	Val	Asp	1 ) e	Thr	Туг	Asp	Gly
15	٠	101	0				101	5				102	0			
	His	Pro	Val	Pro	Gly	Ser	Pro	Phe	Ala	Val	Glu	Gly	Val	Leu	Pro	Pro
20	102	5				103	0		•		103	5				1040
	Asp	Pro	Ser	Lys	Val	Cys	Ala	Tyr	Gly	Pro	Gly	Leu	Lys	Gly	Gly	Leu
25					104	5				105	0				105	i
	Val	Gly	Thr	Pro	Ala	Pro	Phe	Ser	Ile	Asp	Thr	Lys	Gly	Ala	Ģly	Thr
				1066	)				1069	5				1070	)	
30	Gly	Gly	Leu	Gly	Leu	Thr	Val	Glu	Gly	Рго	Cys	Glu	Ala	Lys	Ile	Glu
			1079	5				1080	)				1089	5		
35	Cys	Gln	Asp	Asn	Gly	Asp	Gly	Ser	Cys	Ala	Val	Ser	Tyr	Leu	Pro	Thr
		1096	0				1095	5				1100	)			
	Glu	Pro	Gly	Glu	Тут	Thr	lle	Asn	He	Leu	Phe	Ala	Glu	Ala	His	He
40	1105					1110			•		1115					1120
	Pro	Gly	Ser	Pro	Phe	Lys	Ala	Thr	lle	Arg	Pro	Val	Phe	Asp	<u> Lio</u>	Ser
45			-		1125	<b>j</b> .				1130	)				1135	<b>i</b>
	Lys	Va l	Arg	Ala	Ser	Gly	Pro	Gly	Leu	Glu	Arg	Gly	Lys	Val	Gly	Glu
				1140	1				1145	i				1150	)	
50	Ala	Ala	Thr	Phe	Thr	Val	Asp	Cys	Ser	Glu	Ala	Gly	Glu	Ala	Glu	Leu
			1155	i				1160	)				1165	j		
55	Thr	He	Glu	He	Leu	Ser	Asp	Ala	Gly	Val	Lys	Ala	Glu	Val	Leu	He

	1170		1175	1180	
5	His Asn As	n Ala Asp Gl	ly Thr Tyr His	lle Thr Tyr Ser	Pro Ala Phe
	1185	11	190	1195	. 1200
	Pro Gly Th	r Tyr Thr II	e Thr Ile Lys	Tyr Gly Gly His	Pro Val Pro
10		1205		1210	1215
	Lys Phe Pro	o Thr Arg Va	ıl His Val Gln	Pro Ala Val Asp	Thr Ser Gly
15		1220	1225	5	1230
	Val Lys Val	Ser Gly Pr	o Gly Val Glu	Pro His Gly Val	Leu Arg Glu
20	123	35	1240	124	5
	Val Thr Thi	Glu Phe Th	ir Val Asp Ala	Arg Ser Leu Thŕ	Ala Thr Gly
	1250		1255	1260	
25	Gly Asn His	: Val Thr Al	a Arg Val Leu	Asn Pro Ser Gly	Ala Lys Thr
	1265	12	70	1275	1280
30	Asp Thr Tyr	Val Thr As	p Asn Gly Asp	Gly Thr Tyr Arg	Val Gln Tyr
		-1285		1290	1295
os.	Thr Ala Tyr	Glu Glu Gl	y Val His Leu	Val Glu Val Leu	Tyr Asp Glu
<b>35</b>		1300	1305		1310
	Val Ala Val	Pro Lys Se	r Pro Phe Arg	Val Gly Val Thr	Glu Gly Cys
40	131	5	1320	1325	5
	Asp Pro Thr	Arg Val Arg	g Ala Phe Gly	Pro Gly Leu Glu	Gly Gly Leu
45	1330		1335	1340	
	Val Asn Lys	Ala Asn Arg	g Phe Thr Val	Glu Thr Arg Gly	Ala Gly Thr
	1345	13:	50	1355	1360
50	Gly Gly Leu	Gly Leu Ala	a lle Glu Gly	Pro Ser Glu Ala	Lys Met Ser
		1365	•	1370	1375
55	Cys Lys Asp	Asn Lys Asi	p Gly Ser Cys	Thr Val Glu Tyr	Ile Pro Phe
		1380	1385		1390

	Thr	Pro	Gly	Asp	Туг	Asp	Val	Asn	He	Thr	Phe	Gly	Gly	Arg	Pro	Ile
5			139	5				140	0 -		•		140	5		
	Pro	Gly	Ser	Pro	Phe	Arg	Val	Pro	Val	Lys	Asp	Val	Val	Asp	Pro	Gly
10		141	0				141	5				1420	0		•	
	Lys	Val	Lys	Cys	Ser	Gly	Pro	Gly	Leu	Gly	Ala	Gly	Val	Arg	Ala	Arg
	142	5				143	0				143	5				1440
15	Val	Pro	Gln	Thr	Phe	Thr	Val	Asp	Cys	Ser	Gln	Ala	Gly	Arg	Ala	Pro
				٠	144	5				1450	0				1455	i
20	Leu	Gln	Val	Ala	Val	Leu	Gly	Pro	Thr	Gly	Val	Ala	Glu	Pro	Val	Glu
				1460	)				146	5				1470	)	
25	Val	Arg	Asp	Asn	Gly	Asp	Gly	Thr	His	Thr	Val	His	Туг	Thr	Pro	Ala
23			-147	5				1480	)				1485	5		
	Thr	Asp	Gly	Pro	Tyr	Thr	Val	Ala	Val	Lys	Туг	Ala	Asp	Gln	Glu	Va l
30		1490	)				149	5		•		1500	)			
30	Pro			Pro	Phe	Lys			Val	Leu	Рго	•		Asp	Ala	Ser
35	Pro 1505	Arg		Pro		Lys .151(	He		Val	Leu	Рто 1515	Ala		Asp	Ala	Ser 1520
	1505	Arg	Ser	Pro Ala		.151(	Ile )	Lys			1515	Ala	His	•	-	1520
	1505	Arg	Ser			.151( Gly	Ile )	Lys			1515 Ala	Ala	His	•	-	1520 Ala
	1505 Lys	Arg Val	Ser Arg		Ser 1525	.151( Gly	Ile } Pro	Lys Gly	Leu	Asn 1530	1515 Ala	Ala Ser	His	Ile	Pro 1535	1520 Ala
35	1505 Lys	Arg Val	Ser Arg	Ala	Ser 1525 Glu	.151( Gly	Ile } Pro	Lys Gly	Leu	Asn 1530 Ala	1515 Ala	Ala Ser	His	Ile	Pro 1535 Glu	1520 Ala
35	1505 Lys	Arg Val Leu	Ser Arg Pro	Ala Val 1540	Ser 1525 Glu	.151( Gly 5 Phe	Ile Pro Thr	Lys Gly Ile	Leu Asp	Asn 1530 Ala	1518 Ala ) Arg	Ala Ser Asp	His Gly Ala	Ile Gly 1550	Pro 1535 Glu	1520 Ala Gly
<b>35</b> <b>40</b>	1505 Lys Ser	Arg Val Leu	Ser Arg Pro	Ala Val 1540 Val	Ser 1525 Glu	.151( Gly 5 Phe	Ile Pro Thr	Lys Gly Ile	Leu Asp 1545 Pro	Asn 1530 Ala	1518 Ala ) Arg	Ala Ser Asp	His Gly Ala	Ile Gly 1550 Lys	Pro 1535 Glu	1520 Ala Gly
35 40	1505 Lys Ser	Arg Val Leu	Ser Arg Pro Thr	Val 1540 Val	Ser 1525 Glu Gln	.151( Gly S Phe	Ile Pro Thr	Lys Gly Ile Gly 1560	Leu Asp 1545 Pro	Asn 1530 Ala Glu	Ala Ala Arg	Ala Ser Asp	His Gly Ala Pro	Ile Gly 1550 Lys	Pro 1535 Glu Lys	1520 Ala Gly
<b>35</b> <b>40</b>	1505 Lys Ser Leu 	Arg Val Leu	Ser Arg Pro Thr 1555	Val 1540 Val	Ser 1525 Glu Gln	.151( Gly S Phe	Ile Pro Thr	Lys Gly Ile Gly 1560	Leu Asp 1545 Pro	Asn 1530 Ala Glu	Ala Ala Arg	Ala Ser Asp	His Gly Ala Pro 1565 Ser	Ile Gly 1550 Lys	Pro 1535 Glu Lys	1520 Ala Gly
35 40	1505 Lys Ser Leu 	Arg Val Leu Leu Ile	Arg Pro Thr 1555	Ala Val 1540 Val Asp	Ser 1528 Glu Gln Asn	Gly  Phe  Gly  Gly	Ile Pro Thr Leu Asp	Lys Gly Ile Gly 1560 Gly	Leu Asp 1545 Pro	Asn 1530 Ala Glu	Ala Arg Gly	Ala Ser Asp Lys Val	His Gly Ala Pro 1565 Ser	Ile Gly 1550 Lys Tyr	Pro 1535 Glu Lys	1520 Ala Gly Ala

	Ile Pro Tyr Ser P	ro Phe Arg lle Hi	s Ala Leu Pro Thi	r Gly Asp Ala
5	1	605	1610	1615
	Ser Lys Cys Leu V	al Thr Vai Ser Il	e Gly Gly His Gly	Leu Gly Ala
	1620	16	25	1630
10	Cys Leu Gly Pro A	rg lle Gln lle Gl	y Glm Glu Thr Val	lle Thr Val
	1635	1640	. 164	15
15	Asp Ala Lys Ala A	la Gly Glu Gly Ly	s Val Thr Cys Thr	Val Ser Thr
	1650	1655	1660	
20	Pro Asp Gly Ala G	lu Leu Asp Val As	p Val Val Glu Asn	His Asp Gly
	1665	1670	1675	1680
	Thr Phe Asp Ile T	yr Tyr Thr Ala Pr	o Glu Pro Gly Lys	Tyr Val Ile
.25	10	685	1690	1695
	Thr lie Arg Phe G	ly Gly Glu His Ile	e Pro Asn Ser Pro	Phe His Val
30	1700	170	05	1710
	Leu Ala Cys Asp Pi	ro Leu Pro His Glu	u Glu Glu Pro Ser	Glu Val Pro
	1715	1720	172	5
<i>3</i> 5	Gln Leu Arg Gln Pi	ro Tyr Ala Pro Pro	o Arg Pro Gly Ala	Arg Pro Thr
	1730	1735	1740	
40	His Trp Ala Thr Gl	lu Glu Pro Val Val	l Pro Val Glu Pro	Met Glu Ser
	1745	1750	1755	1760
45	Met Leu Arg Pro Ph			Gln Lys Gly
		765	1770	1775
•	Glu Leu Thr Gly Gl			•
50	1780	178	,	1790
	Asn Ile Thr Asp As		: Ile Thr Val Arg	Tyr Ala Pro
<b>55</b> .	1795	1800	1809	5
	Thr Glu Lys Gly Le	u His Gln Met Gly	lle Lys Tyr Asp	Gly Asn His

	1810	1815		1820
5	Ile Pro Gly Se	r Pro Leu Gln	Phe Tyr Val Asp	Ala İle Asn Ser Arg
	1825	1830	183	5 1840
10	His Val Ser Ala	a Tyr Gly Pro (	Gly Leu Ser His	Gly Met Val Asn Lys
		1845	1850	1855
	Pro Ala Thr Phe	Thr lle Val	Thr Lys Asp Ala	Gly Glu Gly Gly Leu
	186	30	1865	1870
	Ser Leu Ala Val	Glu Gly Pro S	Ser Lys Ala Glu	He Thr Cys Lys Asp
20	1875	1	1880	1885
	Asn Lys Asp Gly	Thr Cys Thr V	'al Ser Tyr Leu	Pro Thr Ala Pro Gly
25	1890	1895		1900
	Asp Tyr-Ser Ile	lle Val Arg P	he Asp Asp Lys	His Ile Pro Gly Ser
	1905	1910	1915	1920
30	Pro Phe Thr Ala	Lys Ile Thr G	ly Asp Asp Ser	Met Arg Thr Ser Gin
		1925	1930	1935
35	Leu Asn Val Gly	Thr Ser Thr A	sp Val Ser Leu	Lys Ile Thr Glu Ser
	194		1945	1950
40				Pro Ser Gly Asn Glu
40	1955		960	1965
			•	His Ile Gly Ile Ser
45	1970	1975		1980
				Ser Val Arg Lys Ser
50	1985	1990	1995	2000
	Gly Lys His Val			Leu Val Gly Pro Ser
		2005	2010	2015
55	Glu Ile Gly Asp	Ala Ser Lys Va	al Arg Val Trp (	Gly Lys Gly Leu Ser

				202	!0				202	5				203	0	
5	Glu	Gly	His	Thr	Phe	Gln	Val	Ala	Glu	Phe	He	Yal	Asp	Thr	Arg	Asn
		•	203	5				204	0				204	5		
10	Ala	Gly	Tyr	Gly	Gly	Leu	Gly	Leu	Ser	Ile	G] u	Gly	Pro	Ser	Lys	Val
:•		205	0				205	5			٠	206	0			
	Asp	Ile	Asn	Cys	Glju	Asp	Met	Glu	Asp	Gly	Thr	Cys	Lys	Val	Thr	Туг
15	206	5				207	0				207	5				2080
	Cys	Pro	Thr	Glu	Pro	Gly	Thr	Tyr	Ile	He	Asn	Ile	Lys	Phe	Ala	qzA
20					208	5				209	0				209	5
	Lys	His	Val	Pro	Gly	Ser	Pro	Phe	Thr	Val	Lys	Val	Thr	Gly	Glu	Gly
		٠		210	0				210	5				211	)	
25	Arg	Met	Lys		Ser	He	Thr	Arg	Arg	Arg	Gln	Ala	Pro	Ser	He	Ala
			211					2120					2125			
30	Thr		Gly	Ser	Thr	Cys			Asn	Leu	Lys			Gly	Asn	Trp
		2130					213					2140				
35			Met	vai	Ser			Glu	Arg	Leu			Thr	Phe	Thr	
	214		u: •	Th -	T	2150		ምե_	C1		2155			•		2160
	261	261	His	1111	2165		MIR	1111	GIU	2170		GIU	116	261		
40	Δισ	Glv	Gly	Gl n			Pro	Glu	Val			Glu	Clu	Sa.	2175	
	6	υ.,		2180				0.4	2185		, 41	0.0	O I u	2190		GIB
45	Val	Glv	Gly			Phe	Pro	Ala			Glv	d 2 A	Phe			Are
		·	2195					2200					2205		,	0
50	Glu	Arg			Ser	Phe	Gly	•		Thr	Arg	Gin	•		Gly	Glu
		2210					2215					2220	•		•	
	Ala	Ser	Ser	Gln	Asp	Me t	Thr	Ala	Gin	Vai				Ser	Gly	Lys
55	2225					2230					2235					2240

	Vai	Glu	Ala	Ala	Glu	Ile	Val	Glu	Gly	Glu	Asp	Ser	Ala	Tyr	Ser	Val
5					224	5				225	0				225	5
	Arg	Phe	Val	Pro	Gln	Glu	Met	Gly	Pro	His	Thr	Val	Ala	Yal	Lys	Tyr
10				226	0				226	5				227	0	
	Arg	Gly	Gln	Ḥis	Val	Pro	Gly	Ser	Pro	Phe	Gln	Phe	Thr	Yal	Gly	Pro
			227	5				228	0				228	5		
15	Leu	Gly	Glu	Gly	Gly	Ala	His	Lys	Yal	Arg	Ala	Gly	Arg	Ala	Gly	Leu
		229	0				229	5				230	0			
20	Glu	Arg	Gly	Val	Ala	Gly	Val	Pro	Ala	Glu	Phe	Ser	Ile	Trp	Thr	Arg
	230	5				231	)				231	5				2320
25	Glu	Ala	Gly	Ala	Gly	Gly	Leu	Ser	He	Ala	Val	Glu	Gly	Pro	Ser	Lys
			•		2325	j				2330	}				233	i
	Ala	Glu	He	Ala	Phe	Glu	Asp	Arg	Lys	Asp	Gly	Ser	Cys	Gly	Val	Ser
30				2340	1				2245					000		
				2090	, 				2345	)				2350	,	
	Tyr	Val		Gln		Pro	Gly	Aśp			Val	Ser	Ile			Asn
35			2355	Gln	Glu			2360	Tyr )	Glu			2365	Lys	Phe	
		Glu	2355 His	Gln	Glu		Ser	2360 Pro	Tyr )	Glu	Val	Pro	2365 Val	Lys	Phe	
35	Asp	Glu 2370	2355 His	Gln	Glu Pro	Asp	Ser 2375	2360 Pro	Tyr ) Phe	Glu Val	Val	Pro 2380	2365 Val	Lys ; Ala	Phe Ser	Leu <sub>.</sub>
	Asp	Glu 2370 Asp	2355 His	Gln	Glu Pro	Asp Arg	Ser 2375 Leu	2360 Pro	Tyr ) Phe	Glu Val	Val Ser	Pro 2380 Leu	2365 Val	Lys ; Ala	Phe Ser	Leu <sub>.</sub>
35	Asp Ser 2385	Glu 2370 Asp	2355 His Asp	Gln Ile Ala	Glu Pro Arg	Asp Arg 2390	Ser 2375 Leu	2360 Pro Thr	Tyr ) Phe Val	Glu Val Thr	<b>Val</b> Ser 2395	Pro 2380 Leu	2365 Val Gln	Lys Ala Glu	Phe Ser Thr	Leu Gly 2400
35	Asp Ser 2385	Glu 2370 Asp	2355 His Asp	Gln Ile Ala	Glu Pro Arg	Asp Arg 2390 Pro	Ser 2375 Leu	2360 Pro Thr	Tyr Phe Val	Glu Val Thr	Val Ser 2395 Val	Pro 2380 Leu	2365 Val Gln	Lys Ala Glu	Phe Ser Thr	Leu Gly 2400 Ala
35 40 45	Asp Ser 2385 Leu	Glu 2370 Asp Lys	2355 His Asp Val	Gln Ile Ala	Glu Pro Arg Gln 2405	Asp Arg 2390 Pro	Ser 2375 Leu Ala	2360 Pro Thr	Tyr ) Phe Val	Glu Val Thr Ala 2410	Val Ser 2395 Val	Pro 2380 Leu Gln	2365 Val Gln Leu	Lys Ala Glu Asn	Phe Ser Thr Gly 2415	Leu Gly 2400 Ala
35 40 45	Asp Ser 2385	Glu 2370 Asp Lys	2355 His Asp Val	Gln Ile Ala Asn	Glu Pro Arg Gln 2405	Asp Arg 2390 Pro	Ser 2375 Leu Ala	2360 Pro Thr Ser	Tyr  Phe  Val  Phe	Glu Val Thr Ala 2410 Thr	Val Ser 2395 Val	Pro 2380 Leu Gln	2365 Val Gln Leu	Lys Ala Glu Asn	Phe Ser Thr Gly 2415 Val	Leu Gly 2400 Ala
35 40 45	Asp Ser 2385 Leu Arg	Glu 2370 Asp Lys	2355 His Asp Val	Gln Ile Ala Asn Ile	Glu Pro Arg Gln 2405	Asp Arg 2390 Pro -	Ser 2375 Leu Ala	2360 Pro Thr Ser	Tyr  Phe  Val  Phe  His  2425	Glu Val Thr Ala 2410 Thr	Val Ser 2395 Val Pro	Pro 2380 Leu Gln Ser	2365 Val Gln Leu	Lys ; Ala Glu Asn Ala	Phe Ser Thr Gly 2415 Val	Leu Gly 2400 Ala Glu
35 40 45	Asp Ser 2385 Leu	Glu 2370 Asp Lys Gly Cys	2355 His Asp Val	Gln Ile Ala Asn Ile	Glu Pro Arg Gln 2405	Asp Arg 2390 Pro -	Ser 2375 Leu Ala Arg	2360 Pro Thr Ser	Tyr  Phe  Val  Phe  2425  Ser	Glu Val Thr Ala 2410 Thr	Val Ser 2395 Val Pro	Pro 2380 Leu Gln Ser	2365 Val Gln Leu	Lys ; Ala Glu Asn Ala	Phe Ser Thr Gly 2415 Val	Leu Gly 2400 Ala Glu

	11	e Pro	His	Glu	ı Ası	Gly	/ Val	His	Ser	Ile	Asp	Val	Lys	Phe	Asn	Gly
5		245	0		,	•	245	5				246	0			
	Ala	a His	11e	Pro	Gly	Ser	Pro	Phe	Lys	He	Arg	Val	Gly	Glu	G) n	Ser
	24	65				247	0				247	5 .				2480
10	Gli	n Ala	Gly	Asp	Pro	Gly	Leu	Val	Ser	Ala	Tyr	Gly	Pro	Gly	Leu	Glu
					248	5				249	0				249	5
15	Gly	y Gly	Thr	Thr	Gly	Va l	Ser	Ser	Glu	Phe	He	Val	Asn	Thr	Leu	Asn
				250	0				250	5				251	0	
20	Ala	Gly	Ser	Gly	Ala	Leu	Ser	Va]	Thr	11e	Asp	Gly	Pro	Ser	Lys	Ya I
			251	5				252	0				252	5		
	G) n	Leu	Asp	Cys	Arg	Głu	Cys	Pro	Glu	Ġly	His	Val	Va]	Thr	Tyr	Thr
25		2530	) 				253	5				2540	0			
	Pro	Met	Ala	Pro	Gly	Asn	Tyr	Leu	He	Ala	Ile	Lys	Tyr	Gly	Ġly	Pro
30	254	5				255	0				2555	5				2560
	Gln	His	lle	Val	Gly	Ser	Pro	Phe	Lys	Ala	Lys	Val	Thr	Gly	Pro	Arg
05					256	5				2570	)				2575	5
35	Leu	Ser	Gly	Gly	His	Ser	Leu	His	Glu	Thr	Ser	Thr	Val	Leu	Val	Glu
				2580	)				2585	j				2590	)	
40	Thr	Val	Thr	Lys	Ser	Ser	Ser	Ser	Arg	Gly	Ser	Ser	Tyr	Ser	Ser	lle
			2595					2600					2605			
45	Pro	Lys	Phe	Ser	Ser	Asp	Ala	Ser	Lys	Val	Val	Thr	Arg	Gly	Pro	Gly
		2610					2615					2620				
•		Ser	Gln	Ala	Phe	Val	Gly	Gln	Lys	Asn	Ser	Phe	Thr	Val	Asp	Cys
50	2625					2630					2635					2640
	Ser	Lys.	Ala	Gly	Thr	Asn	Met	Me t	Me t	Val	Gly	Val	His	Gly	Pro	Lys
55					2645					2650	i			•	2655	
	Thr	Pro	Cys	Glu	G) u	Val	Tyr	Val	Lys	His	Met	Gly	Asn	Arg	Va]	Туг

	2660	2665	2670
5	Asn Val Thr Tyr Thi	r Val Lys Glu Lys Gly Asp :	Tyr Ile Leu Ile Val
	2675	2680	2685
10	Lys Trp Gly Asp Glu	Ser Val Pro Gly Ser Pro l	Phe Lys Val Lys Val
,•	2690	2695	2700
	Pro		
15	2705		
20	<b>&lt;210&gt; 45</b>		
	<211> 2016		
	<212> DNA		
25	<213> Homo sapiens		•
	⟨220⟩		
30	<221> CDS		
	<b>&lt;222&gt; (210) (1352)</b>		
	<400> 45		
35	•	cg cgccctccgc gccttctccg o	
		cc ctcgcctccc tgcccaccgg g	
40		ct gtccgctgca caccagcttg (	
	ctcgcccgg gctactcc	tg cgcgccaca atg agc tcc c	
45			Arg Ile Ala Arg Ala
43		1	5
	•	acc ctt ctc cac ttg acc a	
50		Thr Leu Leu His Leu Thr A	
	10	15	20
55	acc tgc ccc gct gcc	tgc cac igc ccc cig gag g	gcg ccc aag tgc gcg 329
	Thr Cys Pro Ala Ala	Cys His Cys Pro Leu Glu A	Ala Pro Lys Cys Ala

	25		30	35	40
5	ccg	gga gtc ggg	ctg gtc cgg	gac ggc tgc ggc tgc	tgt aag gtc tgc 377
	Pro	Gly Val Gly	Leu Val Arg	Asp Gly Cys Gly Cys	Cys Lys Val Cys
10			45 .	50	· 55
	gcc	aag cag cic	aac gag gac	tgc agc aaa acg cag	ccc tgc gac cac 425
15	Ala	Lys Gln Leu	Asn Glu Asp	Cys Ser Lys Thr Glo	Pro Cys Asp His
		60		65	70
	acc	aag ggg ctg	gaa tgc aac	tic ggc gcc agc tcc	acc gct ctg aag 473
20	Thr	Lys Gly Leu	Glu Cys Asn	Phe Gly Ala Ser Ser	Thr Ala Leu Lys
		75		80	85
25				gag ggc aga ccc tgt	•
	Gly			Glu Gly Arg Pro Cys	·
30		90	95	100	
				agt ttc cag.ccc aac	
	. 105	ire lyr Gin	ASH GIV GIU	Ser Phé Gln Pro Asn 115	
35		aca tgt att		gig ggc igc att cci	120 ctg tgt ccc caa 617
				Val Gly Cys lle Pro	
40	,	•	125	130	135
	gaa	cta lct ctc	ccc aac tig	ggc tgt ccc aac cct	cgg ctg gtc aaa 665
45	Glu	Leu Ser Leu	Pro Asn Leu	Gly Cys Pro Asn Pro	Arg Leu Val Lys
		140	•	145 .	150
	git	acc ggg cag	tgc tgc gag	gag tgg gtc tgt gac	gag gat agt atc 713
50	Val	Thr Gly Gln	Cys Cys Glu	Glu Trp Val Cys Asp	Glu Asp Ser lie
	•	155	-	160 .	165
55	aag	gac ccc atg	gag gac cag	gac ggc cic cii ggc	aag gag cig gga 761

	Ly	s Ası	Pro	Met	Glu	Asp	Gln	Asp	Gly	Leu	Leu	Gly	Lys	Glu	Leu	Gly	
5		170	)				175				•	180			•		
	tt	c gat	gcc	tcc	gag	gtg	gag	ttg	acg	aga	aac	aat	gaa	ttg	att	gca	809
	Ph	e Asp	Ala	Ser	Glu	Val	Glu	Leu	Thr	Arg	Asn	Asn	Glu	Leu	He	Ala	
10	18	5				190					195					200	
	gt	i gga	aaa	ggç	agc	tca	ctg	aag	cgg	ctc	cct	gtt	ttt	gga	atg	gag	857
15	Va	Gly	Lys	Gly	Ser	Ser	Leu	Lys	Arg	Leu	Pro	Val	Phe	Gly	Met	Glu	
					205					210					215		
20	. cc	cgc	atc	cta	tac	aac	cct	tta	caa	ggc	cag	aaa-	tgt	att	gtt	caa	905
	Pro	Arg	Ile	Leu	Tyr	Asn	Pro	Leu	Gln	Gly	Gln	Lys	Cys	He	Val	Gln	
				220					225					230			
25	aca	act	tca -	t gg	tcc	cag	tgc	tca	aag	acc	tgt	gga	act	ggt	atc	tcc	953
	Thi	Thr	Ser	Trp	Ser	Gln	Cys	Ser	Lys	Thr	Cys	Gly	Thr	Gly	He	Ser	
30			235			-		240					245			-	
		cga															1001
35	Thr	Arg	Val	Thr	Asn	Asp		Pro	Glu	Cys	Arg		Val	Lys	Glu	Thr	
		250					255	1~1				260					1040
		att															1049
40	265	He	Cys	GIU	4 <b>G</b> I	270	110	Cys	Uly	GIII	275		171	261	261	280	•
		aag	ggċ	ឧឧឌ	222		agc	ลลฮ	acc	aag		tee	ccc	gaa	CCS		1097
45		Lys							•								.001
					285					290	-•-	:			295		
50	agg	ttt	ac t	tac		gga	lgt.	ttg	agt	•	aag	222	tac	Cgg		aag	1145
		Phe									_					•	
	·			300					305					310	-		
55	tac	lgc	ggt		tgc	gtg	gac	ggc	cga	tgc	tgc	acg	CCC		cig	acc	1193
		-			_		_		_	_	_	-		_	-		

	Tyr Cys Gly S	er Cys Va	l Asp Gly A	Arg Cys Cys	Thr Pro Gln	Leu Thr
5	315		320		325	
	agg act gtg a	ag atg cg	g itc cgc i	igc gaa gat	ggg gag aca	ttt tcc 1241
10	Arg Thr Val L	ys Met Ar	g Phe Arg C	Cys Glu Asp	Gly Glu Thr	Phe Ser
	330		335		340	
15	aag aac gtc a	g atg at	c cag tcc t	gc aaa tgc	aac tac aac	tgc ccg 1289
15	Lys Asn Val M	t Met II	e Gln Ser C	ys Lys Cys	Asn Tyr Asn	Cys Pro
	345	350	0 .	355.		360
20	cat gcc aat g	a gca gcı	g tit ccc t	tc tac agg	ctg ttc aat	gac att 1337
	His Ala Asn G	u Ala Ala	a Phe Pro P	he Tyr Arg	Leu Phe Asn	Asp lle
25		365		370		375
	cac aaa jit ag	g gac taa	atgctac ct	gggtttcc ag	ggcacacc lag	sacaaaca 1392
	His Lys Phe Ai	g Asp				
30	38	0				
	agggagaaga gtg	tcagaat c	agaatcatg	gagaaaatgg	gcgggggtgg t	gigggigat 1452
35	gggactcatt gta	gaaagga a	gccttgctc	attettgagg	agcattaagg t	atttcgaaa 1512
						tactitget 1572
						atgactite 1632
40						ccttttggg 1692
	gttctacagt cgt					
45	ctttgacaaa agt				•	
	tgictgigag agg				•	-
50 ·	clgaatgitt tat					•
	ataatiigia aat	attita a	tittalatt o	cagigaaaag a	attitaltta t	ggaattaac 1992
	cattlaataa aga	atattt a	cct			2016
55	(210) 46					•

	<b>&lt;2</b>	11>	381														
5	<2	12> 1	PRT														
	<2	13> 1	Homo	sapi	ens												
10	<b>&lt;</b> 41	00> 4	16														
70	Me	t Sei	Sei	- Arg	Ile	Ala	Arg	Ala	Leu	Ala	Leu	Val	Val	Thr	Leu	Leu	
		ļ			5					. 10				•	15		
15	His	Leu	Thr	Arg	Leu	Ala	Leu	Ser	Thr	Cys	Pro	Ala	Ala	Cys	His	Cys	
				20					25					30			
20	Pro	Leu	Glu	Aia	Pro	Lys	Cys	Ala	Pro	Gly	Va l	Gly	Leu	Val	Arg	Asp	
			35					.40					45				
_	Gly	Cys	Gly	Cys	Cys	Lys	Val	Cys	Ala	Lys	Gln	Leu	Asn	Glu	Asp	Cys	
25		50	•				55					60					
	Ser	Lys	Thr	Gln	Pro	Cys	Asp	His	Thr	Lys	Gly	Leu	Glu	Cys	Asn	Phe	
30	65					70				•	75			•		80	
	Gly	Ala	Ser	Ser	Thr	Ala	Leu	Lys	Gly	Ile	Cys	Arg	Ala	Gln	Ser	Glu	
35					85	٠				90					95		
	Gly	Arg	Pro	Cys	Glu	Tyr	Asn	Ser	Arg	lle	Tyr	Gln	Asn	Gly	Glu	Ser	
				100					105					110		•	
10	Phe	Gin	Pro	Asn	Cys	Lys	His	Gin	Cys	Thr	Cys	He	Asp	Gly	Ala	Val	
			115					120	•				125				
<b>1</b> 5	Gly		Ile	Pro	Leu	Cys		Gln	Glu	Leu	Ser		Pro	Asn	Leu	Gly	
		130					135					140					
50		Pro	Asn	Pro	Arg		Val	Lys	Val	Thr	Gly	Gln	Cys	Cys	Glu	Glu	
50	145					150					155					160	
	Trp	Val	Cys	Asp		Asp	Ser.	lle	Lys	Asp	Рго	Met	Glu	Asp	Gln	Asp	
35					165					170					175		

		Gl	y Le	u Le	u Gl	Lys	Glu	Leu	Gly	Phe	Asp	Ala	Ser	Glu	Val	Glu	Leu
5					180	)			•	185	i				-190		
		Thi	Ar	g Ası	n Asr	Glu	Leu	He	Ala	Val	Gly	Lys	Gly	Ser	Ser	Leu	Lys
				198	5				200	١				205	•		
10		Arg	Lei	Pro	Val	Phe	Gly	Net	Glu	Pro	Arg	He	Leu	Tyr	Asn	Pro	Leu
			210	)				215					220				
15		Gln	Gly	Gln	Lys	Cys	Ile	Val	Gln	Thr	Thr	Ser	Trp	Ser	Gln	Cys	Ser
		225	•				230					235					240
20		Lys	Thr	Cys	Gly	Thr	Gly	He	Ser	Thr	Arg	Val	Thr	Asn	Asp	Asn	Pro
						245					250					255	
		Glu	Cys	Arg	Leu	Val	Lys	Glu	Thr	Arg	He	Cys	Glu	Val	Arg	Pro	Cys
25				-	260					265	٠				270		
		Gly	Gln		Val	Туг	Ser	Ser		Lys	Lys	Gly	Lys	Lys	Cys	Ser	Lys
30				275	_	_		_	280					285			
		Thr		Lys	Ser	Pro	Glu		Val	Arg	Phe	Thr		Ala	Gly	Cys	Leu
35		502	290	1	1	T	1	295 Dag		T	0	<b>6</b> 1.	300				
33		305	Vai	LyS	Ly5	1 9 1	310	PTO	LYS	ıyr	Lys	315	761	Cys	Val	Asp	
			Cvs	Cvs	Thr	Pro		Leu	Thr	Δισ	Thr		luc	Mat	Arg	Dho	320
40			0,0	0,0		325	0	Des		6	330	101	LJS	MCL	N18	335	WIR
	•	Cys	Glu	Asp	Gly		Thr	Phe	Ser	Lvs		Val	Met	Met	lle		Ser
45					340					345					350		50,
		Cys	Lys	Cys	Asn	Tyr	Asn	Cys	Рго	His	Ala	Asn	Glu	Ala		Phe	Pro
50				355					360		•			365	•		
Ju		Phe	Туг	Arg	Leu	Phe	Asn	Asp	He	His	Lys	Phe	Arg	Asp			
			370					375					380				
55																	

	(210) 47					
5	<211> 2743					٠
	<212> DNA	•				
	<213> Homo	sapiens				
10	⟨220⟩					. •
	<221> CDS					
15	<222> (240)	(2387)		٠		
	<b>&lt;400&gt; 47</b>					
20	gaattccgca	gggcgcgggc a	ccggggcgc gg	gcagggct cgga	igocaco gogoaggico	60
	tagggccgcg	gccgggcccc g	ccacgcgcg ca	cacgcccc tcga	itgacti icciccgggg	120
	cgcgcggcgc	tgagcccggg g	cgagggctg (c	llcccgga gacc	cgaccc cggcagcgcg	180
25	~				gccgcc gccgcgcgg	239
					cca ctt ggc cct	287
30	_		Pro Val Pro		Pro Leu Gly Pro	
	l	5		10	15	
35					CCC gcg ccg cgc	335
•	nia nia nia	20	Arg Gry Gru	inr Leu Gly	Pro Ala Pro Arg 30	
	RCC RRC RRC			gaa gaa cac	tat ggc tat gca	383
40					Tyr Gly Tyr Ala	505
	35		40		45	
45	tcc tcc aac	gic agc ccc	gcc ctg ccg	ctc ccc acg	gcg cac tcc acc	431
	Ser Ser Asn	Val Ser Pro	Ala Leu Pro	Leu Pro Thr	Ala His Ser Thr	
50	50	•	55	. 60		
	ctg ccg gcc	ccg tgc cac	aac ctt cag	acc tcc aca	ccg ggc atc atc	479
EE	Leu Pro Ala	Pro Cys His	Asn Leu Gln	Thr Ser Thr I	Pro Gly Ile Ile	
55	65	. 70		. 75	80	

	cc	g cc	g gc	g ga	t ca	c ccc	tc	888	tac	gga	a gca	a gc	Ltt	g gad	gg	gg	527
5	Pr	o Pr	o Al	a As	р Нi:	s Pro	Sei	Gly	/ Туі	Gly	y Ala	a Ala	Lei	u Ası	Gly	/ Gly	1
			٠		8	5	٠			90	j.				95	<u>;</u>	
10	CC	gc	g gg	c tac	c tto	cto	tco	tco	ggc	cac	aco	agg	cci	l gat	ggg	gcc	575
	Pro	Ala	a Gly	/ Ty	r Phe	Leu	Ser	Ser	Gly	His	Thr	Arg	Рго	) Asp	Gly	Ala	
15				100	)				105					110	)	٠	
15	cct	gco	cte	gag	g agt	cct	cgc	atc	gag	ata	acc	tcg	tgo	ttg	ggc	ctg	623
	Pro	A la	Leu	Glu	Ser	Pro	Arg	He	Glu	Ile	Thr	Ser	Cys	Leu	Gly	Leu	
20			115					120					125				
	tac	cac	aac	aat	aac	cag	ttt	ttc	cac	gat	gtg	gag	gtg	gaa	gac	gtc	671
25	Tyr	His	Asn	Asn	Asn	Gln	Phe	Phe	His	Asp	Val	Glu	Val	Glu	Asp	Val	
	•	130	-				135					140					
						cgg											719
30		Pro	Ser	Ser	Lys	Arg	Ser	Pro	Ser	Thr	Ala	Thr	Leu	Ser	Leu	Рго	
	145					150					-155					160	
35						aga											. 767
	261	ren	618	Ala		Arg	ASD	Pro	Ser		Leu	Ser	Pro	Ala		Ser	
40	cta	tee	100	000	165	t				170	4		•		175		
						tgc											815
	DCu	501	261	180	261	Cys	non	261	185	HIA	261	261	1 9 7		261	ASN	
45	tac	teg	tac		tac	ġcg	ter	ccc		ara	1 c a	cca	t aa	190	101		062
						Ala											863
50	• • •		195		•,,			200	•••	••••		110	205	9111	361		
	tgc	gtg		ccc	aae	acc	ace		ccc	<b>2</b> 32	gao	ggr		ccc	coc	aan	911
55						Thr											211
	-, 0				, _			p		J. U	216	9.7	1 116		ліБ	GIA	

	210	·	215	220	
5	ctg ggg (	scc tgc aca	ctg ctg ggt tcc	ccg cag cac tcc ccc tcc	acc 959
	Leu Gly A	la Cys Thr	Lew Lew Gly Ser	Pro Gln His Ser Pro Sër	Thr .
	225		230	235	240
10	tcg ccc c	gc gcc agc	gtc act gag gag	age tgg ctg ggt gee cge	tcc 1007
	Ser Pro A	rg Ala Ser	Val Thr Glu Glu	Ser Trp Leu Gly Ala Arg	; Ser
15		245		250 255	
	tcc aga c	cc gcg tcc	cct tgc aac aag	agg aag tac agc ctc aac	ggc 1055
20	Ser Arg P	ro Ala Ser I	Pro Cys Asn Lys	Arg Lys Tyr Ser Leu Asn	Gly
20		260	265	270	
	cgg cag c	cg ccc tac	tca ccc cac cac	tcg ccc acg ccg tcc ccg	cac 1103
25	Arg Gln P	ro Pro Tyr S	Ser Pro His His	Ser Pro Thr Pro Ser Pro	His
	2	75	280	285	
30	ggc tcc c	cg cgg gtc a	age gtg ace gae	gac tog tgg ttg ggc aac	acc 1151
	Gly Ser P	ro Arg Val S	Ser Val Thr Asp	Asp Ser Trp Leu Gly Asn	Thr
	290		295	300	•
35				gcc gcc atc aac gcg ctg	•
				Ala Ala Ile Asn Ala Leu	Thr
40	305	3	310	315	320
				ggc gtc cct gtc aag tcc	
45	Thr Asp Se			Gly Val Pro Val Lys Ser	Arg '
		325	•	330 335	
		•	•	gtg gcg cic aag gtg gag	
50	Lys Thr Th			Val Ala Leu Lys Val Glu	Pro
-		340	345	350	
55	gic ggg ga	g gac cig g	gc agc ccc ccg	ccc ccg gcc gac ttc gcg	ccc 1343
	Val Gly Gl	u Asp Leu G	ly Ser Pro Pro	Pro Pro Ala Asp Phe Ala	Pro

			355					360					365				
5	gaa	gac	tac	tcc	tct	ttc	cag	cac	atc	agg	aag	ggc	ggc	ttc	tgc	gac	1391
	Glu	Asp	Tyr	Ser	Ser	Phe	Gln	His	Ile	Arg	Lys	Gly	Gly	Phe	Cys	Asp	
10		370					375	•			•	380					
	cag	tac	ctg	gcg	gtg	ccg	cag	cac	ccc	tac	cag	tgg	gcg	aag	ccc	aag	1439
15	Gln	Tyr	Leu	Ala	Val	Pro	Gln	His	Pro	Tyr	Gln	Trp	Ala	Lys	Pro	Lys	
	385					390					395					400	
	.ccc	ctg	tcc	cct	acg	tcc	tac	atg	agc	ccg	acc	clg	ccc	gcc	ctg	gac	1487
20	Pro	Leu	Ser	Pro	Thr	Ser	Tyr	Met	Ser	Pro	Thr	Leu	Pro	Ala	Leu	Asp	
					405					410					415		
25			ctg														1535
	Trp	Gln	Leu		Ser	His	Ser	Gly		Tyr	Glu	Leu	Arg		Glu	Val	
30	•••			420				~~~	425					430			1500
			aag														1583
	0111	110	Lys 435	261	1112	1112	MIR	440	U12	1 7 1	GIU	1111	445	GIY	261	HIR	
35	ggg	gcc	gtg	aag	gcg	tcg	RCC		gga	cac	ccc	atc		cag	ctg	cat	1631
			Val														
40		450					455					460				•	•
	ggc	tac	ttg	gag	aat	gag	ccg	ctg	atg	ctg	cag	ctt	ttc	att	ggg	acg	1679
45	Gly	Tyr	Leu	Glu	Asn	Glu	Pro	Leu	Met	Leu	Gln	Leu	Phe	lle	Gly	Thr	
	465					470					475					480	
	gcg	gac	gac	cgc	ctg	ctg	cgc	ccg	cac	gcc	ttc	tac	cag	gtg	cac	cgc	1727
50	Ala	Asp	Asp	Arg	Leu	Leu	Arg	Pro	His	Ala	Phe	Tyr	Gln	Val	His	Arg	
					485					490					495		
55	atc	aca	ggg	aag	acc	gtg	tcc	acc	acc	agc	cac	gag	gcl	atc	ctc	tcc	1775

	He	Thr	Gly	Lys	Thr	Val	Ser	Thr	Thr	Ser	His	Glu	Ala	Ile	Leu	Sér	
5				500	)				505					510	)		
	aac	acc	aaa	gto	ctg	gag	atc	cca	ctc	ctg	ccg	gag	aac	ago	atg	cga	1823
	Asn	Thr	Lys	Val	Leu	Glu	Ile	Pro	Leu	Leu	Pro	Glu	Asn	Ser	Met	Arg	
10			515					520					525				
	gcc	gtc	att	gaç	tgt	gcc	gga	atc	ctg	aaa	ctc	aga	aac	tcc	gac	att	1871
15	Ala	Yal	Ile	Asp	Cys	Ala	Gly	Tle	Leu	Lys	Leu	Arg	Asn	Ser	Asp	Ile	
		530					535		÷			540					
20	gaa	ctt	cgg	aaa	gga	gag	acg	gac	atc	ggg	agg	aag	aac	aca	cgg	gta	1919
20	Glu	Leu	Arg	Lys	Gly	Glu	Thr	Asp	He	Gly	Arg	Ĺys	Asn	Thr	Arg	Val	
	545					550					555					560	
25	cgg	ctg	gtg -	ttc	cgc	gtt	cac	gtc	ccg	caa	ccc	agc	ggc	cgc	acg	ctg	1967
	Arg	Leu	Val	Phe	Arg	Va J	His	Yal	Pro	Gln	Pro	Ser	Gly	Arg	Thr	Leu	
30					565					570					575		
				gtg			-										2015
	Ser	Leu	Gln	Val	Ala	Ser	Asn	Pro		Glu	Cys	Ser	Gln		Ser	Ala	
35				580					585					590			
				cct													2063
40	GIII			Pro	Leu	Val	618		GIR	Ser	INT	ASP		lyr	PTO	Val	•
	ata		595	aag	220	a í a	atc	600	tet	##C	000		605				0.1.1
<b>45</b>				Lys												-	2111
		610	0.,	<i>D</i> , 3	<i>D</i> ,3	ne c	615	LCU	501	U.J	1113	620	1 116	LCu	GIH	nsp	
			etc	att	ttc	ete		993	gec	cca	gat		CRC	cat	ote		2159
50				lle													2103
	625	-, 0				630	J. U	ى ر ب			635	J.,		1113	141	640	
55		alo	<b>722</b>	gcg			gar	rga	<b>02</b> 0	cto		220	cca	221	ict		2207
	oub	415	040	o~5	404	uci	646	~ 66	646		156	445	LUB	adı	101	CIB	2207

	Glu Met Glu Ala Lys Thr Asp Arg Asp Leu Cys Lys Pro Asn Ser Leu	
5	650 655	
	gtg gtt gag atc ccg cca ttt cgg aat cag agg ala acc agc ccc gtt 2255	
10	Val Val Glu Ile Pro Pro Phe Arg Asm Glm Arg lle Thr Ser Pro Val	
	660 665 670	
15	cac gtc agt ttc tac gtc tgc aac ggg aag aga aag cga agc cag tac 2303	
15	His Val Ser Phe Tyr Val Cys Asn Gly Lys Arg Lys Arg Ser Gln Tyr	
	675 680 685	
20	cag cgt ttc acc tac ctt ccc gcc aac ggt aac gcc atc ttt cta acc 2351	•
	Gln Arg Phe Thr Tyr Leu Pro Ala Asn Gly Asn Ala Ile Phe Leu Thr	
25	690 695 700	
	gta ago egt gaa cat gag ogo gtg ggg tgo tit tto taaagaogoa 2397	
	Val Ser Arg Glu His Glu Arg Val Gly Cys Phe Phe	
30	705 710 715	
	gaaacgacgt cgccgtaaag cagcglggcg lgttgcacat ttaactgtgt gatgtcccgt 2457	
35	taglgagacc gagccalcga tgccclgaaa aggaaaggaa aagggaagct tcggatgcat 2517	
	tticctigat cccigitggg ggtggggggc gggggitgca tactcagata gtcacggtta 2577	
	ttttgcttct tgcgaatgta taacagccaa ggggaaaaca tggctcttct gctccaaaaa 2637	
	actgaggggg teetggtgtg cattigeace ctaaagetge ttaeggtgaa aaggeaaata 2697	
	ggtatagcta titigcaggc acciliagga ataaactiig citita 2743	
45	⟨210⟩ 48	
,	<211> 716	
50	<212> PRT	
	<213> Homo sapiens	
	<b>&lt;400&gt; 48</b>	
55	Met Pro Ser Thr Ser Phe Pro Val Pro Ser Lys Phe Pro Leu Gly Pro	

		1				5				10	) .				15	5
5	A1	a Al	a Al	a Ya	l Ph	e Gl	у Аг	g Gl	y Gli	ı Thi	Lei	ı Gl	y P <sub>i</sub> r	o Ala	Pro	Arg
				2	0				2	5			٠	30	١.	
10	Al	a Gl	y Gl	y Thi	r Me	t Ly	s Se	r Ala	a Gļi	Glu	G) u	His	з Ту	r Gly	Tyr	Ala
			3	5				40	)				4	5		
-15	Sei	r Se	r Ası	n Val	Ser	Pro	Ala	Leu	ı Pro	Leu	Pro	Thi	Ala	His	Ser	Thr
		5(	)				55	i				60	)			
	Let	Pro	Ala	Pro	Cys	His	Asn	Leu	Gln	Thr	Ser	Tbr	Pro	Gly	Ile	He
20	65	i				70	)				75					80
	Pro	Pro	Ala	Asp			Ser	Gly	Tyr	Gly	Ala	Ala	Leu	Asp	Gly	Gly
25	_				85					90					95	
	Pro	Ala	Gly		Phe	Leu	Ser	Ser		His	-Thr	Arg	Pro	Asp	Gly	Ala
30	Pro	Ala	l an	100	Sar	Dro	1-0	110	105	110	ጥե -	C	٥	110	01	
	110	AIG	115	010	261	110	VI R	120	GIU		ınr	261	125	Leu	Gly	Leu
25	Tyr	His		Asn	Asn	Gln	Phe		His	Asp	Val	Glu		Glu	Aen	Val
35		130					135					140		0.0	nap.	701
	Leu	Pro	Ser	Ser	Lys	Arg	Ser	Pro	Ser	Thr	Ala		Leu	Ser	Leu	Pro
40	145					150					155					160
	Ser	Leu	Glu	Ala	Туг	Arg	Asp	Pro	Ser	Cys	Leu	Ser	Рго	Ala	Ser	Ser
45			•		165					170					175	
	Leu ·	Ser	Ser	Arg	Ser	Cys	Asn	Ser	Glu	Ala	Ser	Ser	Tyr	Glu	Ser	Asn ·
50	•			180	•				185	•			•	190		
	Туг	Ser	Туг	Pro	Tyr	Ala	Ser	Pro	Gln	Thr	Ser	Pro	Trp	Gln	Ser :	Pro
			195					200					205			
<b>55</b> .	Cys 1	Val:	Ser	Pro	Lys	Thr	Thr	Asp	Рго	Glu	Glu (	GIV.	Phe	Pro	Arg (	Glv

		21	0				219	5				220	)			
5	Le	u Gl	y Ala	ı Cy:	s Th	r Lei	ı Lei	ıGly	Ser	Pro	Gli	His	s Sei	Pro	Ser	Thr
	22	5				230	)				235	;				240
10	Se	r Pro	o Ara	Ala	Se	r Val	Thi	Glu	Glu	Ser	Trp	Leu	Gly	Ala	Arg	Ser
					24	5				250	}				255	
	Se	r Arg	g Pro	Ala	Sei	r Pro	Cys	Asn	Lys	Arg	Lys	Tyr	Ser	Ļeu	Asn	Gly
15				260					265					270		
	Arg	g Gln	Pro	bio	Tyı	Ser	Pro	His	His	Ser	Pro	Thr	Pro	Ser	Pro	His
20			275					280					285			
	Gly	Ser	Pro	Arg	۷al	Ser	Val	Thr	Asp	Asp	Ser	Trp	Leu	Gly	Asn	Thr
45	·	290					295					300				
25	Thr	Gln	Tyr	Thr	Ser	Ser	Ala	He	Val	Ala	Ala	lle	Asn	Ala	Leu	Thr
	305					310					315					320
30	Thr	Asp	Ser	Ser	Leu	Asp	Leu	G) y	Asp	Gly	Val	Pro	Val	Lys	Ser	Arg
				-	325					330		•			335	
35	Lys	Thr	Thr	Leu	Glu	Gln	Pro	Pro	Ser	Va l	Ala	Leu	Lys	Val	Glu	Pro
				340					345					350		
	Yal	Gly		Asp	Leu	Gly	Ser		Рго	Pro	Pro	Ala	Asp	Phe	Ala	Pro
40			355					360					365			
	Glu		Tyr	Ser	Ser	Phe		His	He	Arg	Lys		Gly	Phe	Cys	Asp
45		370				_	375	•••		_		380				
		Tyr	Leu	Ala	Val	Pro	Gļn	His	Pro	Tyr		Trp	Ala	Lys	Pro	-
	385		_	_		390	_		_	_	395					400
50	Pro	Leu	Ser			Ser	Туг	Met			Thr	Leu	Pr <sub>.</sub> o	Ala	Leu	Asp
					405					410					415	
55	Trp	Gln			Ser	His	Ser	Gly	Pro	Tyr	Glu	Leu	Arg	He	Glu	Val
				420					425					430		

	G1:	n Pr	o Lys	s Se	r His	His	Arg	Ala	His	Tyr	Glu	The	Glu	ı Gly	/ Sei	Arg
5			435	5				440	l.				445	j		
	G1;	y Ala	a Val	Ly	s Ala	Ser	Ala	Gly	Gly	His	Pro	I le	ya)	Gln	Ler	His
10		450	)				455					460	)		•	
	Gly	/ Ty	r Leu	Glu	ı Asn	Glu	Pro	Leu	Net	Leu	Gln	Leu	Phe	lle	Gly	Thr
45	465	5		•		470					475	`				480
15	Ala	Asp	Asp	Arg	Leu	Leu	Arg	Pro	His	Ala	Phe	Tyr	Gln	Val	His	Arg
					485					490					495	
20	lle	Thr	Gly	Lys	Thr	Val	Ser	Thr	Thr	Ser	His	Glu	Ala	Ile	Leu	Ser
				500					505					510		
25	Asn	Thr	Lys	Val	Leu	Glu	lle	Pro	Leu	Leu	Pro	Glu	Asn	Ser	Met	Arg
			-515					520					525			
	Ala	Ya 1	lle	Asp	Cys	Ala	Gly	Ile	Leu	Lys	Leu	Arg	Asn	Ser	. Asp	Ile
30		530					535	•				540				
	Glu	Leu	Arg	Lys	Gly	Glu	Thr	Asp	Ile	Gly	Arg	Lys	Asn	Thr	Arg	Val
35	545					550					555					560
	Arg	Leu	Val	Phe	Arg	Val	His	Val	Pro	Gln	Pro	Ser	Gly	Arg	Thr	Leu
10					565					570					575	
	Ser	Leu	Gln	Val	Ala	Ser	Asn	Pro	Ile	Glu	Cys	Ser	Gln	Arg	Ser	Ala
				580					585					590		
15	Gln	Glu		Pro	Leu	Val	Glu	Lys	Gln	Ser	Thr	Asp	Ser	Tyr	Pro	Val
			595				•	600				•	605		•	
50	Val		Gly	Lys	Lys	Met	Val	Leu	Ser	Gly	His	Asn	Phe	Leu	Gln	Asp
		610					615					620		•		
	Ser	Lys	Val	He	Phe	Val	Glu	Lys	Ala	Pro	Asp	Gly	His	His	Val	Trp
55	625		·			630					635					640

	Glu Met Glu Ala Lys Thr Asp Arg Asp Leu Cys Lys Pro Asn Ser Leu
5	645 650 655
	Val Val Glu Ile Pro Pro Phe Arg Asm Glm Arg Ile Thr Ser Pro Val
	660 665 670
10	His Val Ser Phe Tyr Val Cys Asn Gly Lys Arg Lys Arg Ser Gln Tyr
	675 680 685
15	Gln Arg Phe Thr Tyr Leu Pro Ala Asn Gly Asn Ala Ile Phe Leu Thr
	690 695 700
20	Val Ser Arg Glu His Glu Arg Val Gly Cys Phe Phe
20	705 710 715
25	<210> 49
	<211> 2363
30	<212> DNA
	<213> Homo sapiens
	<220>
35	<221> CDS
	<222> (241) (1482)
40	<400> 49
	cgccgagacg agcagcggcc gagcgagcgc gggcgcgggc gcaccgaggc gagggagg
	gggaagcccc gccgccgccg ccccgcccgc cccttcccc gccgcccgc
45	cogocogoto geografico tecetotgeo ticettecco aeggeoggeo geotectego 180
	ccgcccgccc gcagccgagg agccgaggcc gccgcggccg tggcggcgga gccctcagcc 240
50	atg gcc tcg ggc gac acc ctc tac atc gcc acg gac ggc tcg gag atg 288
	Met Ala Ser Gly Asp Thr Leu Tyr Ile Ala Thr Asp Gly Ser Glu Met
	1 5 10 15
55	ccg gcc gag atc gtg gag ctg cac gag atc gag gtg gag acc atc ccg 336

	Pr	o Al	a Gl	u Il	e Val	Glu	lev	His	Glu	ı Ile	e Glu	Val	Glu	Thi	: Ile	Pro	
5				20	)				25	i				30	)		•
	gt	g ga	g açı	c ato	gag	acc	aca	gtg	gtg	ggo	gag	gag	gag	gag	gag	gac	384
10	.Va	l Gli	u Th	r Ile	Glu	Thr	Thr	Val	Val	Gly	Glu	Glu	Glu	Glu	Glu	Asp	
,,,			35	5				40					45			•	
	ga	c <sub>.</sub> gac	gac	gag	gac	ggc	ggc	ggt	ggc	gac	cac	ggc	ggc	ggg	ggc	ggc	432
15	As	p Asp	Asp	Glu	Asp	Gly	Gly	Gly	Gly	Asp	His	Gly	Gly	Gly	Gly	Gly	
		50	)				55					60					
20		ggg															480
		Gly	His	Ala	Gly		His	His	His	His	His	His	His	His	His	His	•
	65					70					75					80	
25		ccc	-														528
	Pro	Pro	Met	He		Leu	Gln	Pro	Leu	Val	Thr	Asp	Asp	Pro	Thr	Gln	•
30					85					90					95		
		cac															576
	Val	His	His		Gln	Glu	Val	lle		Val	Gln	Thr	Arg	Glu	Glu	Val	
35				100					105					110			
		ggc															624
40	Va i	Gly		Asp	Asp	Ser	Asp		Lev	Arg	Ala	Glu		Gly	Phe	Glu	
			115					120					125			•	
45		cag			•												672
45	Asp	Gin	He	Leu	lle			Pro	Ala	Рго	Ala		Gly	Asp	Asp	Asp	•
		130					135					140	•				
50		att															720
	Tyr	He	Glu	Gln	Thr	Leu	Val	Thr	Val	Ala	Ala	Ala	Gly	Lys	Ser	Gly	
55	145					150					155					160	
	ggc	ggc	ggc	tcg	tcg	tcg	lcg	gga	ggc	ggc	cgc	glc	aag	aag	ggc	ggc	768

5	Gly Gly Gly S	er Ser Ser G	ly Gly Gly Arg Val 1	Lys Lys Gly Gly
J		1,65	170	175
	ggc aag aag a	ge gge aag aag a	gt tac ctc agc ggc g	ggg gcc ggc gcg 816
10	Gly Lys Lys Se	er Gly Lys Lys So	er Tyr Leu Ser Gly (	Gly Ala Gly Ala
	18	30	185	190
15	gcg ggc ggg cg	c ggc gcc gac co	cg ggc aac aag aag t	gg gag cag aag 864
	Ala Gly Gly Ar	g Gly Ala Asp Pi	ro Gly Asn Lys Lys T	rp Glu Gln Lys
00	195	20	00 2	05
<b>20</b>	cag gtg cag at	c aag acc ctg ga	ig ggc gag tic tcg g	rtc acc atg tgg 912
	Gln Val Gln II	e Lys Thr Leu Gl	u Gly Glu Phe Ser V	al Thr Met Trp
25	210	215	220	
			t gac cat gag aca g	
30			e Asp His Glu Thr V	al Val Glu Glu
	225	230	235	240
			t cct gat tat tca g	
35	oin the the of	245	o Pro Asp Tyr Ser G 250	
	gga aag aaa ci		a ata cct ggc att g	255 ac etc tea gat 1056
40			y Ile Pro Gly Ile As	
	260		265	270
45		•	t aga atg aag cca ag	
			a Arg Met Lys Pro Ai	•
	275	280		•
50	gaa gat gat gct	cca aga aca ata	a got igo coi cai aa	aa ggc igc aca 1152
	Glu Asp Asp Ala	Pro Arg Thr Ile	e Ala Cys Pro His Ly	s Gly Cys Thr
55	290	295	300	
				-

	aag	atg	llc	agg	gat	aac	ICB	gcc	atg	aga	aaa	cat	ctg	. cac	acc	cac	1200
5	Lys	Me t	Phe	Arg	Asp	Asn	Ser	Ala	Met	Arg	Lys	His	Leu	His	Thr	His	
	305					·310		•			315				••	320	
	ggt	ccc	aga	gtc	cac	gtc	tgt	gca	gaa	tgt	ggc	aaa	gct	ttt	gtt	gag	1248
10	Gly	Pro	Arg	Val	His	Val	Cys	Ala	Glu	Cys	Gly	Lys	Ala	Phe	Val	Glu	
					325					330					335		
15	agi	tca	aaa	cta	aaa	cga	cac	caa	ctg	gtt	cat	act	gga	gag	aag	ссс	1296
	Ser	Ser	Lys	Leu	Lys	Arg	His	Gln	Leu	Val	His	Thr	Gly	Glu	Lys	Pro	
20				340					345					350			
20	ttt	cag	tgc	acg	ttc	gaa	ggc	tgt	ggg	aaa	cgc	ttt	tca	ctg	gac	ttc	1344
	Phe	Gln	Cys	Thr	Phe	Glu	Gly	Cys	Gly	Lys	Arg	Phe	Ser	Leu	Asp	Phe	
25	•		355					360					365				
	aat	ttg	cgc	aca	cat	glg	cga	atc	cat	acc	gga	gac	agg	ccc	tat	gtg	1392
30	Asn	Leu	Arg	Thr	His	Val	Arg	Ile	His	Thr	Gly	Asp	Arg	Pro	Tyr	Val .	
•		370					375					380					
	tgc											•					1440
35	Cys	Pro	Phe	Asp			Asn	Lys	Lys	Phe	Ala	Gin	Ser	Thr	Asn	Leu	
	385					390					395					400	
40	aaa																1482
	Lys :	Ser 1	His			Thr	His	Ala			Lys	Asn	Asn	Gln			
			•		405					410							
45							•									attgg	
																lccta	
50		•														actaa	
																tgtti	
55																attct	
	ttata	caac	a g	tgct	aaaa	a tg	ggac	ttct	llt	caca	ttc	ttat	aaat	at g	aagc	tcacc	1842

tgttgcttac aattititta attitglatt ticcaagtgt gcatattgta cactititig 1902 gggatatget tagtaatget aegtgtgatt titetggagg ttgataaett tgettgeagt 1962 agattitett taaaagaalg ggeagitaca igeatactic aaaagtatti teetgiaaaa 2022 aaaaaaaaag italalaggi tilgiligci alcilaalii iggilgiali ciligalgii 2082 10 aacacattti gialaatigi alogialago iglatigaal catglagiat caaatattag 2142 atgigattia atagigitaa toaaittaaa oocatittag toacittiii titocaaaaa 2202 15 aatactgcca gatgctgatg itcagtgtaa titctitgcc tgttcagtta cagaaagtgg 2262 tgctcagttg tagaatgtat tgtacctttt aacacctgat gtgtacatcc catgtaacag 2322 aaagggcaac aataaaatag caatcctaaa g 2353 20 <210> 50 <211> 414 25 <212> PRT <213> Homo sapiens 30 <400> 50 Met Ala Ser Gly Asp Thr Leu Tyr Ile Ala Thr Asp Gly Ser Glu Met 35 1 5 10 15 Pro Ala Glu Ile Val Glu Leu His Glu Ile Glu Val Glu Thr Ile Pro 20 25 30 40 Val Glu Thr lle Glu Thr Thr Val Val Gly Glu Glu Glu Glu Glu Asp 35 40 45 45 Asp Asp Asp Glu Asp Gly Gly Gly Gly Asp His Gly Gly Gly Gly Gly 50 55 70 75 Pro Pro Met lie Ala Leu Gln Pro Leu Val Thr Asp Asp Pro Thr Gln 55 85 90 95

	Val His H	is His Gln Glı	ı Val Ile Leu Val Gln	Thr Arg Glu Giu Val
5		100	105	110
	Val Gly G	ly Asp Asp Ser	Asp Gly Leu Arg Ala	Glu Asp Gly Phe Glu
10	1	15	120	125
	Asp Gln I	le Leu Ile Pro	Val Pro Ala Pro Ala	Gly Gly Asp Asp Asp
	130		135	140
15	Tyr Ile G	lu Gln Thr Leu	Val Thr Val Ala Ala	Ala Gly Lys Ser Gly
	145	150	155	160
20	Gly Gly G	ly Ser Ser Ser	Ser Gly Gly Gly Arg	Val Lys Lys Gly Gly
		165	170	175
25	Gly Lys Ly	s Ser Gly Lys	Lys Ser Tyr Leu Ser	Gly Gly Ala Gly Ala
		180	185	190
			Asp Pro Gly Asn Lys	
30		5.	200	205
		n lie Lys Thr	Leu Glu Gly Glu Phe	•
35	210 Ser Ser As	n Clu Ive Ive	215	The Val Val Clu Clu
	225	230	Asp Ile Asp His Glu 235	240
40			Ser Pro Pro Asp Tyr	
		245	250	255
	Gly Lys Ly		Gly Gly Ile Pro Gly	
45		260	265	270
	Pro Lys Gl	n Leu Ala Glu	Phe Ala Arg Met Lys	Pro Arg Lys Ile Lys
50	27	5	280	285
	Glu Asp As	p Ala Pro Arg	Thr Ile Ala Cys Pro	His Lys Gly Cys Thr
55	290		295	300
			•	

•	בינם	ושכנ	. 1116	VIR	nsy	W211	261	Ala	WET	VIR	LyS	nıs	Leu	nis	inr	HIS	
5	305	į				310					315					320	
	Gly	Pro	Arg	Val	His	Val	Cys	Ala	Glu	Cys	Gly	Lys	Ala	Phe	Val	Glu	
					325					330					335		
	Ser	Ser	Lys	Leu	Lys	Arg	His	Gln	Leu	Val	His	Thr	Gly	Glu	Lys	Pro	
	•			340					345					·350			
15	Phe	Gln	Cys	Thr	Phe	Glu	Gly	Cys	Gly	Lys	Arg	Phe	Ser	Leu	Asp	Phe	
			355		•			360					365				
20	Asn	Leu	Arg	Thr	His	Val	Arg	Ile	His	Thr	Gly	Asp	Arg	Pro	Tyr	Va I	
		370					375					380					
	Cys	Рго	Phe	Asp	Gly	Cys	Asn	Lys	Lys	Phe	Ala	Gln	Ser	Thr	Asn	Leu	
?5	385		_			390	٠				395					400	
	Lys'	Ser	H.i s	lle	Leu	Thr	His	Ala	Lys	Ala	Lys	Asn	Asn	Gln			
30					405					410							
	<210	> 51															
15	<211	> 12	29														
	<212	> DM	A							•							
	<213	> Ho	mo s	apie	ns												
	<220	>															
	<221	> CD	S														•
5	<222	> (2)	22)	(95	0)												
	<400	> 51					•					:					
0	ataad	cgat	tt ca	aaga	gctgo	ac	t l'aa	gcal	cta	gaat	ttt	ctgc	gtca	ca c	ctct	tgaga	60
	gaaga	agac	tg go	etcca	aggto	t g	ac t c	agtc	cac	taca	agc	t aga	cggt	ctt	ctta	aagça	120
	ccaac	atta	ac ti	gagi	ctti	gg	ataa	aatt	gaga	8888	gag	tcta	caag	ta t	lgtg	gactc	180
5	tacag	gagg	gc ag	gagg	gctga	caa	ac t g	gcag	taa	agaca	aaa :	gat	g (c	a gg	c ct	g cgg	236

Met Ser Gly Leu Arg ccc ggc act caa gtg gac cct gag att gag ctt ttt gta aag gct gga Pro Gly Thr Gln Val Asp Pro Glu Ile Glu Leu Phe Val Lys Ala Gly agt gat gga, gag agt att gga aac igt ccc tit igc caa cgc cit tic Ser Asp Gly Glu Ser Ile Gly Asn Cys Pro Phe Cys Gln Arg Leu Phe atg atc ctc igg ctt aaa gga gtt aaa til aat gig aca act gtt gac Met Ile Leu Trp Leu Lys Gly Val Lys Phe Asn Val Thr Thr Val Asp atg acc aga aag cct gaa gaa cta aag gac tta gcc cca ggt acc aat Met Thr Arg Lys Pro Glu Glu Leu Lys Asp Leu Ala Pro Gly Thr Asn cct ccg ttc ctg gtg tat aac aag gag ttg aaa aca gac ttc att aaa Pro Pro Phe Leu Val Tyr Asn Lys Glu Leu Lys Thr Asp Phe lle Lys att gag gag tit tia gaa caa acc cig gct cct cca agg tac cct cac lle Glu Glu Phe Leu Glu Gln Thr Leu Ala Pro Pro Arg Tyr Pro His cig agt ccc aag tac aag gag ici tit gat gig ggc igt aac cic tii Leu Ser Pro Lys Tyr Lys Glu Ser Phe Asp Val Gly Cys Asn Leu Phe gcc aag tit tot gca tac ait aag aat aca caa aag gag gca aat aag Ala Lys Phe Ser Ala Tyr Ile Lys Asn Thr Gln Lys Glu Ala Asn Lys

aat tit gaa aaa tot otg cic aaa gaa lic aag ogt cig gat gac tac

	Asn	Phe	Glu	Lys	Ser	Leu	Leu	Lys	Głu	Phe	Lys	Arg	Leu	Asp	Asp	Tyr	•
5		135					140					145					
	tta	aac	acc	cca	ctt	ctg	gat	gaa	att	gat	cca	gac	agt	gct	ggg	gaa	716
10	Leu	Asn	Thr	Pro	Leu	Leu	Asp	Glu	lle	Asp	Pro	Asp	Ser	Ala	Gly	Głu	
	150					155					160					165	
	ccc	cca	gtt	tcc	aga	aga	cta	ttc	ttg	gat	ggg	gac	cag	cta	aca	ctg	764
15	Pro	Pro	Val	Ser	Arg	Arg	Leu	Phe	Leu	Asp	Gly	Asp	Gln	Leu	Thr	Leu	÷
					170					175					180		
20	gct	gat	tgt	agc	iig	t t a	ccc	aag	ctg	aac	att	att	aaa	gtt	gct	gcc	812
	Ala	Asp	Cys	Ser	Leu	Leu	Рго	Lys	Leu	Asn	Ile	lle	Lys	Val	Ala	Ala	
25				185					190					195			
	aag	aaa `	lat	cgt	gac	ttt	gac	att	cca	gca	gaa	ttc	tca	gga	gtc	tgg	860
	Lys	Lys	Tyr	Arg	Asp	Phe	Asp	lle	Pro	Ala	Glu	Phe	Ser	Gly	Val	Trp	
30			200					205					210				
	cgt	tat	ctc	cac	aat	gcc	tat	gcc	cgt	gaa	gaa	ttt	acc	cac	acg	tgt	908
35	Arg	Tyr	Leu	His	Asn	Ala	Tyr	Ala	Arg	Glu	Glu	Phe	Thr	His	Thr	Cys	
	:	215		•			220					225					
	cct	gaa	gac	aaa	gaa	att	gaa	aat	ac t	tac	gca	aat	gtg	gct			950
40	Pro (	Glu /	Asp ]	Lys	Glu	Ile	G1 u	Asn	Thr	Tyr	Ala	Asn	Val	Ala			
	230					235					240						
45	taaac	agaa	eg ag	gtta	ggag	a gc	tctt	acag	gag	aaaa	ggc	tata	tttg	tg a	tcag	altit	1010
	actta	ittga	ac af	tatt	agaa	a gg	ittt	tgca	aat	aaga	ata	t·gaa.	aaat	ac t	gttt	cttct	1070
50	atcca	acto	t ct	ttati	gaaa	a gg	aact	ctgt	att	ttct	all	agcc	a t a a	at a	atct	gtcca	1130
50	ctgta	tttt	a ca	agglo	cttc	a ta	ctit	laci	taa	ttt	ctt	tatc	igia	lg g	caaa	ccact	1190
	gċaat	ccte	a at	gaca	igg	a aa	gcait	caca	aaa	aaaa	aa						1229
55	<b>/210</b> \																

	<2	11> :	243						•							
5	<2	12> I	PRT					•								
	<2	13> H	lomo	sapi	iens											•
10	<41	00> 5	2													
70	Me	t Ser	Gly	/ Lei	Arg	Pro	Gly	Thr	Gln	Va l	Asp	Pro	G) u	He	Glu	Leu
	i	l			5	,				10	1			·	15	;
15	Phe	. Val	Lys	Ala	Gly	Ser	Asp	Gly	Glu	Ser	Ile	Gly	Asn	Cys	Pro	Phe
				20	)				25					30		
20	Cys	Gln	Arg	Leu	Phe	Met	lle	Leu	Trp	Leu	Lys	Gly	Val	Lys	Phe	Asn
			35	,				40					45			•
	Val	Thr	Thr	Va]	Asp	Met	Thr	Arg	Lys	Pro	Glu	Glu	Leu	Lys	Asp	leu
25		50	~				55					60				
	Ala	Pro	Gly	Thr	Asn	Pro	Pro	Phe	Leu	Val	Туг	Asn	Lys	Glu	Leu	Lys
30	65					70					75					80
	Thr	Asp	Phe	lle	Lys	He	Glu	Glu	Phe	Leu	Glu	Gln	Thr	Leu	Ala	Pro
35					85					90					95	
	Pro	Arg	Туг	Pro	His	Leu	Ser	Pro	Lys	Tyr	Lys	Glu	Ser	Phe	Asp	Val
				100					105					110		
10	Gly	Cys	Asn	Leu	Phe	Ala	Lys	Phe	Ser	Ala	Tyr	lle	Lys	Asn	Thr	Gln
			115					120					125			
15	Lys	GJu	Ala	Asn	Lys	Asn	Phe	Glu	Lys	Ser	Leu	Leu	Lys	Glu	Phe	Lys
		130					135					140				
5 <b>0</b>	Arg	Leu	Asp	Asp	Tyr	Leu	Asn	Thr	Pro	Leu	Leu	Asp	Glu	He	Asp	Pro
-	145					150					155					160
	Asp	Ser	Ala	Gly	GJu	Рго	Pro	Val	Ser	Arg	Arg	Leu	Phe	Leu	Asp	Gly
5					165					170					175	

	Asp Gln Leu Thr Leu Ala Asp Cys Ser Leu Leu Pro Lys Leu Asn Ile
5	180 185 190
	lle Lys Val Ala Ala Lys Lys Tyr Arg Asp Phe Asp Ile Pro Ala Glu
	195 200 205
10	Phe Ser Gly Val Trp Arg Tyr Leu His Asn Ala Tyr Ala Arg Glu Glu
	. 210 215 220
15	Phe Thr His Thr Cys Pro Glu Asp Lys Glu Ile Glu Asm Thr Tyr Ala
	225 230 235 240
20	Asn Val Ala
	<210> 53
25	<211> 4001
	<212> DNA .
	<213> Homo sapiens
30	⟨220⟩
	<221> CDS
35	<222> (2) (316)
	⟨400⟩ 53
	c cca ggt aat cct tat gic aag gtg aac gic tac tac ggc aga aag cgc 49
10	Pro Gly Asn Pro Tyr Val Lys Val Asn Val Tyr Tyr Gly Arg Lys Arg
	1 5 10 15
15	att gcc aag aag aaa acc cat gig aag aag tgc act itg aac ccc atc 97
	Ile Ala Lys Lys Lys Thr His Val Lys Lys Cys Thr Leu Asn Pro Ile
50	20 25 30
	tic aat gaa tot tic atc tac gac atc ccc act gac ctc ctg cct gat 145
	Phe Asn Glu Ser Phe Ile Tyr Asp Ile Pro Thr Asp Leu Leu Pro Asp
55	35 40 45

atc agc atc gag ttc ctc gtt atc gac ttc gat cgc acc acc aag aat 193 Ile Ser Ile Glu Phe Leu Val Ile Asp Phe Asp Arg Thr Thr Lys Asn 5 50 55 60 gag gtg gtg ggg agg ctg atc ctg ggg gca cac agt gtc aca gcc agt 241 10 Glu Val Val Gly Arg Leu Ile Leu Gly Ala His Ser Val Thr Ala Ser . 65 70 75 ggt gct gaa cac tgg aga gag gtc tgc gag agc ccc cgc aag cct gtg 289 15 Gly Ala Glu His Trp Arg Glu Val Cys Glu Ser Pro Arg Lys Pro Val 85 90 20 gcc aag tgg cac agt ctg agc gag tac taatcctgtt cttctctct 336 Ala Lys Trp His Ser Leu Ser Glu Tyr 100 25 105 ctaatccccg ggggccaagc tggggaggga tgtggagggg aaaaagatga cagagaagtg 396 gactccaaac ctcattttag tigtagaaga aaattictta caaaacaaat tccacaaaga 456 30 acaccctata tgaccacage tgeagateag ttettageaa tgatgtttt ttttetgett 516 tgcaaggcgc tagaatciit tattitacii tattititti gaggtggagt ticgcictig 576 35 ttgcccgggc tggagtgcaa tggtgagatc tcaactcact gcaacctctg ccctccaggt 636 tcaagtgatt ctcctccic agcctcccaa gtagctggga ttacaggcac ccacgagcat 696 gcccggctaa tittigtat ilicagtaga gaigggilic accaigitgg ccaggciggi 756 40 cicgaalice agaceteagg igalecacee geeleggeet eccaaagige igggattaca 816 45 aaaagagagg gaaagacccc tataaatcta tatataacaa tgtaaccata tactigcatg 936 ictaatacaa acigaagaaa itagcctaac igccaatatc aagtigcaga tittaatcca 996 iggaaaitgi giitigiget gaatigiati igeigaliae eigaaatigg etteititta 1056 50 ligggetici ciggagaati icicccacic eccaccicig cagaagaaaa ittigeteti 1116 ataaaacctc aigiiticat caticccatc littettiti aligeetett atatetetge 1176 55 iciligacci caaggiciag aggicigcag taagccaaga aacaaaggig gggiggaiga 1236

ggcaaggiti	gcaggagaaa	gaggaatiga	gaaatggggt	attittgcta	tcagctcttc	1296
tgctatgaag	tagtaaaagg	cagiciataa	ttaactgaca	gacctaactg	aagcacagag	1356
aatacatcag	acttatgcat	ccaagacatc	agaacttgga	ttttatcaaa	cttgatgact	1416
tcictaaaag	gagcitigga	aacttcaaat	tcagctatag	gatagtacca	atgaacacat	1476
ccagctgatc	ccaaaagctg	ttitcaggta	taaggacaag	gagaggagac	aagtgacgac	1536
agccattccc	ctttgcagct	atclacigia	gigacagcca	tttcttggtt	gatgggttgg	1596
aagtcatcag	aggtitgaag	aattacactg	gcctttgttt	ttctggaaat	gccgaccatg	1656
gagatgcttt	agagtettet	caaatagctt	agaigtigta	atgaggttag	ctttgcttca	1716
taaaacaggg	gccctcagaa	gttctcctta	aatttttcaa	taaaaattta	gctcttaaaa	1776
aaataacagt	gtgactgagt	gaatgaagat	aagttggatt	ctttcagagc	attcttttcc	1836
tcaaaacgag	ctgcataatt	cttggaattt	atgictiacc	acatggtgga	gggatggagg	1896
aactacagga	tgcaattctt	ctictaccaa	tgggcaatag	aggt tgagag	agattcagca	1956
tctttctggg	attagaattc	aagtctcttt	actcctacag	cagcigistc	tccaacgttg	2016
agactttgca	gatggcacag	actccatgga	taataggtaa	acttggggcc	gggcgcagtg	2076
gctcacgcct	gtaatcccag	tattttggga	ggccgaggtg	gaaagatcgc	ttgagcccag	2136
gagttcaagà	ccagcctggg	ctacatgacg	aaactccatc	tctatcaaaa	atacaaaaaa	2196
ttaactaggt	gtggtgctgc	acgcctgtgg	tcccagctat	tcaggaggct	gaggtgggag	2256
gatcatitga	gcccagaggt	agaggctgca	gtgagccatg	atcatgccac	tgcactctgg	2316
	agagtgagat					•
taggtaaact	tggataggca	gtagatattt	tigcccacci	gaggaggaac	tcagtcaagc	2436
	cagctigate					
catagaagaa	catcactttt	aacctigcti	tggcgaaggg	agicggaaag	ctgagtctct	2556
	gggtgatctt					
tctgctcccc	ctaaaccttt	tgtilgatti	cagcccatgt	tcttgacaat	gcagagcaat	2676
	cacaaagccl				•	
tctgactcac	aacttcacca	tcagltgggg	tcataccact	agtctctgtc	ctatacccca	2796

igaaatgiaa atacigiato ataagiagaa gaaaataati itigitiici aaaaatgcai 2856 itigagatag itiaalgiaa atcigacagg agcaitciga agccccatta ggaaaaaatt 2916 taaatggttc ctcttcatcg ccttaatgtc taaagatcag aaatcgctga gcaaacccgc 2976 ittigilico ilcocagasa caatgcassa caacaggtgg agatagtotg giottigoco 3036 tgctgtgtgt gcctctgtag ctcctcctga caaacgtctg ggaaaacagc ctcaccccac 3096 totoctotot ottocccatt toottgtago titaticott goatotttgg giotactgag 3156 cagigggige igaggigaca ggggaggaac cagitgitet giagectagg aactgeetea 32)6 gigicitige cagaaaaagg caaagaggeg gacagigeag ggeleetee teetacelea 3276 ggcctgatcc atcgtgccct tgactitgcc gtctcaaagt ttcttagctg actttggctt 3336 tcacatttgt tetticcaga getaactgat aagagtggag gaggaatgee ttetectaag 3396 agtcagttga aagaaagaca agagagtcac atcttagctt ttgcacaagg cattcgtggt 3456 caggaatagg ttagggaatg gtcacttctg attttccaac agttgctcct tctctgaaga 3516 gatetigati celligggaa gacaagaali titellaata acaaaggice ettiaigagi 3576 taticctict ticagitcai cicactggag cacagccaag atggacatgi tiatggacag 3636 tgctctagat gtgaaaacag atagaactgg tttgtgggac aggggcagct tgctcaggag 3696 agggaataac gcaggtcct titctiggaa ggctigtact atggccatga cagtgacatt 3756 gccctcacca igalccctci ccaaagiggi igicilicii iacciigigi ciicicilgi 3816 aaaaatgaaa cicaaaaata aaataaaigi gicaaattii gaaaaaaaaa gaaaacigaa 3876 aaagotaaca tgaatigigi gaaatigoat aaigoigiaa igotaatota caataigiaa 3936 igciaictig taigtigaat tigttaatgc accacacaag tgcaaaataa agactgatic 3996 acatt 4001

<210> 54

<211> 105

<212> PRT

<213> Homo sapiens

<400> 54

5

10

15

20

30

35

40

45

50

55

	rro	GIY	ASI	Pro	ıyr	Val	Lys	ASI	ASII	vai	131	ıyr	GIY	Arg	Lys	Arg	
5	1		•		5					10				•	15		
	Ile	Ala	Lys	Lys	Lys	Thr	His	Val	Lys	Lys	Cys	Thr	Leu	Asn	Pro	lle	
10				20					25					30		•	
70	Phe	Asn	Glu	Ser	Phe	Ile	Tyr	Asp	lle	Pro	Thr	Asp	Leu	Leu	Pro	Asp	
			35				-	40					45				
15	Ile	Ser	Ile	Glu	Phe	Leu	Val	He	Asp	Phe	Asp	Arg	Thr	Thr	Lys	Asn	
		50					55					60					
20	Glu	Val	Val	Gly	Arg	Leu	Ile	Leu	Gly	Ala	His	Ser	Val	Thr	Ala	Ser	
	65					70					75					80	
05	Gly	Ala	Glu	His	Tip	Arg	Glu	Va J	Cys	Glu	Ser	Pro	Arg	Lys	Pro	Va!	
25			~		85		•		`	90					95		
	Ala	Lys	Trp		Ser	Leu	Ser	Glu							•		
30				100					105								
	<210	)> 55	5														
35	<211	> 95	52														
	<212	e> dn	ĪA.														
	<213	> Ho	mo s	apie	ns												
40	<220	<b> </b> >															
	<221	> CD	S														
45	<222	> (1	18).	. (90	9)												
	<400	> 55		٠								٠					
50	tgaa	ctct	gg a	tgci	gtta	g cc	tgag	acto	agg	aaga	caa	ctto	tgca	eg e	tcac	tccct	60
	ggct	tctg	ga g	gaaa	gaga	a gg	aggg	cagt	gci	ccag	tgg	taca	gaag	tig a	gaca	ita	117
	atg	gaa.	tca	ggc	ttc	acc	tcc	aag	gac	acc	tat	cta	agc	cat	ttt	aac	165
55	Met	Glu	Ser	Gly	Phe	Thr	Ser	Lys	Asp	Thr	Tyr	Leu	Ser	His	Phe	Asn	

		l			5	j				10	}	•			15	<b>;</b>	
5	cci	t cgg	g gat	tac	cta	gaa	aaa	tat	tac	aag	ttt	ggt	tct	agg	cac	tct	213
	Pro	) Are	z Asp	) Tyr	Leu	Glu	Lys	Туг	Tyr	. Lys	Phe	Gly	Ser	Arg	His	Ser	
10				20	١		• .		25					30			
	gca	gaa	ago	cag	att	ctt	aag	cac	cŧt	ctg	aaa	aat	ctt	ttc	aag	ata	261
	Ala	Glu	Ser	Gln	Ile	·Leu	Lys	His	Leu	Leu	Lys	Asn	Leu	Phe	Lys	Ile	
15			35					40					45				
	ttc	lgc	cta	gac	ggt	gtg	aag	gga	gac	ctg	ctg	att	gac	atc	ggc	tct	309
20	Phe	Cys	Leu	Asp	Gly	Val	Lys	Gly	Asp	Leu	Leu	Ile	Asp	Ile	Gly	Ser	
		50				•	55					60					
25	ggc	ccc	act	atc	tat	cag	ctc	ctc	tct	gc (	tgt	gaa	tcc	ttt	aag	gag	357
25	Gly	Pro	Thr	He	Tyr	Gln	Leu	Leu	Ser	Ala	Cys	Glu	Ser	Phe	Lys	Glu	
•	65					70					75					80	
30			gtc														405
	He	Val	Val	Thr		Tyr	Ser	Asp	Gln		Leu	Gln	Glu	Leu	Głu	Lys	
35	,				85					90					95		
			aag														453
•	1 T P	ren	Ĺys		Glu	PTO	GIU	Ala		ASP	Trp	Ser	Pro		Val	Thr	
40	tat	a t a	t at	100	211				105	at o				110			<b>.</b>
			tgt Cys														501
45	171	101	115	пар	Ltu	010	U17	120	VIP	14,	Lys	GIY	125	Ulu	r)2	Olu	
	225	226	ttg	aga	cag	grp	etc		C 2 F	gig	ctø	. 220		gal	oto	act	549
<b>50</b>	Glu																043
50		130	200	0	· · · ·		135	2,0	<b></b>		Dou	140	0,3	1100	,41	1111	
	CSE		cag	cca	ctg	ggo		gtr	ccc	tta	cer		tog	gar	tor	øtø	597
55			Gln														031

	145	<b>5</b>				150	)				155					160	
5	cto	ago	aca	ctg	tgt	clg	gat	gcc	gcc	tgc	cca	gac	ctc	ccc	acc	tac	645
	Leu	Ser	Thr	Leu	Cys	Leu	Asp	Ala	Ala	Cys	Pro	Asp	Leu	Pro	Thr	Tyr	
10					165					170					175		
	tgo	agg	gcg	ctc	agg	aac	ctc	ggc	agc	cta	ctg	aag	cca	ggg	ggc	ttc	693
15	Cys	Arg	Ala	Leu	Arg	Asn	Leu	Gly	Ser	Leu	Leu	Lys	Pro	Gly	Gly	Phe	
				180					185					190			
	ctg	gtg	atc	atg	gat	gcg	ctc	aag	agc	agc	tac	tac	atg	att	ggt	gag	741
20	Leu	۷al	Ile	Met	Asp	Ala	Leu	Lys	Ser	Ser	Tyr	Tyr	Me t	He	Gly	Glu	
			1,95					200					205				
?5	cag	aag	ttc	tcc	agc	ctc	ccc	ctg	ggc	cgg	gag	gca	gta	gag	gct	gct	789
	Gln	Lys	Phe	Ser	Ser	Leu	Pro	Leu	Gly	Arg	Glu	Ala	Val	Glu	Ala	Ala	
		210					215					220					
30	gtg	aaa	gag	gct	ggc	tac	aca	atc	gaa	tgg	ttt	gag	gtg	atc	tcg	caa	837
	Val	Lys	Glu	Ala	Gly	Туг	Thr	lle	Glu	Trp	Phe	Glu	Val	He	Ser	Gln	•
35	225					230		·		•	235					240	
	agt	tat	ict	tcc	acc	atg	gcc	aac	aac	gaa	gga	ctt	tic	tcc	ctg	gtg	885
10	Ser	Tyr	Ser	Ser	Thr	Met	Ala	Asn	Asn	Glu	Gly	Leu	Phe	Ser	Leu	Val	
				•	245					250					255		
	gcg	agg	aag	ctg	agc	aga	ССС	cig	lgat	gcct	gt g	acct	caat	t aa	agca	attc	939
15	Ala	Arg	Lys	Leu	Ser	Arg	Pro	Leu									
				260			•										
50	citi	gacc	tg t	ca		•											952
	<210	> 56															
	<211																
55	<212								.•								

•	<21	3> H	omo	sapi	ens		•				•					
5	<40	0> 5	6													
	Me t	Glu	Ser	Gly	Phe	Thr	Ser	Lys	Asp	Thr	Tyr	Leu	Ser	His	Phe	Asn
10	ı				5					10					15	
	Pro	Arg	Asp	Tyr	Leu	Glu	Lys	Tyr	Туг	Lys	Phe	Gly	Ser	Arg	His	Ser
				20					25					30		
15	Ala	Glu	Ser	Gln	lle	Leu	Lys	His	Leu	Leu	Lys	Asn	Leu	Phe	Lys	lle
			35					40					45			
20	Phe	Cys	Leu	Asp	Gly	Val	Lys	Gly	Asp	Leu	Leu	Ile	Asp	Ile	Gly	Ser
		50					55					60				
25	Gly	Рго	Thr	Ile	Tyr	Gln	Leu	Leu	Ser	Ala	Cys	Glu	Ser	Phe	Lys	Glu
25	65		-			70					75					80
	He	Val	Va l	Thr	Asp	Туг	Ser	Asp	Gln	Asn	Leu	Gln	Glu	Leu	Glu	Lys
30					85					90					95	
	Trp	Leu	Lys	Lys	Glu	Pro	Glu	Ala	Phe	Asp	Trp	Ser	Pro	Val	Val	Thr
35				100					105					110		
	Tyr	Val		Asp	Leu	Glu	Gly		Arg	Val	Lys	Gly		Glu	Lys	Glu
			115					120				_	125			
40	Glu	Lys	Leu	Arg	GIn	Ala		Lys	Gln	Val	Leu		Cys	Asp	Val	Thr
		130	•				135		_			140				
45		Ser	Gin	Pro	Leu		Ala	Val	Pro	Leu			Ala	Asp	Cys	
	145	_				150					155			_		160
50	Leu	Ser	Thr	Leu		Leu	ASP	Ala	Ala		Pro	Asp	Leu	Pro		Tyr
					165					170	_	_	_		175	
	Cys	Arg	Ala		Arg	Asn	Leu	Gly		Leu	Leu	Lys	Pro		Gly	Phe
55				180					185					190		

	Leu Val Ile Met Asp Ala Leu Lys Ser Ser Tyr Tyr Met Ile Gly Glu
F	195 200 205
5	Glm Lys Phe Ser Ser Leu Pro Leu Gly Arg Glu Ala Val Glu Ala Ala
	210 215 220
10	Val Lys Glu Ala Gly Tyr Thr lle Glu Trp Phe Glu Val Ile Ser Gln
	225 230 235 240
15	Ser Tyr Ser Ser Thr Met Ala Asn Asn Glu Gly Leu Phe Ser Leu Val
	245 250 255
	Ala Arg Lys Leu Ser Arg Pro Leu
20	260
	<210> 57
25	<211> 2617
	<212> DNA
30	<213> Homo sapiens
	<220> ·
25	<221> CDS
35	<222> (94) (633)
	<400> 57
40	lagaggatec aagettaegt aegegteegg agacegettg tgetggagte ggagttglaa 60
	cgctccactg actgatagag cgaccggccg acc alg gcg ccc gga gtg gcc cgc 114
45	Met Ala Pro Gly Val Ala Arg
	1 5
	ggg ccg acg ccg tac tgg agg ttg cgc ctc ggt ggc gcc gcg ctg ctc 162
50	Gly Pro Thr Pro Tyr Trp Arg Leu Arg Leu Gly Gly Ala Ala Leu Leu
	10 15 20
55	cig cig cic aic ccg gig gcc gcc gcg cag gag cci ccc gga gct gci 210

	•	Leu	Leu	Leu	He	Pro	Val	Ala	Ala	Ala	Gln	Glu	Pro	Pro	G]y	Ala	Ala	
5			25					30					35					
		tgt	tct	cag	aac	aca	aac	aaa	acc	igt	gaa	gag	tgc	ctg	aag	aac	gic	-258
		Cys	Ser	Gln	Asn	Thr	Asn	Lys	Thr	Cys	Glu	G) u	Cys	Leu	Lys	Asn	Va]	
10		40					. 45				•	50					55	
	•	tcc	tgt	ctt	tgg	tgc	aac	act	aac	aag	gct	tgt	ctg	gac	tac	cca	gtt	306
15		Ser	Cys	Leu	Trp	Cys	Asn	Thr	Asn	Lys	Ala	Cys	Leu	Asp	Tyr	Pro	Va!	
						60					65					70		
20		aca	agc	gtc	ttg	cca	ccg	gc t	tcc	ctt	tgt	aaa	ttg	agc	tct	gca	cgc	354
		Thr	Ser	Val	Leu	Pro	Pro	Ala	Ser	Leu	Cys	Lys	Leu	Ser	Ser	Ala	Arg	
					75					80					85			
25		tgg	gga	gtt -	tgt	tgg	gtg	aac	ttt	gag	gcg	cig	atc	atc	acc	atg	tcg	402
		Trp	Gly	Val	Cys	Trp	Val	Asn	Phe	Glu	Ala	Leu	Ile	He	Thr	Met	Ser	
30		•		90					95					100				
			gtc												٠			450
		Val	Vai	Gly	Gly	Thr	Leu	•	Leu	Gly	He	Ala		Cys	Cys	Cys	Cys	
35		4	105	<b>-</b>				110					115	4				400
			tgc															498
40		120	Cys	VIR	VIR	ry2	125	261	MIR	r32	110	130	WIR	261	GIU	GIU	135	
			atg	cel	222	cgg		<b>020</b>	200	ceo	ata		cao	σασ	022	roo		548
45			Met			-												370
		-,				140					145	0			•••	150	0	
		gca	gag	atg	aag	•	aga	cat	gat	gaa		aga	aaa	aaa	tat		ctg	594
50			Glu															
					155				٠	160		J			165	•		
55		ttt	aaa	gaa		аас	ccg	tat	gcl		ttt	gaa	aac	aac		gcgo	ctc	643

Phe Lys Glu Glu Asn Pro Tyr Ala Arg Phe Glu Asn Asn

170 175 180

5

10

15

20

30

35

40

45

50

55

cagcacatca giccegaege ticetglgag gigcacteeg cageceagee cageegggag 703 accacgigge cattgeggie iccigacett ggecagigaa ceigecagee itecaggaea 763 ggcggccgga gagctgccc tgaaggacag tectetegte ttgcagactg gtgacettet 823 attocctgit catclotgit lotagalita gicactigaa ataagaaato titiggggiit 883 gggctttttt atactettet eagitigtga aacgetaact geacaegaag eegeetgaeg 943 geacceageg eigiggeigt cattetecea gggeagaace eigegittet eietgieeae 1003 taacaagett cacaegeaac acagggaagt eggitigaet iligicatga ggagaaciga 1063 ccagccctca tcattcccca taaaaccacg gacagcgtct gtgtgcgcat cttgagtctt 1123 cacacctgtt gactcacacg gcttttgctg atgacacggg gctccagtac acagtctgat 1183 aaggacttaa cgtcctaacc tcaattgtat taaatagcat tggggaatag ctaaaccttt 1243 ttaaaaaaat tlatiggatt ticciccig citaaaagat ticaccagaa aaccticata 1303 taaaaattca ggcccttttt ggacaatttt taaaatttgt atctttacta gaacatgaga 1363 atcititic citggaaget igaattataa atgiggigii iggeeigeet cagcagcace 1423 agitgactgc icgigtgcca gcggtgiggg gaggacgggg caggacgcig cagcictcic 1483 cagocotett egoatocica eteorigae ectotogot ectotiege ciettegee 1543 ggtggccatt tagggatcgt ggggacgggg tccaccccaa gaagaaagaa aggcccgtcc 1603 acaggcccgg cictggccac gtgccccgga agcaggtgtg tccagagtca gctgagggct 1663 ctccccacac cacccagcag gcgctggtgc tccttctgcc tcatgggacc agtccagctt 1723 ccagccgctc tggctcgagg gtggtctgac cacttccttc tgagtgggct tctctgggag 1783 ctctccagig gcactgctgg accigcccac gtttctgtaa aatcaggata cgtggcttta 1843 gtaagcagac caagcgcttc giggcaggga aagcagcgig cggggaagtc actgaaaagt 1903 getgeetaag gaagitigga aatagteee giteeagati geetigaati itaaaacati 1963 tigctilggg aaagtaggic agcagcact aagatcaagg algcgitcca littcacact 2023 icacagical gaaaacigag aagacigici icagcgigaa ciaaagiica caggcagaic 2083

actgatccag aacacticaa gaactcgcca aacagctcga taagcctitt tgactgtgta 2143 catcigiacc gggaataaca ticciagget gaaatticca caaagaatag aaccigiacc 2203 5 cagitetica ggetgattic cetgacetet tgggcattig tattiglagi aaagtatige 2263 agagatteet aagtatiita tageageeat caaaaligga citigialig titatteata 2323 10 aaagacactt ggtaatagac ticagigaac toigiatgaa igcagiagig igigigcaaa 2383 atcogctice tgagegtagg gtgetgaget ggegetaggg eteggtigtg aaatacageg 2443 15 tagicagoco tigogotoag igiagaaaco cacgicigia aggioggici togiccatoi 2503 gcttttttct gaaatacact aagagcagcc acaaaactgt aacctcaagg aaaccataaa 2563 gcitggagig ccitaaitti taaccagiii ccaataaaac ggittactac ciga 2617 20 <210> 58 <211> 180 25 <212> PRT <213> Homo sapiens <400> 58 Met Ala Pro Gly Val Ala Arg Gly Pro Thr Pro Tyr Trp Arg Leu Arg 5 10 35 Leu Gly Gly Ala Ala Leu Leu Leu Leu Leu Ile Pro Val Ala Ala Ala 20 25 30 Gln Glu Pro Pro Gly Ala Ala Cys Ser Gln Asn Thr Asn Lys Thr Cys 35 40 45 Glu Glu Cys Leu Lys Asn Val Ser Cys Leu Trp Cys Asn Thr Asn Lys 45 55 50 60 Ala Cys Leu Asp Tyr Pro Val Thr Ser Val Leu Pro Pro Ala Ser Leu 50 70 65 75 80 Cys Lys Leu Ser Ser Ala Arg Trp Gly Val Cys Trp Val Asn Phe Glu 55 85 90 95

	Ala Leu Ile Ile	Thr Met Ser	Val Val Gly Gly	Thr Leu Leu Leu Gl	У				
5	100		105	110					
	lle Ala Ile Cys	Cys Cys Cys	Cys Cys Arg Arg	Lys Arg Ser Arg Ly	S				
	115		120	125					
10	Pro Asp Arg Ser	Glu Glu Lys	Ala Met Arg Glu	Arg Glu Glu Arg Ar	g				
	130	135		140					
15	lle Arg Gln Glu	Glu Arg Arg	Ala Glu Met Lys	Thr Arg His Asp Gl	υ				
	145	150	155	16	0				
20	lle Arg Lys Lys	Tyr Gly Leu	Phe Lys Glu Glu	Asn Pro Tyr Ala Ar	g ·				
		165	170	175					
	Phe Glu Asn Asn								
25	180								
	<210> 59			,					
30	<211> 3217								
	<212> DNA		•		• *				
35	<213> Homo sapi	ens							
	<220>								
40	<221> CDS								
40	<222> (469) (1	875)							
	<b>&lt;400&gt;</b> 59								
45	gtcggtctcc gcca	gctagg atctco	cccg ccgtccgccc	ecgececteg tetgeet	ccc 60				
	ccgcccgcgc ctcc	gcccgc gctico	ctit ccigccicgc	gccccactcc ctttcct	ccc 120				
50	ctccctgttt ccct	tcctgt ccttcc	cage leacgetete	tlicccigcc gcctgcc	ttt 180				
	ctttilicct ttti	ttgcat tggcgt	cttg gggctgttac	acacacgcgc gctglcc	att 240				
	gcagcttaca taaa	ggcggg cgcgai	tatg caattatatt	gtlagcgata titcaag	agc 300				
55	aatggctcgt titc	ttagga titcaa	cacg aaggcatcat	gcattiliga aaaacta	gla 360				

	ttg	agaa	taa	tacc	tigc	aa c	gtaa	agaa	t gt	tttt	tggt	att	tta	cac	aatc	tclact	. 420
5	ttg	acca	aac	gágt	ċtgg	ac a	gttt	tctt	t ta	algg	aaaa	tag	gaga	aat	g ga	g gaa	477
3														Me	t Ğlı	ı Glu	
		•											•		1		
10	aga	atg	gaa	atg	att	tct	gaa	agg	cca	aaa	gag	agt	atg	tat	tcc	tgg	. 525
	Ārg	Met	Glu	Me t	He	Ser	Glu	Arg	Pro	Lys	Glu	Ser	Met	Tyr	Ser	Trp	
15		5					10					15		•			
	aac	aaa	act	gca	gag	aaa	agt	gat	ttt	gaa	gct	gta	gaa	gca	ctt	atg	573
	Asn	Lys	Thr	Ala	Glu	Lys	Ser	Asp	Phe	Glu	Ala	Val	Glu	Ala	Leu	Me t	
20	20					25					30					35	
	tca	atg	agc	tgc	agt	tgg	aag	tct	gat	ttt	aag	aaa	tac	gtt	gaa	aac	621
25	Ser	Met	Ser	Cys	Ser	Trp	Lys	Ser	Asp	Phe	Lys	Lys	Tyr	Va l	Glu	Asn	
			-		40	•				45					50		
30	aga	cct	gtt	aca	cca	gta	tct	gat	ţţg	tca	gag	gaa	gag	aat	ctg	ċtt	669
	Arg	Pro	Val	Thr	Pro	Val	Ser	Asp	Leu	Ser	Glu	Glu	Glu	Asn	Leu	Leu	
				55					60					. 65			
35				cct								•					717
	Рго	Gly		Pro	Asp	Phe	His		He	Pro	Ala	Phe		Leu	Thr	Pro	
40			70					75					. 80				
				cct												-	765
45	PTO		261	Pro	ser	ASD		610	rro	Ser	UIR	95	261	АЅЛ	ren	мес	
	<b>700</b>	85	~~~		101	201	90		110	200	ton		too	an t		~~~	017
				cca Pro							•						813
50		110	VIA	rio	261	105	101	піз	1116	Lys	110	ren		vah	1111		
	100				700		001	110	000	<b>a</b> 2 <b>a</b>		<i>a</i>	000	000		115	061
55				alt													861
	LAS	r10	піѕ	He	BIR	RIR	rro	rne	LAZ	UIU	UIU	610	ГÀ2	261	rro	184	

					120					125					130		
5	tct	gcc	ccc	aaa	ctc	ccc	aaa	gct	cag	gca	aca	agt	gtg	att	cgt	cat	909
	Ser	Ala	Pro	Lys	Leu	Pro	Lys	Ala	Gln	Ala	Thr	Ser	Val	He	Arg	His	•
10				135					140					145	•		
	aca	gc t	gat	gcc	cag	cta	tgt	aac	cac	cag	acc	tgc	cca	atg	aaa	gca	957
	Thr	Ala	Asp	Ala	Gln	Leu	Cys	Asn	His	Gln	Thr	Cys	Pro	Me t	Lys	Ala	
15			150					155					160				
	gcc	agc	atc	ctc	aac	tat	cag	aac	aat	tct	ttt	aga	aga	aga	acc	cac	1005
20	Ala	Ser	lle	Leu	Asn	Tyr	Gln	Asn	Asn	Ser	Phe	Arg	Arg	Arg	Thr	His	
		165					170					175					
25	cta	aat	gt t	gag	gct	gca	aga	aag	aac	ata	cca	tgt	gcc	gc t	gtg	tca	1053
	Leu	Asn	∀al	Glu	Ala	Ala	Arg	Lys	Asn	lle	Pro	Cys	Ala	Ala	Val.	Ser	
	180					185					190 <sup>-</sup>					195	
30	cca	aac	aga	tcc	aaa	tgt	gag	aga	aac	aca	gtg	gca	gat	gtt	gat	gag	1101
	Pro	Asn	Arg	Ser	Lys	Cys	Glu	Arg	Asn	Thr	Val	Ala	Asp	Val	Asp	Glu	
35					200					205					210		
	aaa	gca	agi	gc t	gca	ctt	tat	gac	ttt	tct	gig	cct	tcc	tca	gag	acg	1149
40	Lys	Ala	Ser	Ala	Ala	Leu	Tyr	Asp	Phe	Ser	Val	Рго	Ser	Ser	Glu	Thr	
				215					220					225			
	gtc	atc	tgc	agg	tct	cag	cca	gcc	cct	gtg	tcc	cca	caa	cag	aag	tca	1197
45	Val	He	Cys	Arg	Ser	Gln	Pro	Ala	Pro	Val	Ser	Рго	Gln	Gln	Lys	Ser	
			230				•	235					240				
50	gtg	ttg	gtc	tct	cca	cct	gca	gta	tct	gc a	ggg	gga	gtg	cca	cct	alg	1245
	Val	Leu	Val	Ser	Рго	Pro	Ala	Val	Ser	Ala	Gly	Gly	Val	Pro	Pro	Met	
		245	•				250					255					
55	ccg	gtc	atc	tgc	cag	atg	gtt	ccc	ctt	cct	gcc	aac	aac	cct	gtt	glg	1293

	Pro Val Ile	Cys Gln Met Val	Pro Leu Pro Ala Asn Asn	Pro Val Val
5 .	260	265	270	275
	aca aca gio	gtt ccc agc act	cct ccc agc cag cca cca	get gtt tgc 1341
10	Thr Thr Val	Val Pro Ser Thr	Pro Pro Ser Gln Pro Pro	Ala Val Cys
10		280	285	290
	ccc cct gtt	gtg ttc atg ggc	aca caa gtc ccc aaa ggc	gct gtc atg 1389
15	Pro Pro Vai	Val Phe Met Gly	Thr Gln Val Pro Lys Gly	Ala Val Met
		295	300	305
20	tit gig gta	ccc cag ccc git	gtg cag agt tca aag cct	ccg gtg gtg 1437
	Phe Val Val	Pro Gin Pro Val	Val Gin Ser Ser Lys Pro	Pro Val Val
	310		315 320	•
25	agc ccg aat	ggc acc aga clc	tct ccc att gcc cct gct	cct ggg tit 1485
	Ser Pro Asn	Gly Thr Arg Leu	Ser Pro Ile Ala Pro Ala	Pro Gly Phe
30	325	330	335	
	tcc cct tca	gca gca aaa gtc	act cct cag att gat tca	tca agg ata 1533
35	•		Thr Pro Gin lie Asp Ser	•
33	340	345	350	355
			cca gga tgt ggc aag aca	
40	Arg Ser His		Pro Gly Cys Gly Lys Thr	•
		360	365	370
45			acg agg acg cac aca gga Thr Arg Thr His Thr Gly	
	261 261 113	375	380	385
	tte san tat		tgi gaa agg agg tit gcc	
50			Cys Glu Arg Arg Phe Ala	•
	-		395 400	NIE SEI NSP
55	390			222 tit com 1795
	RAM CIE ICC	aga cac agg cga	acc cac acg ggt gag aag	aaa ttt gcg 1725

	Glu Leu Ser Arg His Arg Arg Thr His Thr Gly Glu Lys Lys Phe Ala	
5	405 410 415	
	tgc ccc atg tgt gac cgg cgg ttc atg agg agt gac cat ttg acc aag 177	73
10	Cys Pro Met Cys Asp Arg Arg Phe Met Arg Ser Asp His Leu Thr Lys	
	420 425 430 435	
<b>15</b> .	cat gcc cgg cgc cat cta tca gcc aag aag cta cca aac tgg cag atg 182	21
	His Ala Arg Arg His Leu Ser Ala Lys Lys Leu Pro Asn Trp Gln Met	
	440 445 450	
20	gaa gtg agc aag cta aat gac att gct cta cct cca acc cct gct ccc 186	39
	Glu Val Ser Lys Leu Asn Asp Ile Ala Leu Pro Pro Thr Pro Ala Pro	
25	455 460 465	
	aca cag-tgacagaccg gaaagtgaag agtcagaact aactttggtc tcagcgggag 192	25
	Thr Gln	
30	ccagiggiga igiaaaaaig ciiccacigc aagicigigg ccccacaacg iggciiaaag 198	15
	cagaageeee acageetgge acgaaggeee egtetgggtt aggtgactaa aagggetteg 204	15
35	gccacaggca ggtcacagaa aggcaggttt catticttat cacataagag agatgagaaa 210	15
	gettttatte etttgaatat tttttgaagg ttteagatga ggteaacaca ggtageacag 216	5
40	atilitgaato igigigoata liigitacii taciittigo igittalaci igagaccaac 222	:5
	ttitcaalgt gattottota aagoaciggi itcaagaata iggaggoigg aaggaaataa 228	15
	acattacggt acagacatgg agatgtaaaa tgagttigta ttattacaaa tattgtcatc 234	15
45	ttiticlaga gitaictici itatialice lagicilice agicaacate giggalgiag 240	15
	tgattaaata latciagaac tatcalitti acactaligi gaalattigg aattgaacga 246	5
50	ctgtatattg ctaagagggc caaagaattg gaatcelect laaittaatt getttgaage 252	:5
	atagetacaa iligittiig cattiligii ilgaaagiil aacaaatgae igialelagg 258	5
ē E	cattleatia igettigaac ittagilige eigeagilie iigigiagat iigaaaatig 264	15
55	tataccaacg tgitticigt agactctaag atacactgca citigittag aaaaaaaact 270	15

gaagatgaaa tatatatigi aaagaaggga lallaagaat ottagataac tioligaaaa 2765 5 agatggctta tgtcatcagc aaagtacctc catgitatga ggatataatg tgtgcttcat 2825 tgaattagaa aattagtgac cattaticac aggiggacaa atgitgicci gitaatitat 2885 aggagititi tigggatgigg aggiagitgg giagaaaaat tallagaaca ticaciitig 2945 10 ttaacagtat ticicittia ticigitata tagiggatga tatacacagi ggcaaaacaa 3005 aagtacattg citaaaatat alagigaaaa aigicactat atcitcccat tiaacatigi 3065 ttttgtatat tgggtgtaga tttctgacat caaaacttgg acccttggaa aacaaaagit 3125 ttaattaaaa aaaateetty tyaettacaa tttgcacaat attictitig tigtactita 3185 3217 tatctigitt acaataaaga attcccttig gc 20 <210> 60 <211> 469 <212> PRT <213> Homo sapiens 30 <400> 60 Met Glu Glu Arg Met Glu Met Ile Ser Glu Arg Pro Lys Glu Ser Met 1 10 15 35 Tyr Ser Trp Asn Lys Thr Ala Glu Lys Ser Asp Phe Glu Ala Val Glu 20 25 30 40 Ala Leu Met Ser Met Ser Cys Ser Trp Lys Ser Asp Phe Lys Lys Tyr 35 40 45 Val Glu Asn Arg Pro Val Thr Pro Val Ser Asp Leu Ser Glu Glu Glu 60 50 Asn Leu Leu Pro Gly Thr Pro Asp Phe His Thr Ile Pro Ala Phe Cys 75 70 80 65 Leu Thr Pro Pro Tyr Ser Pro Ser Asp Phe Glu Pro Ser Gln Val Ser 55 90 95 85

	Ası	Leu	Met	Ala	Pro	Ala	Pro	Ser	Thr	Val	His	Phe	Lys	Ser	Leu	Ser
5				100	1				105					110		
	Asp	Thr	Ala	Lys	Pro	His	He	Ala	Ala	Pro	Phe	Lys	Głu	Glu	Glu	Lys
			115					120		•			125		•	
10	Ser	Pro	Val	Ser	Alá	Pro	Lys	Leu	Pro	Lys	Ala	Gln	Ala	Thr	Ser	Val
•		130					135					140				٠
15	Ile	Arg	His	Thr	Ala	Asp	Ala	Gln	Leu	Cys	Asn	His	Gln	Thr	Cys	Pro
· .	145		٠			150					155					160
20	Me t	Lys	Ala	Ala	Ser	lle	Leu	Asn	Tyr	Gln	Asn	Asn	Ser	Phe	Arg	Arg
					165					170					175	
	Arg	Thr	His	Leu	Asn	Val	Glu	Ala	Ála	Arg	Lys	Asn	Ile	Pro	Cys	Ala
25	•		•	180					185				•	190		
	Ala	Val	Ser	Pro	Asn	Arg	Ser	Lys	Cys	Glu	Arg	Asn	Thr	Val	Ala	Asp
30			195					200					205			
	Val	Asp	Glu	Lys	Ala	Ser		Ala	Leu	Tyr	Asp	Phe	Ser	Va l	Pro	Ser
ac		210					215					220				
35		Glu	Thr	Val	Ile		Arg	Ser	Gln	Pro		Pro	Val	Ser	Pro	
	225	_				230		_	_		235	_				240
40	GIn	Lys	Ser	Val		Val	Ser	Pro	Pro		Val	Ser	Ala	Gly		Val
		-		_	245		_			250	_	_			255	
45	Pro	Pro	net		Yal	He	Cys	Gin		Val	Pro	Leu	Рго		Asn	Asn
				260				_	265					270		
	Pro	Va l		Thr	Thr	Val.	Val		Ser	Thr	Pro	Pro		Gln	Pro	Pro
50			275					280					285			
	Ala	Val	Cys	Pro	Pro	Val	•	Phe	Met	Gly	Thr	•	Val	Pro	Lys	Gly
55		290					295					300				
	Ala	٧a ا	Met	Phe	Val	Val	Pro	Gin	Pro	Val	Val	Gln	Ser	Ser	Lys	Pro

	305	;				310					315		•			320
5	Pro	Val	Val	Ser	Pro	Asn	Gly	Thr	Aïg	Leu	Ser	Pro	Ile	Ala	<b>b</b> io	Ala
					325					330	•				335	
10	Pro	Gly	Phe	Ser	Pro	Ser	Ala	Ala	Lys	Val	Thr	Pro	Gln	He	Asp	Ser
				340					345		•			350		•
15	Ser	Arg	He	Arg	Ser	His	He	Cys	Ser	His	Pro	Gly	Cys	Gly	Lys	Thr
			355					360					365			
	Tyr	Phe	Lys	Ser	Ser	His	Leu	Lys	Ala	His	Thr	Arg	Thr	His	Thr	Gly
20		370					375					380				
	Glu	Lys	Pro	Phe	Ser	Cys	Ser	Trp	Lys	Gly	Cys	Glu	Arg	Arg	Phe	Ala
25	385					390					395					400
	Arg	Ser	Asp	Glu	Leu	Ser	Arg	His	Arg	Arg	Thr	His	Thr	Gly	Glu	Lys
	•				405					410					415	
30	Lys	Phe	Ala		Рго	Met	Cys	Asp		Arg	Phe	Met	Arg	Ser	Asp	His
	_			420		,			425					430		
<b>35</b>	Leu	Thr	Lys	His	Ala	Arg	Arg.		Leu	Ser	Ala	Lys		Leu	Pro	Asn
	T	C1	435	C1	V 1	C	• • • •	440	•	4		4.	445		_	
40	117		Met	611	Yaı	ser		ren	ASN	ASP	116		Leu	Pro	Pro	Thr
	D=4	450	n	7 L _	C1-		455					460				
	465	N I d	Pro	Inr	GIN											
45	403															
	<210	> 61										٠				
50	<211	> 14	28											•		
JU	<212	> DN	A													
55	<213	> Ho	mo s	apie	n s											
	<220	>														

	(221) CD2	•		
5	<222> (125) (86	i8)	•	
	<400> 61			·
10	cgagctgata aaggc	gccat titggaggg	g ccgcgggaga cgt	ggtgccg ctgcgggctc 60
	gctctgccgt gcgct	agget tggtgggaa	g gcctgttctc gag	tccgcgc ttttcgtcac 120
	cgcc atg tcg gga	ggt ggt glg at	t cgt ggc ccc gc	a ggg aac aac gat 169
15	Met Ser Gly	Gly Gly Val II	e Arg Gly Pro Al	a Gly Asn Asn Asp
	1	5	10	15
20	tgc cgc atc tac	gtg ggt aac tta	cci cca gac atc	cga acc aag gac 217
•	Cys Arg Ile Tyr	Val Gly Asn Leu	Pro Pro Asp Ile	Arg Thr Lys Asp
25		20	25	30
23	att gag gac gtg	ttc tac aaa tac	ggc gct atc cgc	gac atc gac ctc 265
	lle Glu Asp Val	Phe Tyr Lys Tyr	Gly Ala Ile Arg	Asp Ile Asp Leu
30	35		40	45
	aag aat cgc cgc	ggg gga ccg ccc	ttc gcc ttc gtt	gag ttc gag gac 313
35	Lys Asn Arg Arg	Gly Gly Pro Pro	Phe Ala Phe Val	Glu Phe Glu Asp
	50	55		60
	ccg cga gac gcg	gaa gac gcg glg	tat ggt cgc gac	ggc tat gat tac 361
40	Pro Arg Asp Ala	Glu Asp Ala Val	Tyr Gly Arg Asp	Gly Tyr Asp Tyr
	65	70	75	
45	gal ggg tac cgt	ctg cgg gtg gag	tti cci cga agc	ggc cgt gga aca 409
	Asp Gly Tyr Arg	Leu Arg Val Glu	Phe Pro Arg Ser	Gly Arg Gly Thr
50	80	85 ·	90	95
50	ggc cga ggc ggc s	ggc ggg ggt gga	ggi ggc gga gct	ccc cga ggt cgc 457
	Gly Arg Gly Gly (	Gly Gly Gly Gly	Gly Gly Gly Ala	Pro Arg Gly Arg
55		100	105	110

	tat	ggc	ccc	cca	tcc	agg	cgg	tct	gaa	aac	aga	gtg	gtt	gtc	tct	gga	505
5	Tyr	Gly	Pro	Pro	Ser	Arg	Arg	Ser	Glu	Asn	Arg	Val	Va]	Va)	Ser	Gly	
				115			·		120					125			
10	ctg	cct	cca	agt	gga	agt	tgg	cag	gat	tta	aag	gat	cac	atg	cgt	gaa	553
	Leu	Pro	Pro	Ser	G1.y	Ser	Trp	Gln	Asp	Leu	Lys	Asp	His	Met	Arg	Ġlu	•
			130					135					140.				
15	gca	ggt	gat	gta	tgt	tat	gct	gat	gtt	tac	cga	gal	ggc	act	ggt	gtc	601
	Ala	Gly	Asp	Val	Cys	Tyr	Ala	Asp	Val	Tyr	Arg	Asp	Gly	Thr	Gly	Val	
20		145	•				150					155					
	gtg	gag	ttt	gta	cgg	888	gaa	gat	atg	acc	tat	gca	gtt	cga	asa	ctg	649
25	Val	Glu	Phe	Val	Arg	Lys	Glu	Asp	Met	Thr	Tyr	Ala	Val	Arg	Lys	Leu	
25	160		-			165					170					175	
	gat	aac	act	aag	ttt	aga	tct	cat	gag	gga	gaa	act	gcc	tac	atc	cgg	697
30	Asp	Asn	Thr	Lys		Arg	Ser	His	Glu	Gly	Glu	Thr	Ala	Tyr	He	Arg	
					180					185					190		•
35				gat													745
	Vai	Lys	Val	Asp	Gly	Pro	Arg	Ser		Ser	Туг	Gly	Arg		Arg	Ser	
				195	- 4				200					205			
40				agt	•										•		793
	Arg	Ser		Ser	Arg	26L				261	AIG			Ser	Arg	Ser	
45	0.70		210		•••			215			•••		220	44	4-4		0.43
				tcc			·										841
		225	171	Ser	riu	MIR	230	261	W1 R	GIY		235	KIR	1 у г	ser	P10	
50													-1	1			000
	cgt									IAKE	a i ga	ıı g	Riga	Caci	ι		888
55	Arg	піѕ	ser	HIB			361	ATE	107								
	240					245			•								

titgiagaac ccaigitgia tacagittic ciliaticag tacaatciit icattitita 948 atteaaactg tittgiteag aatgggetaa agigitgaat igeatietig taatateece 1008 tigotoctaa catolacatt coottogigi ottigataaa tigiattita agigatgica 1068 tagacaggat tgittaaatt tagitaacic catacictic agacigigat attgigtaaa 1128 tgtctatctg ccctggtttg tgtgaactgg gatgttgggg gtgtttgtgg ttatcttacc 1188 tggggaagtt citalgitia ictigciiit calgigicii icigiagaca taicigaaga 1248 15 gatggattaa gaatgcttig gattaaggat igiggagcac atticaatca ittiaggatt 1308 gtcaaaagga ggattgagga ggatcagatc aataatggag gcaatggtat gactccaagt 1368 gctattgtca cagatgaaat iggcagtatt gaccttalac taaaaggcag gggctaaaaa 1428 20 <210> 62 <211> 248 25 <212> PRT <213> Homo sapiens 30 <400> 62 . Met Ser Gly Gly Gly Val Ile Arg Gly Pro Ala Gly Asn Asn Asp Cys 1 . 5 10 15 35 Arg Ile Tyr Val Gly Asn Leu Pro Pro Asp Ile Arg Thr Lys Asp Ile 20 25 30 40 -Glu Asp Val Phe Tyr Lys Tyr Gly Ala lle Arg Asp Ile Asp Leu Lys 35 40 45 45 Asn Arg Arg Gly Gly Pro Pro Phe Ala Phe Val Glu Phe Glu Asp Pro 50 55 60 Arg Asp Ala Glu Asp Ala Val Tyr Gly Arg Asp Gly Tyr Asp Tyr Asp 50 70 75 65 Gly Tyr Arg Leu Arg Val Glu Phe Pro Arg Ser Gly Arg Gly Thr Gly 55 85 90 95

	Arg	Gly	Gly	Gly	Gly	Gly	Gly	Gly	Gly	Gly	Ala	Pro	Arg	Gly	Arg	Tyr
5				100					105					110		
	Gly	Pro	Pro	Ser	Arg	Arg	Ser	Glu	Asn	Arg	Val	Val	Val	Ser	Gly	Leu
10			115					120					125			
	Pro	Pro	Ser	Gly	Ser	Trp	Gln	Asp	Leu	Lys	Asp	His	Me t	Arg	Glų	Ala
		130		•	-		135					140	•			
15	Gly	Asp	Val	Cys	Tyr	Ala	Asp	Val	Tyr	Arg	Asp	Gly	Thr	Gly	Va]	Val
•	145					150					155					160
20	Glu	Phe	Val	Arg	Lys	Glu	Asp	Me t	Thr	Tyr	Ala	Val	Arg	Lys	Leu	Asp
					165					170					175	
25	Asn	Thr	Lys	Phe	Arg	Ser	His	Glu	Gly	Glu	Thr	Ala	Tyr	He	Arg	Val
			-	180					r85		•			190		
	Lys	Val	Asp	Gly	Pro	Arg	Ser	Pro	Ser	Tyr	Gly	Arg	Ser	Arg	Ser	Arg
30			195					200					205			
	Ser	Arg	Ser	Arg	Ser	Arg	Ser	Arg	Ser	Arg	Ser	Asn	Ser	Arg	Ser	Arg
35		210					215					220		•		
	Ser	Tyr	Ser	Pro	Arg	Arg	Ser	Arg	Gly	Ser	Pro	Arg	Tyr	Ser	Pro	Arg
	225					230					235					240
40	His	Ser	Arg	Ser	Arg	Ser	Arg	Thr								
					245											
45	<210	)> 63	}				·									
	<211	> 36	64													
50	<212	) DN	lA													
	<213	> Ho	mo s	apie	ns											
	<220	<b>&gt;</b>														
55	<221	> cd	S													

	<22	2> (	195)	(1	943)												
5	<40	0> 6	3								•						
	atg	gggc	ctg	aaac	tgtc	tg g	gtct	gagc	t ggi	ggag	cgga	agc	cact	tgt	cccte	ctccct	60
	ccc	cagg	ac t	tctg	tgac	tc c	tggg	ccaci	a gai	ggtc	caac	cag	ggta	agg	gccti	ggggat	120
10	acc	c.cc t	gcc	tggc	cccc	tt g	ccca	aacti	g gc	aggg	gggc	cag	gctg	ggc	agca	scccct	180
	ctt	tcaç	ctc	aact	atg	gat	ctc	ċtg	ccc	ccc	aag	ccc	aag	tac	aat	cca	230
15					Met	Asp	Leu	Leu	Pro	Pro	Lys	Pro	Lys	Tyr	Asn	Pro	
					1				5					10			
20	ctc	cgg	aat	gag	tct	ctg	tca	tcg	ctg	gag	gaa	ggg	gct	tct	ggg	tcc	278
	Leu	Arg	Asn	Glu	Ser	Leu	Ser	Ser	Leu	Glu	Glu	Gly	Ala	Ser	Gly	Ser	
25			15					20					25				
				gag											•		326
	Thr		Pro	Glu	Glu	Leu		Ser	Pro	Ser	Ala		Ser	Leu	Gly	Pro	
30		30					35					40					
				cct													374
35	45	Leu	rio	Pro	ren	50	Uly	изр	WZħ	261	55	1111	1111	reu	Cys	60	
		ttc	ccc	cgg	atg		aac	ctg	agg	ctg		аас	CCE	gct	222		422
40				Arg											•	٠.	
					65				_	70					75	•	
45	cgc	cca	ggg	tct	aag	ggg	gag	cca	gga	agg	gca	gct	gat	gat	ggg	gag	470
	Arg	Pro	Gly	Ser	Lys	Gly	Gľu	Pro	Gly	Arg	Ala	Ala	Asp	Asp	Gly	Glu.	
				80				•	85					90			
50	ggg	alc	gat	ggg	gca	gcc	alg	cca	gag	tca	ggc	ccc	cta	ccc	ctc	ctc	518
	Gly	He	Asp	Gly	Ala	Ala	Met	Pro	Glu	Ser	Gly	Pro	Leu	Pro	Leu	Leu	
55			95					100					105				

	cag	gac	atg	aac	aag	ctg	agt	gga	ggc	ggc	ggg	cgc	agg	act	cgg	gtg	566
5	Gln	Asp	Me t	Asn	Lys	Leu	Ser	Gly	Gly	Gly	Gly	Arg	Arg	Thr	Arg	Val	
		110					115					120					•
10	gaa	ggg	ggc	cag	ctt	ggg	ggc	gag	gag	tgg	acc	cgc	các	ggg	agc	ttt	614
	Glu	Gly	Gly	Gln	Leu	Gly	Gly	Glu	Glu	Trp	Thr	Arg	His	Gly	Ser	Phe	
	125					130					135					140	
15	glc	aat	aag	ccc	acg	cgg	ggc	tgg	ctg	cat	ccc	aac	gac	aaa	gtc	atg	662
	Val	Asn	Lys	Pro	Thr	Arg	Gly	Trp	Leu	His	Pro	Asn	Asp	Lys	Val	Me t	
20					145					150		•			155		
	gga	ccc	ggg	gti	tcc	tac	ttg	gtt	cgg	tac	atg	ggt	tgt	gtg	gag	gtc	710
	Gly	Pro	Gly	Val	Ser	Tyr	Leu	Val	Arg	Tyr	Met	Gly	Cys	Val	Glu	Val	
25		•	_	160					165					170			
	ctc	cag	tca	atg	cgt	gc.c	ctg	gac	ttc	aac	acc	cgg	act	cag	gtc	acc	758
30	Leu	Gln	Ser	Met	Arg	Ala	Leu	Asp	Phe	Asn	Thr	Arg	Thr	Gln	Val	Thr	
			175					180					185				
25	•			atc													806
35	Arg		Ala	Ile	Ser	Leu		Cys	Glu	Ala	Val		Gly	Ala	Lys	Gly	
		190					195					200					
40				agg												•	854 ·
		Thr	Arg	Arg	Arg		Рго	Cys	Ser	Arg		Leu	Ser	Ser	He		
45	205					210					215	- 4 -	1			220	000
	ggg						•										902
	Gly	YLE	26 L	ASN		Lys	rne	AIZ	ыу		PTO.	116	ınr	ren		vai	
50					225		• -			230		4			235		050
				agc													950
55	Ser	Thr	Ser		Leu	Asn	Leu	Met		AJA	Asp	Cys	Lys		He	lle	
				240					245					250			

	gcc	aac	cac	cac	atg	caa	tct	atc	tca	ttt	gca	tcc	ggc	ggg	gat	ccg	998
5	Ala	Asn	His	His	Me t	Gln	Ser	Ile	Ser	Phe	Ala	Ser	Gly	Gly	Asp	Pro	•
			255					260					265				•
10	gac	aca	gcc	gag	tat	gtc	gcc	tat	gtt	gcc	aaa	gac	cct	gtg	aat	cag	1046
	Asp	Thr	Ala	Glu	Tyr	Val	Ala	Tyr	Val	Ala	Lys	Asp	Pro	Val	Asn	Gin	
		270					275					280					
15	aga	gcc	tgc	cac	at t	ctg	gag	tgt	ccc	gaa	ggg	ctt	gcc	cag	gat	gtc	1094
	Arg	Ala	Cys	His	lle	Leu	Glu	Cys	Pro	Glu	Gly	Leu	Ala	Gln	Asp	Va l	
20	285					290					295					300	
	atc	agc	acc	att	ggc	cag	gcc	ttc	gag	ttg	cgc	ttc	aaa	caa	t-ac	ctc	1142
25	Ile	Ser	Thr	Ile	Gly	Gln	Ala	Phe	Glu	Leu	Arg	Phe	Lys	Gln	Туг	Leu	
			-		305					310					3.15		
	agg	aac	cca	ccc	aaa	ctg	gtc	acc	cct	cat	gac	agg	atg	gct	ggc	ttt	1190
30	Arg	Asn	Pro	Pro	Lys	Leu	Val	Thr	Pro	His	Asp	Arg	Met	Ala	Gly	Phe	
				320					325					330		•	
35	gat	ggc	·tca	gca	tgg	gat	gag	gag	gag	gaa	gag	cca	cct	gac	cat	cag	1238
	Asp	Gly		Ala	Trp	Asp	Glu		Glu	Glu	Glu	Pro		Asp	His	Gln	
40			335					340					345				•
		tat															1286
	Tyr	Туг	Asn	Asp	Phe	Pro		Lys	Glu	Pro	Pro		Gly	Gly	Val	Val	
45		350					355					360					
		alg											•				1334
50		Me t	Arg	Leu	Arg		Gly	Ala	Ala	Pro		Ala	Ala	Arg	Pro		
	365				•	370					375				•	380	
55	gca	ccc	aat	gcc	cag	acc	ccc	agc	cac	ttg	gga	gcl	aca	ttg	cct	gta	1382
	Ala	Pro	Asn	Ala	Gln	Thr	Pro	Ser	His	Leu	Gly	Ala	Thr	Leu	Pro	Val	

			•	•	385					390					395		
5	gga	cag	cct	gtt	ggg	gga	gat	cca	gaa	gtc	cgc	aaa	cag	alg	ċса	cct	1430
	Gly	Gln	Pro	Val	Gly	Gly	Asp	Ььó	Glu	Val	Arg	Lys	Gln	Met	Pro	Pro	
			•	400					405					410			
10	cca	cca	ccc	tgt	cca	ggc	aga	gag	ctt	ttt	gat	gat	ccc	tcc	tat	gtc	1478
	Pro	Pro	Pro	Cys	Pro	Gly	Arg	Glu	Leu	Phe	Asp.	Asp	Pro	Ser	Туг	Val	
15			415					420					425				•
	aac	gtc	cag	aac	cta	gac	aag	gcc	cgg	caa	gca	gtg	ggt	ggt	gct	ggg	1526
20	Asn	Val	Gln	Asn	Leu	Asp	Lys	Ala	Arg	Gln	Ala	Val	Gly	Gly	Ala	Gly	
		430					435					440	-				
	ccc	ccc	aat	cct	gc t	atc	aat	ggc	agt	gca	ccc	cgg	gac	ctg	ttt	gac	1574
25	Pro	Pro	Asn -	Pro	Ala	He	Asn	Gly	Ser	Ala	Pro	Arg	Asp	Leu	Phe	Asp	
	445					450					455					460	
30	atg	aag	ccc	ttc	gaa	gat	gct	ctt	cgg	gtg	cct	cca	cct	ccc	cag	tcg	1622
	Met	Lys	Pro	Phe	Glu	Asp	Ala	Leu	Arg	Val	Pro	Pro	Pro	Pro	Gln	Ser	
					465					470					475		
35	gtg	tcc	atg	gc t	gag	cag	ctc	cga	ggg	gag	ccc	tgg	ttc	cat	ggg	aag	1670
	Val	Ser	Met	Ala	Glu	GIn	Leu	Arg		Glu	Pro	Trp	Phe		Gly	Lys	
40		•		480					485					490			
				cgg													1718
45	Leu	Ser		Arg	Glu	Ala	Glu		Leu	Leu	Gin	Leu		Gly	Asp	Phe	
45	44	-4-	495					500					505	-4-	4		1266
				gag													1766
50			AIG	Glu	261	ומר		ınr	Pro	GIY	GIN		vai	ren	101	GIY	
		510					515					520					
55				ggg													1814
	Leu	Gln	Ser	Gly	Gln	Pro	Lys	His	Leu	Leu	Leu	Val	Asp	Pro	Glu	Gly	

530 535 540 525 gtg gtt cgg act aag gat cac cgc ttt gaa agt gtc agt cac ctl atc 1862 Val Val Arg Thr Lys Asp His Arg Phe Glu Ser Val Ser His Leu Ile 550 555 545 10 ago tac cac atg gac aat cac tig ccc atc atc tct gcg ggc agc gaa 1910 Ser Tyr His Met Asp Asp His Leu Pro Ile Ile Ser Ala Gly Ser Glu 15 565 570 560 ctg tgt cta cag caa cct gtg gag cgg aaa ctg tgaictgccc tagcgctctc 1963 Leu Cys Leu Gln Gln Pro Val Glu Arg Lys Leu 20 580 575 ticcagaaga igccciccaa icciticcac cciaticcci aacicicggg accicgitig 2023 25 ggagtgttct gtgggcttgg ccttgtgtca gagctgggag tagcatggac tctgggtttc 2083 atatccaget gagtgagagg gtttgagtca aaagcctggg tgagaalcct gcctctcccc 2143 30 aaacaitaat caccaaagta ttaatgtaca gagtggcccc tcacctgggc cittcctgtg 2203 ccaaccigat gccccitccc caagaaggig agigctigic aiggaaaaig iccigiggig 2263 acaggeceag tggaacagte accettetgg geaaggggga acaaateaca cetetggget 2323 35 tragggiate cragacect cicaacacee geceececa tgittaaact tigigeetti 2383 gaccatetet taggictaat gatattitat geaaacagit etiggaeece igaattette 2443 40 · aatgacaggg atgecaacae etteitggel letgggacet gigiteitge igageaceet 2503 ctccggttig ggtigggala acagaggcag gagtggcagc igtcccctci ccciggggat 2563 atgcaaccct tagagattgc cccagagccc cactcccggc caggcgggag atggaccct 2623 45 ccciigcica gigcciccig gccggggccc cicaccccaa ggggicigia iaiacaiiic 2683 ataaggcctg ccctcccatg tigcatgcct atgtactctg cgccaaagtg cagcccttcc 2743 50 tectgaagee tetgeeetge etecettet gggagggegg ggtgggggtg actgaatttg 2803 sgccicitgi acagitaaci cicccaggig gattligigg aggigagaaa aggggcattg 2863 55 agactataaa gcagtagaca atccccacat accatcigia gagiiggaac igcaticiii 2923

	taaagtttta	tatgcatata	ttttagggct	gctagactta	ctttcctatt	ttcttttcca	2983
5	ttgcttattc	tigagcacaa	aatgataatc	aattattaca	tttatacatc	accititiga	3043
	cttttccaag	ccciitlaca	gctcttggcä	ttttcctcgc	ctaggcctgt	gaggtaactg	3103
	ggatcgcacc	ttttatacca	gagaccigag	gcagatgaaa	tttatttcca	tctaggacta	3163
10	gaaaaacttg	ggtctcttac	cgcgagactg	agaggcagaa	gtcagcccga	atgccigica	3223
	gittcaigga	ggggaaacgc	aaaacctgca	gttcctgagt	accttctaca	ggcccggccc	3283
15	agcctaggcc	cggggtggcc	acaccacago	aagccggccc	cccctcttt	ggccttgtgg	3343
	ataagggaga	gttgaccgtt	ttcatccigg	cciccitte	ctgtttggat	gtttccacgg	3403
20	gtctcactta	taccaaaggg	aaaactcttc	attaaagtcc	gtatttcttc	taaaaaaaaa	3463
	aaaaaaaaa	tacatitata	catcaccttt	ttgacttttc	caagcccttt	tacagctctt	3523
	ggcattttcc	tcgcctaggc	cigigaggia	actgggatcg	caccttttat	accagagacc	3583
25	tgaggcagat	gaaatttatt	tccatctagg	actagaaaaa	cttgggtctc	ttaccgcgag	3643
	acigagaggc	agaagtcagc	C				3664
30	<210> 64						
	<211> 583						
35	<212> PRT	•					
	<213> Homo	sapiens					
	<400> 64						
40	Met Asp Leu	Leu Pro Pi	ro Lys Pro	Lys Tyr Asn	Pro Leu Arg	g Asn Glu	÷
	1 .	5		10		15	
45	Ser Leu Ser	Ser Leu G	lu Glu Gly	Ala Ser Gly	Ser Thr Pro	Pro Glu	
		20		25	30		
50	Glu Leu Pro	Ser Pro Se		Ser Leu Gly		ı Pro Pro	
	35		40		45		
	Leu Pro Gly	Asp Asp Se		Thr Leu Cys		e Pro Arg	
55	50		55		60		

	Net	Ser	Asn	Leu	Arg	Leu	Ala	Asn	Pro	Ala	Gly	Gly	Arg	Pro	Gly	Ser
5	65	i				70		•			75					80
	Lys	Gly	Głu	Pro	Gly	Arg	Ala	Ala	Asp	Asp	Gly	Glu	Gly	He	Asp	Gly
					85					90					95	
10	Aìa	Ala	Ne t	Pro	Glu	Ser	Gly	Pro	Leu	Pro	Leu	Leu	Gin	Asp	Met	nzA
		•		100					105					110		
15	Lys	Leu	Ser	Gly	Gly	Gly	Gły	Arg	Arg	Thr	Arg	Val	Glu	Gly	Gly	Gln
			115					120					125			
20	Leu	Gly	Gly	Glu	Glu	Trp	Thr	Arg	His	Gly	Ser	Phe	Vaj	Asn	Lys	Pro
		130					135					140				
	Thr	Arg	Gly	Trp	Lev	His	Pro	Asn	Asp	Lys	Val	Me t	Gly	Pro	Gly	Va l
<b>25</b> .	145				•	150					155					160
	Ser	Tyr	Leu	Val	Arg	Tyr	Met	Gly	Cys	Val	Glu	Val	Leu	Gln	Ser	Met
30					165					170					175	
	Arg	Ala	Leu	Asp	Phe	Asn	Thr	Arg	Thr	Gln	Val	Thr	Arg	Glu	Ala	lle
				180					185					190		
<b>35</b>	Ser	Leu	Val	Cys	Glu	Ala	Val	Pro	Gly	Ala	Lys	Gly	Ala	Thr	Arg	Arg
			195					200					205		. •	
40	Arg	Lys	Pro	Cys	Seı	Arg		Leu	Ser	Ser	Ile	Leu	G] y	Arg	Ser	Asn
		210					215					220				
45		Lys	Phe	Ala	G1 y		Pro	He	Thr	Leu		Val	Ser	Thr	Ser	
<b>40</b>	225					230	•				235	:				240
	Leu	Asn	Leu	Met		Ala	Asp	Cys	Lys	•	lle	Ile	Ala	Asn		His
50					245					250					255	
	Met	Gln	Ser		Ser	Phe	Ala	Ser		Gly	Asp	Pro	Asp	Thr	Ala	Glu
55				260					265					270		
	Tyr	Val	Ala	Tyr	Val	Ala	Lys	Asp	Pro	Vai	Asn	Gln	Arg	Ala	Cys	His

			275		•			280					285				
5	He	Leu	Glu	Cys	Pro	Glu	Gly	Leu	Ala	Gln	Asp	Val	He	Ser	Thr	Ile	
		290					295					300				•	
10	Gly	Gln	Ala	Phe	Glu	Leu	Arg	Phe	Lys	Gln	Tyr	Leu	Arg	Asn	Pro	Pro	
	305		•			310					315					320	
15	Lys	Leu	Val	Thr	Pro	His	Asp	Arg	Ne t	Ala	Gly	Phe	Asp	Gly	Ser	Ala	
					325					330					335		
	Trp	Asp	Glu	G] u	Glu	G1 u	Glu	Pro	Pro	Asp	His	Gln	Туг	Туг	Asn	Asp	
20				340					345					350			
	Phe	Pro	Gly	Lys	Glu	Pro	Pro	Leu	Gly	Gly	Val	Val	Asp	Met	Arg	Leu	
25			355					360					365	•			
	Arg	Glu	Gly	Ala	Ala	Pro		síA	Ala	Arg	Pro		Ala	Pro	Asn	Ala	
30		370	_	_	•••		375					380	۵.		_		
		Thr	Pro	Ser	His		Gly	Ala	Thr	Leu		Val	Gly	GIn	Pro		
	385	Gly	Acn	Dro	Glu	390	Ara	lve	G) n	Mat	395 Pro	Dro	Dro	Dro	Pro	400	
35	017	GIY	пор	110	405	741	VIP	LJS	0111	410	110	110	110	110	415	C y,S	
	Pro	Gly	Arg	Glu		Phe	Asp	Asp	Рго		Tyr	Val	Asn	Val		Asn	
40			_	420					425					430			
	Leu	Asp	Lys	Ala	Arg	GIn	Ala	Val	Gly	Gly	Ala	Gly	Pro	Pro	Asn	Pro	
45			435					440	•				445				
	Ala	He	Asn	Gly	Ser	Ala	Pro	Arg	Asp	Leu	Phe	Asp	Met	Lys	Pro	Phe	
		450					455					460					
50	Glu	Asp	Ala	Leu	Arg	Va l	Pro	Pro	Pro	Pro	Gln	Ser	Val	Ser	Mel	Ala	
	465					470					475					480	
55	Glu	Gln	Leu	Arg	Gly	Glu	Pro	Trp	Phe	His	Gly	Lys	Leu	Ser	Arg	Arg	

	485 490 495
5	Glu Ala Glu Ala Leu Leu Gln Leu Asn Gly Asp Phe Leu Val Arg Glu
	500 505 510
10	Ser Thr Thr Pro Gly Gln Tyr Val Leu Thr Gly Leu Gln Ser Gly
	515 520 525
	Gln Pro Lys His Leu Leu Leu Val Asp Pro Glu Gly Val Val Arg Thr
15	530 535 540
	Lys Asp His Arg Phe Glu Ser Val Ser His Leu Ile Ser Tyr His Met
20	545 550 555 560
	Asp Asn His Leu Pro Ile Ile Ser Ala Gly Ser Glu Leu Cys Leu Gln
25	565 570 575
25	Gln Pro Val Glu Arg Lys Leu
	580
30	· · · · · · · · · · · · · · · · · · ·
	<b>&lt;211&gt; 2493</b>
35	<212> DNA
	<213> Homo sapiens
	⟨220⟩
40	<221> CDS
	<b>&lt;222&gt; (41) (1237)</b>
45	<400> 65
	actgcgactc gagacagcgg cccggcagga cagctccaga atg aaa atg cgg ttc 55
	Met Lys Met Arg Phe
50	1 5
	ttg ggg ttg gtg gtc tgt ttg gtt ctc tgg ccc ctg cat tct gag ggg 103
55	Leu Gly Leu Val Val Cys Leu Val Leu Trp Pro Leu His Ser Glu Gly
	·

					10	)				15	5				20	)	
5	tc	t gg	a gg	g aaa	i ć t g	aca	gct	gtg	gat	cct	gaa	aca	aac	ate	881	gtg	151
	Se	r GI	y Gi	y Lys	Leu	Thr	Ala	Val	Asp	Pro	Glu	Thr	Asn	Met	Ası	ï Val	
10				25	j				30					35			
	agi	ga	a at	tato	: tct	tac	tgg	gga	ttc	cct	agt	gag	gaa	tac	eta	gtt	199
	Sei	Gli	u Ile	e Ile	Ser	Tyr	Trp	Gly	Phe	Pro	Ser	Glu	Glu	Туг	Leu	Val	
15			4(	)				45					50	i			
	gag	aca	a gaa	gat	gga	tat	att	ctg	tgc	ctt	aac	cga	att	cct	cat	ggg	247
20	Glu	Thi	r Glu	Asp	Gly	Tyr	lle	Leu	Cys	Leu	Asn	Arg	Ile	Pro	His	Gly	
		55	<u>,</u>				60			•		65					
	agg	aag	aac	cat	tct	gac	aaa	ggt	ccc	aaa	cca	gtt	gtc	t t c	ctg	caa	295
25	Arg	Lys	Asn	His	Ser	Asp	Lys	Gly	Pro	Lys	Pro	Val	Val	Phe	Leu	Gln	
	70		-			.75					80		•			85	
30	cat	ggc	ttg	ctg	gca	gat	tct	agt	aac	tgg	gtc	aca	aac	ctt	gcc	aac	343
	His	Gly	Leu	Leu		Asp	Ser	Ser	Asn	Trp	Val	Thr	Asn	Leu	Ala	Asn	
35					90					95					100		
				ggc								•					391
	Ser	Şer	Leu	Gly	Phe	He	Leu	Ala		Ala	Gly	Phe	Asp		Trp	Met	
40				105				4 -	110				. •	J 15			
				aga													439
45	GIY	ASN		Arg	GIÀ	ASII	ınr		261	Arg	LYS	nıs		ınr	Leu	Ser	•
	<b>~1</b> 1		120	<b>~</b> 0.1	~~~	110		125					130				407
				gat			•					•					487
50	741		GIN	Asp	UIU	riie		WIG	rne	361	1 7 1		618	mei	Ala	LYS	
	4.5.4	135	-10				140			-44	.4-	145		4			
55				cca													535
	1 Y 1	voh	rcu	Pro	wig	つた1	116	VZII	rne	116	ren	иsп	LYS	1111	OIY	UID	

_	150					155					160					165	
5	gaa	caa	gtg	tat	tat	gtg	ggt	cat	tct	caa	ggc	acc	act	ata	ggt	ttt	583
	Glu	Gln	Val	Tyr	Tyr	Val	Gly	His	Ser	Gln	Gly	Thr	Thr	He	Gly	Phe	
10					170				•	175					180		
	ata	gca	ttt	tca	cag	atc	cct	gag	ctg	gct	aaa	agg	a t t	aaa	atg	ttt	631
15	lle	Ala	Phe	Ser	Gln	He	Pro	Glu	Leu	Ala	Lys	Arg	He	Lys	Met	Phe	
				185			٠.		190		•			195			
	ttt	gcc	ctg	ggt	cct	gtg	gct	tcc	gic	gcc	t.t c	tgt	act	agc	cct	atg	679
20	Phe	Ala	Leu	Gly	Pro	Val	Ala	Ser	Val	Ala	Phe	Cys	Thr	Ser	Pro	Met	
			200			•		205					210				
25	gcc	aaa	tta	gga	cga	tta	cca	gat	cat	ctc	att	aag	gac	tta	ttt	gga	727
	Ala	Lys	Leu	Gly	Arg	Leu	Pro	Asp	His	Lev	He	Lys	Asp	Leu	Phe	Gly	
30		215					220					225					
	gac	aaa	gaa	ttt	ctt	ccc	cag	agt	gcg	ttt	ttg	aag	tgg	ctg	ggl	acc	775
		Lys	Glu	Phe	Leu	Рго	Gln	Ser	Ala	Phe		Lys	Trp	Leu	Gly		
35	230					235					240.					245	
						gtc											823
40	nis	yaı	Cys	101	250	Val	116	Leu	LyS	255	ren	CAZ	ыу	ASN	260	CYS	
		011	o t a	tat			!	<b>70 7</b>			* * * *	aat	ata	tot		a i a	071
45					•	ttt Phe											871
45	1 11 C	ren	ren	265	GIY	1 116		O I U	270	ASII	Lcu	nsii	uc i	275	лів	141	
•	gat	ota	tat		ara	cat	tet	ccl		gga	act	tet	gtg		aar	atg.	919
50						His										-	313
	,		280	••••	••••		υ	285		••,	•••	•••	290	0		nac t	
55	tta			agc	Cag	gct	gtt		ttc	caa	aag	ttt		gcc	111	gac	967
		200	.00	-64	-40	001	٥٠,				0	•		350		300	V 0 1

	Leu His Trp Ser Gln Ala Val Lys Phe Gln Lys Phe Gln Ala Phe Asp
5	295 300 305
	tgg gga agc agt gcc aag aat tat ttt cat tac aac cag agt tat cct 1015
	Trp Gly Ser Ser Ala Lys Asn Tyr Phe His Tyr Asn Gln Ser Tyr Pro
10	310 315 320 325
	ccc aca tac aat gig aag gac aig cit gig ccg aci gca gic igg agc 1063
15	Pro Thr Tyr Asn Val Lys Asp Met Leu Val Pro Thr Ala Val Trp Ser
	330 · 335 340
20	ggg ggt cac gac tgg ctt gca gat gtc tac gac gtc aat atc tta ctg 1111.
	Gly Gly His Asp Trp Leu Ala Asp Val Tyr Asp Val Asn Ile Leu Leu.
	345 350 355
25	act cag atc acc aac tig gig tic cat gag agc att ccg gaa igg gag 1159
	Thr Gln Ile Thr Asn Leu Val Phe His Glu Ser Ile Pro Glu Trp Glu
30	360 365 370
	cat ctt gac ttc att tgg ggc ctg gat gcc cct tgg agg ctt tat aat 1207
35	His Leu Asp Phe Ile Trp Gly Leu Asp Ala Pro Trp Arg Leu Tyr Asn
33	375 380 385
	aaa att att aat cta atg agg aaa tat cag tgaaagctgg acttgagctg 1257
40	Lys Ile Ile Asn Leu Met Arg Lys Tyr Gln
	390 395
45	tgtaccacca agicaatgat tatgicatgi gaaaatgigi tigcitcati tcigiaaaac 1317 actigititti citicccagg tcittigiti tittatatcc aagaaaatga taactigaa 1377
	gaigeceagt teacletagi ticaatlaga aacatactag ciattitite ittaatlagg 1437
	getggaalag gaagecagig teleaaccal aglaligiet cillaagiet iliaaatate 1497
50	aclgatgigt aaaaaggica ttatalccat ictgittila aaatitaaaa tatattgact 1557
	titigcccit cataggacaa agtaatalat gigliggaat tilaaaaitg igitgicatt 1617
55	ggtaaatcig lcacigacii aagcgaggia laaaagtacg cagitticat giccitgcci 1677
	OUT

5	taaagagete tetagtetaa eggtettgta gitagagate taaatgacat titateatgi 173	7
•	titectgeag caggigeata gicaaaicea gaaalateae ageigigeea giaataagga 179	7
	tgctaacaat taattttatc aaacctaact gtgacagctg tgatttgaca cgttttaatt 185	7
10	gctcaggita aatgaaatag tittccggcg tcttcaaaaa caaattgcac tgataaaaca 191	7
	aaaacaaaag tatgttttaa atgctttgaa gactgataca ctcaaccatc tatattcatg 197	7
15	ageleteaat ticatggeag gecatagile tacttateig agaageaaat eeetgiggag 203	7
	actataccae tattititet gagattaatg tactetigga geoegetaci giegitatig 209	7
	atcacatcig igigaagcca aagccccgig giigcccaig agaagigicc iigiicatti 215	7
20	tcacccaaat gaagtgigaa cgigatgiit tcggalgcaa actcagctca gggallcall 221	7
	tigigicita gittiataig catectiati tilaalacae eigeticaeg teectaigit 227	7
25	gggaagicca tattigicig citticiigc agcatcatti ccitacaata cigiccggig 233	7
	gacaaaatga caattgatat giitticiga talaattaci ilagcigcac taacagtaca 239	7
20	atgettgtta atggttaata taggeaggge gaatactact ttgtaactit taaagtetta 245	7
30	aacttttcaa taaaattgag tgagacttat aggccc 249	3
	<210> 66	
35	<211> 399	
	<212> PRT	
40	<213> Homo sapiens	•
	<400> 66	
	Met Lys Met Arg Phe Leu Gly Leu Val Val Cys Leu Val Leu Trp Pro	
45	1 5 10 15	
	Leu His Ser Glu Gly Ser Gly Gly Lys Leu Thr Ala Val Asp Pro Glu	
50	20 25 30	
	Thr Asn Met Asn Val Ser Glu Ile Ile Ser Tyr Trp Gly Phe Pro Ser	
ee	35 40 45	
55	Glu Glu Tyr Leu Val Glu Thr Glu Asp Gly Tyr lle Leu Cys Leu Asn	

		50					55					60				
5	Arg	lle	Pro	His	Gly	Arg	Lys	Asn	His	Ser	Asp	Lys	Gly	Pro-	Lys	Pro
	65					70					75					80
10	Val	Va l	Phe	Leu	Gln	His	Gly	Leu	Leu	Ala	Asp	Ser	Ser	Asn	Trp	Val
					85					90					95	
15	Thr	Asn	Leu	Ala	Asn	Ser	Ser	Leu	Gly	Phe	He	Leu,	Ala	Asp	Ala	Gly
				100					105					110		
	Phe	Asp	Val	Trp	Me t	Gly	Asn	Ser	Arg	Gly	Asn	Thr	Trp	Ser	Arg	Lys
20			115					120					125			
•	His	Lys	Thr	Leu	Ser	Val	Ser	Gln	Asp	Glu	Phe	Trp	Ala	Phe	Ser	Tyr
25		130					135					140				
	Asp	Glu	Me t	Ala	Lys	Tyr	Asp	Leu	Pro	Ala	Ser	He	Asn	Phe	He	Leu
	145					150					155					160
30	Asn	Lys	Thr	Gly	Gln	Glu	Gln	Vai	Tyr	Tyr	Val	Gly	His	Ser	Gln	Gly
					165				•	170					175	
35	Thr	Thr	He	Gly	Phe	Ile	Ala	Phe	Ser	Gln	He	Pro	Glu	Leu	Ala	Lys
				180					185					190		
	Arg	lle	Lys	Met	Phe	Phe	Ala	Leu	Gly	Pro	Val	Ala	Ser	Val	Ala	Phe
40			195			•		200					205			
	Cys	Thr	Ser	Pro	Met	Ala	Lys	Leu	Gly	Arg	Leu	Pro	Asp	His	Leu	lle
45		210					215					220				
	Lys	Asp	Leu	Phe	Gly	Asp	Lys	Glu	Phe	Leu	Pro	Gln	Ser	Ala	Phe	Leu
50	225					230					235					240
50	Lys	Trp	Leu	Ġly	Thr	His	Val	Cys	Thr	His	Yal	He	Leu	Lys	Glu	Leu
					245				•	250					255	
55	Cys	Gly	Asn	Leu	Cys	Phe	Leu	Leu	Cys	Gly	Phe	Asn	Glu	Arg	Asn	Leu

		260	265	270
5 .	Asn Met Ser	Arg Val Asp Va	l Tyr Thr Thr His	Ser Pro Ala Gly Thr
	275		280	285
10	Ser Val Gln	Asn Met Lev Hi	s Trp Ser Glm Ala	Val Lys Phe Gln Lys
	290	. 29	5	300
	Phe Gln Ala	Phe Asp Trp Gl	y Ser Ser Ala Lys .	Asn Tyr Phe His Tyr
15	305	310	. 315	320
	Asn Gln Ser	Tyr Pro Pro Th	r Tyr Asn Val Lys .	Asp Met Leu Val Pro
20		325	330	335
	Thr Ala Val	Trp Ser Gly Gl	y His Asp Trp Leu	Ala Asp Val Tyr Asp
25		340	345	350
25		Leu Leu Thr Gl	n lle Thr Asn Leu	Val Phe His Glu Ser
	355		360	365
30				Gly Leu Asp Ala Pro
	370	37		380
35	·		e lle Asn Leu Met A	Arg Lys Tyr Gln
	385	390	395	
	<210> 67			
40	<211> 1633			
	<212> DNA			
45	<213> Homo s	apiens		
	<220>			
50	<221> CDS	·	•	
	<b>&lt;222&gt;</b> (323).	. (1177)		
	<400> 67			
55	aacttaatgt t	itigcaltg gaci	tigagi taagattati 1	tttlaaatcc tgaggactag 60

	ca	t t a a i	llga	cago	tgac	cc a	ggtg	ctac	a ca	gaag	lgga	HC	agtg	aat	ctag	gaagac	120
5	age	cagca	agac	agga	ttcc	ag g	aacc	agtg	t tt	galg	aagc	tag	gact	gag	gagc	aagcga	180
	gca	agca	gca	gttc	gtgg	aa t	cctg	tctg	c ig	cigi	cttc	ctg	gttt	agg	agcc	gacggg	. 240
10	cgo	tege	agg	ctca	gcgc	gc g	ctgç	ccgc	g gc	agga	cccg	gcc	gcct	ccg	ccgc	cgccgc	300
70	cgo	ccct	aag	cctc	ccga	ag c	c at	g gc	c gg	g ct	c gg	c ca	c cc	c gc	c gc	c ttc	352
		•					Ме	t Al	a Gl	y Le	u G)	y Hi	s Pr	o Al	a Al	a Phe	
15								1				5				10	
	ggo	cgg;	gcc	acc	cac	gcc	gtg	gtg	cgg	gcg	cta	ссс	gag	tcg	ctc	ggc	400
20	Giy	Arg	Ala	Thr	His	Ala	Val	Val	Arg	Ala	Leu	Pro	Glu	Ser	Leu	Gly	
					15					20					25		
	cag	cac	gcg	ctg	aga	agc	gcc	aag	ggc	gag	gag	gtg	gac	gtc	gcc	cgc	448
25	Gln	His	Ala	Leu	Arg	Ser	Ala	Lys	Gly	Glu	Glu	Val	Asp	Val	Ala	Arg	
			•	30				•	35					40			
30	gcg	gaa	cgg	cag	cac	cag	ctc	tac	glg	ggc	gtg	ctg	ggc	agc	aag	cig	496
	Ala	Glu	Arg	Gin	His	Gln	Leu	Туг	Val	Gly	Ya 1	Leu	Gly	Ser	Lys	Leu	
or.			45					50					55				
35	ggg	ctg	cag	gtg	gtg	gag	ctg	CCE	gcc	gac	gag	agc	ctt	ccg	gac	tgc	544
	Gly		Gln	Val	Val	Glu		Pro	Ala	Asp	Glu		Leu	Pro	Asp	Cys	
40		60					65					70	•	٠			•
				gag													592
45		Phe	Va!	Glu	Asp		Ala	Val	Val	Cys		Glu	Thr	Ala	Leu	He	
	75					80					85					90	
				ggg													640
50	Thr	Arg	Pro	Gly		Pro	Ser	Arg	Arg		Glu	Va!	Asp	Met	Met	Lys	
					95					100					105		
55	gaa	gca	tta	gaa	aaa	ctt	cag	cic	aal	ata	gta	gag	atg	aaa	gat	gaa	688
	Glu	Ala	Leu	Glu	Lys	Leu	Gln	Leu	Asn	He	Val	Glu	Me t	Lys	Asp	Glu	

5				110					115					120			
	aat	gca	act	tta	gat	ggc	gga	gat	gtt	tta	ttc	aca	ggc	aga	gaa	ttt	736
	Asn	Ala	Thr	Leu	Asp	Gly	Gly	Asp	Val	Leu	Phe	Thr	Gly	Arg	Glu	Phe	
			125			-		130					135				
	ttt	gtg	ggc	cti	tcc	aaa	agg	aca	aat	caa	cga	ggt	gct	gaa	atc	ttg	784
15	Phe	Val	Gly	Leu	Ser	Lys	Arg	Thr	Asn	Gln	Arg	Gly	Ala	Glu	He	Leu	
		140					145					150					
20	gct	gat	act	ttt	aag	gac	tat	gca	gtc	tcc	aca	gtg	cca	gtg	gca	gat	832
20	Ala	Asp	Thr	Phe	Lys	Asp	Tyr	Ala	Val	Ser	Thr	Val	Pro	Val	Ala	Asp	
	155					160					165					170	
25	ggg	ttg	cat	ttg	aag	agt	ttc	tgc	agc	atg	gct	ggg	cct	aac	ctg	atc	880
	Gly	Leu	His	Leu	Lys	Ser	Phe	Cys	Ser	Met	Ala	Gly	Pro	Asn	Leu	He	
30					175					180					185		
	gca	att	ggg	tct	agt	gaa	tct	gca	cag	aag	gcc	ctt	aag	atc	atg	caa	928
	Ala	He	Gly	Ser	Ser	G) u	Ser	Ala	Gln	Lys	Ala	Leu	Lys	He	Met	Gln	
35				190				٠	195					200	•		
		atg															976
40	Gln	Met		Asp	His	Arg	Tyr		Lys	Leu	Thr	Val		Asp	Asp	lle	
			205					210					215				
45		gca															1024
45	Ala	Ala	Asn	Cys	He	Tyr		Asn	He	Pro	Asn		Gly	His	Val	Leu	
		220					225					230					
50		cac															1072
		His	Arg	Thr	Pro		Glu	Tyr	Pro	Glu		Ala	Lys	Val	Tyr		
55	235					240					245					250	
-	aaa	ctg	aag	gac	cat	alg	clg	alc	CCC	gtg	agc	aig	tci	gaa	ctg	gaa	1120

	Lys Leu Lys Asp His Met Leu Ile Pro Val Ser Met Ser Glu Leu Glu	
5	255 260 265	
	aag gig gat ggg cig cic acc igc igc ica gil ita ali aac aag aaa	1168
10	Lys Val Asp Gly Leu Leu Thr Cys Cys Ser Val Leu Ile Asn Lys Lys	
10	270 275 280	
	gta gac tcc tgagctgcag agtcccccc ggtagccggc aagaccgcac	1217
15	Val Asp Ser	
	285	
20	aggeaaggee gatgactetg tgeceactee tgttgtttle ettgacaate tactgtgeca	1277
	cigigotaci aaciciigii tacaaaatii gaticiaagi igaatigoti caticaacac	1337
	ccccaccctc ccicccrcg aggtggtacc taagcigigg attigctaaa tgaattaagc	1397
25	aacctagaag atacagagci aatgaattal caaaatgtga ttaatcccag taaggaaaca	1457
	ctcattiagt gictgiatit tiggiginaa aatlattiag tigccagtat atictgaaga	1517
30	atgicticii gaicagicag ataagciigo tittittit tittiticat gaatcatgii	1577
	tggttcctgt gaaagiccct ggtccaggga iccicctct ticictitta ctictg	1633
35	<210> 68	
	<211> 285	
	<212> PRT	
.40	<213> Homo sapiens	•
	<400> 68	
45	Met Ala Gly Leu Gly His Pro Ala Ala Phe Gly Arg Ala Thr His Ala	
	1 5 10 . 15	
	Val Val Arg Ala Leu Pro Glu Ser Leu Gly Gln His Ala Leu Arg Ser	
50	20 25 30	
	Ala Lys Gly Glu Glu Val Asp Val Ala Arg Ala Glu Arg Gln His Gln	
55	35 40 45	•

	Leu	Tyr	Val	Gly	Val	Leu	Gly	Ser	Lys	Leu	Gly	Leu	Gln	Val	Val	Glu
5		50					55	•				60				
	Leu	Pro	Aľa	Asp	Glu	Ser	Leu	Pro	Asp	Cys	Va l	Phe	Val	G] u	Asp	Val
10	65					70					75					80
•	Ala	Val	Val	Cys	Glu	Glu	Thr	Ala	Leu	Ιlė	Thr	Arg	Pro	Gly	Ala	Pro
					85					90					95	
15	Ser	Arg	Arg	Lys	Glu	Va I	Asp	Me t	Me t	Lys	Glu	Ala	Leu	Glu	Lys	Leu
				100					105					110		
20	Gln	Leu	Asn	He	Val	Glu	Me t	Lys	Asp	Glu	Asn	Ala	Thr	Leu	Asp	Gly
			115					120					125			
	Gly	Asp	Val	Leu	Phe	Thr	Gly	Arg	Glu	Phe	Phe	Val	Gly	Leu	Ser	Lys
25		130					135					140				
	Arg	Thr	Asn	Gln	Arg	Gly	Ala	Glu	He	Leu	Ala	Asp	Thr	Phe	Lys	Asp
30	145					150					155					160
	Туг	Ala	Val	Ser	Thr	Val	Рго	Val.	Ala	Asp	Gly	Leu	His	Leu	Lys	Ser
					165					170			•		175	
35	Phe	Cys	Ser	Me t	Ala	Gly	Pro	Asn	Leu	He	Ala	He	G] y	Ser	Ser	Glu
				180					185					190		
40	Ser	Ala		Lys	Ala	Leu	Lys		Met	Gln	Gln	Met		Asp	His	Arg
			195		٠			200					205	_		_
45	Tyr		Lys	Leu	Thr	Val		Asp	Asp	He	Ala			Cys	He	Туг
		210					215					220		<b></b>		0.1
		Asn	Ile	Pro	Asn		Gly	His	Val	Leu		HIS	Arg	Thr	P10	
50	225					230			_	٥.	235					240
	Glu	Tyr	Рго	Glu		Ala	Lys	Val	Туг		Lys	Leu	Lys	Asp		Met
55					245					250	_				255	
	Lan	ماا	Dra	Val	Ser	Met	Ser	Glu	Leu	Glu	Lvs	Val	Asp	Glv	Leu.	1.611

265 270 260 5 Thr Cys Cys Ser Val Leu Ile Asn Lys Lys Val Asp Ser 280 285 275 10 <210> 69 <211> 1779 <212> DNA 15 <213> Homo sapiens <220> 20 <221> CDS (222) (147).. (1421) <400> 69 aagcgcctgt ctgaacctct gccagtcctg gagactggtg ccctgagctc caaccagcgg 60 geoteateta cacceteace acegeaacti eteaceegag caagaageag eteceagaga 120 30 gaaagaacgt toccacctgo ctagoo atg gga gag gac got goa cag goo gaa 173 Met Gly Glu Asp Ala Ala Gln Ala Glu 35 1 aag tic cag cac cct ggg tct gac aig cgg cag gaa aag ccc icg agc 221 Lys Phe Gln His Pro Gly Ser Asp Met Arg Gln Glu Lys Pro Ser Ser 40 10 15 20 25 ccc age eeg atg eet tee tee aca eea age eec age eig aac eta ggg 269 45 Pro Ser Pro Met Pro Ser Ser Thr Pro Ser Pro Ser Leu Asn Leu Gly 30 35 40 aac aca gag gag gcc atc cgg gac aac tca cag glg aac gca gtc acg 50 Asn Thr Glu Glu Ala Ile Arg Asp Asn Ser Gln Val Asn Ala Val Thr 50 45 55 gtg cic acg cic cig gac aag cig gig aac aig cia gac gci gig cag

5	Val	Leu	Thr	Leu	Leu	Asp	Lys	Leu	Val	Asn	Me t	Leu	Asp	Ala	Val	Gin	
			60	•				65					70				
	gag	aac	cag	cac	aag	alg	gag	cag	cga	cag	atc	agt	ttg	gag	ggc	tcc	413
10	Glu	Asn	Gln	His	Lys	Me t	Glu	Gln	Arg	Gin	He	Ser	Leu	Glu	Gly	Ser	
		75					80					85					
15	gtg	aag	ggc	atc	cag	aat	gac	ctc	acc	aag	ctc	tcc	aag	tac	cag	gcc	461
	Val	Lys	Gly	He	Gln	Asn	Asp	Leu	Thr	Lys	Leu	Ser	Lys	Tyr	.G1n	Ala	
20	90					95					100					105	
	tcc	acc	agc	aac	acg	gig	agc	aag	ctg	ctg	gag	aag	tcc	cgc	aag	gtc	509
	Ser	Thr	Ser	Asn	Thr	Val	Ser	Lys	Leu	Leu	Glu	Lys	Ser	Arg	Lys	Val	
25					110					115					120		
		gcc															557
30	Ser	Ala	HIS		Arg	Ala	Val	Lys		Arg	Met	ASP	Arg		Cys	Ala	
	C 3 G	à t a	225	125	cta	<b>~~</b>	220	226	130	acc.	C2.0	oto	ctc	135	6.00	222	ene
35		ġtg Val															605
33	0111	, , ,	140	0	Du	0, 0	Non	145	1113	71.4	0111		150	11.6	WI P	non	
	cat	ttc		gtg	ctc	atc	ttc		gag	gaa	aat	gag		cct	BCC	agc	653
40		Phe															
	٠	155					160					165		-			
45	gtg	ttt	g t g	aaa	cag	ccc	gtt	tcc	ggt	gcc	gtg	gaa	ggg	aag	gag	gag	701
	Val	Phe	Vai	Lys	G) n	Pro	Val	Ser	Gly	Ala	Ya I	Glu	Giy	Lys	Glu	Glu	
50	170					175					180					185	
50	ctt	ccg	gat	gaa	aac	aaa	tcc	ctg	gag	gaa	acc	clg	cac	acc	gtg	gac	749
	Leu	Pro	Asp	Glu	Asn	Lys	Ser	Leu	Glu	Glu	Thr	Leu	His	Thr	Val	Asp	
55					190					i 95					200		

	ctc	tcc	tca	gaṫ	gat	gat	ttg	ccc	cac	gat	gag	gag	gcc	ctg	gaa	gac .	797
5	Leu	Ser	Ser	Asp	Asp	Asp	Leu	Pro	His	Asp	Glu	Glu	Ala	Leu	Glu	Asp	
				205					210					215			
	agt	gcc	gag	gaa	aag	gtg	gaa	gaa	agt	agg	gca	gag	aaa	ata	aaa	aga	845
10	Ser	Ala	Glu	Glu	Lys	Val	Glu	Glu	Ser	Arg	Ala	Glu	Lys	He	Lys	Arg	
			220					225					230				
15	tcc	agc	ctg	aag	aaa	gtg	gat	agc	ctc	aag	aaa	gca	ttt	tct	cgc	cag	893
	Ser	Ser	Leu	Lys	Lys	Val	Asp	Ser	Leu	Lys	Lys	Ala	Phe	Ser	Arg	Gln	
20		235					240					245					
_	aac	atc	gag	aaa	aag	atg	aac	aag	ctg	ggg	aca	aag	atc	gta	tct	gta	941
	Asn	He	Glu	Lys	Lys	Met	Asn	Lys	Leu	Gly	Thr	Lys	He	Val	Ser	Val	
25	250		J			255					260					265	
			aga	•													989
30	Glu	Arg	Arg	Glu		He	Lys	Lys	Ser		Thr	Ser	Asn	His		Lys	
					270					275					280		1007
			tca														1037
35	Ile	Ser	Ser		Lys	Ser	Ser	Pro		Lys	Val	Ser	PTO	295	ınr	rne	
				285	-4-		~~~	<b>6</b> 60	290	200	001	ana	<i>7</i> 00		<i>σ</i> ο σ	900	1085
40			aag Lys														1000
	GIY	HIR		LYS	741	n1 R	GIU	305		JUI	1113	A.L	310	Wall	010	1111	
45	200	100	300 gaa	<b>6</b> 26	cto	cci	agr			cae	atg	cca		gac	Cag	gaa	1133
			Glu				•										
	r y s	315	O I U	изъ	LCu		320		0,0			325				•••	
50	asa		tcc	111	ar 2	<b>020</b>			tcċ	gaa	RCR			gcc	agc	gct	1181
			Ser				•										
55		UIU	JE 1	1 116	VIQ	335		413	501	٠,٠٠	340			u	201	345	
	330					000					0 7 0					0.10	

	ctg	gtg	gaa	ggg	gaa	att	gca	gag	gag	gct	gct	gag	aag	gcg	acc	tcc	1229
5	Leu	Val	Glu	Gly	Glu	Ile	Ala	Glu	Glu	Ala	Ala	Glu	Lys	Ala	Thr	Ser	
					350					355					360		
10	agg	ggg	agt	aac	tcg	ggg	atg	gac	agc	aac	atc	gac	ttg	ac t	att	gtg	1277
,	Arg	Gly	Ser	Asn	Ser	Gly	Met	Asp	Ser	Asn	He	Asp	Leu	Thr	He	Val	
				365					370		٠			375			
15	gaa	gat	gaa	gag	gag	gag	tca	gtg	gcc	ctg	gaa	cag	gca	cag	aag	gta	1325
	Glu	Asp	Ģlu	Glu	Glu	Glu	Ser	Val	Ala	Leu	Glu	Gln	Ala	Gln	Lys	Val	
20			380					385					390				
	cgc	tat	gag	ggt	agc	tac	gcg	cta	aca	tcc	gag	gag	gcg	gag	cgc	tcc	1373
05	Arg	Tyr	Glu	Gly	Ser	Tyr	Ala	Lev	Tbr	Ser	Glu	Glu	Ala	Glu	Arg	Ser	
25		395	-				400					405					
	gat	ggg	gac	CCC.	glg	cag	ccc	gcc	gtg	ctc	cag	gtg	cac	cag	acc	tcc	1421
30	Asp	Gly	Asp	Pro	Val	Gln	Pro	Ala	Vaj	Leu	Gln	Val	His	Gln	Thr	Ser	
	410					415					420					425	
35	tgag	gctta	ga g	ccac	cgtg	C C	tccl	gtgo	tgt:	gcto	aag	cggg	cago	ca	gggct	gaaga	1481
	acaa	acto	ttg	caca	tctc	c ag	cace	acto	acc	cact	cct	gcgt	tcct	gt	ccage	cagta	1541
	atca	ittga	cc a	tata	gtca	t ag	taag	acad	acg	agac	cag	gcit	taco	at	gaaag	cgacc	1601
40	tgtc	acgg	ac t	ccac	tttt	a at	ttgo	tctt	agg	ttct	atc	tcts	taga	at a	gtclo	caaga	1661
	_						_					_			_	1888ac	
45	agag	gata	at t	aaga	tact	a gt	cate	aaaa	glg 	atto	att	cttt	tttg	stc a	attco	atc	1779
	<210	> 70		•	•		•					٠					
50	<211	> 42	5							٠							
30	<212	> PR	T														
	<213	> Ho	mo s	ápie	ns												
55	<400	> 70															

	Met	Gly	Glu	Asp	Ala	Ala	Gln	Ala	Glu	Lys	Phe	Gln	His	Pro	Gly	Ser
5	1				5					10					15	
	Asp	Me t	Arg	Gln	Glu	Lys	Pro	Ser	Ser	Pro	Ser	Pro	Met	Pro	Ser	Ser
10				20					25					30		
	Thr	Pro	Ser	Pro	Ser	Leu	Asn	Leu	Gly	Asn	Thr	Glu	Glu	Ala	Ile	Arg
15			35					40					45			
	Asp	Asn	Ser	Gln	Val	Asn	Ala	Val	Thr	Val	Leu.	Thr	Leu	Leu	Asp	Lys
		50					55					60				
20	Leu	Va ]	Asn	Me t	Leu	Asp	Ala	Val	Gln	Glu	Asn	Gln	His	Lys	Met	Glu
	65					70					75					80
25	Gln	Arg	Gln	Ile	Ser	Leu	Glu	Gly	Ser	Val	Lys	Gly	Ile	Gin	Asn	Asp
			•		85					90				,	95	
	Leu	Thr	Lys	Leu	Ser	Lys	Tyr	Gln		Ser	Thr	Ser	Asn	Thr	Val	Ser
30			•	100					105					110		
	Lys	Leu		GIu	Lys	Ser	Arg <sup>*</sup>		Val	Ser	Ala	His		Arg	Ala	Val
35	•	٥.	115	v .			01.	120	41.	<b>01</b> -	W . 1	1	125	•	٥,	
	LYS		Arg	мет	ASP	Arg		Lys	AIA	GIR	Vai		Arg	Leu	GIU	ASD
40	Acn	130	410	Cln	I ou	Lau	135	Arα	Acn	U; c	Dha	140	Val	Leu	110	Dha
	145	1113	VIG	111	Lea	150	VIP	пів	Vall	1113	155	<i>D</i> 3 3	101	Leu	116	160
		Glu	Gln	Asn	Glu		Ρτα	Ala	Ser	Val	•	Val	Lvs	Gln	Pro	
45			•		165	• • •	٠.			170			-,-		175	
	Ser	G] y	Ala	Va l		Gly	Lys	Glu	Glu		Pro	Asp	Glu	Asn		Ser
50		•		180		-			185					190	Ť	
	l.en	G1 m	Glo		l.eu	His	Thr	Val		Leu	Ser	Ser	Asp	Asp	Asp	Leu
	200		0.0										_	-		

	Pro	His	Asp	Glu	GIu	Ala	Leu	Glu	Asp	Ser	Ala	Glu	Glu	Lys	Val	Ģlu
5		210					215					220				
	Glu	Ser	Arg	Ala	Glu	Lys	He	Lys	Arg	Ser	Ser	Leu	Lys	Lys	٧al	Asp
	225					230					235					240
10	Ser	Leu	Lys	Lys	Ala	Phe	Ser	Arg	Gln	Asn	lle	Glu	Lys	Lys	Met	Asn
					245					250					255	
15	Lys	Leu	Gly	Thr	Lys	Ile	Val	Ser	Val	Gi u	Arg	Arg	Glu	Lys	Ϊle	Lys
				260		•			265					270		
	Lys	Ser	Leu	Thr	Ser	Asn	His	Gin	Lys	lle	Ser	Ser	Gly	Lys	Ser	Ser
20			275					280					285			
	Pro	Phe	Lys	Va 1	Ser	Pro	Leu	Thr	Phe	Gly	Arg	Lys	Lys	Val	Arg	Glu
25		290					295					300				
	Gly	Glu	Ser	His	Ala	Glu	Asn	Glu	Thr	Lys	Ser	Glu	Asp	Leu	Pro	Ser
30	305					310					315					320
	Ser	Glu	Gln	Met	Pro	Asn	Asp	Gln	Glu	Glu	Glu	Ser	Phe	Ala	Glu	Gly
					325					330					335	
35	His	Ser	Glu	Ala	Ser	Leu	Ala	Ser	Ala	Leu	Val	Glu	Gly	Glu	lle	Ala
				340					345					350		
40	Glu	Glu		Ala	Glu	Lys	Ala		Ser	Arg	Gly	Ser		Ser	Gly	Met
			355					360					365		•	
45	Asp		Asn	Ile	Asp	Leu	•	He	Val	Glu	Asp		Glu	Glu	Glu	Ser
		370	_				375				_	380				
		Ala	Leu	Glu	Gln	•	Gln	Lys	Val	Arg	•	Glu	G]y	Ser	Tyr	
50	385		_			390			_		395		_			400
	Leu	Thr	Ser	Glu		Ala	Glu	Arg	Ser		Gly	Asp	Pro			Pro
55					405				_	410					415	
	Ala	Va l	Leu	Gln	Val	His	Gln	Thr	Ser							

425 420 5 <210> 71 <211> 2638 10 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (288).. (1844) 20 <400> 71 gaggaaaggg gaaatgcggc ccgctccca ctcagtgcca ctctgtgcca ctccgtgcca 60 25 ggccctgagg gcacccggtt gctgcttcct tccgtctttc cccaaggact atcagagatg 120 ccagcgtgac ccctgacacg tgtgtgcagc agcctgcagc tgccccaagc catggctgaa 180 cactgactee cagetgiggg clicaceatt acagacteee cagggettea aagactiete 240 30 agcticgage atggettitg getgicaggg cagcigiaca atagigg atg itt gag Met Phe Glu 35 1 acg gag gca gat gag aag agg gag atg gcc tig gag gaa ggg aag ggg 344 Thr Glu Ala Asp Glu Lys Arg Glu Met Ala Leu Glu Glu Gly Lys Gly 40 5 10 15. cct ggt gcc gag gat tcc cca ccc agc aag gag ccc tct cct ggc cag 392 45 Pro Gly Ala Glu Asp Ser Pro Pro Ser Lys Glu Pro Ser Pro Gly Gln 25 20 30 35 gag cit cct cca gga caa gac cit cca ccc aac aag gac tcc cct tct 50 Glu Leu Pro Pro Gly Gln Asp Leu Pro Pro Asn Lys Asp Ser Pro Ser 40 45

ggg cag gaa ccc gct ccc agc caa gaa cca cig icc agc aaa gac ica

55

	Gly	Gln	Glu	Pro	Ala	Pro	Ser	Gln	Glu	Pro	Leu	Ser	Ser	Lys	Asp	Ser	
5				55					60					65			
·	gct	acc	tct	gaa	gga	tcc	cct	cca	ggc	cca	gat	gct	ccg	ccc	agc	aag	536
10	Ala	Thr	Ser	Glu	Gly	Ser	Pro	Pro	Gly	Pro	Asp	Ala	Pro	Pro	Ser	Lys	•
			70					75					80				
15	gat	gtg	cca	cca	t gc	cag	gaa	ccc	cct	cca	gcc	caa	gac	ctc	tca	ccc	584
	Asp	Va I	Pro	Pro	Cys	Gin	Glu <sub>.</sub>	Pro	Pro	Pro	Ala	Gln	Asp	Leu	Ser	Pro	
		85					90					95					
20	tgc	cag	gac	cta	cct	gct	ggt	caa	ġaa	ccc	cig	cct	cac	cag	gac	cc t	632
	Cys	Gln	Asp	Leu	Рго	Ala	Gly	Gln	Glu	Pro	Leu	Pro	His	Gln	Asp	Pro .	
25	100					105					110					115	
	cta	ctc	-acc	aaa	gac	ctc	cct	gcc	atc	cag	gaa	tcc	ccc	acc	cgg	gac	680
•	Leu	Leu	Thr	Lys		Leu	Pro	Ala	He		Glu	Ser	Pro	Thr		Asp	
30					120					125					130		500
			CCC													-	728
35	Leu	Pro	Pro		GIN	ASP	teu	Pro		261	GIN	vai	Ser		Pro	Ala	
			clt	135	an.a	<b>400</b>	200	a t a	140	tcc	ana	asc	nta	145	ac a	act	776
40			Leu														
	Lys		150		U.u	пор	****	155			0,,	nop	160	DCu	n.u		
	act		gac	сса	cct	gcg	RCC		agg	сса	°gcc	ttc		atc	ccl	gag	824
45			Asp									•					
		•••	,						-								
		165					170					175					
50	gtc	165 cgg	ctg	gat	agc	acc		agc	cag	aag	gca		gca	gag	cag	ggc	872
		cgg	ctg Leu				tac					ggg					872

	t g	c tcs	g gga	gal	t gag	gag	gat	gca	gaa	gag	gco	gag	gag	gtg	gag	gag	920
_	Су	s Sei	Gly	/ Asp	Glu	Glu	ı Aşp	Ála	Glu	Glu	· Ala	Glu	Glu	Va]	Glu	Glu	
5					200					205					210		
	88	g gag	gaa	ggg	gag	gag	gac	gag	gat	gag	gac	acc	agc	gat	gac	aac	968
10	Gl	y Glu	Glu	Gly	Glu	Glu	Asp	Glu	Asp	Glu	Asp	Thr	Ser	Asp	Asp	Asn	
				215	•				220	ı				225			
15	tac	gga	gag	cgc	agt	gag	gcc	aag	cgc	agc	agc	atg	atc	gag	acg	ggc	1016
	Ту	Gly	Glu	Arg	Ser	G) u	Ala	Lys	Arg	Ser	Ser	Met	lle	Glu	Thr	Gly	
			230					235					240				
20	cag	ggg	gct	gag	ggt	ggc	ctc	tca	cig	cgt	gtg	cag	aac	tcg	ctg	cgg	1064
	Gln	Gly	Ala	GJu	Gly	Gly	Leu	Ser	Leu	Arg	Val	Gin	Asn	Ser	Leu	Arg	
25		245	_				250					255			•		
	cgc	cgg	acg	cac	agc	gag	ggc	agc	ctg	clg	cag	gag	ccc	cga	ggg	ccc	1112
30		Arg	Thr	His	Ser	Glu	Gly	Ser	Leu	Leu	Gln	Glu	Pro	Arg	Gly	Pro	
	260					265					270					275	
		ttt															1160
35	Cys	Phe	Ala	Ser		Thr	Thr	Leu	His		Ser	Asp	Gly	Glu		Ala	
		4			280					285					290		
40		tcc															1208
	AIa	Ser			GIY	Met	Pro	Ser		Ser	Thr	Leu	Lys		Glu	Leu	
45	<b>77.0</b> 0	050		295		100			300		4		44.	305			
45		Cgc					•										1256
	оту	Arg	310	Y I Y	озу	361	MEI	315	піѕ	ren	261		•	rne	INT	ыу	
50	020			n t 17	0.00		ant		200	att	~~~		320				1004
		agg															1304
55		Arg !	LyS :	nt i	JEI			u9ħ	1111	141			ASP.	MSD	ė i U	AIA	
		325					330					335					

	tco	cgg	aag	aga	aag	agc	aaa	aac	cta	gcc	aag	gac	atg	aag	aac	aag	1352
5	Ser	Arg	Lys	Arg	Lys	Ser	Lys	Asn	Leu	Ala	Lys	Asp	Met	Lys	Asn	Lys	
	340	)				345					350					355	
10	ctg	ggg	atc	ttc	aga	cgg	cgg	aat	gag	tcc	cct	gga	gcc	cct	ccc	gcg	1400
10	Leu	Gly	Ile	Pḥe	Arg	Arg	Arg	Asp	Glu	Ser	Pro	Gly	Ala	Pro	Pro	Ala	
					360					365			•		370	•	
15	ggc	aag	gca	gac	aaa	atg	atg	aag	tca	ttc	aag	ссс	acc	tca	gag	gaa	1448
	Gly	Lys	Ala	Asp	Lys	Met	Me t	Lys	Ser	Phe	Lys	Pro	Thr	Ser	Glu	Glu	
20				375					380					385			
	gcc	ctc	aag	tgg	ggc	gag	tcc	ttg	gag	aag	ctg	ctg	gtt	cac	aaa	tac	1496
	Ala	Leu.	Lys	Trp	Gly	Glu	Ser	Leu	Glu	Lys	Leu	Leu	Val	His	Lys	Tyr	
25			390					395					400				
	ggg	tta	gca	gtg	ttc	caa	gcc	ttc	ctt	cgc	act	gag	ttc	agt	gag	gag	1544
30	Gly	Leu	Ala	Val	Phe	Gln	Ala	Phe	Leu	Arg	Thr	Glu	Phe	Ser	Glu	Glu	
	٠	405					410	-				415					
35	aat	ctg	gag	ttc	lgg	ttg	gct	tgt	gag	gac	ttc	aag	aaig	gtc	aag	tca	1592
	Asn	Leu	Glu	Phe	Trp	Leu	Ala	Cys	Glu	Asp	Phe	Lys	Lys	Val	Lys	Ser	
	420					425					430			_		435	
40		•		atg													1640
·	Gln	Ser	Lys	Me t		Ser	Lys	Ala	Lys		lle	Phe	Ala	Glu	Туг	He	
45					440					445					450		
				gca													1688
50	Ala	He	G1 n	Ala	Cys	Lys	Glu	Val	Asn	Leu	Asp	Ser	Туг	Thr	Arg	G} u	
	•			455					460					465			
	cac	acc	aag	gac	aac	ctg	cag	agc	gtc	acg	cgg	ggc	tgc	ttc	gac	ctg	1736
55	His	Thr	Lys	Asp	Asn	Leu	Gln	Ser	Val	Thr	Arg	Gly	Cys	Phe	Asp	Leu	

•	470		475	480	
<b>5</b>	gca cag aag	cgc atc ttc	ggg cic aig gaa	aag gac tcg tac	cct cgc 1784
	Ala Gln Lys	Arg Ile Phe	Gly Leu Met Glu	Lys Asp Ser Tyr	Pro Arg .
	485		490	495	
10	ttt ctc cgt	tot gac ctc	tac ctg gac ctt	att aac cag aag	aag atg 1832
	Phe Leu Arg	Ser Asp Leu	Tyr Leu Asp Leu	lle Asn Gln Lys	Lys Net
15	500	505		510	515
	agt ccc ccg	ctt taggggcc	ac tggagtcgag ci	cagogito acaccag	rgcg 1884
20	Ser Pro Pro	Leu			
	ggctgggtcc	cctgcccacc tg	cctccctg ccccctg	tga cggagggggc a	agcaagccc 1944
	ccagaggccg	tgicicigga ca	gacggata gacatac	gga agcgaggcct g	gaccaagag 2004
25	aggcccaggc	tactggagga gt:	agaaggat gggcccc	gtg gggtccccac t	gccccggta 2064
	CESERRESCO	caagaccotg go	aggicagg ggcccig	gcc aagccagaic t	iggagetget 2124
30	gctccctgct	gegagaeeg eg	gaggotite gegttga	cca agticctiaa a	igaactgget 2184
	gatggggcag	gaggtccagg cc	tgggctct cgggccc	tcc tagagggcca t	ttggagcttg 2244
	cagcicagac	eccectite ag	itttatit atttaaa	tag tagttggatg c	ttggcacgt 2304
35	cgtcctgtaa	laggaaaccc ttg	geeteate agitite	ctg attacaagt g	scaatatttt 2364
	agccaatgcc	tgggagaag cla	gccatgca aaggtgg	aca ccattcicca g	gcticagggg 2424
40	atatgctcgt	ccgggcacc gg	tggcaggc agctggc	ctt ciggactaag g	scagectggg 2484
				ccc ccigggigga g	
45	ggggcttigg g	gaaagcatgg cad	ccetcaga ccacaca	gta gccaagtict g	gagcaaata 2604
43	aaaggccigi g	itatticti gli	ictigaaa aaaa		2638
	<210> 72 ⋅				
50	<211> 519				
	<212> PRT				
55	(213) Homo s	aniens			•

**<400> 72** Met Phe Glu Thr Glu Ala Asp Glu Lys Arg Glu Met Ala Leu Glu Glu Gly Lys Gly Pro Gly Ala Glu Asp Ser Pro Pro Ser Lys Glu Pro Ser · 30 Pro Gly Gln Glu Leu Pro Pro Gly Gln Asp Leu Pro Pro Asn Lys Asp Ser Pro Ser Gly Gln Glu Pro Ala Pro Ser Gln Glu Pro Leu Ser Ser 55. Lys Asp Ser Ala Thr Ser Glu Gly Ser Pro Pro Gly Pro Asp Ala Pro Pro Ser Lys Asp Val Pro Pro Cys Gln Glu Pro Pro Pro Ala Gln Asp Leu Ser Pro Cys Gln Asp Leu Pro Ala Gly Gln Glu Pro Leu Pro His Gin Asp Pro Leu Leu Thr Lys Asp Leu Pro Ala Ile Gin Giu Ser Pro Thr Arg Asp Leu Pro Pro Cys Gln Asp Leu Pro Pro Ser Gln Val Ser Leu Pro Ala Lys Ala Leu Thr Glu Asp Thr Met Ser Ser Gly Asp Leu Leu Ala Ala Thr Gly Asp Pro Pro Ala Ala Pro Arg Pro Ala Phe Val lle Pro Glu Val Arg Leu Asp Ser Thr Tyr Ser Gln Lys Ala Gly Ala 

Glu Gln Gly Cys Ser Gly Asp Glu Glu Asp Ala Glu Glu Ala Glu Glu

_	Val	Glu	Glu	Gly	Glu	Glu	Gly	Glu	Glu	Asp	Glu	Asp	Glu	Asp	Thr	Ser
5		210					215					220				
	Asp	Asp	Asn	Tyr	Gly	Glu	Arg	Ser	Glu	Ala	Lys	Arg	Ser	Ser	Met	Ile
10	225					23.0					235		•			240
	Glu	Thr	Gly	Gln	Gly	Ala	Glu	Gly	Gly	Leu	Ser	Leu	Aŗg	Val	Gln	Asn
15					245					250				•	255	
	Ser	Leu	Arg	Arg	Arg	Thr	His	Ser	Glu	Gly	Ser	Leu	Leu	Gln	Glu	Pro
				260	Ī				265			-		270		
20	Arg	Gly	Pro	Cys	Phe	Ala	Ser	Asp	Thr	Thr	Leu	His	Cys	Ser	Asp	Gly
			275					280					285			
25	Glu	Gly	Ala	Ala	Ser	Thr	Trp	Gly	Me t	Pro	Ser	Pro	Ser	Thr	Leu	Lys
		290	~				295					300		•		
30	Lys	Glu	Leu	Gly	Arg	Asn	Gly	Gly	Ser	Met	His	His	Leu	Ser	Leu	Phe
30	305					310					315					320
	Phe	Thr	Gly	His	Arg	Lys	Met	Ser	Gly		Asp	Thr	Val	Gly		Asp
35					325					330					335	
	Asp	Glu	Ala		Arg	Lys	Arg	Lys		Lys	Asn	Leu	Ala		Asp	Met
40				340					345				_	350		
	Lys	Asn	Lys	Leu	Gly	He	Phe	Arg	Arg	Arg	Asn	Glu	Ser	Pro	Gly	Ala
			·													
		_	355					360			_	_	365		_	
45	Pro		355 Ala	Gly	Lys	Ala			Me t	Met	Lys			Lys	Pro	Thr
<b>45</b> .		370	Ala				375	Lys				380	Phe			
45		370				Lys	375	Lys			Leu	380	Phe			Val
	Ser 385	370 Glu	Ala Glu	Ala	Leu	Lys <sup>*</sup> 390	375 <b>T</b> rp	Lys	Glu	Ser	Leu 395	380 Glu	Phe Lys	Leu	Leu	Val 400
	Ser 385	370 Glu	Ala	Ala	Leu	Lys <sup>*</sup> 390	375 <b>T</b> rp	Lys	Glu	Ser	Leu 395	380 Glu	Phe Lys	Leu	Leu	Val 400

	Ser Glu Glu Asn Leu Glu Phe Trp Leu Ala Cys Glu Asp Phe Lys Lys
	420 425 430
5	Val Lys Ser Gln Ser Lys Met Ala Ser Lys Ala Lys Lys Ile Phe Ala .
	435 440 445
10	Glu Tyr Ile Ala Ile Gln Ala Cys Lys Glu Val Asn Leu Asp Ser Tyr
	450 455 460
15	Thr Arg Glu His Thr Lys Asp Asn Leu Gln Ser Val Thr Arg Gly Cys
	465 470 475 480
	Phe Asp Leu Ala Gln Lys Arg Ile Phe Gly Leu Met Glu Lys Asp Ser
20	485 490 495
	Tyr Pro Arg Phe Leu Arg Ser Asp Leu Tyr Leu Asp Leu Ile Asn Gln
25	500 505 510
	Lys Lys Met Ser Pro Pro Leu
30	515
	<210> 73
	<211> 1901
35	<212> DNA
• .	<213> Homo sapiens
40	<220>
	<221> CDS
45	<222> (250) (1206)
	<400> 73
	aaaaaacagc agggttagct tgtccctccc clccctcttc agcttcccag acactgattc 60
50	tggaatgaaa attcacctgc ctcigagttg gctcctaatg ggggtgggag tgttacttcg 120
	giloccaggi iggaagatia icicaccegg coccagcial alaagcigac eggigiggag 180
55	gggcccagca gggccaactc cagggattcc ttccacgaca gaaaaacata caagactcct 240

	tca	gcca	ac a	tg a	tg g	ta c	tg a	aa g	ta g	ag g	aa c	lg g	ic a	ct g	ga a	ag aag	291
5			M	et M	et V	al L	eu L	ys V	al G	lu G	lu L	eu V	al T	hr G	ly L	ys Lys	
	••			1				5					10				
	aat	ggc	aat	ggg	gag	gca	ggg	gaa	1 tc	ctt	cct	gag	gat	ttc	aga	gat	339
10	Asn	Gly	Asn	·Gly	Glu	Ala	G) y	Glu	Phe	Leu	Pro	Glu	Asp	Phe	Arg	Asp	
	15					20					25			•		30	
15	gga	gag	tat	gaa	gc t	gct	gtt	act	tta	gag	aag	cag	gag	gat	ctg	aag	387
	Gly	Glu	Tyr	Glu	Ala	Ala	Val	Thr	Leu	Glu	Lys	Gln	Glu	Asp	Leu	Lys .	
20					35					40					45		
	aca	ctt	cta	gcc	cac	cct	gtg	acc	ctg	ggg	gag	caa	cag	tgg	aaa	agc	435
	Thr	Leu	Leu	Ala	His	Pro	Val	Thr	Leu	Gly	Glu	Gln	Gln	Trp	Lys	Ser	
25			_	50					55					60			
	gag	aaa	caa	cga	gag	gca	gag	çtc	cca	aag	aaa	aaa	cta	gaa	caa	aga	483
30	Glu	Lys	Gln	Arg	Glu	Ala	Glu	Leu	Pro	Lys	Lys	Lys	Leu	Glu	Gln	Arg .	
			65					70					75				
	tcc	aag	ctt	gaa	aat	tta	gaa	gac	ctt	gaa	ata	atc	att	caa	ctg	aag	531
35	Ser	Lys	Leu	Glu	Asn	Leu	G) u	Asp	Leu	Glu	He	He	He	Gln	Leu	Lys	
		80					85					90					
40	888	agg	<b>a</b> aa	888	tac	agg	aaa	act	<b>a</b> 88	gtt	cca	gtt	gta	aag	gaa	cca	579.
	Lys	Arg	Lys	Lys	Tyr		Lys	Thr	Lys	Val		Val	Val	Lys	Glu	Pro	
45	95					100.					105					110	
				atc			•		•								627
	Glu	Pro	Glu	He		Thr	G) u	Pro	Val		Val	Рго	Thr	Phe		Lys	
50					115				-	120					125		
	gct	gc t	ctg	gag	aal	aaa	clg	cca	gla	gta	gaa	aaa	ttc	itg	tca	gac	675
55	Ala	Ala	Leu	Glu	Asn	Lys	Leu	Pro	Val	Val	Glu	Lys	Phe	Leu	Ser	Asp	
				130					135					140			

	aag	aac	aat	cca	gat	gtt	tgt	gat	gag	tat	aaa	cgg	aca	gct	ctt	cat	723
5	Lys	Asn	Asn	Pro	Asp	Val	Cys	Asp	Glu	Tyr	Lys	Arg	Thr	Ala	Leu	His	
			145					150					155				
10	aga	gca	tgc	ttg	gaa	gga	cat	ttg	gca	att	gtg	gag	aag	tta	atg	gaa	771
	Ārg	Ala	Cys	Leu	Glu	Gly	His	Leu	Ala	Ile	Val	Glu	Lys	Leu	Met	Gļu	
		160					165					170					
15	gct	gga	gcc	cag	atc	gaa	ttc	cgt	gat	atg	ctt	gaa	tcc	aca	gcc	atc	819
	Ala	Gly	Ala	Gln	He	Glu	Phe	Arg	Asp	Met	Leu	Glu	Ser	Thr	Ala	He	
20	175					180					185					190	
	cac	tgg	gca	agc	cgt	gga	gga	aac	ctg	gat	gtt	tta	aaa	ttg	ttg	ctg	867
25	His	Trp	Ala	Ser	Arg	Gly	Gly	Asn	Leu	Asp	Val	Leu	Lys	Leu	Leu	Leu	
		٠	-		195					200					205		
	aat	aaa	gga	gca	aaa	att	agc	gcc	cga	gat	aag	ttg	ctc	agc	aca	gcg	915
30	Asn	Lys	Gly	Ala	Lys	He	Ser	Ala		Asp	Lys	Leu	Leu	Ser	Thr	Ala	
				210		•			215					220			
35	_			gcg													963
	Leu	His		Ala	Val	Arg	Thr		His	Tyr	Glu	Cys		Glu	His	Leu	
40			225					230					235				
40				gag										,			1011
	116		Cys	Glu	AIA	ASP		ASII	AIA	Lys	ASP		GIU	GIY	ASP	Inr	
45		240		•		-1-	245			0.00		250				-1-	1050
				gat		-									_		1059
50		TEA	піЗ	Asp	Ala		MIR	ren	V211	W1 R	265	LYS	mei	116	Arg.		
	255	-44	- 4 -	4.4		260	+			-1-			1 1	4		270	
				tat					•							_	1107
55	Leu	116	ne t	Tyr	GIY	Ala	ASP	Leu	ASD	116	Lys	ASN	Cys	Ala	Gly	Lys	

		275	280	285	
5	acg ccg atg g	at ctg gtg cta ca	c tgg cag aat g	gga acc aaa gca aía	1155
	Thr Pro Met A	sp Leu Val Leu Hi	s Trp Gln Asn G	Gly Thr Lys Ala Ile	
	. 2	90	295	300	
10	ttc gac agc c	tc aga gag aac tc	c tac aag acc t	ct cgc ata gct aca	1203
	Phe Asp Ser L	eu Arg Glu Asn Se	r Tyr Lys Thr S	Ser Arg Ile Ala Thr	
15	305	31	0	315	
	ttc tgaggcaaa	c gacagactet taat	cagtaa atgiicac	tg gcattttgaa	1256
20	Phe				
•	ggcatggccc ag	gagaagag acactagc	ca taasatctag t	tictattia tcaacgigti	1316
	gigaagalgi ac	ctaalgaa giiilgag	aa agcacagggt t	ataggtgtt taaatttcct	1376
25	ttagtgaaac tc	ttatttat ttttalgt	at teetgittat t	tatttactg ccacgctact	1436
	gatattcaga cc	ttcatgat catccatc	tg gtgagcagag c	ticatitgt atataacact	1496
30	ttcagagcct tc	ccacccat aggtagtt	ct taaaccaggt g	aaagagcaa agticaagig	1556
	cctacttatg tg	tcattcgc tcatgtaa	ga giilitaaga g	agggetgat tateacagee	1616
	ctcttttctc ct	gaattti aatgcaga	ag itigaalgaa g	caagggaag gcatgtaggg	1676
35	acaggaaagg aa	acaatgga aggaaagt	ga ticigigaaa a	ggacagiga agccagciai	1736
	ttiacccca gg	etggatti iittiiit	it ttillillit t	ttttttta ccgagtacac	1796
10	agagtaccca ag	igaagaga acgicaig	ag iglaagigca a	atcagigga aggagcggca	1856
	aacigggaca ig	cagaatig aattigct	ca aaaaaaaaa a	<b>aaaa</b>	1901
<b>1</b> 5	<210> 74				
	<211> 319				
	<212> PRT			٠	
5 <b>0</b>	<213≻ Homo sa	piens		_	
	<b>&lt;400&gt; 74</b>				
55	Met Met Val l	en lys Val Glu Gl	ı Len Val Thr G	ly Lye Lye Aen Cly	

	1				5					10					15		
5	Asn	Gly	Glu	Ala	Gly	Glu	Phe	Leu	Pro	Glu	Asp	Phe	Arg	Asp	Gly	Glu	
				20					25					30			
	Туг	Glu	Ala	Ala	Val	Thr	Leu	Glu	Lys	Gln	Glu	Asp	Leu	Łys	Thr	Leju	
			35					40		•			45				
	Leu	Ala	His	Pro	Va)	Thr	Leu	Gly	Glu	Gln	Gln	Trp	Lys	Ser	Glu	Lys	
15		50					55					60					
	Gln	Arg	Glu	Ala	Glu	Leu	Pro	Lys	Lys	Lys	Leu	Glu	Gln	Arg	Ser	Lys	
20	65					70					75					80	
20	Leu	Glu	Asn	Leu	Glu	Asp	Leu	Glu	lle	Ile	He	Gln	Leu	Lys	Lys	Arg	
					85					90					95		
25	Lys	Lys	Ţyr -	Arg	Lys	Thr	Lys	Val	Pro	Val	Ya I	Lys	Glu	Pro	Glu	Pro	
			-	100					105					110	٠		
30	Glu	Ile	lle	Thr	Glu	Pro	Val	Asp	Val	Pro	Thr	Phe	Leu	Lys	Ala	Ala	
			115					120	•			•	125				
	Leu	Glu	Asn	Lys	Leu	Pro	Val	Val	Glu	Lys	Phe	Leu	Ser	Asp	Lys	Asn	
35		130					135					140					
		Pro	Asp	Val	Cys		Glu	Tyr	Lys	Arg		Ala	Leu	His	Arg	Ala	
10	145					150					155					160	
	Cys	Leu	Glu	Gly		Leu	Ala	lle	Val		Lys	Leu	Met	Glu		Gly	
45	4.3	٥.		٥.	165				• ′	170	•				175	_	
	Ala	Gin	116		rne	Arg	ASP	Met		610	Ser	Inr	Ala		His	Trp	
	43.	c.		180	O1	,.	1	4	185	1	1	1	<b>Y</b>	190		,	
50	Ala	261		ыу	ыу	ASN	ren		vai	ren	Lys	Leu		Leu	AST	Lys	
	0.		195	7.1	C -			200	•		• -	٠.	205	.,	,		
55	Gly		LYS	116	ser	AIA		ASP	LYS	ren	Leu		ınr	АГа	Leu	HIS	
		210					215					220					

	Val Ala Val Arg Thr Gly His Tyr Glu Cys Ala Glu His Leu Ile Ala
5	225 230 235 - 240
	Cys Glu Ala Asp Leu Asn Ala Lys Asp Arg Glu Gly Asp Thr Pro Leu
10	, 245
	His Asp Ala Val Arg Leu Asn Arg Tyr Lys Met Ile Arg Leu Leu Ile
15	260 265 270 .
,	Met Tyr Gly Ala Asp Leu Asn Ile Lys Asn Cys Ala Gly Lys Thr Pro
	275 280 285
20	Met Asp Leu Val Leu His Trp Gln Asn Gly Thr Lys Ala Ile Phe Asp
	290 295 300
25	Ser Leu Arg Glu Asn Ser Tyr Lys Thr Ser Arg lle Ala Thr Phe
	305 310 315
	<210> 75
30	<211> 5613
	<212> DNA
35	<213> Homo sapiens
	<220> .
40	<221> CDS
	<222> (118) (5475)
	<400> 75
45	cccggagcag ggcgagagct cgcgtcgccg gaaaggaaga cgggaagaaa gggcaggcgg 60
	cleggeggge gietteteea etectetgee gegteeegt ggetgeaggg ageegge 117
50	atg ggg ctt ctc cag tig cta gct ttc agt ttc tta gcc ctg tgc aga 165
	Met Gly Leu Leu Gln Leu Leu Ala Phe Ser Phe Leu Ala Leu Cys Arg
55	1 5 . 10 15
55	gcc cga gtg cgc gct cag gaa ccc gag ttc agc lac ggc tgc gca gaa 213

5	Ala	Arg	Yal		Ala	Gln	Glu	Pro		Phe	Ser	Tyr	Gly		Ala	Glu	
				20					25					30			
	ggc	agc	lgc	tat	ccc	gcc	acg	ggc	gac	ctt	ctc	atc	ggc	cga	gca	cag	26,1
10	Gly	Ser	Cys	Tyr	Pro	Ala	Thr	Gly	Asp	Leu	Leu	lle	Gly	Arg	Ala	Gln.	
			35					40					45			•	•
15	aag	ctt	lcg	gtg	acc	tcg	acg	tgc	ggg	ctg	cac	aag	ccc <sub>.</sub>	gaa	ccc	tac	309
	Lys	Leu	Ser	Val	Thr	Ser	Thr	Cys	Gly	Leu	His	Lys	Pro	Glu	Pro	Tyr	
		50					55					60					
20	tgt	atc	gtc	agc	cac	ttg	cag	gag	gac	aaa	aaa	t gc	ttc	ata	tgc	aat	357.
	Cys	lle	Val	Ser	His	Leu	Gln	Glu	Asp	Lys	Lys	Cys	Phe	He	Cys	Asn	
25	65					70					. 75					80	
	tcc	çaa	gat	cc t	tat	cat	gag	acc	ctg	aat	cct	gac	agc	cat	ctc	att	405
	Ser	Gln	Asp	Pro	Tyr	His	Glu	Thr	Leu	Asn	Pro	Asp	Ser	His	Leu	lle	
30					85					90					95		
	gaa	aat	gtg	gtc	ac t	aca	ttt	gct	cca	aac	cgc	ctt	aag	att	tgg	tgg	453
35	Glu	Asn	Yal	۷al	Thr	Thr	Phe	Ala	Pro	Asn	Arg	Leu	Lys	He	Trp	Trp	
				100					105					110			
	caa	tct	gaa	aat	ggt	gtg	gaa	aat	gta	act	atc	caa	ctg	gat	ttg	gaa	501 <sub>.</sub>
40	Gln	Ser	Glu	Asn	Gly	Val	Glu	Asn	Val	Thr	Ile	Gln	Leu	Asp	Leu	Glu	
			115					120					125				
45	gca	gaa	ttc	cat	ttt	act	cat	ctc	ata	atg	act	ttc	aag	aca	ttc	cgt	549
	Ala	Glu	Phe	His	Phe	Thr	His	Leu	11e	Me t	Thr	Phe	Lys	Thr	Phe	Arg	
50		130					135					140				•	
50	cca	gc t	gct	atg	clg	ata	gaa	cga	tcg	tcc	gac	ttt	ggg	aaa	acc	lgg	597
	Pro	Ala	Ala	Met	Leu	lle	Glu	Arg	Ser	Ser	Asp	Phe	Gly	Lys	Thr	Trp	
55	145					150					155					160	

	gg	t gt	g ta	t aga	tac	ttc	gcc	tat	gac	tgt	gag	gcc	tcg	ttt	cca	ggc	645
5	Gly	y Val	Ty	r Arg	Tyr	Phe	Ala	Tyr	Asp	Cys	Glu	Ala	Ser	Phe	Pro	Gly	
					165					170					175		•
10	a t (	tca	act	ggc	ccc	atg	aaa	aaa	gtc	gat	gac	ata	att	tgt	gat	tct	693
	He	Ser	Thi	Gly	Pro	Met	Lys	Lys	Yal	Asp	Asp	He	He	Cys	Asp	Ser	
				180					185			•		190			
15	cga	tat	tct	gac	att	gaa	ccc	tca	ac t	gaa	gga	gag	gtg	ata	tit	cgt	741
	Arg	Tyr	Ser	Asp	He	Glu	Pro	Ser	Thr	Glu	Gly	Glu	Val	lle	Phe	Arg	
20			195					200					205				
	gct	tta	gat	cct	gct	ttc	aaa	ata	gaa	gat	cct	tat	agc	cca	agg	ata	789
25	Ala	Leu	Asp	Pro	Ąla	Phe	Lys	Ile	Glu	Asp	Pro	Tyr	Ser	Pro	Arg	Ile	
		210	_				215					220					
	cag	aat	tta	tta	aaa	att	acc	aac	ttg	aga	atc	aag	ttt	gtg	aaa	ctg	837
30	Gln	Asn	Leu	Leu	Lys	Ile	Thr	Asn	Leu	Arg	Ile	Lys	Phe	Val	Lys	Leu	
	225					230					235			-		240	
35	cat	act	ttg	gga	gat	aac	ctt	ctg	gat	tcc	agg	atg	gaa	atc	aga	gaa	885
	His	Thr	Leu	Gly		Asn	Leu	Leu	Asp	Ser	Arg	Met	Glu	He	Arg	Glu	
					245					250					255		
40				tat													933
	Lys	Tyr	Tyr	Tyr	Ala	Val	Tyr	Asp		Val	Val	Arg	Gly		Cys	Phe	
45				260					265					270	•	•	
				cat								•					981
	Cys	Tyr		His	Ala	Ser	Glu		Ala	Рго	Val	Asp		Phe	Asn	Glu	
50			275					280					285	·			
				gga													1029
55	Glu		Glu	Gly	Met	Yal		Gly	His	Cys	Me t		Arg	His	Asn	Thr	
		290					295					300					

5	aaı	g gg	c tta	a a (	: tgt	gaa	cto	t gc	atg	gat	ttc	t ac	cat	gat	tta	cct	1077
	Lys	s Gly	y Leu	Ası	Cys	Glu	Leu	Cys	Me t	Asp	Phe	Tyr	His	Asp	Leu	Pro	
	305	;				310	ı				315					320	
10	t g g	gaga	cct	gct	gaa	ggc	cga	aac	agc	aạc	gcc	tgt	aaa	aaa	tgt	aac	1125
	Trp	Arg	g Pro	Ala	Glu	Gly	Arg	Asn	Ser	Asn	Ala	Cys	Lys	Lys	Cys	Asn	
15				•	325					330					335		
	t gc	aat	gaa	cat	tcc	atc	tct	tgt	cac	ttt	gac	atg	gc t	gtt	tac	ctg	1173
	Cys	Asn	Glu	His	Ser	He	Ser	Cys	His	Phe	Asp	Met	Ala	Val	Tyr	Leu	
20				340					345					350			
	gcc	acg	ggg	aac	gtc	agc	gga	ggc	gtg	tgt	gat	gac	lgt	cag	cac	aac	1221
25	Ala	Thr	Gly	Asn	Val	Ser	Gly	Gly	Val	Cys	Asp	Asp	Cys	Gln	His	Asn	
			355					360					365				
30	acc	atg	ggg	cgc	aac	tgt	gag	cag	tgc	aag	ccg	ttt	tac	tac	cag	cac	1269
	Thr	Me t	Gly	Arg	Asn	Cys	Gļu	Gln	Cys	Lys	Pro	Phe	Tyr	Tyr	Gln	His	
		370					375					380					
35	cca	gag	agg	gac	atc	cga	gat	cct	aat	ttc	tgt	gaa	cga	tgt	acg	tgt	1317
	Pro	Glu	Arg	Asp	Ile	Arg	Asp	Pro	Asn	Phe	Cys	Glu	Arg	Cys	Thr	Cys	
40	385					390					395					400	
	gac	cca	gc t	ggc	tct	caa	aat	gag	gga	att	tgt	gac	agc	tat	act	gat	1365
	Asp	Pro	Ala	Gly	Ser	Gln	Asn	Glu	Gly	Ile	Cys	qzA	Ser	Туг	Thr	Asp	
45					405					410					415	•	
	ttt	tct	acl	ggt	clc	att	gct	ggc	cag	tgt	cgg	tgt	aaa	tta	aat	gtg	1413
50	Phe	Ser	Thr	Gly	Leu	Ile	Ala	Gly	Gln	Cys	Arg	Cys	Lys	Leu	Asn	Val	'
				420					425					430			
	gaa	gga	gaa	cat	tgt	gat	gtt	tgc	aaa	gaa	ggc	ttc	tat	gal	tla	agc	1461
55	G I u	Gly	Glu	His	Cys	Asp	Val	Cys	Lys	Glú	Gly	Phe	Туг	Asp	Leu	Ser	

			435					440					445				
5	agt	gaa	gat	cca	ttt	ggt	tgt	aaa	tct	tgt	gct	t gc	aat	cct	ctg	gga	1509
	Ser	Glu	Asp	Pro	Phe	Gly	Cys	Lys	Ser	Cys	Ala	Cys	Asn	Pro	Leu	Gly	
10		450					455					460					
	aca	att	cct	gga	ggg	aat	cct	tgt	gai	tcc	gag	aca	ggt	cac	tgc	tac	1557
	Thr	He	Pro	Gly	Ġly	Asn	Pro	Cys	Asp	Ser	Glu	Thr	Gly	His	Cys	Tyr	
15	465					470			•		475					480	
	tgc	aag	cgt	ctg	gtg	aca	gga	cag	cal	tgt	gac	cag	tgc	ctg	cca	gag	1605
20	Cys	Lys	Arg	Leu	Val	Thr	Gly	Gln	His	Cys	Asp	Gln	Cys	Leu	Pro	Glu	
					485					490					495		
25	cac	tgg	ggc	tta	agc	aat	gat	ttg	gat	gga	tgt	cga	cca	tgt	gac	tgt	1653
	His	Trp	Ģlу	Leu	Ser	Asn	Asp	Leu	Asp	Gly	Cys	Arg	Pro	Cys	Asp	Cys	
				500					505					510			
30	gac	ctt	ggg	gga	gcc	tta	aac	aac	agt	tgc	ttt	gcg	gag	tca	ggc	cag	1701
	Asp	Leu	Gly	Gly	Ala	Leu	Asn	Asn	Ser	Cys	Phe	Ala	Glu	Ser	Gly	Gln	
			515					520					525				
					cct												1749
	·Cys		Cys	Arg	Рго	His	•	He	Gly	Arg	Gln		Asn	Glu	Val	Glu	
40		530					535	_ 4 _			<b>.</b>	540					1202
					ttt			•									1797
45		GIY	lyr	lyr	Phe		101	ren	ASP	nıs		ren	171	GIU	Ala		
	545	700		110		550		al t	200	212	555	ana	000		101	560	1045
• .					ggg												1845
50	Giu	VIS	WZII		565	110	Uly	101	361	570	101	GIU	u1 R	GIR		116	
	005	<b>72</b> 0	0.00			ten	taa	act			aav	***	at ^	660	575	cct	1902
55	cag																1893
	Gln	ASP	AIB	116	rro	261	rrp	1111	GIY	WIG	OIA	rne	191	AIG	1 6 4		

	580	585	590
5	gaa ggg gct tat itg	gag tit tic att gac aac	ata cca tat tcc atg 1941
	Glu-Gly Ala Tyr Leu	Glu Phe Phe Ile Asp Asr	ı Ile Pro Tyr Ser Met
10	595	600	605
	gag tac gac atc cta	ati cgc tac gag cca cag	cta ccc gac cac tgg 1989
15	Glu Tyr Asp Ile Leu	Ile Arg Tyr Glu Pro Gir	Leu Pro Asp His Trp
,,,	610	615	620
	gaa aaa gct gtc atc	aca gtg cag cga cct gga	agg att cca acc agc 2037
20	Glu Lys Ala Val Ile	Thr Val Gln Arg Pro Gly	Arg lle Pro Thr Ser
	625	630 635	640
25	~	acc atc ccc gat gat gad	
		Thr lle Pro Asp Asp Asp	Asn Gin Val Val Ser
30	645	. 650	655
		aga tat gtc gtc ctt cct	
		Arg Tyr Val Val Leu Pro	
35	660	665 .	670
		tac acg gig agg tig gag	
40	675	Tyr Thr Val Arg Leu Glu 680	685
		gtg gag agc ccc tac acg	
45		Val Glu Ser Pro Tyr Thr	
	690 KSP BC1 KSP	695	700
		tgt aaa tca ctg gac atc	
50		Cys Lys Ser Leu Asp Ile	
	705	710 715	·
55		gtc acc aac agt gcc tgg	
	Den Dar 000 919	0.0 200 200 20, 000 100	, gar doo iii oug aga byby

	Se	r Gly	/ Asp	Gly	Val	Va]	Thr	Asn	Ser	Ala	Trp	Glu	Thr	Phe	Gln	Arg	
5					725					730			٠		735	·	
	tac	cga	tgt	cta	gag	aac	agc	aga	agc	gtt	gtg	aaa	aça	ccg	atg	aca	2373
10	Tyr	Are	Cys	Leu	Glu	Asn	Ser	Arg	Ser	Val	Val	Lys	Thr	Pro	Met	Thr	
				740			•		745					750	•		
15	gat	gtt	tgc	aga	aac	atc	atc	ttt	agc	att	tct	gcc	ctg	tta	cac	cag	2421
	Asp	Val	Cys	Arg	Asn	He	Ile	Phe	Ser	lle	Ser	Ala	Leu	Leu	His	Gln	
			755					760					765				
20	aca	ggc	cig	gct	tgt	gaa	tgc	gac	cc t	cag	ggt	tcg	tta	agt	tcc	gtg	2469
	Thr	Gly	Leu	Ala	Cys	Glu	Cys	Asp	Pro	Gln	Gly	Ser	Leu	Ser	Ser	Val	
25		770					775					780					
			•	aac													2517
		Asp	Pro	Asn	Gly	Gly	Gln	Cys	Gln	Cys	Arg	Pro	Asn	Val	Val	Gly	
30	785					790					795					800	
	aga	acc	tgc	aac	aga	tgt	gca	cct	gga	act	ttt	ggc	ttt	ggc	CCC	agt	2565
35	Arg	Thr	Cys	Asn	Arg	Cys	Ala	Pro	Gly	Thr	Phe	Gly	Phe	Gly	Pro	Ser	
					805					810					815		
	gga																2613
40	Gly	Cys	Lys	Pro	Cys	Glu	Cys	His		Gln	Gly	Ser	Val		Ala	Phe	
				820					825					830			
45	tgc	aat	ccc	gtc	act	ggc	cag	t gc	cac	tgt	ttc	cag	gga	glg	tat	gct	2661
	Cys	Asn	Pro	Val	Thr	Gly	Gln		His	Cys	Phe	Gln	Gly	Val	Tyr	Ala	
			835					840					845				٠
50	cgg	cag	tgt	gat	cgg	t gc	tta	cci	ggg	cac	igg	ggc	ttt	cca	agt	t gc	2709
	Arg	Gln	Cys	Asp	Arg	Cys	Leu	Pro	Gly	His	Trp	Gly	Phe	Pro	Ser	Cys	
55		850					855					860					
	cag	ccc	tgc	cag	tgc	aat	ggc	cac	gcc	gat	gac	tgc	gac	cca	gtg	act	2757

	Gin	Pro	Cys	Gln	Cys	Asn	Gly	His	Ala	Asp	Asp	Cys	Asp	Pro	Val	Thr	
5	865			•		870		••			875					880	
	ggg	gag	tġc	ttg	aac	tgc	cag	gac	tac	acc	atg	ggt	cat	aac	tgt	gaa	2805
10	Gly	·G1 u	Cys	Leu	Asn	Cys	Gln	Asp	Tyr	Thr	Met	Gly	His	Asn	Cys	Glu	
,					885					890			•		895		:
15	agg	tgc	ttg	gc t	ggt	tac	tat	ggc	gac	ccc	atc	att	ggg	tca	ggt	gat	2853
	Arg	Cys	Leu	Ala	Gly	Tyr	Tyr	Gly	Asp	Pro	Ile	Ile	Gly	Ser	Gly	Asp	
				900					905					910			
20	cac	tgc	cgc	cct	tgc	cct	tgc	cca	gat	ggt	ссс	gac	agt	gga	cgc	cag	2901
	His	Cys	Arg	Pro	Cys	Pro	Cys	Pro	Asp	Gly	Pro	Asp	Ser	Gly	Arg	Gln	
25			915					920					925				
	ttt	gcc	agg	agc	tgc	tac	caa	gat	cct	gtt	act	tta	cag	clt	gcc	tgt	2949
30	Phe	Ala	Arg	Ser	Cys	Tyr	Gln	Asp	Pro	Val	Thr	Lev	Gln	Leu	Ala	Cys	
30		930					935					940		٠			
	gtt	tgt	gat	cct	gga	tac	att	ggt	tcc	aga	tgt	gac	gac	tgt	gcc	tca	2997
35	Val	Cys	Asp	Pro	Gly	Туг	Ile	Gly	Ser	Arg	Cys	Asp	Asp	Cys	Ala	Ser	
	945					950					955					960	
40	gga	tac	ttt	ggc	aat	cca	tca	gaa	gtt	ggg	ggg	tcg	tgt	cag	cct	tgc	3045
	Gly	Tyr	Phe	Gly	Asn	Pro	Ser	Glu	Val	Gly	Gly	Ser	Cys	Gin	Pro	Cys	
					965					970					975		
45	cag	tgt	cac	aac	aac	att	gac	acg	aca	gac	cca	gaa	BCC	tgt	gac	aag	3093
	Gln	Cys	His	Asn	Asn	lle	Asp	Thr	Thr	Asp	Pro	Glu	Ala	Cys	Asp	Lys	
50				980					985					990			
	gag	act	ggg	agg	tgt	ctc	aag	tgc	ctg	tac	cac	acg	gaa	ggg	gaa	cac	3141
	Glu	Thr	Gly	Arg	Cys	Leu	Lys	Cys	Leu	Tyr	His	Thr	Glu	Gly	Glu	His	
55			995				1	000		•		1	005		,		

5				i go													3189
	Cys			Cys	Arg				Tyr	Gly			Leu	Arg	Gln	Asp	
		1010	)				1015					1020					
10	tgt	cga	aag	tgt	gtc	tgt	aat	tac	ctg	ggc	acc	gtg	caa	gag	cac	tgt	3237
	Cys	Arg	Lys	Cys	Yal	Cys	Asn	Tyr	Leu	Gly	Thr	Val	Gln	Glu	His	Cys	
	102	5	,			1030			•	•	1035					1040	
15	aac	ggc	tct	gac	tgc	cag	tgc	gac	aaa	gcc	act	ggt	cag	tgc	ttg	lgt	3285
	Asn	Gly	Ser	Asp	Cys	Gln	Cys	Asp	Lys	Ala	Thr	Gly	Gln	Cys	Leu	Cys	
20					1045					050					1055		•
	ctt	cct	aat	gtg	atc	ggg	cag	aac	tgt	gac	cgc	tgt	gcg	ccc	aat	acc	3333
25	Leu	Pro	Asn	Val	He	Gly	Gln	Asn	Cys	Asp	Arg	Cys	Ala	Pro	Asn	Thr	
25			-	1060					1065					1070			
	tgg	cag	ctg	gcc	agt	ggc	act	ggc	tgt	gac	cca	t gc	aac	t gc	aat	gct	3381
30	Trp	Gln	Leu	Ala	Ser	Gly	Thr	Gly	Cys	Asp	Pro	Cys	Asn	Cys	Asn	Ala	
			1075				:	1080				1	085				
35	gct	cat	tcc	ttc	ggg	cca	tct	tgc	aat	gag	ttc	acg	ggg	cag	t gc	cag	3429 .
	Ala	His	Ser	Phe	Gly	Pro	Ser	Cys	Asn	Glu	Phe	Thr	Gly	Gln	Cys	Gln	
	1	090				j	1095				1	100					
40	tgc	atg	cct	ggg	ttt	gga	ggc	cgc	acc	t gc	agc	gag	tgc	cag	gaa	cic	3477
	Cys	Me t	Pro	Gly	Phe	Gly	Gly	Arg	Thr	Cys	Ser	Glu	Cys	Gln	Glu	Leu	
	1105				I	110				Ī	115				1	120	
45	ttc	lgg	gga	gac	ccc	gac	gtg	gag	tgc	cga	gcc	tgt	gac	tgt	gac	ссс	3525
	Phe	Trp	Gly	Asp	Pro	Asp	Val	Glu	Cys	Arg	Ala	·Cys	Asp	Cys	Asp	Pro	
50	•			1	125				j	130				. 1	135		
	agg	ggc	att	gag	acg	cca	cag	tgt	gac	cag	tcc	acg	ggc	cag	tgt	gtc	3573
	Arg	Gly	Ile	Glu	Thr	Pro	Gin	Cys	Asp	Gln	Ser	Thr	Gly	Gin	Cys	Val	
55			1	140				1	145				1	150		• •	

	tgc :	gtt	gag	ggt	gtt	gag	ggt	cca	cgc	tgt	gac	aag	tgc	acg	cga	ggg	3621
5	Cys	Val	Glu	Gly	Val	Glu	Gly	Pro	Arg	Cys	Asp	Lys	Cys	Thr	Arg	Gly	
•		1	155				•	1160					1165		,		
10	tac	tcg	ggg	gtc	ttc	cct	gac	t gc	aca	ccc	tgc	cac	cag	tgc	ttt	gct	. 3669
	Tyr S	Ser	Gly	Val	Phe	Pro	Asp	Cys	Thr	Pro	Cys	His	Gln	Cys	Phe	Ala	
15	11	70					1175					1180					•
	ctc 1	gg	gat	gtg	atc	att	gcc	gag	ctg	acc	aac	agg	aca	cac	aga	ttc	37:17
	Leu 1	ſτp	Asp	Val	He	Ile	Ala	Glu	Leu	Thr	Asn	Arg	Thr	His	Arg	Phe	
20	1185				1	190					1195					1200	
	ctg g	gag	aaa	gcc	aag	gcc	ttg	aag	atc	agt	ggt	gtg	atc	ggg	cct	tac	3765
25	Lev C	l u	Lys	Ala	Lys	Ala	Leu	Lys	He	Ser	Gly	Val	He	Gly	Pro	Tyr	
		•	-	i	205				1	210					1215		
20	cgt g	ag	ac t	gtg	gac	tcg	gtg	gag	agg	aaa	gtc	agc	gag	ata	aaa	gac	3813
30	Arg G	lu	Thr	Val	Asp	Ser	Val	Glu	Arg	Lys	Val	Ser	Glи	Ile	Lys	Asp	
			1	220				1	225			•	]	1230			
<b>35</b>	atc c	tg .	gcg	cag	agc	CCC	gca	gca	gag	cca	ctg	aaa	aac	att	ggg	aat	3861
·	lle L			Gln	Ser	Pro			Glu	Pro	Leu			Ile	Gly	Asn	
40			235					240				_	245				
	ctc t																3909
	Leu P		Glu	Glu	Ala			Leu	Ile	Lys			Thr	Glu	Met	Met	
45	12						255					260					
	gct c	aa 1	gta	gaa	gtg	aaa	tta	tct	gac	aca	act	tċc	caa	agc	aac	agc	3957
50	Ala G	ln '	Val	Glu	Val	Lys	Leu	Ser	Asp	Thr	Thr	Ser	Gln	Ser	Asn	Ser	
	1265				}	270				]	275				:	280	
ee	aca g	cc a	aaa	gaa	cig	gat	tct	cta	cag	aca	gaa	gcc	gaa	agc	cta	gac	4005
55	Thr A	la I	Lys	Glu	Leu	Asp	Ser	Leu	Gln	Thr	GIu	Ala	Glu	Ser	Leu	Asp	

					1285					1290					1295		
5	aac	act	gtg	aaa	gaa	ctt	gct	gaa	caa	ctg	gaa	tti	atc	aaa	aac	tca	4053
	Asn	Thr	Val	Lys	Glu	Leu	Ala	Glu	Gln	Leu	Glu	Phe	lle	Lys	Asn	Ser	
10				1300					1305					1310		-	
	gat	att	cgg	ggt	gcc	ttg	gat	agc	att	acc	aag	tat	ttc	cag	atg	tct	4101
15	Asp	He	Arg	Gly	Ala	Leu	Asp	Ser	He	Thr	Lys	Tyr	Phe	Gln	Met	Ser	
15			1315					1320					1325				
	ctt	gag	gca	gag	gag	agg	gtg	aat	gcc	tcc	acc	áca	gaa	ccc	aac	agc	4149
20	Leu	Glu	Ala	Glu	Glu	Arg	Val	Asn	Ala	Ser	Thr	Thr	Glu	Pro	Asn	Ser	
		1330					1335					1340					
25	act	gtg	gag	cag	tca	gcc	ctc	atg	aga	gác	aga	gta	gaa	gac	gtg	atg	4197
	Thr	Val	Glu	Gln	Ser	Ala	Leu	Met	Arg	Asp	Arg	Yal	Glu	Asp	Val	Met	
	134!	5				1350					355					1360	
30			cga														4245
	Met	Glu	Arg			Gln	Phe	Lys			Gln	Glu	Glu			Arg	
35					365					370		•			1375		
			gat														4293
	Leu	Leu	Asp		Leu	Ala	Gly			GIn	Ser	Leu			Ser	Ala	
40				1380					1385					1390			
			gaa														4341
45	Ala		Glu	met	lhr	СУS			Pro	Pro	GIY			Cys	Ser	GIU	
			395					400					405				4000
			tgt														4389
50			Cys	ыу	Uly			Cys	ALR	1111			GIY	GIU	Arg	Lys	
		410					415					1420					
55	•	•	ggg														4437
	Cys	Gly	Gly	Pro	Gly	Cys	Gly	Gly	Leu	Va)	Thr	Va]	Ala	His	Asn	Ala	

	142	5				1430					1435				•	1440	
5	igg	cag	aaa	gcc	atg	gac	ttg	gac	caa	gat	gtc	ctg	agt	gcc	ctg	gct	4485
	Trp	Gln	Lys	Ala	Me t	Asp	Leu	Asp	Gln	Asp	Val	Leu	Ser	Ala	Leu	Ala	
10					1445					1450					1455		
	gaa	gtg	gaa	caģ	cţc	tcc	aag	atg	gtc	tct	gaa	gca	aaa	ctg	agg	gca	4533
15	Glu	Val	Glu	Gln	Leu	Ser	Lys	Met	Val	Ser	Glu	Ala	Lys	Leu	Arg	Ala	
				1460				1	1465					1470			
	gat	gag	gca	aaa	caa	agt	gct	gaa	gac	att	ctg	ttg	aag	aca	aat	gct	4581
20	Asp	Glu	Ala	Lys	Gln	Ser	Ala	Glu	Asp	Ile	Leu	Leu	Lys	Thr	Asn	Ala	
		•	1475				1	1480					1485				
25			_	aaa													4629
			Glu	Lys	Met			Ser	Asn	Glu			Arg	Asn	Leu	He	
30		1490					1495					1500					
				aga													4677
			He	Arg			Leu	Thr	Gln			Ala	Asp ,	Leu			
35	1505					510					515					1520	
				gtt													4725
40	He	Glu	Ala	Val		ASN	GIU	Yal			Met	Glu	Met			Thr	٠
					525					530				•	1535		4200
45				tta													4773
45	Pro	GIN		Leu	GIN	ASN	ren			ASP	116	Arg			Val	GIU	
				540					545					1550			
50				caa		•											4821
	Ser			Gln	Val	Glu			Leu	Gln	His			Ala	Asp	Ile	
55		ì	555				1	560				1	565				
	gcc	aga	gc t	gag	atg	tlg	tta	gaa	gaa	gct	aaa	aga	gca	agc	aaa	agt	4869

	Ala Arg A	la Glu Met Le	eu Leu Glu Glu	Ala Lys Arg Ala	Ser Lys Ser
5	1570		1575	. 1580	
	gca aca g	at git aaa gi	tc act gca gat	atg gta aag gaa	gct clg gaa 4917
10	Ala Thr A	sp Val Lys Va	ıl Thr Ala Asp	Met Val Lys Glu	.Ala Leu Glu
	1585	159	10	. 1595	1600
15	gaa gca g	aa aag gcc ca	g gtc gca gca	gag aag gca att	aaa caa gca 4965
15	Glu Ala G	lu Lys Ala Gl	n Val Ala Ala	Glu Lys Ala Ile	Lys Glm Ala
		1605	1	1610.	1615
20	gat gaa g	ac att caa gg	a acc cag aac	ctg tta act tcg	att gag tct 5013
	Asp Glu A	sp lle Gln Gl	y Thr Gln Asn	Leu Leu Thr Ser	Ile Glu Ser
25		1620	1625	1	630
	gaa aca g	ca gct tct ga	g gaa acc tig	ttc aac gcg tcc	cag cgc atc 5061
	Glu Thr A	la Ala Ser Gi	u Glu Thr Leu	Phe Asn Ala Ser	Gln Arg lle
30	163	35	1640	1645	
	agc gag t	la gag agg aa	t gig gaa gaa	ctt aag cgg aaa	gct gcc caa 5109
35	Ser Glu Le	eu Glu Arg As	n Val Glu Glu	Leu Lys Arg Lys	Ala Ala Gln
	1650		1655	1660	
	aac tcc gg	g gag gca ga	a tat att gaa	aaa gia gia tat-	act gtg aag 5157
40		y Glu Ala Gl	u Tyr Ile Glu	Lys Val Val Tyr	Thr Val Lys
	1665	167	0	1675	1680
45	caa agt go	a gaa gai gi	t aag aag act	tia gai ggi gaa	cit gat gaa 5205
	Gln Ser Al			Leu Asp Gly Glu	Leu Asp Glu
		1685	. 1	690	1695
50	aag tat aa	a aaa gta gaa	a aat tta att	gcc aaa aaa act	gaa gag tca 5253
	Lys Tyr Ly	s Lys Val Gli	u Asn Leu lle	Ala Lys Lys Thr	Glu Glu Ser
55		1700	1705	ì	710
	gct gat gc	c aga agg aaa	a gcc gaa alg	cta caa aat gaa	gca aaa act 5301

	Ala Asp Al	a Arg Arg Lys	Ala Glu Met	Leu Gln Asn Glu A	la Lys Tbr
5	171	5	1720	1725	
	cti tia gc	t caa gca aat	agc aag ctg	caa ctg ctc aaa g	at tta gaa 5349
10 .	Leu Leu Al	a Gin Ala Asn	Ser Lys Leu	Gin Leu Leu Lys A	sp Leu Glu
	1730		1735	1740	
	aga aaa ta	t gaa gac aat	caa aga tac	tta gaa gat aaa g	ct caa gaa 5397
	Arg Lys Ty	r Glu Asp Asn	Gln Arg Tyr	Leu Glu Asp Lys A	la Gln Glu
	1745	1750		1755	1760
20	tta gca aga	ctg gaa gga	gaa gtc cgt	tca ctc cta aag g	at ata agc 5445
	Leu Ala Arg	Leu Glu Gly	Glu Val Arg	Ser Leu Leu Lys A	sp lle Ser
25		1765		1770	1775
	cag aaa gtt	gct gtg tat	agc aca tgc	tig taacagagga ga	ataaaaaa 5495
	Gin Lys Val	Ala Val Tyr	Ser Thr Cys	Leu	
30		1780	1785		
	tggctgaggt	gaacaaggta a	aacaactac at	tttaaaaa cigacttaa	t gctcttcaaa 5555
35	ataaaacatc	acctatttaa t	gtittaat ca	cattitgt atgagitaa	a taaagccc 5613
	<210> 76				
40	<211> 1786				•
40	<212> PRT				
	<213> Homo	sapiens			
45	<400> 76				
	Met Gly Leu	Leu Gln Leu	Leu Ala Phe	Ser Phe Leu Ala L	eu Cys Arg
50	1	5		10	15
	Ala Arg Val	Arg Ala Gin	Glu Pro Glu	Phe Ser Tyr Gly C	ys Ala Glu
		20	. 25	;	30
55	Gly Ser Cys	Tyr Pro Ala	Thr Gly Asp	Leu Leu Ile Gly A	rg Ala Gln

		•	35					40					45		•	
5	Lys	Leu	Ser	Val	Thr	Ser	Thr	Cys	Gly	Leu	His	Lys	Pro	Glu	Pro	Tyr
		50					55					60				
	. Cys	Ile	Val	Ser	His	Leu	Gln	Glu	Asp	Lys	Lys	Cys	Phe	Ile	Cys	Asn
10	65					70		•		,	75					80
	Ser	Gln	Asp	Pro	Tyr	His	G) u	Thr	Leu	Asn	Pro	Asp	Ser	His	Leu	lle
15					85					90					95	
	Glu	Asn	Val	٧al	Thr	Thr	Phe	Ala	Pro	Asn	Arg	Leu	Lys	lle	Trp	Trp
20				100					105					110		
	Gln	Ser	Glu	Asn	Gly	Val	Glu	Asn	Val	Thr	lle	Gln	Leu	Asp	Leu	Glu
25			115					120					125			
	Ala	Glu	Phe	His	Phe	Thr	His	Leu	Ile	Met	Thr	Phe	Lys	Thr	Phe	Arg
•		130					135					140				
30	Pro	Ala	Ala	Me t	Leu	lle	Glu	Arg	Ser	Ser	Asp	Phe	Gly	Lys	Thr	Trp
	145					150					155					160
35	Gly	Val	Туг	Arg	Tyr	Phe	Ala	Tyr	Asp	Cys	Glu	Ala	Ser	Phe	Pro	Gly
					165					170					175	
40	He	Ser	Thr		Pro	Met	Lys	Lys		Asp	Asp	He	Ile		Asp	Ser
		_	_	180			_		185					190		
	gıA.	Туг		Asp	lle	Glu	Pro		Thr	Glu	Gly	Glu		lle	Phe	Arg
45			195	_				200			_		205	_		
			Asp	Pro	Ala	Phe		He	Glu	Asp	Pro		Ser	Pro	Arg	lle
50		210					215					220				
		Asn	Leu	Leu	Lys		Thr	Asn	Leu	Arg		Lys	Phe	Val	Lys	Leu
	225					230					235					240
55	His	Thr	Leu	Gly	Asp	Asn	Leu	Leu	Asp	Ser	Arg	Met	Glu	lle	Arg	Glu

			•		245				•	250					255	
	Lys	lyr	Tyr	Tyr	Ala	Val	Туг	Asp	Met	Val	Val	Arg	Gly	Asn	Cys	Phe
5				260					265			••		270	•	
	Cys	Tyr	Gly	His	Ala	Ser	Glu	Cys	Ala	Pro	Val	Asp	Gly	Phe	Asn	Glu
10	•	•	275					280					285	•		
	Glu	Val	Glu	Gly	Met	Val	His	Gly	His	Cys	Met	Cys	Arg	His	Asn	Thr
15		290					295					300				
	Lys	Gly	Leu	Asn	Cys	Glu	Leu	Cys	Met	Asp	Phe	Tyr	His	Asp	Leu	Pro
	305					310					315					320
20	Trp	Arg	Pro	Ala	Glu	Gly	Arg	Asn	Ser	Asn	Ala	Cys	Lys	Lys	Cys	Asn
					325					330					335	
25	Cys	Asn	Glu	His	Ser	lle	Ser	Cys	His	Phe	Asp	Met	Ala	V a l	Tyr	Leu
				340					345					350		
30	Ala	Thr	Gly	Asn	Val	Ser	Gly	Gly	Val	Cys	Asp	Asp	Cys	Gln	His	Asn
••			355					360					365			
	Thr	Me t	Gly	Arg	Asn	Cys	Glu	Gln	Cys	Lys	Pro	Phe	Tyr	Tyr	Gln	His
35		370					375					380				
	Pro	Glu	Arg	Asp	He	Arg	Aşp	Pro	Asn	Phe	Cys	G l v	Arg	Cys	Thr	Cys
40	385					390					395					400
	Asp	Pro	Ala	Gly		Gln	Asn	Glu	Gly		Cys	Asp	Ser	Tyr		Asp
45					405					410					415	
45	Phe	Ser	Thr	Gly	Leu	Ile	A l·a			Cys	Arg	Cys	Lys		Asn	Val
	•			420					425				_	430	_	
50	Glu	Gly		His	Cys	Asp	Val		Lys	Glu	Gly	Phe		Asp	Leu	Ser
			435					440					445			
55	Ser		Asp	Рго	Phe	Gly		Lys	Ser	Cys	Ala		Asn	Pro	Leu	Gly
•		450					455					460				

	111	1 110	e Pro	) 613	/ G13	ASI	Pro	Lys	ASP	261	GIU	101	GIY	HIS	· cys	ıyr
5	46	5				470					475					480
	Cy	s Lys	s Arg	z Leu	Val	Thr	Gly	Gln	His	Cys	Asp	Gln	Cys	Leu	Pro	Glu
10					485	I				490					495	
	His	s Trp	Gly	Le u	Ser	Asn	Asp	Leu	Asp	Gly	Cys	Arg	Pro	Cys	Asp	Cys
				500					505					510		
15	Asp	Leu	Gly	Gly	Ala	Leu	Asn	Asn	Ser	Cys	Phe	Ala	Glu	Ser	Gly	Gln
			515					520					525			
20	Cys	Ser	Cys	Arg	Pro	His	Met	He	Gly	Arg	Gln	Cys	Asn	Glu	Val	Glu
		530		•	•		535					540				
25	Pro	Gly	Tyr	Туг	Phe	Ala	Thr	Leu	Asp	His	Туг	Leu	Tyr	Glu	Ala	Glu
	545		-			550					555					560
	Glu	Ala	Asn	Leu	Gly	Pro	Gly	Val	Ser	He	Val	Glu	Arg	Gln	Tyr	lle
30					565					570					575	
	Gln	Asp	Arg	He	Pro	Ser	Trp	Thr	Gly	Ala	Gly	Phe	Val	Arg	Val-	Pro
35				580					585					590		
	Glu	Gly	Ala	Туг	Leu	Gl <sub>u</sub>	Phe	Phe	He	Asp	Asn	Ile	Pro	Tyr	Ser	Met
40			595					600					605			
,	Glu		Asp	He	Leu	He	Arg	1 y T	Glu	Рго	Gln	Leu	Рго	Asp	His	Trp
		610					615					620				
45	Glu	Lys	Ala	Val	He	Thr	Val	Gln	Arg	Pro	Gly	Arg	He	Pro	Thr	Ser
	625					630					635	•				640
50	Ser	Arg	Cys	Gly	Asn	Thr	He	Pro	Asp	Asp	Asp	Asn	Gln	Val	Val	Ser
					645		-			650					655	
	Leu	Ser	Pro	Gly	Ser	Arg	Туг	Val	Val	Leu	Pro	Arg	Pro	Val	Cys	Phe
55				660					665				•	670		

	Glu	Lys	Gly	Thr	Asn	Tyr	Thr	Val	Arg	Leu	Glu	Leu	Pro	Gln	Tyr	Thr
			675				٠	680					685			
	Ser	Ser	Asp	Ser	Asp	Val	Glu	Ser	Pro	Tyr	Thr	Leu	Ile	Asp	Ser	Leu
		690	}				695					700				
10	Val	Leu	Met	Pro	Tyr	Cys	Lys	Ser	Leu	Asp	Ile	Phe	Thr	Val	Gly	Gly
•	705					710					715					720
15	Ser	Gly	Asp	Gly	Val	Va I	Thr	Asn	Ser	Ala	Trp	Glu	Thr	Phe	Gin	Arg
	•				725					730					735	
20	Tyr	Arg	Cys	Leu	Glu	Asn	Ser	Arg	Ser	Val	Val	Lys.	Thr	Pro	Met	Thr
				740					745					750		
	Asp	Va l	Cys	Arg	Asn	lle	Ile	Phe	Ser	He	Ser	Ala	Leu	Leu	His	Gln
25			_755					760					765			
	Thr	Gly	Leu	Ala	Cys	Glu	Cys	Asp	Pro	Gln	Gly	Ser	Leu	Ser	Ser	Val
30	•	770			•		775					780				
		Asp	Pro	Asn	Gly		Gln	Cys	Gln	Cys		Pro	Asn	Val	Val	Gly
	785					790		_			795					800
35	Arg	Thr	Cys	Asn		Cys	Ala	Pro	Gly		Phe	Gly	Phe	Gly		Ser
	C1	0	1	N	805	C1	0		<b>f</b>	810	<b>61</b>	•	17 1		815	
40	GIY	Cys	Lys		Lys	610	Cys	HIS		GIN	ыу	26L	vai		ĄIA	rne
	Cua	4.55	Dra	820 Val	Th =	C14	Cla	۲.,,	825	Cun	Dha	C1=	C1	830	T	41-
45	Cys	นอม	835	таз	1111	у		840	1112	cys	rne	תוט	845	491	1 7 1	Ala
	Arg	Cln		Acn	Δτσ	Cue	ום ז		Clv	ніс	Trn	Glu		Dra	50-	Cua
		850	Cys	vsh	VIE	CYS	855	110	Già	1113	111	860	i ne	rio	361	CYS
50			Cuc	Cln	Cue	Acn		Hic	412	Acn	Acn		Ann	Dro	Vol	TK-
	Gln	110	CYS	0111	Cys		GIY	1112	VIG	voh		Cy5	v2h	rio	Yaı	
55	865	C1	C	1	A e =	870	C1-	1	T	Th -	875	C1	u: -	,	C	880
	Gly	UIU	CYS	reu	ASD	CYS	GII	vsb	IAL	101	met	OIY	пıs	ASD	LYS	GIU

					885			•		890		•		٠	895	
5	Arg	Cys	Leu	Ala	Gly	Туг	Tyr	Gly	Asp	<b>Lio</b>	He	lle	Gly	Ser	Gly	Asp
•				900					905					910		
10	His	Cys	Arg	Pro	Cys	Pro	Cys.	Pro	Asp	Gly	Pro	Asp	Ser	Gly	Arg	Gln
			915				,	920					925			
	Phe	Ala	Arg	Ser	Cys	Tyr	Gln	Asp	Pro	Va l	Thr	Leu	Gln	Leu	Ala	Cys
15		930					935					940				
	Val	Cys	Asp	Pro	Gly	Tyr	He	Gly	Ser	Àrg	Cys	Æsp	Asp	Cys	Ala	Ser
20	945					950					955					960
	Gly	Tyr	Phe	Gly	Asn	Pro	Ser	Glu	Val	Gly	Gly	Ser	Cys	Gln	Pro	Cys
25					965					970					975	
	Gln	Cys	His	Asn	Asn	He	Asp	Thr	Thr	Asp	Pro	Glu	Ala	Cys	Asp	Lys
				980					985					990		
30 <u>.</u>	Glu	Thr	Gly	Arg	Cys	Leu	Lys	Cys	Leu	Туг	His	Thr	Glu	Gly	Glu	His
			995					1000	)				100	5		
35	Cys	Gln	Phe	Cys	Arg	Phe	Gly	Туг	Tyr	Gly	Asp	Ala	Leu	Arg	Gln	Asp
		1010	) ·				1015	j				1020	)			
40	Cys	Arg	Lys	Cys	Val	Cys	Asn	Tyr	Leu	Gly	Thr	Val	Gln	Glu	His	Cys
	1025	5				1030	)				1035	j				1040
	Asn	Gly	Ser	Asp	Cys	Gln	Cys	Asp	Lys	Ala	Thr	Gly	Gln	Cys	Leu	Cys
45					1045	i				1050	)				1055	j
	Leu	Pro	Asn	Val	He	Gly	Gln	Asn	Cys	Asp ·	Arg	Cys	Ala	Pro.	Asn	Thr
50				1060	)				1065	;				1070	)	
	Trp	Gln	Leu	Ala	Ser	Gly	Thr	Gly	Cys	Asp	Pro	Cys	Asn	Cys	Asn	Ala
55			1075	)				1080	)				1085	<b>,</b>		
<del></del>	Ala	His	Ser	Phe	Gly	Pro	Ser	Cys	Asn	Glu	Phe	Thr	Gly	Gln	Cys	Gln

	1090					1095						110	0						
	Cys	Me t	Pro	Gly	Phe	Gly	Glý	Arg	Thr	Cys	Ser	Glu	Cys	Gln	Glu	Leu			
<b>5</b>	110	5				111	0				111	5				1120			
F	Phe	Trp	Gly	Asp	Pro	Asp	Val	Glu	Cys	Arg	Ala	Cys	Asp	Cys	Asp	Pro			
10					112	5				113	0				113	5			
A	\rg	Gly	Ile	Glu	Thr	Pro	Gln	Cys	Asp	Gln	Ser	Thr	Gly	Gln	Cys	Val			
15				1140	)				1149	5				1150	)				
C	Cys	Val	Glu	Gly	Val	Glu	Gly	Pro	Arg	Cys	Asp	Lys	Cys	Ţħr	Arg	Cly			
20			115	5	•			1160	)				116	5					
	Гуr	Ser	Gly	Val	Phe	Pro	Asp	Cys	Thr	Pro	Cys	His	Gln	Cys	Phe	Ala			
		1170	)				117	5				1180	)						
25 L	eu	Trp	Asp	Val	He	He	Ala	Glu	Leu	Thr	Asn	Arg	Thr	His	Arg	Phe			
1	185				•	1190	)			•	119	5				1200			
. L	eu	Glu	Lys	Ala	Lys	Ala	Leu	Lys	lle	Ser	Gly	Val	Ile	Gly	Pro	Tyr			
				•	1205	i				1210	)				1215	5			
A	rg	Glu	Thr	Val	Asp	Ser	Val	Glu	Arg	Lys	Va l	Ser	Glu	He	Lys	Asp			
35				1220	İ				1225	j				1230	)				
I	le	Leu	Ala	Gln	Ser	Pro	Ala	Ala	Glu	Pro	Leu	Lys	Asn	Ile	Gly	Asn			
40			1235					1240	)				1245	<u>)</u>					
L	eu :	Phe	Glu	Glu	Ala	Glu	Lys	Leu	He	Lys	Asp	Val	Thr	Glu	Met	Met			
		1250					1255	j				1260	)						
45 A	la	Gln	Val	Glu	Val	Lys	Leu	Ser	Asp	Thr	Thr	Ser	Gln	Ser	Asn	Ser			
11	265					1270	)				1275	•				1280			
50 TI	hr.	Ala	Lys	Glu	Leu	Asp	Ser	Leu	Gln	Thr	Glu	Ala	Glu	Ser	Leu	Asp			
					1285	,				1290	)				1295	i			
	sn '	Thr	Ya l	Lys	Glu	Leu	Ala	Glu	Gln	Leu	Glu	Phe	lle	Lys	Asn	Ser			
<i>55</i>	Asn Thr Val			1300				1305 13				1310	l						

	Asp Ile	Arg Gly Ala	Leu Asp Se	r Ile Thr Lys	Tyr Phe Gln	Met Ser		
5		1315	13	20	1325			
	Leu Glu	Ala Glu Glu	Arg Val As	n Ala Ser Thr	Thr Glu Pro	Asn Ser		
	. 1330		1335		1340			
	Thr Val	Glu Gln Ser	Ala Leu Me	t Arg Asp Arg	Val Glu Asp	Val Met		
	1345		1350	135	5	1360		
15	Met Glu	Arg Glu Ser	Gln Phe Ly	s Glu Lys Gln	Glu Glu Gln	Ala Arg		
		136	5.	1370		1375		
20	Leu Leu	Asp Glu Leu	Ala Gly Ly	s Leu Gln Ser	Leu Asp Leu	Ser Ala		
		1380		1385	1390	0		
25	Ala Ala	Glu Met Thr	Cys Gly Th	r Pro Pro Gly	Ala Ser Cys	Ser Glu		
		1395	140	00	1405	•		
	Thr Glu	Cys Gly Gly	Pro Asn Cy	s Aig Thr Asp	Glu Gly Glu	Arg Lys		
30	1410		1415		1420			
			1410	•	1420			
		Gly Pro Gly		y Leu Val Thr		Asn Ala		
35		Gly Pro Gly		y Leu Val Thr 143	Val Ala His	Asn Ala 1440		
35	Cys Gly (		Cys Gly Gly	•	Val Ala His 5	1440		
	Cys Gly (		Cys Gly Gly 1430 Asp Leu Asp	143	Val Ala His 5	1440		
<b>35</b>	Cys Gly ( 1425 Trp Gln l	Lys Ala Met 1449 Glu Gln Leu	Cys Gly Gly 1430 Asp Leu Asp	143 p Gln Asp Val 1450 t Val Ser Glu	Val Ala His 5 Leu Ser Ala	1440 Leu Ala 1455		
	Cys Gly ( 1425 Trp Gln l	Lys Ala Met 1449	Cys Gly Gly 1430 Asp Leu Asp	143 p Gln Asp Val 1450	Val Ala His 5 Leu Ser Ala	1440 Leu Ala 1455 Arg Ala		
	Cys Gly ( 1425 Trp Gln 1 . Glu Val (	Lys Ala Met 1449 Glu Gln Leu 1460	Cys Gly Gly 1430 Asp Leu Asp 5 Ser Lys Me	143 p Gln Asp Val 1450 t Val Ser Glu 1465 u Asp Ile Leu	Val Ala His  Leu Ser Ala  Ala Lys Leu 1470  Leu Lys Thr	1440 Leu Ala 1455 Arg Ala		
40	Cys Gly (1425 Trp Gln 1 Glu Val (1425) Asp Glu 1425	Lys Ala Met 1449 Glu Gln Leu 1460	Cys Gly Gly 1430 Asp Leu Asp 5 Ser Lys Me	143 p Gln Asp Val 1450 t Val Ser Glu 1465 u Asp Ile Leu	Val Ala His 5 Leu Ser Ala Ala Lys Leu 1470	1440 Leu Ala 1455 Arg Ala		
40	Cys Gly (1425 Trp Gln 1 Glu Val (1425) Asp Glu A	Lys Ala Met 1449 Glu Gln Leu 1460 Ala Lys Gln	Cys Gly Gly 1430 Asp Leu Asp 5 Ser Lys Med Ser Ala Gly 148	143 p Gln Asp Val 1450 t Val Ser Glu 1465 u Asp Ile Leu	Val Ala His  Leu Ser Ala  Ala Lys Leu 1470  Leu Lys Thr 1485	1440 Leu Ala 1455 Arg Ala ) Asn Ala		
40 45	Cys Gly (1425 Trp Gln 1 Glu Val (1425) Asp Glu A	Lys Ala Met 1449 Glu Gln Leu 1460 Ala Lys Gln	Cys Gly Gly 1430 Asp Leu Asp 5 Ser Lys Med Ser Ala Gly 148	143 p Gln Asp Val 1450 t Val Ser Glu 1465 u Asp Ile Leu	Val Ala His  Leu Ser Ala  Ala Lys Leu 1470  Leu Lys Thr 1485	1440 Leu Ala 1455 Arg Ala		
40 45	Cys Gly (1425 Trp Gln 1 Glu Val (1425 Asp Glu A Thr Lys (1490	Lys Ala Met 1449 Glu Gln Leu 1460 Ala Lys Gln 1475 Glu Lys Met	Cys Gly Gly 1430 Asp Leu Asp 5 Ser Lys Med Ser Ala Gly 148 Asp Lys Ser 1495	143 p Gln Asp Val 1450 t Val Ser Glu 1465 u Asp Ile Leu	Val Ala His  Leu Ser Ala  Ala Lys Leu 1470  Leu Lys Thr 1485  Leu Arg Asn 1500	1440 Leu Ala 1455 Arg Ala ) Asn Ala Leu Ile		

	116	e Glu	ı Ala	a Val	Ala	Asn	Glu	ı Val	Leu	Lys	Me t	Glu	Met	Pro	Ser	Thr
_					152	25				153	0			•	153	5
5	Pro	Gln	G]1	ı Lei	Gln	Asn	Leu	Thr	Glu	Asp	He	Arg	Glu	Arg	Val	Glu
				154	10				154	5				155	0	
10	Sei	Leu	Sei	Gln	Val	Glu	Val	Ile	Leu	Gln	His	Ser	Ala	Ala	Asp	Ile
			155	55				·156	0				156	5	•	
15	Ala	Arg	Ala	Glu	Met	Leu	Leu	Glu	Glu	Ala	Lys	Arg	Ala	Ser	Lys	Ser
		157	0				157	5				158	0	•		
	Ala	Thr	Asp	Va]	Lys	Val	Thr	Ala	Asp	Met	Val	Lys	Glu	Ala	Leu	Glu
20	158	5				159	0				159	5	•			1600
	G] u	Ala	G) u	Lys	Ala	Gln	Val	Ala	Ala	Glu	Lys	Ala	Ile	Lys	Gln	Ala
25			-		160	5				1610	)				161	5
	Asp	Glu	Asp	He	Gln	Gly	Thr	Gln	Asn	Leu	Leu	Thr	Ser	lle	Glu	Ser
30				162	0				162	5				163	)	
30	Glu	Thr	Ala	Ala	Ser	Glu	Glu	Thr	Leu	Phe	Asn	Ala	Ser	Gln	Arg	Ile
			163	5				1640	)				164	5		
35	Ser	Glu	Leu	GIu	Arg	Asn	Val	Glu	Glu	Leu	Lys	Arg	Lys	Ala	Ala	Gln
		1650	)				1655	5				1660	)			
40	Asn	Ser	Gly	Glu	Ala	Glu	Tyr	He	Glu	Lys	Yal	Val	Tyr	Thr	Val	Lys
	1665	5				1670	)				1675	<b>)</b>				1680
	Gln	Ser	Ala	Glu	Asp	Val	Lys	Lys	Thr	Leu	Asp	Gly	Glu	Leu	Asp	Glu
45					1685	•				1690	)				1695	<b>i</b>
	Lys	Tyr	Lys	Lys	Val	Ģlu	Asn	Leu	He	Ala	Lys	Lys	Thr	Glu	Glu	Se∙r
50				1700	)				1705	i				1710	)	
	Ala	Asp	Ala	Arg	Arg	Lys	Ala	Glu	Met	Leu	Gln	Asn	Glu	Ala	Lys	Thr
55			1718	5				1720	ì				1725	;		
55	Leu	Leu	Ala	Gln	Ala	Asn	Ser	Lys	Lev	Gln	Leu	Leu	Lys	Asp	Leu	Glu

	1730	1735	1740						
5	Arg Lys Tyr Glu Asp	Asn Gln Arg Tyr Leu Glu	Asp Lys Ala Gln Glu						
	1745	1750 175	5 1760						
	Leu Ala Arg Leu Glu	Gly Glu Val Arg Ser Leu	Leu Lys Asp Ile Ser						
10	1765	5 1770	1775						
	Gln Lys Val Ala Val	Tyr Ser Thr Cys Leu							
15	1780	1785	•						
	<210> 77								
20	<211> 585								
	<212> DNA								
25	<213> Homo sapiens								
	<220>	·							
30	<221> CDS		•						
	(222) (27) (335)								
	<b>&lt;400&gt; 77</b> .								
35	ctgagactga cctgcagga	ac gaaacc aig aag agc ci							
			u Ile Leu Leu Ala Ile						
40		. 1	5						
		gla gla act tig igt tat							
45		Val Val Thr Leu Cys Tyr							
43	10	15 · 20	•						
		cit aat ccc itc att aac							
50		Leu Asn Pro Phe Ile Asn							
	30	35	40						
55		cag cag aga tgg aga gct							
	Thr Phe 11e Ser Pro	Gln Gln Arg Trp Arg Ala	Lys Val Gin Glu Arg						

				45				:	50				55					
5	atc	cga	gaa	cgc	tct	aag	cct	gtc	cac	gag	ctc	aat	agg	gaa	gcc	tgt	245	
	lle	Arg	Glu	Arg	Ser	Lys	Pro	Va 1	His	Glu	Leu	Asn	Arg	Glu	Ala	Cys		
10			60					65					70					
	gat	gac	tac	aga	ctt	tgc	gaa	cgc	tac	gcc	atg	gtt	tat	gga	tac	aat	293	
4-	Asp	Asp	Tyr	Arg	Leu	Cys	Glu	Arg	Tyr	Ala	Met	Val	Tyr	Gly	Tyr	Asn		
15		75			•	• • •	80					85						
	gct	gcc	tat	aat	cgc	tac	ttc	agg	aag	cgc	cga	ggg	acc	aaa			335	
20	Ala	Ala	Tyr	Asn	Arg	Tyr	Phe	Arg	Lys	Arg	Arg	Gly	Thr	Lys				
	90					95					100							
25	tgag	ac t g	ag g	gaag	3222	a a	aatc	tcttt	tt	teta	ggag	gct	ggca	cct	gatt	ttgtat	395	
																tgtata		
																agigca		
30				gtca	laage	a ga	igtca	acat	ats	gtgat	itgt	tcca	ataa	taa	actt	ctggtg		
	igat	ac t t	tc														585	
35	<210	> 78																
	<211	> 10	3															
40	<212	> PR	T				•											
	<213	> Ho	mo s	apie	ns													
	<4.002	> 78																
45	Met 1	Lys	Ser	Leu	Ile	Leu	Leu	Ala	lle	Leu	Ala	Aļa	Leu	Ala	Val	Yal		
	1	•			. 5					· 10				٠.	15			
50	Thr 1	Leu (	Cys	Tyr	Glu	Ser	His	Glu	Ser	Met	Glu	Ser	Tyr	G) u	Leu	Asn		
				20					25					30				
55	Pro I	Phe	lle .	Asn	Arg	Arg	Asn	Ala	Asn	Thr	Phe	İle	Ser	Pro	Gln	Gln		
	٠		35					40					45					

	Arg Trp Arg Ala Lys Val Gln Glu Arg lie Arg Glu Arg Ser Lys Pro
5	50 55 60
	Val His Glu Leu Asn Arg Glu Ala Cys Asp Asp Tyr Arg Leu Cys Glu
10	65 70 75 80
10	Arg Tyr Ala Met Val Tyr Gly Tyr Asn Ala Ala Tyr Asn Arg Tyr Phe
	85 90 95
15	Arg Lys Arg Gly Thr Lys
	100
20	<210> 79
	<211> 1775
05	<212> DNA
25	<213> Homo sapiens
	⟨220⟩
30	<221> CDS
	<222> (6) (1148)
35	<400> 79
	cagca atg cat ctc ctt gcg att ctg ttt tgt gct ctc tgg tct gca gfg 50
40	Met His Leu Leu Ala Ile Leu Phe Cys Ala Leu Trp Ser Ala Val
40	1 5 10 15
	ttg gcc gag aac tcg gat gat tal gat ctc atg tal gtg aat ttg gac 98
<b>45</b>	Leu Ala Glu Asn Ser Asp Asp Tyr Asp Leu Met Tyr Val Asn Leu Asp
	20 25 30
50	aac gaa ata gac aal gga ctc cat ccc act gag gac ccc acg ccg tgc 146
	Asn Glu Ile Asp Asn Gly Leu His Pro Thr Glu Asp Pro Thr Pro Cys
56	35 40 45
55	gcc tgc ggt cag gag cac tcg gaa tgg gac aag ctc tic atc atg ctg 194

	Ala	Cys	Gly	/ Gln	Glu	His	Ser	Glu	Trp	Asp	Lys	Leu	Phe	lie	Met	Leu	
5			50	)				55					60	١			
	gag	aac	tce	cag	atg	aga	gag	cgc	atg	ctg	ctg	caa	gcc	acg	gac	gac	242
10	Glu	Asn	Ser	Gln	Me t	Arg	Glu	Arg	Met	Leu	Leu	Gln	Ala	Thr	Asp	Asp	
		65	ı				70					75	•				•
15	gtc	ctg	cgg	ggc	gag	ctg	cag	agg	ctg	cgg	gag	gag	ctg	ggc	cgg	ctc	290
	Val	Leu	Arg	Gly	Glu	Leu	Gln	Arg	Leu	Arg	Glu	Glu	Leu	Gly	Arg	Leu	
	80					85					90					95	
20	gcg	gaa	agc	ctg	gcg	agg	ccg	t gc	gcg	ccg	ggg	gct	ccc	gca	gag	gcc	338
	Ala	Glu	Ser	Leu		Arg	Pro	Cys	Ala		Gly	Ala	Рго	Ala		Ala	
25			_		100					105					110		
				agt													386
30	ALE	ren	inr	Ser 115	AIA	ren	ASP	GIU	120	Leu	GIN	AIA	ınr	Arg 125	Asp	Ala	
	ggc	cgc	agg	ctg	gc g	cet	a t·g	eag.		gcg	g2 g	grø	Cap		Cra	<b>020</b>	434
				Leu													707
35			130					135	-				140				
	gag	gcg	ggg	cgc	gcc	ctg	gcc	gcg	gtg	cta	gag	gag	ctg	cgg	cag	acg	482.
40	Glu	Ala	Gly	Arg	Ala	Leu	Ala	Ala	Val	Leu	Glu	Glu	Leu	Arg	Gln	Thr	
		145					150					155					•
45	cga	gcc	gac	ctg	cac	gcg	gtg	cag	ggc	tgg	gct	gcc	cgg	agc	tgg	clg.	530
	Arg	Ala	Asp	Leu	His	Ala	Val	Gln	Gly	Trp	Ala	Ala	Arg	Ser	Trp	Leu	
50	160					165					170					175	
50	ccg	gca	ggt	tgt	gaa	aca	gct	att	tta	ttc	cca	alg	cgt	tcc	aag	aag	578
	Pro	Ala	Gly	Cys	Glu	Thr	Ala	Ile	Leu	Phe	Pro	Met	Arg	Ser	Lys	Lys	
55					180					185					190		

	att	ttt	gga	agc	gtg	cat	cca	glg	aga	cca	alg	agg	ctt	gag	tct	ttt	626
5	lle	Phe	Gly	Ser	Val	His	Pro	Yal	Arg	Pro	Met	Arg	Leu	Glu	Ser	Phe	
٠				195				-	200					205			
	agt	gcc	t gc	att	t <b>g</b> g	gtc	aaa	gcc	aca	gat	gta	tta	aac	aaa	acc	atc	674
10	Ser	Ala	Cys	Ile	Trp	Va l	Lys	Ala	Thr	Asp	Val	Leu	Asn	Lys	Thr	Ile	
			210				•	215				•	220			•	
15	ctg	ttt	tcc	tat	ggc	aca	aag	agg	aat	cca	tat	gaa	atc	cag	ctg	tat	722
٠	Leu	Phe	Ser	Tyr	Gly	Thr	Lys	Arg	Asn	Pro	Tyr	Glu	Ile	Gln	Leu	Tyr	
20		225					230					235					
	ctc	agc	tac	caa	tcc	ata	gtg	ttt	gtg	gtg	ggt	gga	gag	gag	aac	aaa	770
	Leu	Ser	Tyr	Gln	Ser	Ile	Val	Phe	Val	Val	Gly	Gly	Glu	Glu	Asn	Lys	
25	240		-			245					250					255	
	ctg	gtt	gc t	gaa	gcc	atg	gtt	tcc	ctg	gga	agg	tgg	acc	cac	ctg	tgc	818
30	Leu	Val	Ala	Glu	Ala	Met	Val	Ser	Leu	Gly	Arg	Trp	Thr	His	Leu	Cys	
					260					265					270		
	ggc	acc	tgg	aat	tca	gag	gaa	ggg	ctc	aca	tcc	ttg	tgg	gta	aat	ggt	866
35	Gly	Thr	Trp	Asn	Ser	GJu	Glu	Gly		Thr	Ser	Leu	Trp	Val	Asn	GIy.	
				275					280					285			
40		•	•	gcl													914
	Glu	Leu		Ala	Thr	Thr	Val		Met	Aia	Thr	Gly		He	Val	Pro	
45			290					295					300				
45				atc													962
			Gly	He	Leu	Gln		G] y	Gln	Glu	Lys		Gly	Cys	Cys	Val	
50		305					310					315				•	•
				ttt										•			1010
55	-	Gly	Gly	Phe ·			Thr	Leu	Ala			Gly	Arg	Leu	Thr	Gly	
	320		•			325					330					335	

	ttc aat atc tgg gat agt gtt ctt agc aat gaa gag ata aga gag acc l	058
5	Phe Asn Ile Trp Asp Ser Val Leu Ser Asn Glu Glu Ile Arg Glu Thr	
	340 345 350	
10	gga gga gca gag ict igt cac atc cgg ggg aat att git ggg igg gga 1	106
	Gly Gly Ala Glu Ser Cys His Ile Arg Gly Asm Ile Val Gly Trp Gly	
	355 360 365	
15	gtc aca gag atc cag cca cat gga gga gct cag tat gtt tca 1	148
	Val Thr Glu Ile Gin Pro His Gly Gly Ala Gln Tyr Val Ser	
20	370 375 380	
	taaatgitgi gaaactccac tigaagccaa agaaagaaac tcacacitaa aacacatgcc 1	208
25	agtigggaag gictgaaaac icagigcala alaggaacac iigagaclaa igaaagagag 1	268
	agitgagacc aaicitlati igiaciggcc aaatacigaa taaacagiig aaggaaagac 13	328
	aliggaaaaa gcititgagg alaaigitac tagacittat gccaiggigc titcagitta 13	388
30	atgetgtgte tetgteagat aaacteteaa ataattaaaa aggaetgtat igttgaacag 14	448
	agggacaatt gtttlacttt tottiggtia attttgttit ggccagagat gaatttiaca 1	508
35	itggaagaat aacaaaataa gattigitgi ccatigitca itgitaligg laigiaccii 1	
	attacaaaaa aaatgatgaa aacatattta tactacaagg tgacttaaca actataaatg 10	
40	tagittaigi gitataateg aalgicaegi titigagaag atagicatai aagitalati li	
40	gcaaaaggga tiigtaltaa titaagacta ittiigtaaa gcictactgt aaataaaata 1	
	ttttataaaa ctaaaaaaaa aaaaaaaa 17	775
45	⟨210⟩ 80	
	<211> 381	
50	<212> PRT	
	<213> Homo sapiens	
	<400> 80	
55	Met His Leu Leu Ala Ile Leu Phe Cys Ala Leu Trp Ser Ala Val Leu	

	. 1	1 .						10							15			
5	Ala	Glu	Asn	Ser	Asp	Asp	Tyr	Asp	Leu	Ne t	Туг	Yal	Asn	Leu	Asp	Asn		
				20					25					30				
10	Głu	lle	Asp	Asn	Gly	Leu	His	Pro	Thr	Glu	Asp	Pro	Thr	Pro	Cys	Ala		
			35					40.					45					
	Cys	Gly	Gln	Glu	His	Ser	Glu	Trp	Asp	Lys	Leu	Phe	He	Met	Leu	Glu		
15		50					55				•	60						
	Asn	Ser	Gln	Me t	Arg	Glu	Arg	Met	Leu	Leu	Gln	Ala	Thr	Asp	Asp	Val		
20	65					70	•				75	•				80		
	Leu	Arg	Gly	Glu	Leu	Gln	Arg	Leu	Arg	Glu	Glu	Leu	Gly	Arg	Leu	Ala		
25					85					90					95			
	Glu	Ser	Leu	Ala	Arg.	Pro	Cys	Ala	Pro	Gly	Ala	Pro	Ala	Glu	Ala	Arg		
				100					105					110				
30	Leu	Thr	Ser	Ala	Leu	Asp	Glu	Leu	Leu	Gln	Ala	Thr	Arg	Asp	Ala	Gly		
			115					120					125					
35	Arg		Leu	Ala	Arg	Met		Gly	Ala	Glu	Ala		Arg	Рго	Glu	Glu		
		130					135			•		140						
		Gly	Arg	Ala	Leu		Ala	Val	Leu	Glu		Leu	Arg	Gln	Thr			
40	145	4	<b>7</b>	<b></b> .	41-	150	C1-	C1	T	41-	155	4	C	T	<b>7</b>	160		
	Ala	ASP	reu	His		Val	GIN	ыу	111	170	Ala	AIR	261	111		PT0		
45	410	Clv	C	C1	165	A 1 a	11a	I an	Dha		No t	1.0	Sa.	Ivo	175	Ha		
	AIA	OIY	CYS	Gl u 180	1111	ліа	116	Leu .	185	710	MCL	лів	761	190	r.y.	116		
50	Pho	Clv	Car	Val	Hic	Pro	Val	Δισ		Mei	Δτσ	ום ז	CIn		Pho	Sar.		
	1116	Uly		141	1113	110	101	200	110	met	V1P	Ltu	205	261	1 116	261		
•	A 1 a	Cv.	195	T	Val	lva	Ala		len	Val	ارم آ	4 cn		ፐኮታ	110	Lau		
55 ·	WIG	CYS	116	Trp	101	r 32	nia	1 11 1	vah	rai	rcu	VOII	r A 2	1111	116	LEU		

•		210					215					220				
	Phe	Ser	Tyr	Gly	Thr	Lys	Arg	Asn	Pro	Tyr	Glu	He	Gln	Leu	Tyr	Leu
	225					230					235					240
	Ser	Туг	G1 n	Ser	He	Va)	Phe	Val	Val	Gly	Gly	Glv	Glu	Asn	Lys	Leu
10					245					250					255	
	Va1	Ala	Glu	Ala	Ne t	Val	Ser	Leu	Gly	Arg	Trp	Thr	His	Leu	Cys	Gly
. 15				260					265					270		
	Thr	Trp	Asn	Ser	G ) u	Glu	Gly	Leu	Thr	Ser	Leu	Trp	Val	Asn	Gly	Glu
20			275					280					285			
	Leu		Ala	Thr	Thr	Val		Met	Ala	Thr	Gly		Ile	Val	Pro	Glu
		290					295					300				
25		Gly	lle	Leu	Gln	Ile	Gly	Gln	Glu	Lys		Gly	Cys	Cys	Val	Gly
	305					310					315					320
30	Gly	Gly	Phe	Asp		Thr	Leu	Ala	Phe		Gly	Arg	Leu	Thr		Phe
					325					330					335	
	Asn	He			Ser	Val	Leu	Ser		Glu	Glu	He	Arg		Thr	Gly
35	<b>C1</b>	41.		340	0		* 1 -	<b>.</b>	345		71-	W - 1	<b>6</b> 1	350	01	
	GIY	Ala		261	eys	His	116		GIY	AST	116	Vaj		lrp	GIY	Aai
40	The	C) u	355	Cln	Dro	His	Clv	360	412	Cln	Tur	Val	365			
	1111	370	116	0111	110	1112	375	Oly	ЛΙα	0111		380	361			
45		310										JOU				
	<210	> 81				-										
	<211	> 23	12													,
50	<212	> DN	A													
	<213	> Ho	mo s	apie	ns											
55	<220	>								•						

	(221)	CDS												
5	<222>	(146)	(1192)											
	<b>&lt;400&gt;</b> 8	81					-							
	tccagt	gacg ga	agccgcc	cg gccg	acago	c cc	gaga	cgac	agc	ccgg	cgc	gtcc	cggicc	60
10	ccacct	ccga co	caccgcc	ag cgct	ccagg	c cc	cgcg	ctcc	ccg	ctcg	ccg	ccac	cgcgcc	120
	ctccgc	tccg co	ccgcagt	gc caac	atg	acc	gcc	gcc	agt	atg	ggc	ccc	gtc	172
15					Met	Thr	Ala	Ala	Ser	Met	Gly	Pro	Val	
					1				5					
20	cgc gtc	gcc t	tc gtg	gtc ctc	ctc	gcc	ctc	tgc	agc	cgg	ccg	gcc	gtc	220
	Arg Val	l Ala F	he Val	Yal Leu	ı Leu	Ala	Leu	Cys	Ser	Arg	Pro	Ala	Val	
	10		•	15				20					25	
25	ggc cag	g aac t	gc agc	ggg ccg	t ģc	cgg	tgc	ccg	gac	gag	ccg	gcg	ccg	268
	Gly Gln	Asn C	ys Ser	Gly Pro	Cys	Arg	Cys	Pro	Asp	Glu	Ьtо	Ala	Pro	
· 30			30		•		35		•			40		
	cgc tgc													316
35	Arg Cys			Val Ser	Leu		Leu	Asp	Gly	Cys	-	Cys	Cys	
33	1-		45	1-		50					55	,		004
	cgc gtc		•											364
40	VIE 401	60	14 LYS	din rea	65	oru	Leu	Cys	1111	70	nig	W2b	riu	
	tor oar	ירסר	ac aap	ggc cto		tet	gac	ttc	ggr		cca	acc		412
45	Cys Asp	Pro H	is Lvs									Ala	Asn	712
	75		,.	. 80		.,.			85					
	cgc aag		ge gig			aaa	gat	ggt		ccc	igc	atc	ttc	460
50	Arg Lys													
	90		• =-	95		-	-	100			- • -		105	
55	ggt ggt	acg g	tg tac		gga	gag	tcc		cag	agc	agc	tgc		508
			-					-	_			<b>-</b>		

	Gly Gly Th	r Val Tyr Arg	Ser Gly Glu Ser Phe	Gln-Ser Ser Cys Lys
5		110 .	115	120
	tac cag tg	c acg tgc ctg	gac ggg gcg gtg ggc	tgc atg ccc ctg tgc 556
10	Tyr Gln Cy	s Thr Cys Leu	Asp Gly Ala Val Gly	Cys Met Pro Leu Cys
		125	130	135
	agc atg ga	c gtt cgt ctg	ccc agc cct gac tgc	ccc ttc ccg agg agg 604
15	Ser Met As	p Val Arg Leu	Pro Ser Pro Asp Cys	Pro Phe Pro Arg Arg
	140	)	145	150
20	gtc aag ct	ccc ggg aaa	tgc tgc gag gag tgg	gtg tgt gac gag ccc 652
	Val Lys Le	Pro Gly Lys	Cys Cys Glu Glu Trp	Val Cys Asp Glu Pro
25	155		160	. 165
	aag gac caa	acc gtg gtt	ggg cct gcc ctc gcg	gct tac çga ctg gaa 700
			·	Ala Tyr Arg Leu Glu
30	170	175	180	185
				gcc aac tgc ctg gtc 748
35	ASP INT Phe	190	rro int met lie arg	Ala Asn Cys Leu Val
	rag are ara			200 tgt ggg atg ggc atc 796
40				tgi ggg atg ggc atc 796. Cys Gly Met Gly Ile
	··· ···	205	. 210	215
45	tcc acc cgg			agg cta gag aag cag 844
10			•	Arg Leu Glu Lys Gln
	220		225	230
50	agc cgc ctg	tgc atg gtc a	agg cct igc gaa gct	gac ctg gaa gag aac 892
	Ser Arg Leu	Cys Met Val A	Arg Pro Cys Glu Ala	Asp Leu Glu Glu Asn
5 <sup>'</sup> 5	235	2	240	245

	att a	ag aag	ggc	aaa	aag	tgc	atc	cgt	act	CCC	aaa	atc	tcc	aag	cct	940
5	Ile I	ys Lys	Gly	lys	Lys	Cys	He	Arg	Thr	Pro	Lys	Ile	Ser	Lys	Pro	
	250				255					260					265	
•	atc a	ag ttt	gag	ctt	tct	ggc	tgc	acc	agc	atg	aag	aca	tac	cga	gct	988
10	Ile L	ys Phe	Glu	Leu	Ser	Gly	Cys	Thr	Ser	Met	Lys	Thr	Tyr	Arg	Ala	
				270					275					280		
15	aaa t	tc tgt	gga	gta	tgt	acc	gac	ggc	cga	tgc	tgc	acc	ccc	cac	aga	1036
·	Lys P	he Cys	Gly	Val	Cys	Thr	Asp	Gly	Arg	Cys	Cys	Thr	Pro	His	Arg	
20			285					290					295			
20	acc a	cc acc	ctg	ccg	glg	gag	ttc	aag	tgc	cct	gac	ggc	ġag	gtc	atg	1084
	Thr T	hr Thr	Leu	Pro	Val	Glu	Phe	Lys	Cys	Pro	Asp	Gly	Glu	Va]	Met	
25		.300					305					310				
	aag a	ag aac	atg	atg	ttc	atc	aag	acc	igi	gcc	tgc	cat	tac	aac	tgt	1132
30	Lys L	ys Asn	Met	Me t	Phe	He	Lys	Thr	Cys	Ala	Cys	His	Tyr	Asn	Cys	
	3	15				320					325					
	ccc g	ga gac	aat	gac	atc	ttt	gaa	tcg	ctg	tac	tac	agg	aag	atg	tac	1180
35		ly Asp	Asn			Phe	Glu	Ser	Leu		Tyr	Arg	Lys	Met	Tyr	
	330				335					340					345	•
40		ac atg		tgaa	gcca	ga g	agig	agag	a ca	ittaa	ctca	ı tta	gaci	gga		1232
		sp Met														
45		actg a														
10		igitt t													-	
		aata g														
50		atta g														
		cage a												_	•	
55		igtgt a		_										_	_	
	tgacag	ctag g	atgt	gcat	t cl	ccag	ccat	caa	gaga	ctg	agtc	aagt	tg t	. t c c t	taagt	1652

cagaacagca gactcagctc igacaticig alicgaatga cacigiicag gaatcggaat 1712 cctglcgalt agactggaca gcttglggca agtgaatttc ctgtaacaag ccagatttt 1772 taaaatttat attgtaaata tigigigigi gigigigigi giatatatat atatatatgi 1832 acagitatet aagitaatit aaagitgiti gigeetitti attitigiti tiaatgetti 1892 10 gatatticaa igitageete aatticigaa caccataggi agaatgiaaa getigiciga 1952 togilcaaag catgaaatgg atacttatat ggaaattoto toagatagaa tgacagtoog 2012 15 tcaaaacaga tigitigcaa aggggaggca tcagigtcci iggcaggcig attictaggi 2072 aggaaatgtg gtagctcacg ctcactttta atgaacaaat ggcctttatt aaaaactgag 2132 tgacictata tagcigatca gittiticac ciggaagcai tigiticiac tilgatatga 2)92 20 ctgititicg gacagilitat tigitgagag igigaccaaa agitacaigi tigcaccili 2252 ctagligana ataaagtala tittitictaa aaaaaaaaaa aaacgacagc aacggaatic 2312 25 <210> 82 <211> 349 30 <212> PRT <213 Homo sapiens 35 <400> 82 Net Thr Ala Ala Ser Met Gly Pro Val Arg Val Ala Phe Val Val Leu 1 5 10 15 Leu Ala Leu Cys Ser Arg Pro Ala Val Gly Gln Asn Cys Ser Gly Pro 20 25 30 45 Cys Arg Cys Pro Asp Glu Pro Ala Pro Arg Cys Pro Ala Gly Val Ser 35 40 45 Leu Val Leu Asp Gly Cys Gly Cys Cys Arg Val Cys Ala Lys Gln Leu 50 55 Gly Glu Leu Cys Thr Glu Arg Asp Pro Cys Asp Pro His Lys Gly Leu 55 65 70 75 80

	Phe	Cys	AST	Phe	Gly	Ser	Pro	Ala	Asn	Arg	Lys	lle	Gly	Val	Cys	Thr
5					85	i .				90					95	
	Ala	Lys	Asp	Gly	Ala	Pro	Cys	Ile	Phe	Gly	Gly	Thr	Val	Tyr	Arg	Ser
10				100					105					110		•
	Gly	Glu	Ser	Phe	Gln	Ser	Ser	Cys	Lys	Tyr	Gln	Cys	Thr	Cys	Leu	Asp
15			115					120					125			
	Gly	Ala	Val	Gly	Cys	Met	Pro	Leu	Cys	Ser	Met	Asp	Yal	Arg	Leu	Pro
		130					135					140				
20	Ser	Pro	Asp	Cys	Pro	Phe	Pro	Arg	Arg	Val	Lys	Leu	Pro	Gly	Lys	Cys
	145					150					155					160
25	Cys	Glu	Glu	Trp	Val	Cys	Asp	Glu	Pro	Lys	Asp	Gln	Thr	Val	Val	Gly
			-		165					170					175	
3 <i>0</i>	Pro	Ala	Leu	Ala	Ala	Tyr	Arg	Leu	Glu	Asp	Thr	Phe	Gly	Pro	Asp	Pro
30		•		180					185					190		
	Thr	Met		Arg	Ala	Asn	Cys		Val	Gln	Thr	Thr	Glu	Trp	Ser	Ala
35			195					200					205			
	Cys		Lys	Thr	Cys	Gly		Gly	Ile	Ser	Thr		Val	Thr	Asn	Asp
10		210			•	•	215					220				
		Ala	Ser	Cys	Arg		6111	Lys	GIN	Ser		Leu	Cys	Met	Val	
	225	C	C1	41-	4	230	C1	C1	4	71.	235	I	C1	T	•	240
<b>1</b> 5	PTO	<b>Lys</b>	611	Ala	245	Leu	GIU	GIU	ASO	250	Lys	Lys	ч	rys	Lys	Cys
	Ila	1-0	Th-	Dro		110	Car	[ ve	Dro		Lve	Dha	Cl.	1	255	C1
50	116	W1 R			L A 2	110	361	L Y.S	265	116	Ly5	rne	GIU		Ser	uly
	Cvo	Th -		260 Not	Ivo	The	Tv+	Ara		lve	Dha	Cvc	Clu	270 Val	C2	Th-
55	Cys	1111		MC 1	r A 2	1111	1 7 1		VIG	r\2	LIIE	0 <b>3</b> 2		441	CYS	1111
			275					280					285			

Phe Lys Cys Pro Asp Gly Glu Val Met Lys Lys Asn Met Met Phe Ile  305 310 315 320  Lys Thr Cys Ala Cys His Tyr Asn Cys Pro Gly Asp Asn Asp Ile Phe	
Phe Lys Cys Pro Asp Gly Glu Val Met Lys Lys Asn Met Met Phe Ile 305 310 315 320	
10	
Lys Thr Cys Ala Cys His Tyr Asn Cys Pro Gly Asp Asn Asp Ile Phe	
325 330 335	
Glu Ser Leu Tyr Tyr Arg Lys Met Tyr Gly Asp Met Ala	
340 345	
20 <210> 83	
<211> 2954	
<212> DNA	
<213> Homo sapiens	
<220>	
30 <221> CDS	
<222> (173) (1525)	
<sub>35</sub> <400> 83	
gaatteecaa aegtgeacag gggagtgagg geagggeget egeaggggge aegeagggag	
ggcccagggc gccagggagg ccgcgccggg ctaatccgaa ggggctgcga ggtcaggctg	
taaccgggtc aatgtgtgga atattggggg gctcggctgc agacttggcc aa atg gac	178
Met Asp	
	226
Gly Thr lie Lys Glu Ala Leu Ser Val Val Ser Asp Asp Gln Ser Leu	
5 10 15	
	274
55	

The Ala Ser Gly Ser Pro Asp Tyr Gly Gln Pro His Lys Ile Asn Pro  35 40 45 50  ctc cca cca cag cag gag tgg atc aat cag cca gtg agg gtc aac gtc Leu Pro Pro Gln Gln Glu Trp Ile Asn Gln Pro Val Arg Val Asn Val  aag cgg gag tat gac cac atg aat gga tcc agg gag tct ccg gtg gac Lys Arg Glu Tyr Asp His Met Asn Gly Ser Arg Glu Ser Pro Val Asp  tgc agc gtt agc aaa tgc agc aag ctg gtg ggc gga ggc gag tcc aac  cys Ser Yal Ser Lys Cys Ser Lys Leu Val Gly Gly Gly Glu Ser Asn  85 90 95  ccc atg aac acc ccc ccc cct cct	322 370 418
25  35  40  45  50  cic cca cca cag cag gag igg atc aat cag cca gig agg gic aac gic Leu Pro Pro Gin Gin Giu Trp Ile Asn Gin Pro Val Arg Val Asn Val  55  60  65  aag cgg gag iat gac cac aig aat gga icc agg gag ici ccg gig gac  Lys Arg Giu Tyr Asp His Met Asn Giy Ser Arg Giu Ser Pro Val Asp  70  75  80  tgc agc git agc aaa igc agc aag cig gig ggc gga ggc gag icc aac  Cys Ser Yal Ser Lys Cys Ser Lys Leu Val Giy Giy Giy Giu Ser Asn  85  90  95  ccc aig aac tac aac agc iat aig gac gag aag aat ggc ccc cct cct	370 418
ctc cca cca cag cag gag tag atc aat cag cca gig agg gtc aac gtc  Leu Pro Pro Gin Gin Giu Trp Ile Asn Gin Pro Val Arg Val Asn Val  55 60 65  aag cgg gag tat gac cac atg aat gga tcc agg gag tct ccg gtg gac  Lys Arg Giu Tyr Asp His Met Asn Gly Ser Arg Giu Ser Pro Val Asp  70 75 80  tgc agc gtt agc aaa tgc agc aag ctg gtg ggc gga ggc gag tcc aac  Cys Ser Jal Ser Lys Cys Ser Lys Leu Val Gly Gly Gly Glu Ser Asn  85 90 95  ccc atg aac tac aac agc tat atg gac gag aag aat ggc ccc cct cct	418
Leu Pro Pro Gin Gin Giu Trp IIe Asn Gin Pro Val Arg Val Asn Val  55 60 65  aag cgg gag tat gac cac atg aat gga tcc agg gag tct ccg gtg gac  Lys Arg Giu Tyr Asp His Met Asn Giy Ser Arg Giu Ser Pro Val Asp  70 75 80  tgc agc gtt agc aaa tgc agc aag ctg gtg ggc gga gcc gag tcc aac  Cys Ser Val Ser Lys Cys Ser Lys Leu Val Giy Giy Giy Giu Ser Asn  85 90 95  ccc atg aac tac aac agc tat atg gac gag aag aat ggc ccc cct cct	418
15 5 60 65  aag cgg gag tat gac cac atg aat gga tcc agg gag tct ccg gtg gac  Lys Arg Glu Tyr Asp His Met Asn Gly Ser Arg Glu Ser Pro Val Asp  70 75 80  tgc agc gtt agc aaa tgc agc aag ctg gtg ggc gga ggc gag tcc aac  Cys Ser Jal Ser Lys Cys Ser Lys Leu Val Gly Gly Gly Glu Ser Asn  85 90 95  ccc atg aac tac aac agc tat atg gac gag aag aat ggc ccc cct cct	
25  28 Ser Yal Ser Lys Cys Ser Lys Leu Val Gly Gly Gly Gly Ser Asn 29 Cys Ser Yal agc aac agc tat atg gac gag aag aat ggc ccc cct cct	
Lys Arg Glu Tyr Asp His Met Asn Gly Ser Arg Glu Ser Pro Val Asp  70  75  80  tgc agc gtt agc aaa tgc agc aag ctg gtg ggc gga ggc gag tcc aac  Cys Ser Yal Ser Lys Cys Ser Lys Leu Val Gly Gly Gly Glu Ser Asn  85  90  95  ccc atg aac tac aac agc tat atg gac gag aag aat ggc ccc cct cct	
tgc agc gtt agc aaa tgc agc aag ctg gtg ggc gga ggc gag tcc aac  25  Cys Ser Yal Ser Lys Cys Ser Lys Leu Val Gly Gly Gly Glu Ser Asn  85  90  95  ccc atg aac tac aac agc tat atg gac gag aag aat ggc ccc cct cct	466
tgc agc gtt agc aaa tgc agc aag ctg gtg ggc gga ggc gag tcc aac  25  Cys Ser Yal Ser Lys Cys Ser Lys Leu Val Gly Gly Gly Glu Ser Asn  85  90  95  ccc atg aac tac aac agc tat atg gac gag aag aat ggc ccc cct cct	466
Cys Ser Yal Ser Lys Cys Ser Lys Leu Val Gly Gly Gly Glu Ser Asn  85  90  95  ccc atg aac tac aac agc tat atg gac gag aag aat ggc ccc cct cct	466
85 90 95  ccc atg aac tac aac agc tat atg gac gag aag aat ggc ccc cct cct	
ccc atg aac tac aac agc tat atg gac gag aag aat ggc ccc cct cct	
ccc atg aac tac aac agc tat atg gac gag aag aat ggc ccc cct cct	
	514
Pro Met Asn Tyr Asn Ser Tyr Met Asp Glu Lys Asn Gly Pro Pro Pro	
100 105 · 110	
con age, and acc, age, and add add ale are are acc acc acc	562
Pro Asn Met Thr Thr Asn Glu Arg Arg Val Ile Val Pro Ala Asp Pro	
115 120 125 130	
aca ctg tgg aca cag gag cat gtg agg caa tgg ctg gag tgg gcc ata  Thr Leu Trp Thr Gln Glu His Val Arg Gln Trp Leu Glu Trp Ala Ile	610
135 140 145	
aag gag tac agc tig aig gag aic gac aca tcc tit tic cag aac atg	650
Lys Glu Tyr Ser Leu Met Glu Ile Asn Thr Ser Phe Phe Gla Aca Mat	658
Lys Glu Tyr Ser Leu Met Glu IIe Asp Thr Ser Phe Phe Gln Asn Met	
Lys Glu Tyr Ser Leu Met Glu Ile Asp Thr Ser Phe Phe Gln Asn Met  150 155 160  gat ggc aag gaa cig igi aaa aig aac aag gag gac itc cic cgc gcc	. 706

	165	170	175
5	acc acc ctc tac aa	ac acg gaa gig cig lig t	ca cac ctc agt tac ctc 754
		sn Thr Glu Val Leu Leu S	,
10	180	185	190
	agg gaa agt tca ct	g ctg gcc tat aat aca a	cc tcc cac acc gac caa 802
15		u Leu Ala Tyr Asn Thr Tl	
,3	195	200 20	•
	tcc tca cga ttg agt	t gtc aaa gaa gac cct to	t tat gac tca gtc aga 850
20	Ser Ser Arg Leu Ser	r Val Lys Glu Asp Pro Se	r Tyr Asp Ser Val Arg
	215	5 220	225
25	aga gga gct tgg ggc	c aat aac atg aat tot gg	c ctc aac aaa agt cct 898
	Arg Gly Ala Trp Gly	Asn Asn Met Asn Ser Gl	y Leu Asn Lys Ser Pro
	230	235	240
30	ccc ctt gga ggg gca	caa acg atc agt aag aa	aca gag caa cgg ccc 946
	Pro Leu Gly Gly Ala	Gln Thr Ile Ser Lys Asr	Thr Glu Gln Arg Pro
35	245	250	255
		cag atc ctg ggc ccg acc	
40	Gln Pro Asp Pro Tyr	Gln Ile Leu Gly Pro Thr	
	260	265	270
	aac cct gga agc ggg (	cag atc cag ctg tgg caa	ttc ctc ctg gag ctg 1042
45	Asn Pro Gly Ser Gly (	Gln Ile Gln Leu Trp Gln	Phe Leu Leu Glu Leu
	275	280 285	290
50	ctc tcc gac agc gcc a	aac gcc agc tgt atc acc	tgg gag ggg acc aac 1090
	Leu Ser Asp Ser Ala A	Asn Ala Ser Cys Ile Thr	Trp Glu Gly Thr Asn
	295	300	305
55	ggg gag ttc aaa atg a	acg gac ccc gat gag gtg	gcc agg cgc tgg ggc 1138

	Gly Glu Phe Lys Net Thr As	p Pro Asp Glu Val Ala	Arg Arg Trp Gly
5	310	315	320
	gag cgg aaa agc aag ccc aa	c atg aat tac gac aag	ctg agc cgg gcc 1186
	Glu Arg Lys Ser Lys Pro As		
10	325	330	335
	ctc cgt tat tac tat gat aa	a aac att atg acc aaa	
15	Leu Arg Tyr Tyr Asp Lys		
	340 345		01, 2/3
20	aga tat got tac aaa tii gad		cag gct ctg cag 1282
20	Arg Tyr Ala Tyr Lys Phe Asp		
	355 360	365	370
25	cca cat ccg acc gag tcg tcc		
	Pro His Pro Thr Glu Ser Ser		•
30	375	380	385
	tac atg cct tcc caa cat gcc	cac cag cag aag gig a	•
	Tyr Met Pro Ser Gln His Ala		
35	390	395	400
	ccc cat cca tcc tcc atg cct	gtc act tcc tcc agc t	
40	Pro His Pro Ser Ser Met Pro		
		410	15
	gca tca caa tac tgg acc tcc	acg ggg gga atc tac co	cc aac ccc aac 1474
45	Ala Ser Gln Tyr Trp Thr Ser	•	
	420 . 425	430	
50	gic ccc cgc cat cct aac acc o	ac gig cci ica cac ii	a ggc agc tac 1522
	Val Pro Arg His Pro Asn Thr F		
	435 440	445	450
55	tac tagaagetta eteateagig gee		1-
		TITLE TOUR TOUR COURT CO	igcacact 1575

1	١.,	_
J	y	ı

10

15

20

25

30

35

40

45

50

55

tactggatgc tttggactca acaggacata tgtggccttg aagggaagac aaaactggat 1635 gticiticit gitggataga acciligiat ligitotita aaaatalili tillaalgit 1695 ggtaactitt gcttcctcta cctgaacaaa gagatgaata attccatggg ccagtatgcc 1755 agtitgaalt cicagicice tagcaicitg tgagtigcal attaagatta ciggaalggt 1815 taagtcatgg tictgagaaa gaagcigtac gittictita tgiittiatg accaaagcag 1875 tttcttgtca atacacgggg ttcagtatga cacagaatca tggacttaac ccgtcatgtt 1935 ciggitigag attiagigac aaatagaggi gggaagcita taaictaati ilaggaggac 1995 caaattcagc ggatggcaac tggaacattg attgtaaggc cagtgaagtt licacccaac 2055 tggaattiga tggaaagaag gitigigigt tlaagacgcc aagggcattg cagaatccct 2115 ctcagtggac agtatgcact cagctgacca ctctctctag aaatagtcaa gatatgaact 2175 aagaaattit aatgcaaata catacattcc tgaaagacgg ggaattaaat tactaatttt 2235 tttttttaa atgatgacag tggtcccaga acttggaaaa gttgtaggga tttctaaact 2295 caagcagatt cgcaagtgct gtgcgcttgt cagaccatca gaccagggcc aaccaatcag 2355 aaggcaactt actgtataaa ttatgcagag ttattiteet atateteaca gtattaaaaa 2415 ataaataali aaaaattaag aalaaataaa cgagtigacc teggteacaa aagcagtitt 2475 actalogaat caatogotgt talittillt taatgtaatt tgtacalott tittcaatot 2535 gtacattigg gcigicitgt atgilittat gciccittit aaaaagcata atatgcctat 2595 agcigaaaag gaaacagggo igittaagic actgacttat gagaaagcaa agcaciggia 2655 cagitattia acaggcatac acaagcaggg aaaagataat ccattiagat cittaatgct 2715 tiggaaatgc gigtaacagt actgcaataa tcacagctct gggaaaaaca acgaaacttt 2775 cccitgigga gaggaggat titcctgcic tatataagca acatatittt agacattaaa 2835 atatatataa tittgcaggt aattgttgac tittttaact atattaagtg ttaagctgac 2895 aactgtcaaa gaagaccatg tigtaaaata attigactaa ataaalggti cctictctc 2954

<210> 84

(211) 451

	<212> PRT	•
5	<213> Homo sapiens	
	<400> 84	·
10 .	Met Asp Gly Thr Ile Lys Glu Ala Leu Ser Val Val S	Ser Asp Asp Gln
	1 5 10	15
<b>15</b> .	Ser Leu Phe Asp Ser Ala Tyr Gly Ala Ala Ala His I	Leu Pro Lys Ala
	20 25	30
	Asp Met Thr Ala Ser Gly Ser Pro Asp Tyr Gly Gln P	ro His Lys Ile
20	35 40	45
	Asn Pro Leu Pro Pro Gln Gln Glu Trp Ile Asn Gln P	ro Val Arg Val
25	50 55 60	
	Asn Val Lys Arg Glu Tyr Asp His Met Asn Gly Ser A	rg Glu Ser Pro
	65 70 75	80
. <b>30</b>	Val Asp Cys Ser Val Ser Lys Cys Ser Lys Leu Val G	ly Gly Gly Glu
	85 90	95
35	Ser Asn Pro Met Asn Tyr Asn Ser Tyr Met Asp Glu L	ys Asn Gly Pro
	100 105	110
10	Pro Pro Pro Asm Met Thr Thr Asm Glu Arg Arg Val II	le Val Pro Ala
40	115 120 12	25
	Asp Pro Thr Leu Trp Thr Gln Glu His Val Arg Gln Ti	rp Leu Glu Trp
45	130 135 140	
	Ala Ile Lys Glu Tyr Ser Leu Met Glu Ile Asp Thr Se	er Phe Phe Gln
50	145 150 155	160
30	Asn Met Asp Gly Lys Glu Leu Cys Lys Met Asn Lys Gl	u Asp Phe Leu
	165 170	175
55	Arg Ala Thr Thr Leu Tyr Asn Thr Glu Val Leu Leu Se	r His Leu Ser

				18	0				18	5				19	0	
5	Ту	ı Le	u Ar	g Gl	u Se	r Se	r Le	ı Let	ı A'la	а Туј	Ası	Th	r Th	r Se	r Hi	s Thi
			19	5				200	)				20	5	·	
	As	p Gl	n Se	r Se	r Arg	g Lei	u Sei	. Val	Lys	Glu	Ası	Pr	o Se	r Ty	r Ası	Ser
10		21	0				215	j			• -	220	0			
	Va	l Ar	g Arg	g Gly	y. Ala	a Trj	o Gly	Asn	Asn	Met	Asn	Sea	r Gly	/ Lei	ı Ası	Lys
15	22	5				230	)				235					240
	Se	r Pro	o Pro	Lei	ı Gly	/ G13	/ Ala	Gln	Thr	He	Ser	Lys	s Ası	Thr	Glu	G]n
20					245	;				250					255	i
	Arg	g Pro	G)n	Pro	) Asp	Pro	Tyr	Gln	He	Leu	Gly	Pro	Thr	Ser	Ser	Arg
				260	)				265					270		
25	Leu	Ala	Asn	Pro	Gly	Ser	Gly	Gln	He	Gln	Leu	Trp	Gln	Phe	Leu	Leu
			275					280					285			
30	Glu		Leu	Ser	Asp	Ser		Asn	Ala	Ser	Cys			Trp	Glu	Gly
	<b></b> 1	290		٥.			295					300				
35			Gly	Glu	Phe		Met	Thr	Asp	Pro.		Glu	Val	Ala	Arg	
	305		C1	۸	1	310	1	n	4.		315	_	ě		_	320
	117	GIY	Glu	Arg	325	261	Lys	Pro	ASD		Asn	Туг	ASP	Lys		Ser
10	Aro	Δla	Leu	Δτσ		Tur	Tur	Acn	lue	330	Na	Mat	Th	1	335	11: -
	<i>,,,</i> 6	nia	Leu	340.	191	1 7 1	1 9 1	nsp	345	NSII	116	MEL	1111		. vai	HIS
15	Glv	Lvs	Arg		Ala	Tur	Lve	Phe		Phe	Hie	Glv	110	350	Cin	410
	,	-,-	355	-,.		.,.	2,0	360		· nc		u,,	365	Ala	0111	nia
io.	Leu	Gln	Pro	His	Pro	Thr	Glu		Ser	Met	Tvr	l.vs		Pro	Set	Asn
		370		-	-		375	<del>-</del>				380	.,.		J.,	nop
	lle		Tyr	Met	Рго	Ser		His	Ala	His			Lvs	Val	Asn	Phe
5	385					390		-	<del>-</del>		395		-,-			400

	val Pro Pro His Pro Ser Ser Met Pro Val Thr Ser Ser Ser Phe Phe
5	405 410 415
	Gly Ala Ala Ser Gln Tyr Trp Thr Ser Thr Gly Gly Ile Tyr Pro Asn
10	420 425 430
	Pro Asn Val. Pro Arg His Pro Asn Thr His Val Pro Ser His Leu Gly
	435 440 445
15	Ser Tyr Tyr
	450
20	<210> 85
	<211> 1817
25	<212> DNA
	<213> Homo sapiens
20	⟨220⟩
30	<221> CDS
	<222> (2) (361)
35	<400> 85
	g cag cag gat ggg gag ggc cat acc cag gac acg gag ctc gtg gag acc 49
40	Gin Gin Asp Gly Glu Gly His Thr Gin Asp Thr Glu Leu Val Glu Thr
	1 5 10 15
	agg cct gca ggg gat gga acc ttc cag aag tgg gca gct gtg gtg 97
45	Arg Pro Ala Gly Asp Gly Thr Phe Gln Lys Trp Ala Ala Val Val
	20 · · 25 30
50	cct tct gga gag gag cag aga tac acg tgc cat gtg cag cat gag ggg 145
	Pro Ser Gly Glu Glu Gln Arg Tyr Thr Cys His Val Gln His Glu Gly
	35 40 45
55	cta ccc gag ccc gic acc cig aga tgg aag ccg gct tcc cag ccc acc 193

	Leu Pro Glu	Pro Val Th	r Leu Arg	Trp Lys Pro	Ala Ser Gi	n Pro Thr	
5	50		55		60		
	, atc ccc atc	gtg ggc ald	c att gct	ggc ctg gtt	ctc ctt gg	a ici gig	241
10	Ile Pro Ile	Val Gly Ile	e lle Ala	Gly Leu Val	Leu Leu Gly	y Ser Val	
	65	70	)	75		80	
45	gtc tct gga	gct gtg gtt	t gct gct	gtg ata tgg	agg aag aag	g ago toa	289
15	Val Ser Gly	Ala Val Val	Ala Ala	Val Ile Trp	Arg Lys Lys	Ser Ser	
		85		90		95	
20	ggi gga aaa	gga ggg agc	tac tct	aag gci gag	tgg agc gad	agt gcc	337
	Gly Gly Lys	Gly Gly Ser	Tyr Ser	Lys Ala Glu	Trp Ser Asp	Ser Ala	
25	_	100	•	105	110	)	
	cag ggg ict	gag tct cac	agc tig	taaagcctga (	gacagetgee t	tgtgtgcga	391
	Gln Gly Ser (	Glu Ser His	Ser Leu				
30	115		120				
	ctgagatgca ca	gctgcctt g	tgtgcgact	gagatgcagg	atttcctcac	gcctccccta	451
35	tgtgtcttag gg	gactetgg c	ttctctttt	tgcaagggcc	tctgaatctg	tctgtgtccc	511
	tgitagcaca at	gtgaggag g	tagagaaac	agtccacctc	tgtgtctacc	atgaccccct	571
	tecteacact ga	cctgtgtt c	cttccctgt	tetetttet	attaaaaata	agaacctggg	631 -
40	cagagigcgg ca						
	acgaggicag ga	gatogaaa co	catcctggc	taacacggtg	aaaccccgtc	tctactaaaa	751
45	aatacaaaaa at	tagctggg c	gcagaggca	cgggcctgta	gicccagcia	ctcaggaggc	811
	ggaggcagga ga	atggcgtc aa	acccgggag	gcggaggttg	cagtgagcca	ggatigigcg	871
50	acigcaicca gc			•			
	aaaaaaagaa cc	tggatete aa	atttaattt	ttcatattct	igcaalgaaa	tggacttgag	991
	gaagctaaga tc						
55	cctattccta tt	ctctagcc ta	alteettae	caccigiaai	ctigaccata	taccitggag	1111

	tigaatatig titicalaci getgiggili gaalgileee teeaacacie algiigagae	1171
5	ttaaicccta atgtggcaat actgaaaggt ggggcctttg agatgtgatt ggatcgtaag	1231
	gctgtgcctt cattcatggg ttaatggatt aatgggttat cacaggaatg ggactggtgg	1291
	ctitalaaga agaggaaaag agaactgagc tagcatgccc agcccacaga gagcctccac	1351
10	tagagtgatg ctaagtggaa atgtgaggtg cagctgccac agagggcccc caccagggaa	1411
	atgictagig totagiggat ccaggocaca ggagagagig cottgiggag cgcigggago	1471
15	aggaccotga accaccacca gaccocagaa cigiggagic agiggcagca igcagcgccc	1531
	cttgggaaag cittagcacc agcctgcaac ccattcgacg agccacgtag gctgcaccca	1591
20	gcaaagccac aggcacgggg ctacctgagc ctlggggggcc caatccctgc tccagtgtgt	1651
	ccgtgaggca gcacacgaag tcaaaagaga ttattctctt cccacagata ccttttctct	
	cccatgaccc tttaacagca tctgcttcat tcccctcacc ttcccaggct gatctgaggt	1771
25	aaacittgaa gtaaaataaa agcigigiit gagcatcaaa aaaaaa	1817
	<210> 86	
30	<211> 120	
	<212> PRT	
35	<213> Homo sapiens	
	<400> 86	
	Gln Gln Asp Gly Glu Gly His Thr Gln Asp Thr Glu Leu Val Glu Thr	
40	1 5 10 15	
	Arg Pro Ala Gly Asp Gly Thr Phe Gln Lys Trp Ala Ala Val Val	
45	20 25 30	
	Pro Ser Gly Glu Glu Gln Arg Tyr Thr Cys His Val Gln His Glu Gly	
50	35 40 45	
-	Leu Pro Glu Pro Val Thr Leu Arg Trp Lys Pro Ala Ser Gln Pro Thr	
	50 55 60	
55	lle Pro Ile Val Gly Ile Ile Ala Gly Leu Val Leu Leu Gly Ser Val	

65 70 75 80 Val Ser Gly Ala Val Val Ala Ala Val Ile Trp Arg Lys Lys Ser Ser 85 90 95 Gly Gly Lys Gly Gly Ser Tyr Ser Lys Ala Glu Trp Ser Asp Ser Ala 10 100 105 110 Gln Gly Ser Glu Ser His Ser Leu 115 120 ⟨210⟩ 87 20 (211) 2876 <212> DNA <213 > Homo sapiens <220> <221> CDS 30 (222) (76).. (1281) <400> 87 gaattcctgc agctcagcag ccgccgccag agcaggacga accgccaatc gcaaggcacc 60 tetgagaact teagg atg eag atg tet eea gee etc ace tge eta gte etg 111 Net Gln Met Ser Pro Ala Leu Thr Cys Leu Val Leu 40 1 5 10 ggc ctg gcc ctt gtc ttt ggt gaa ggg tct gct gtg cac cat ccc cca Gly Leu Ala Leu Val Phe Gly Glu Gly Ser Ala Val His His Pro Pro 15 20 25 tcc tac gtg gcc cac ctg gcc tca gac ttc ggg gtg agg gtg ttt cag 207 50 Ser Tyr Val Ala His Leu Ala Ser Asp Phe Gly Val Arg Val Phe Gln 30 35 40 55 cag gig gcg cag gcc tcc aag gac cgc aac gig git itc ica ccc tat 255

	Gln V	al Al	a Gli	n Ala	s Ser	Lys	Asp	Arg	Asn	Val	Va l	Phe	Se	r Pro	) Tyr	
5	45				50	)				55	,				60	
·	ggg g	tg gc	c tce	ggtg	ttg	gcc	atg	ctc	cag	ctg	aca	aca	gga	gga	gaa	303
	Gly V	al Al	a Sei	Val	Leu	Ala	Met	Leu	Gln	Leu	Thr	Thr	Gls	Gly	/ Glu	
10				65					70	•				75	i	
	acc c	ag ca	g cag	att	caa	gca	gct	atg	gga	itc	aag	att	gat	gac	aag	351
15	Thr G	In Gla	ı Glņ	Ile	Gln	Ala	Ala	Met	Gly	Phe	Lys	Ile	Asp	Asp	Lys	
			80					85					90			
20	ggc a	tg gcc	ccc	gcc	ctc	cgg	cat	ctg	tac	aag	gag	ctc	atg	ggg	cca	399
	Gly M	et Ala	Pro	Ala	Leu	Arg	His	Leu	Tyr	Lys	Glu	Leu	Met	Gly	Pro	
•		95	•				100					105				·
25	tgg a															447
	Trp As		Asp	Glu	He		Thr	Thr	Asp	Ala	Ile	Phe	Val	Gln	Arg	
30	11					115					120					
	gat ct											•				495
<i>35</i>	Asp Le 125	n rys	Leu	vaı	130	ыу	Рпе	Met	rro		Phe	Phe	Arg	Leu		
	cgg ag	r arg	gic	220		ata	<b>0</b> 90	,,,	100	135	~1 a	<i>a</i> o <i>a</i>	0.50	<b>7.00</b>	140	E 4 9
•	Arg Se															543
40		-,		145					150	0.0	,	010	VI P	155	ЛІБ	
	ttc at	c atc	aat		tgg	gtg	aag		•	aca	aaa	ggt	atg		agc	591
45	Phe II														•	
			160					165					170			•
50	aac tti	ctt	ggg	aaa	gga	gcc (	gtg	gac	cag	ctg	aca	cgg	ctg	gtg	ctg	639
	Acn le	ı len	Glv	Lvs	Gly .	Ala Y	Val.	Asp	Gln	Leu	Thr	Arg	l.eu	Val	l eu	
	VOII TC	. 200	,		-								~~~		LCu	
55	ASII LC	175	,	-,-	-		80					185		,	LCu	

	Val As	n Ala Leu T	yr Phe Asn	Gly Gln Trp Ly	s Thr Pro Phe P	ro Asp
5	19	0.	195		200	
	tcc_ag	c acc cac c	gc cgc ctc	tic cac ass tos	a gac ggc agc a	ct gtc 735
4.0	Ser Se	r Thr His A	rg Arg Leu	Phe His Lys Ser	Asp Gly Ser T	or Val
10	205		210	215	;	220
	tct gt	g ccc atg a	tg gct cag	acc aac aag tto	aac tat act ga	ig ttc 783
15	Ser Va	l Pro Met Me	et Ala Gin	Thr Asn Lys Phe	Asn Tyr Thr G	u Phe
		22	25	230	23	35
20	acc acs	g ccc gat gg	c cat tac	tac gac atc ctg	gaa ctg ccc ta	c cac 831
	The Thi	Pro Asp Gl	y His Tyr	Tyr Asp Ile Leu	Glu Leu Pro Ty	r His
25		240		245	250	
				ati gct gcc cct		
	Gly Asp		r Met Phe	lle Ala Ala Pro	Tyr Glu Lys Gl	u Val
30		255		260	265	
				att cig agt gcc		
35		Ser Ala Le		lle Leu Ser Ala	Gin Leu Ile Se	r His
	270		275		280	
40				tg ccc cgc ctc		
		GIY ASD Me		eu Pro Arg Leu	Leu Val Leu Pro	
	285		290	295		300
45			•	ac cic agg aag		
	THE DET	305		sp Leu Arg Lys		
50	992 21 A			310	315	
				ag itt cag gct		
55	dly met		THE AIR G	In Phe Gin Ala		Leu
		320		325	330	

	tca gac ca	gag cct ctc	cac gtc gcg cag	gcg ctg cag aaa gtg	aag 1119
5	Ser Asp Gli	Glu Pro Leu	His Val Ala Gln	Ala Leu Gln Lys Val	Lys
	338		340	345	
10	atc gag gtg	aac gag agt	ggc acg gtg gcc	tcc tca tcc aca gct	gtc 1167
10	Ile Glu Val	Asn Glu Ser	Gly Thr Val Ala S	Ser Ser Ser Thr Ala	Ya I
	350		355	360	
15	ata gtc tca	gcc cgc atg	gcc ccc gag gag a	atc atc atg gac aga	ccc 1215
	Ile Val Ser	Ala Arg Met	Ala Pro Glu Glu I	lle lle Met Asp Arg	Pro
20 ,	365	370		375	380
				gga aca gtc cit tic	
25	Phe Leu Phe			ly Thr Yal Leu Phe	Met
	age ess ata	385	390	395	
	Gly Gin Val		tgaccctggg gaaaga	cgcc iicaiciggg	1311
30		400			• •
	acaaaactgg a	gatgcatcg gg	aaagaaga aactccga	ag aaaagaatti tagtg	ttaat 1371
35			•	ta aaagatggta aacca	
	gictccaaga c	ctiggcete te	ctiggagg accitiag	gt caaacteeet agtet	ccacc 1491
40	tgagaccctg g	gagagaagt tt	gaagcaca actccctt	aa ggiciccaaa ccaga	cggtg 1551
	acgcctgcgg g	accatcing gg	caccigci iccacccg	tc tctctgccca ctcgg	gtctg [6]]
45	cagacctggt t	cccactgag gc	ccttigca ggatggaad	ct acggggctta cagga	gcttt 1671
45	tgtgtgcctg g	tagaaacta tt	lctgilcc agicacai	ig ccatcactet igiac	tgcct 1731
	gccaccgcgg a	gaggetgg tg	acaggcca aaggccagl	ig gaagaaacac ccitt	catct 1791
50	cagagtccac t	stggcactg gco	caccete eccaglaca	ng ggglgcigca ggigg	agag 1851
				gg ccalciccci ccccag	
55				a cicatigaag cagati	
	cttcctttta ti	tttatagg aat	agaggaa gaaatgtca	g algogigodo agoid	tcac 2031

	cccccaatct cttggtgggg aggggtgtac ctaaatattt atcatatcct tgcccttgag 2091	
5	tgcttgttag agagaaagag aactactaag gaaaataata ttatttaaac tcgctcctag 2151	
	igiticitig iggicigist caccetatet caggaagice agecacitga etggeacaca 2211	
10	cccctccgga catccagcgt gacggagccc acactgccac cttgtggccg cctgagaccc 2271	
-	togogococo ogogocococo gogococici titicocoti gaiggaaati gaccatacaa 2331	
	titcatecte etteagggga teaaaaggae ggagtggggg gacagagaet cagatgagga 2391	
15	cagagiggit iccaatgigt icaatagati taggagcaga aatgcaaggg gcigcatgac 2451	
	ctaccaggac agaactitcc ccaattacag ggigactcac agccgcattg gtgactcact 2511	
20	tcaatgtgtc atttccggct gctgtgtgtg agcagtggac acgtgagggg ggggtgggtg 2571	
	agagagacag gcagctcgga ticaactacc ttagataata ttictgaaaa cctaccagcc 2631	
25	agagggtagg gcacaaagat ggatgtaatg cacttiggga ggccaaggcg ggaggattgc 2691	
•	tigageccag gagiteaaga ecageeigg caacatacca agaececegi etettiaaaa 275)	
	atatatatat titaaatata citaaatata tatiictaat atciitaaat atatatata 2811	
30	attitaaaga ccaatitaig ggagaatigc acacagaigt gaaatgaatg taatctaata 2871	
	gaagc 2876	
35	<210> 88	
	⟨211⟩ 402	
40	<212> PRT	
40	<213> Homo sapiens	
	<400> 88	
45	Met Gln Met Ser Pro Ala Leu Thr Cys Leu Val Leu Gly Leu Ala Leu	
	Val Phe Gly Glu Gly Ser Ala Val His His Pro Pro Ser Tyr Val Ala	
50	1 5 10 15	
	His Leu Ala Ser Asp Phe Gly Val Arg Val Phe Gln Gln Val Ala Gln	
	20 25 30	
<b>55</b>	Ala Ser Lys Asp Arg Asn Val Val Phe Ser Pro Tyr Gly Val Ala Ser	

				35	;				40	)				45			
5		Val	Le	u Ala	Met	Leu	Gli	Leu	Thr	Thi	Gly	Gly	Gli	Thr	Gln	Gln	Gln
			50	)				55	i				60	)			
10		Ιlε	G]r	n Ala	Ala	Met	Gly	Phe	Lys	Ile	. Asp	Asp	Lys	Gly	Met	Ala	Pro
10		65	,				70					75					80
		Ala	Lev	Arg	His	Leu	Tyr	Lys	Glu	Leu	Met	Gly	Pro	Trp	Asn	Lys	Asp
15				٠.		85				•	. 90					95	
		Glu	Ile	Ser	Thr	Thr	Asp	Ala	Ile	Phe	Val	Gln	Arg	Asp	Leu	Lys	Leu
20					100					105					110		
		Val	Gln	Gly	Phe	Met	Pro	His	Phe	Phe	Arg	Leu	Phe	Arg	Ser	Thr	Val
25				115					120					125			
		Lys		Val	Asp	Phe	Ser	Glu	Val	Glu	Arg	Ala	Arg	Phe	He	He	Asn
	•		130	•				135					140				
30			Trp	Val	Lys	Thr		Thr	Lys	Gly	Met		Ser	Asn	Leu	Leu	Gly
		145					150					155					160
35		Lys	Gly	Ala	Val		Gln	Leu	Thr	Arg		Val	Leu	Val	Asn		Leu
		T	nı.	4	<b>C</b> 1	165	<b>~</b>	•	mı		170	_		_		175	
40		lyr	rne	Asn		GIN	Irp	Lys	Inr		Phe	Pro	Asp	Ser		Thr	His
		A - a	A = a	Lou	180	U: 0	T suc	°22	400	185	°	Th	V - 1	C	190	n .	
	•	V1 R	NI E	Leu 195	riie	N12	LYS	261	200	GIY	ser	IRF	Val		Yaı	rro	Met
45	,	Ve t	Ala	Gln	Thr	Asn	Lve	Phe		Tur	Thr	Cl u	Pho	205	The	Dro	A on
	•		210	0111		71311	<b>D</b> , 3	215	71511	171	1111	014	220	1111	1111	110	vah
50	ſ			Tyr	Tvr	Asp	He		Glu	l.eu	Pro	Tur		Clv	4 en	Thr	I au
		225		.,,	.,.		230		., u	J-0 U		235	1119	013	woh	1111	240
55			Met	Phe	He			Pro	Tvr	Gln			Val	Pro	וים [	202	
	•			2 11 6					. , .	0 1 H	~ J 3	010	101	110	n C ()	OCI	VIG

				245				250					255	
5	Leu 1	Thr Asn	lle	Leu Se	r Ala	Gln	Leu	Ile	Ser	His	Trp	Lys	Gly	Asn
			260				265					270		
	Met T	hr Arg	Leu 1	Pro Ar	g Leu	Leu	Val	Leu	Pro	Lys	Phe	Ser	Leu	Glu
10		275				280		•			285			
	Thr G	lu Val	Asp. I	Leu Ar	g Lys	Рго	Leu	Glu	Asn	Leu	Gly	Me t	Thr	Asp
15	2	90			295			•		300				
	Net P	he Arg	Gln F	Phe Gl	n Ala	Asp	Phe	Thr	Ser	Leu	Ser	Asp	Gln	Glu
20	305			31					315					320
	Pro Le	eu His			n Ala	Leu	Gln		Val	Lys	He	Glu		Asn
25	Clu C	a- Cla		325		0	C -	330					335	
	GIU SE	er_Gly	1nr v 340	al Ala	a Ser		345	111	Ala	Yal	lle		Ser	Ala
	Arg Me	et Ala		ilu Glr	ı Ile			Asp	Arø	Pro	Phe	350	Dha	Val
30		355				360					365	LCu	1 nc	141
	Val Ar	g His	Asn P	ro Thr			Val	Leu	Phe			Gln	Val	Met
35	37				375					380				
	Glu Pr	0												
40	385													
	<b>&lt;210&gt;</b>	89												
45	· <211>													
	<212> I	DNA			•					,				
	⟨213⟩ 1	Homo sa	piens	S .				•						
50	⟨220⟩					·								
	⟨221⟩ (	CDS												
55	<222>	(52)(	1341)											

⟨400⟩ 89

5	Cg	gggt	cgtc	cgc	aaago	cct	gagto	ctgt	c ct	ttc	tctct	ccc	cgg	acag	c įat	g agc	57
	•														Me	t Ser	•
10																1	
	t t	c ac	c ac	t cgo	ctcc	aco	tto	tcc	acc	aac	tac	cgg	tco	cts	ggc	tct	105
	Ph	e Th	r Th	r Arg	Ser	Thi	Phe	Ser	Thr	Asn	Tyr	Arg	Sei	Leu	Gly	Ser	•
15			. ;	5				10					15	<b>,</b>			
	gte	c cas	g gcs	g ccc	agc	tac	ggc	gcc	cgg	ccs	gtc	ago	ago	gcg	gcc	agc	153
20	Va	l Glr	ı Ala	a Pro	Ser	Туг	Gly	Ala	Arg	Pro	Val	Ser	Ser	Ala	Ala	Ser	
		20	)				25		-	•		30			•		
<b>25</b>	gto	tat	gca	ggc	gct	ggg	ggc	tct	ggt	tcc	cgg	atc	tcc	gtg	tcc	cgc	201
23			Ala	Gly	Ala	Gly	Gly	Ser	Gly	Ser	Arg	He	Ser	Val	Ser	Arg	
	35					40					. 45			•		50	
30											ggg						249
	Ser	Thr	Ser	Phe		Gly	Gly	Met	Gly		Gly 	Gly	Leu	Ala		Gly	
35					55					60					65		
											atc						297
	,,,	ліа	Oly	70	ren	Nia	GIY	MEL	75	GIY	He	9111	ASH	80	Lys	GIU	
40	acc	atg	caa		ctg	аас	gac	CEC		acc	tct	tac	rtø		202	σtα	345
								`			Ser						טרט
45			85				•	90			•	-,-	95	,	0		
	agg	agc	cig	gag	acc	gag	aac	cgg	agg	ctg	gag	agc	aaa	atc	Cgg	gag	393
50											Glu					_	
		100					105					110					
	cac		gag	aag	aag	gga	ccc	cag	gtc	aga	gac		agc	cat	tac	ttc	441
55											Asp						- • •
										-		-					

	115	•			120	)				125	,				130	
5	aag	atc a	atc ga	g gac	ctg	agg	gct	cag	ato	ttc	gca	aat	act	gtg	gac	489
	Lys	Ile l	lle Gl	u Asp	Leu	Arg	Ala	Gln	Ile	Phe	Ala	Asn	Thr	Val	Asp	
10				135	i			•	140					. 145		,
	aat	gcc c	gc ato	gtt	ctg	cag	att	gac	aat	gcc	cgt	ctt	gct	gct	gat	537
15	Asn	Ala A	rg Ile	e Val	Leu	Gln	lle	Asp	Asn	Ala	Arg	Leu	Ala	Ala	Asp	
15			150	)				155					160			
	gac	ttt a	ga gto	aag	tat	gag	aca	gag	ctg	gcc	atg	cgc	cag	tct	gtg	585
20	Asp	Phe A	rg Val	Lys	Tyr	Glu	Thr	Glu	Leu	Ala	Met	Arg	Gln	Ser	Val	
		1	65		•		170					175				
25	gag	aac g	ac atc	cat	ggg	ctc	cgc	aag	gtc	att	gat	gac	acc	aat	atc	633
	Glu .	Asn A	sp lle	His	Gly	Leu	Arg	Lys	Va l	He	Asp	Asp	Thr	Asn	Ile	
		180				185		٠			190		٠			
30	aca	cga c	ig cag	ctg	gag	aca	gag	atc	gag	gct	ctc	aag	gag	gag	ctg	681
	Thr /	Arg Le	eu Gin	Leu	Glu	Thr	Glu	He	Glu	Ala	Leu	Lys	Glu	Glu	Leu	
35	195		•		200					205		•			210	
	ctc (	itc al	g aag	aag	aac	cac	gaa	gag	gaa	gta	aaa	ggc	cta	caa	gcc	729
. 40	Leu F	he Me	t Lys	Lys	Asn	His	Glu	Glu	Glu	Val	Lys	Gly	Leu	Gln	Ala	•
				215					220					225		
			c agc													777
45	Gln I	le'Al	a Ser	Ser	Gly	Leu			Glu	Val	Asp	Ala	Pro	Lys	Ser	
			230					235					240			
50			c gcc													825
	Gln A		u Ala	Lys	Ile	Met	Ala	Asp	He	Arg	Ala	Gln	Туг	Asp	Glu	
<i>E F</i>		24	5				250					255				
55	ctg g	ct cg	g aag	aac	cga	gag s	gag .	cta	gac	aag	iac	lgg	ict	cag	cag	873

	Leu Ala Arg	Lys Asn Arg Glu	Glu Leu Asp Lys Tyr Tr	p Ser Gln Gln
5	260	265	270	
	alt gag gag	agc acc aca gig	gtc acc aca cag tot go	t gag gtt gga 921
10	Ile Glu Glu	Ser Thr Thr Val	Val Thr Thr Gln Ser Ala	a Glu Val Gly
	275	280	285	290
•	gct gct gag	acg acg ctc aca	gag ctg aga cgt aca gto	cag tcc ttg 969
15	Ala Ala Glu	Thr Thr Lev Thr	Glu Leu Arg Arg Thr Val	Gln Ser Leu
		295	300	305
20	gag atc gac	ctg gac tcc atg	aga aat ctg aag gcc ago	tig gag aac 1017
	Glu Ile Asp	Leu Asp Ser Met	Arg Asn Leu Lys Ala Ser	Leu Glu Asn
		310	315	320
25	agc ctg_agg	gag gtg gag gcc	cgc tac gcc cta cag atg	gag cag ctc 1065
		Glu Val Glu Ala	Arg Tyr Ala Leu Gin Met	Glu Gln Leu
30	325		330 335	
			gag tca gag ctg gca cag	
35			Glu Ser Glu Leu Ala Gln	Thr Arg Ala
	340	345	350	
			gag tat gag gcc ctg ctg Glu Tyr Glu Ala Leu Leu	
40	355	360	365	370
			gcc acc tac cgc cgc ctg	
45			Ala Thr Tyr Arg Arg Leu	
		37.5	380	385
	ggc gag gac		gat gcc ttg gac agc agc	
50			Asp Ala Leu Asp Ser Ser	
		390	395	400
55			acc cgc cgg ata gtg gat	
			•	• •

	Gln Thr lie Gln Lys Thr Thr Thr Arg Arg lie Val Asp (	Gly Lys Val
5	405 410 415	
	gtg tot gag acc aat gac acc aaa gtt ctg agg cat taag	ccagca 1351
10	Val Ser Glu Thr Asn Asp Thr Lys Val Leu Arg His	
	420 425 430	
	gaagcagggt accettiggg gagcaggagg ccaataaaaa gitcagag	t cattggatgt 1411
15	c	1412
	(010) 00	
20	⟨210⟩ 90 ⟨011⟩ ⟨00	
	<211> 430 · · · · · · · · · · · · · · · · · · ·	
	<212> PRT	•
25	<213> Homo sapiens <400> 90	
•		za Caz Lau
30	Met Ser Phe Thr Thr Arg Ser Thr Phe Ser Thr Asn Tyr A	15
	Gly Ser Val Gln Ala Pro Ser Tyr Gly Ala Arg Pro Val S	
35		30
	Ala Ser Val Tyr Ala Gly Ala Gly Gly Ser Gly Ser Arg I	
	35 40 45	
40	Ser Arg Ser Thr Ser Phe Arg Gly Gly Met Gly Ser Gly G	ly Leu Ala
	50 55 60	
45	Thr Gly Ile Ala Gly Gly Leu Ala Gly Met Gly Gly Ile G	ln Asn Glu
	65 70 75	80
50	Lys Glu Thr Met Gln Ser Leu Asn Asp Arg Leu Ala Ser T	yr Leu Asp
	85 90	95
	Arg Val Arg Ser Leu Glu Thr Glu Asn Arg Arg Leu Glu S	er Lys Ile
55	100 105 1	10

	Ar	g G]	u His	s Łei	ı Glu	ı Lys	Lys	Gly	Pro	Gln	Yal	Arg	g Asp	Trp	Se I	His
5			118	5				120	)				125	;		•
	Ty	r Ph	e Lys	116	e Ile	Glu	Asp	Leu	Arg	Ala	Gln	He	Phe	Ala	Asn	Thr
10		130	)				135					140	)		•	
	Val	Ası	Asn	Ala	Arg	lle	Val	Leu	Gln	Ile	Asp	Ąsn	Ala	Arg	Leu	Ala
	145	;		•		150		•			155					160
15	Ala	Asp	Asp	Phe	Arg	Va]	Lys	Tyr	Glu	Thr	Glu	Leu	Ala	Met	Arg	Gln
					165					170					175	
20	Ser	Val	Glu	Asn	Asp	Ile	His	Gly	Leu	Arg	Lys	Val	He	Asp	Asp	Thr
				180					185					190	,	
25	Asn	Ile	Thr	Arg	Leu	Gln	Leu	Glu	Thr	Glu	He	Glu	Ala	Leu	Lys	Glu
			195				•	200					205			
	Glu	Leu	Leu	Phe	Met	Lys	Lys	Asn	His	Glu	Glu	Glu	Val	Lys	Gly	Leu
30		210					215					220				
	Gln	Ala	Gln	He	Ala	Ser	Ser	Gly	Leu	Thr	Va 1	Glu	Val	Asp	Ala	Pro
35	225					230					235					240
	Lys	Ser	Gln	Aśp	Leu	Ala	Lys	He	Met	Ala	Asp	He	Arg	Ala	Gln	Tyr
					245					250			•		255	
40	Asp	Glu	Leu	Ala	Arg	Lys	Asn	Arg	Glu	Glu	Leu	Asp	Lys	Туг	Trp	Ser
				260					265					270		
45	Gln	Gln	Ile	Glu	Glu	Ser	Thr	Thr	Val	Val	Thr	Thr	Gln	Ser	Ala	Glu
·			275					280					285		•	
50	Val	Gly	Ala	Ala	Glu	Thr	Thr	Leu	Thr	Glu	Leu	Arg	Arg	Thr	Val	Glin
		290					295					300				
	Ser	Leu	Glu	lle	Asp	Leu	Asp	Ser	Met	Arg	Asn	Leu	Lys	Ala	Ser	Leu
55	305					310					315					320

	Glu Asn Ser Leu Arg Glu Val Glu Ala Arg Tyr Ala Leu Gln Met Glu
5	325 330 335
J	Gin Leu Asn Gly Ile Leu Leu His Leu Glu Ser Glu Leu Ala Gin Thr
	340 350
10	Arg Ala Glu Gly Gln Arg Gln Ala Gln Glu Tyr Glu Ala Leu Leu Asn
	355 360 365
15	lle Lys Val Lys Leu Glu Ala Glu Ile Ala Thr Tyr Arg Arg Leu Leu
	370 375 380
20	Glu Asp Gly Glu Asp Phe Asn Leu Gly Asp Ala Leu Asp Ser Ser Asn
20	385 390 395 400
	Ser Met Gin Thr lie Gin Lys Thr Thr Arg Arg lie Val Asp Gly
25	405 410 415
	Lys Val Val Ser Glu Thr Asn Asp Thr Lys Val Leu Arg His
30	420 425 430
	<210> 91
<b>35</b>	<211> 1040
	<212> DNA
	<213> Homo sapiens
40	⟨220⟩
	<221> CDS
45	<222> (171) (968)
•	<400> 91
50	gggcagacga tgctgaagat gctctccttt aagctgctgc tgctggccgt ggctctgggc 60
	itottigaag gagaigotaa giliggggaa agaaacgaag ggagoggaca aggaggagaa 120
	ggtgcctgaa tgggaacccc ccgaagcgcc tgaaaaggag agacaggagg atg atg 176
55	Met Met

	tco	cag	ctg	gag	ctg	ctg	agi	ggg	gga	gag	atg	ctg	tgo	ggt 	ggo	ttc	224
5	Ser	Glr	Leu	Glu	Leu	Leu	Ser	Gly	Gly	Glu	Met	Leu	Cys	Gly	Gly	Phe	
	•		5					10	·				i 5				
10	tac	cct	cgg	ctg	tcc	tgc	t gc	ctg	cgg	agt	gac	agc	ccg	ggg	cta	ggg	272
	Tyr	Pro	Arg	Leu	Ser	Cys	Cys	Leu	Arg	Ser	Asp	Ser	Pro	Gly	Leu	Gly	
		20					25					30					
15	cgc	ctg	gag	aat	aag	ata	ttt	tct	gtt	acc	aac	aac	aca	gaa	tgt	ggg	320
	Arg	Leu	Glu	Asn	Lys	Ile	Phe	Ser	Val	Thr	Asn	Asn	Thr	Glu	Cys	Gly	
20	35			ě		40					45					50	
	aag	tta	ctg	gag	gaa	atc	aaa	tgt	gca	ctt	tgc	tct	cca	cat	tct	caa	368
25	Lys	Leu	Leu	Glu	Glu	Ile	Lys	Cys	Ala	Leu	Cys	Ser	Pro	His	Ser	Gln	
					55				•	60					65		
30					tca												416
30	Ser	Leu	Phe		Ser	Pro	Glu	Arg		Val	Leu	Glu	Arg	Asp	Leu	Val	
				70					75					80		•	-
35		•			tgc												464
	Leu	Pro		Leu	Cys	Lys	Asp		Cys	Lys	Glu	Phe		Tyr	Thr	Cys	
40			85	-11			444	90					95		4		# 4 D
					cca					•							512
45		100	піз	116	Pro	GIY	i05	reu	וונט	101	1111		ASP	610	rne	Cys	
			tot			222		aa t	ran	t t a	t an	110		~ o t	* 4 4		r.c0
					aga Arg				•								560
50		1 7 1	I y I	ліа		120	лэр	Uly	n'i A	rea		riie	110	иsр	rne		
	115			at a			600	## T	101		125		<b></b>		-4-	130	000
55					aga				•								608
	Arg	r y S	UIN	1 E V	иlВ	OIA	r10	W I S	sel	AS II	1 <b>y</b> Γ	ren	ASP	GIN	Mel	Glu	

					135	5 .				140	)				145	i. ·	
5	gaa	tat	gac	aaa	gte	gaa	gag	ato	ago	aga	aag	cac	aaa	cac	aac	tgc	656
	Glu	Tyr	Asp	Lys	Va 1	Glu	Glu	lle	Ser	Arg	Lys	His	Lys	His	Asn	Cys	•
10			٠	150					155					160	l		
	ttc	tgt	att	cag	gag	gtt	gtg	agt	ggg	ctg	cgg	cag	ccc	gtt	ggt	gcc	704
	Phe	Cys	lle	Gln	Glu	Val	Val	Ser	Gly	Leu	Arg	Gln	Pro	Val	Gly	Ala	
15			165					170					175				
	ctg	cat	agt	ggg	gat	ggc	tcg	caa	cgt	ctc	ttc	att	ctg	gaa	aaa	gaa	752
20	Leu	His	Ser	Gly	Asp	Gly	Ser	Gin	Arg	Leu	Phe	He	Leu	Glu	Lys	Glu	
		180					185	•				190					
25	ggt																800
	Gly	Tyr	Va 1	Lys	He		Thr	Pro	Glu	Gly	Glu	lie	Phe	Lys	Gʻlu	Pro	•
	195					200					205					210	
<i>30</i>	tat																848
	Tyr 1	Leu .	Asp			Lys	Leu	Val	Gln		Gly	Ile	Lys	Val		Phe	
35	tta e				215		4-4	4		220	4.4				225		
	tta a																896
40	Leu A	1811		230	1 9 1	rne			235	iyr	Yaı	ASN			Leu	Val	•
	tta c	ct I			rta	220	ata			t = t				240	4		• • •
<b>4</b> 5	Leu P																944
43	500 1		45	,	ocu .	Lys	•	250	DC u	CYS .	, ווכח		255	LYS	KSD	ren	
	gca g			at a	ag :	ege -			laag	aaac:	aa t			C 20	ctas		000
50	Ala G													c ac	Liga	alla	998
		60	,		-,- '		265										
55	ggaca		c at	t a a a	kgti			taw	att	ttaaa	aaa a	aa					1040

	<210>	92													
5	<211>	266													
	<212>	PRT													
40	<213>	Homo	sapi	ens										٠	
10	<400>	92		•											
	Met M	et Se	r Glm	Leu	Glu	Leu	Leu	Ser	Gly	Gly	Glu	Me t	Leu	Cys	Gly
15	1			5					10					15	
	Gly P	he Tyı	r Pro	Arg	Leu	Ser	Cys	Cys	Leu	Arg	Ser	Asp	Ser	Pro	Gly
20			20					. 25					30		
	Leu G	ly Arg	Leu	Glu	Asn	Lys	Ile	Phe	Ser	Val	Thr	Asn	Asn	Thr	Glu
25		35					. 40					45			
	Cys G		Leu	Leu	Glu		He	Lys	Cyș	Ala		Cys ·	Ser	Pro	His
						55					60				
30	Ser GI	n Ser	Leu	Phe		Ser	Pro	Glu	Arg		Val	Leu	Glu	Arg	Asp
	65				. 70					75					80
35	Leu Va	l Leu	Pro		Leu	Cys	Lys	Asp		Cys	Lys	Glu	Phe		Tyr
	<b>ፓ</b> ክታ ቦኒ		C1	85	11.	Des	C1	DL.	90	C1-	<b>T</b> 1	æı.		95	•
40	Thr Cy	2 VIR	100	піг	116	rio	GIY	105	Len	GIN	ınr	ınr		ASP	Glu
	Phe Cy	s Phe		Tvr	Ala	Arg	Lvs		Glv	Glv	l eu	Cve	110 Phe	Dro	Ann
	,	115	.,.	-,.		0	120	,	·.,	01,	DC 0	125	1 110	110	лэр
45	Phe Pr		Lys	Gln	Val	Arg		Pro	Ala	Ser	Asn		Leu	Asd	Gln
	13					135					140	- • -			
50	Met Gl	u Glu	Tyr	Asp	Lys	Val	Glu	Glu	He	Ser	Arg	Lys	His	Lys	His
	145				150					155					160
55	Asn Cy	s Phe	Cys	Ile	Gln	Glu	Yal	Val	Ser	Gly	Leu	Arg	Gln	Pro	Val

		165		170	175
5	. Gly Ala Leu i	His Ser Gly	Asp Gly Ser	Gln Arg Leu Phe	lle Leu Glu
		180	185		190
	Lys Glu Gly 1	Tyr Val Lys	Ile Leu Thr I	Pro Glu Gly Glu	Ile Phe Lys
10	195		200	205	
	Glu Pro Tyr I	eu Asp Ile	His Lys Leu V	al Gln Ser Gly	Ile Lys Val
15	210		215	220	
	Gly Phe Leu A	sn Phe lle	Tyr Phe Cys A	ala Gly Tyr Val	Asn Phe Ile
20	225	230		235	240
	Leu Val Leu P	ro Ser Ser	Leu Lys Val P	he Leu Cys Asn	Lys Arg Lys
		245	2	50	255
25	Asn Leu Ala G		Lys Gly Ala T	hr	
	2	60	265		
30	<210> 93				
	<211> 1639				
35	<212> DNA				
	<213≻ Homo sap	oiens			
	<220>			•	
40	<221> CDS				
	<b>⟨222⟩</b> (75) (3	71)		-	
45	<b>&lt;400&gt; 93</b>				
					aa ggaaccatct 60
50	cactgtgtgt aaa	c alg act t	cc aag ctg gc	c gig gct cic i	tig gca gcc 110
		Met Thr S	er Lys Leu Al	a Val Ala Leu l	eu Ala Ala
		1	5		10
55	ttc ctg att tc	t gca gct c	tg tgt gaa gg	t gca git itg c	ca agg agt 158

	Phe	Leu	He	Ser	Ala	Ala	Leu	Cys	Glu	Gly	Ala	Val	Leu	Pro	Arg	Ser	
5			15					20					25				
	gct	aaa	gaa	ctt	aga	tgt	cag	tgc	ata	aag	aca	tac	tcc	aaa	cct	ttc	206
10	Ala	Lys	Glu	Leu	Arg	Cys	Gln	Cys	He	Lys	Thr	Tyr	Ser	Lys	Pro	Phe	
		30					35					40					
	cac	ccc	aaa	ttt	atc	aaa	gaa	ctg	aga	gtg	att	gag	agt	gga	cca	cac	254
15	His	Pro	Lys	Phe	Ile	Lys	Glu	Leu	Arg	Val	Ile	Glu	Ser	Gly	Pro	His	
	45					50					55					60	
20	tgc	gcc	aac	aca	gaa	att	att	gta	aag	ctt	tct	gat	gga	aga	gag	ctc	302
	Cys	Ala	Asn	Thr	Glu	Ile.	He	Val	Lys	Leu	Ser	Asp	Gly	Arg	Glu	Leu	
	•				65					70					<b>7</b> 5		
25	tgt	ctg	gac -	ccc	aag	gaa	aac	tgg	gtg	cag	agg	gtt	gtg	gag	aag	ttt	350
	Cys	Leu	Asp	Pro	Lys	Glu	Asn	Trp	Val	Gln	Arg	Val	Val	Glu	Lys	Phe	
30				80					85					90			•
		aag						taaa	aaaa	tt c	atto	tetg	t gg	tato	caag	3	401
35	Leu	Lys		Ala	Glu	Asn	Ser					•					
			95														
																tigig	
10										•						tlcag	
,			•													laaag	
15																tccta	
					•		•	•								atccg	
·														•		cataa	
50								•								tttt	
				•				•								cactg	
5																tcaca	
	gtga	tgttg	gt ga	agga	catg	gg	aagc	acti	taa	gllt	ttt	catc	a t a a	ca l	aaat	tattt	1001

	tcaagtgtaa cttattaacc tatttattat ttatgtattt atttaagcat caaatatitg 10	61
5	tgcaagaatt tggaaaaata gaagatgaat cattgattga atagttataa agatgitata 11	21
	gtaaatttat tttattttag atattaaalg atgitttatt agataaattt caatcagggi 11	81
10	ttttagatta aacaaagaaa caattgggla cccagttaaa ttttcatttc agataaacaa 12	4 I
	caaataatti titagtataa giacattali giitaiciga aagiittaal igaactaaca 13	01
	atcctagitt gataciccca gictigical igccagcigi giiggiagig cigigiigaa 13	61
15	ttacggaata atgagttaga actattaaaa cagccaaaac tccacagtca atattagtaa 14	21
	titetigeig gitgaaacit gittattaig tacaaataga tiettataat attattaaa 14	81
20	tgactgcatt ittaaataca aggettiata ittitaacti taagatgiit itaigigeie 15	41
	tccaaaltit tittacigit icigatigia iggaaatala aaagtaaata igaaacatit 16	)1
.25	aaaatataat tigiigicaa agtaaaaaaa aaaaaaaa 16	39
	<210> 94	
	<211> 99	
30	<212> PRT	
	<213> Homo sapiens	
35	<400> 94	
	Net Thr Ser Lys Leu Ala Val Ala Leu Leu Ala Ala Phe Leu Ile Ser	
40	Ala Ala Leu Cys Glu Gly Ala Val Leu Pro Arg Ser Ala Lys Glu Leu	•
	1 5 10 15	
	Arg Cys Gin Cys Ile Lys Thr Tyr Ser Lys Pro Phe His Pro Lys Phe	
45	20 25 30	
	lle Lys Glu Leu Arg Val Ile Glu Ser Gly Pro His Cys Ala Asn Thr	
50	35 40 45	
	Glu Ile Ile Val Lys Leu Ser Asp Gly Arg Glu Leu Cys Leu Asp Pro	
55	50 55 60	
	Lys Glu Asn Trp Val Gln Arg Val Val Glu Lys Phe Leu Lys Arg Ala	

Glu Asn Ser <210> 95 <211> 3293 <212> DNA <213 Homo sapiens <220> <221> CDS <222> (8).. (1945) <400> 95 gggaagc atg ggg ctt ccc agg ctg gtc tgc gcc ttc ttg ctc gcc gcc Met Gly Leu Pro Arg Leu Val Cys Ala Phe Leu Leu Ala Ala igc igc igc tgi cci cgc gic gcg ggi gig ccc gga gag gci gag cag Cys Cys Cys Cys Pro Arg Val Ala Gly Val Pro Gly Glu Ala Glu Gln cct gcg cct gag ctg gtg gag gtg gaa gtg ggc agc aca gcc ctt ctg Pro Ala Pro Glu Leu Val Glu Val Glu Val Gly Ser Thr Ala Leu Leu aag tgc ggc ctc tcc cag tcc caa ggc aac ctc agc cat gtc gac igg Lys Cys Gly Leu Ser Gln Ser Gln Gly Asn Leu Ser His Val Asp Trp tit ict gic cac aag gag aag cgg acg ctc atc tic cgi gig cgc cag Phe Ser Val His Lys Glu Lys Arg Thr Leu Ile Phe Arg Val Arg Gln ggc cag ggc cag agc gaa cct ggg gag tac gag cag cgg ctc agc ctc

	Gly	Gln	Gly	Gln	Ser	Glu	Pro	Gly	Glu	Tyr	Glu	Gln	Arg	Leu	Ser	Lev	
5		80	)				85					90	١.				
	cag	gac	aga	ggg	gct	act	ctg	gcc	ctg	act	caa	gtc	acc	ccc	caa	gac	337
10	Gln	Asp	Arg	Gly	Ala	Thr	Leu	Ala	Leu	Thr	Gln	Va 1	Thr	Pro	Gin	Asp	
	. 95					100			.•		105	٠.				110	
	gag	cgc	atc	ttç	ttg	t gc	cag	ggc	aag	cgc	cct	cgg	tcc	cag	gag	tac	385
15	Glu	Arg	lle	Phe	Leu	Cys	Gln	Gly	Lys	Arg	Pro	Arg	Ser	Gln	Glu	Tyr	
					115					120	•				125		
20	cgc	atc	cag	ctc	cgc	gtc	tac	aaa	gct	ccg	gag	gag	cca	aac	atċ	cag	433
	Arg	He	Gln	Leu	Arg	Val	Tyr	Lys	Ala	Pro	Glu	Glu	Pro	Asn	He	Gln	
25	-			130					135					140			
							cct										481
	Val	Asn		Leu	Gly	He	Pro		Asn	Ser	Lys	Glu	Pro	Glu	Glu	Val	
30			145					150					155				
							aac					•					529
35	Ala		Cys ·	Val	Gly	Arg	Asn	Gly	Туг	Рго	He		Gln	Val	Ile	Trp	
	•	160	4				165					170					
40							ctg										577
	Tyr 175	Lys	ASII	GIY	MIR	180	ren	rys	OIU	GIU		ASI	Arg	vai	HIS		
,	•	100	too	000	a a t		ana	tea	o m i	aa 1	185					190	car
45	cag Gln .													-		_	625
	GIII .	261	261	G I II	195	741	ora .	261	261	200	Leu	I y I	1111	rea	205	Ser	
50	att	ctor	220	BC 2	•	cio	ot t	222	<b>7</b> 22		222	as t		625			672
																	673
55	Ile 1	LEU			J I II	TEN	101			vəh	r à 2	ush	Ala		rne	1 ) [	
				210					215					220			

	igi	gag	cto	aac	tac	cgg	ctg	ccc	agt	ggg	aac	cac	atg	aag	gag	tcc	721
5	Cys	Glu	Leu	Asn	Туг	Arg	Leu	Pro	Ser	Gly	Asn	His	Met	Lys	Glu	Ser	
			225	ı				230					235				
40	agg	gaa	gtc	acc	gtc	cct	gtt	ttc	tac	ccg	aca	gaa	aaa	gtg	tgg	ctg	769
10	Arg	Glu	Val	Thr	Val	Pro	Val	Phe	Tyr	Pro	Thr	Glu	Lys	Val	Trp	Leu	
		240					245					250					
15	gaa	gtg	gag	cċc	gtg	gga	atg	ctg	aag	gaa	ggg	gac	cgc	gig	gaa	atc	817
	Głu	Va l	GIu	Pro	Va 1	Gly	Met	Leu	Lys	Glu	Gly	Asp	Arg	Yal	Glu	lle	
20	255	•				260					265					270	
	agg	tgt	ttg	gc t	gat	ggc.	aac	cct	cca	cca	cac	ttc	agc	atc	agc	aag	865
	Arg	Cys	Leu	Ala	Asp	G]y	Asn	Pro	Pro	Pro	His	Phe	Ser	He	Ser	Lys	
25	•		-		275					280					285		•
	cag	aac	ccc	agc	acc	agg	gag	gca	gag	gaa	gag	aca	acc	aac	gac	aac	913
30	Gln	Asn	Pro		Thr	Arg	Glu	Ala	Glu	Glu	Glu	Tbr	Thr	Asn	Asp	Asn	
				290	•				295					300			
			ctg.														961
<i>35</i>	Gly	Val	Leu	Va I	Leu	Glu	Pro		Arg	Lys	Glu	His		Gly	Arg	Туг	
			305					310		- 4 -			315				
40			cag														1009
	Olu	320	Gln	ліа	111		325	v2h	1111	MEL			Leu	ren	261	GIU	
45	cca		gaa	cta	rlø			tat	o t o	tet		330	cga	ata	201		1057
			Glu									•					1057
	335	0111	014	LCu		340	non	191	,	361	345	141	VIR	Val	261	350	
50		gr r	cct	gag			gaa	ggc	agc .	200		200	cta	200	lat		1105
			Pro								*						1109
55	nia	A10			355	J 1 11	21u	V1 J		360	Tea	1111	ren			010	
					000					900					365		

	gCa	a ga	g ag	i ag	c ca	g ga	C CI	c ga	gitt	c ca	gtg	g ct	g ag	a ga	a ga	g ac	1153
5	Ala	3 G)	u Se	r Se	r Gl	n As	p Le	u Gl	u Pho	e G1	n Tr	p Le	ıAu	g Gl	u Gl	u Thi	•
				37	0				37	5				38	0	•	·.
10	gac	ca	ggt	g ct	g ga	a ag	g gg	g cc	t gtg	ct	t ca	gtt	g ca	t ga	c ct	g aaa	1201
	Asp	G1:	n Va	l Le	u Gli	ı Aı	g Gl	y Pro	Val	Lei	u Gla	n Lei	u Hi	s [As	p Le	u Lys	
15			38	5			•	390	)				39	5			
	cgg	gag	g gca	a gga	a ggo	ggo	: tai	cgo	: Igo	gtg	g gc g	tci	gte	cco	c ago	c ata	1249
	Arg	Glu	ı Ala	GIS	/ Gly	Gly	/ Tyr	Arg	Cys	Val	Ala	Ser	Val	Pro	Se i	r Ile	
20		400	)				405	i	•			410	)				
													•			ccc	1297
25		G]y	Leu	Asn	Arg	Thr	Gln	Leu	·Val	Lys	Leu	Ala	Ile	Phe	Gly	Pro	
	415		•			420					425					430	
30																atg	1345
	Pro	Trp	Met	Ala	Phe	Lys	Glu	Arg	Lys		Trp	Val	Lys	Glu	Asn	Met	
	ata		4	-4-	435	4-4				440					445		•
35	gtg Val																1393
	Val	rea	VOII	450	261	Cys	GIU	міа	ser 455	GIY	HIS	Pro	Arg		Thr	Ile	
40	lcc	tee	аас		aac	ggr	3 C B	gr a		<b>0</b> 22	000	<b>600</b>		460			
	Ser '																1441
45			465			,	••••	470	501	010	GIII	usp	475	MSD	rio	GIN	
	cga g	stc		agc	acc	ctg	aat		ctc	ete	acc			cla	110	ana.	1489
	Arg \																1403
50		180					485					490	G. u	LCU	Leu	oru	
	aca g		git	gaa	t gc			tcc	aac	gac			222	220	200	200	1527
55	Thr G																1537
		- •	- •					~ <b>~.</b>		p	~ · ·	317	r19	uoli	1111	261	

	49	5				500	)		•		505	•				510	)
5	at	c cto	tto	cti	g gag	g ctg	gto	aat	tta	acc	acc	cto	aca	I CC	gad	tcc	1585
	Il	e Lei	ı Phe	Lei	u Glu	ı Leu	Val	Àsn	Leu	Thr	Thr	Leu	Thi	Pro	) Asp	Ser	
					515	j				520					525	j	
. 10	aad	e aca	acc	act	ggc	ctc	ago	act	tcc	act	gcc	agt	ccl	cat	acc	aga	1633
	Ası	Thr	Thr	Thi	Gly	Leu	Ser	Thr	Ser	Thr	Ala	Ser	Pro	His	Thr	Arg	•
15				530	)			•	535					.540	)		
	gco	aac	agc	acc	tcc	aca	gag	aga	aag	ctg	ccg	gag	ccg	gag	agc	cgg	1681
20	Ala	Asn	Ser	Thr	Ser	Thr	Glu	Arg	Lys	Leu	Рго	Glu	Pro	Glu	Ser	Arg	
			545 -					550					555				
	ggc	gtg	gtc	atc	gtg	gct	gtg	att	gtg	tgc	atc	ctg	gtc	ctg	gcg	gtg	1729
25	Gly		Val	I l e	Val	Ala		He	Va l	Cys	He	Leu	Val	Leu	Ala	Val	
		560					565					570					
30						tät								-			1777
		Gly	Ala	Val	Leu	Tyr	Phe	Leu	Tyr	Lys		Gly	Lys	Leu	Pro	Cys	
35	575					580					585					590	
55																	, 1825
	AIR	AIR	261	GIA	595	Gln	GIU	116	inr		710	Pro	Ser	Arg		Thr	
40	<b>522</b>	c11		at t		o i i	220	toa	gal	600			~~~		605		1020
						gtt Val											1873
45	0.0	Dea		610	0.0	741		561	615	Lys	LCU	110	GIU	620	mei	СІУ	
	ctc	clg			agc	agc	ggt	gac		agg	got	CCP	σσα		C20	<b>0</b> 02	1921
50						Ser											1361
50			625					630	-,-				635	1135	0111	017	
	gag			atc	gat	cig			tago	CCCE	aa t			e te	ccti	.ccct	1975
55						Leu .					-u L	Juct	,	,	,		1214
		_,,	- , .	•			0										

640 645

gcciggacc	a licccagcio	ccigcicaci	cilcicicag	ccaaagcica	aagggactag	203
agagaagcc	t cctgctccc	tegeetgead	acccctttc	agagggccac	tgggttagga	209
cctgaggac	tcacttggcc	ctgcaaggco	cgcttttcag	ggaccagtcc	accaccatct	215
cctccacgt	t gagtgaagct	cateceaage	aaggagcccc	agicicccga	gcgggtagga	2215
gagittette	g cagaacgtigt	tttttcttta	cacacattat	gctgtaaata	cgctcgtcct	2275
gccagcagct	gagcigggta	gcctctctga	gctggtttcc	tgcccaaag	gctggcattc	2335
caccatecag	gtgcaccact	gaagtgagga	cacaccggag	ccaggcgcct	gctcatgttg	2395
aagtgcgctg	ttcacacccg	ctccggagag	cacccagca	gcatccagaa	gcagctgcag	2455
tgcaagcttg	catgcctgcg	tgttgctgca	ccaccctcct	gtctgcctct	tcaaagtctc	2515
cigigacati	ttttctttgg	tcagaggcca	ggaactgtgt	cattccttaa	agatacgtgc	2575
cggggccagg	tgtggctcac	gcctgtaatc	ccagcacttt	gggaggccga	ggcggcggat	2635
cacaaagtca	gacgagacca	tcctggctaa	cacggtgaaa	ccctgtctct	actaaaaata	2695
caaaaaaaa	ttagctaggc	gtagtggttg	gcacctatag	tcccagctac	tcggaaggct	2755
gaagcaggag	aatggtatga	atccaggagg	tggagcttgc	agtgagccga	gaccgtgcca	2815
ctgcactcca	gcctgggcaa	cacagcgaga	ctccgtctcg	aggaaaaaaa	aaatcgtgct	2875
cgtagcagct	ggctctgttt	cgagtcaggt	gaaltagcct	caatccccgt	gttcacttgc	2935
tcccatagcc	ctcttgatgg	atcacgtaaa	actgaaaggc	agcggggagc	agacaaagat	2995
gaggictaca	ctgtccttca	tggggattaa	agclatggtt	atattagcac	caaacttcta	3055
caaaccaagc	tcaggaccca .	accctagaag	ggcccaaatg	agagaatggt	acttagggat	3115
ggcaaaacgg.	gcctggctag	agcticgggt	gtgtgtgtct	gictgigiai	gcatacatat	3175
gigigiatat	atggtittgt	caggigigia	aattigcaaa	ttgtttcctt	tatatatgta	3235
tglatatala	tatatgaaaa	tatatatata	taigaaaaai	aaagcttaat	tgtcccag	3293

<210> 96

<211> 646

<212> PRT

	<21	3> H	iomo	sapi	ens			٠								
5	<40	0> 9	6													
	. Met	Gly	Leu	Pro	Arg	Leu	Val	Cys	Ala	Phe	Leu	Leu	Ala	Ala	Cýs	Cys
10	1				. 5					10					15	
76	Cys	Cys	Pro	Arg	Va l	Ala	Gjy	Val	Pro	Gly	Glu	Ala	Glu	Gln	Pro	Ala
				20					25					 30		
15	Pro	Glu	Leu	Va J	Glu	Val	.Gl u	Val	Gly	Ser	Thr	Ala	Leu	Leu	Lys	Cys
			35					40					45			
20	Gly	Leu	Ser	Gln	Ser	Gln	Gly	Asn	Leu	Ser	His	Val	Asp	Trp	Phe	Ser
		50					55					60		•		
	Val	His	Lys	Glu	Lys	Arg	Thr	Leu	He	Phe	Arg	Val	Arg	Gln	Gly	Gln
25	65		-			70					. 75				•	80
	Gly	Gln	Ser	Glu	Pro	Gly	Glu	Tyr	Glu	Gln	Arg	Leu	Ser	Leu	Gln	Asp
30					85					90			•		95	
	4	C1	112	Thr	less	410	1	<b></b> 1	C1-	V-1	T1	_				
	ALK	GIA	ліа	1 11 1	LCU	HIA	ren	Inr	GIB	Yaı	ınr	710	Gln	Asp	Glu	Arg
<i>35</i>	Arg	GIY	nια	100	DCU	A I a	reu	Inr	105	Yaı		Pro	Gln	110	Glu	Arg
35				100		Gly			105		•			110		
				100					105		•			110		
<i>35</i>	Île	Phe	Leu 115	100 Cys	Gln		Lys	Arg 120	105 Pro	Arg	Ser	Gln	G I u 125	110 Tyr	Arg	He
	lle Gln	Phe Leu 130	Leu 115 Arg	100 Cys Val	Gln Tyr	Gly Lys	Lys Ala 135	Arg 120 Pro	105 Pro Glu	Arg Glu	Ser Pro	Gln Asn 140	Glu 125 lle	110 Tyr Gln	Arg Val	lle Asn
	Ile Gin Pro	Phe Leu 130	Leu 115 Arg	100 Cys Val	Gln Tyr	Gly	Lys Ala 135	Arg 120 Pro	105 Pro Glu	Arg Glu	Ser Pro	Gln Asn 140	Glu 125 lle	110 Tyr Gln	Arg Val	lle Asn
40	lle Gln	Phe Leu 130	Leu 115 Arg	100 Cys Val	Gln Tyr	Gly Lys	Lys Ala 135	Arg 120 Pro	105 Pro Glu	Arg Glu	Ser Pro	Gln Asn 140	Glu 125 lle	110 Tyr Gln	Arg Val	lle Asn
40	Ile Gin Pro	Phe Leu 130 Leu	Leu 115 Arg Gly	100 Cys Val	Gln Tyr Pro	Gly Lys Val 150	Lys Ala 135 Asn	Arg 120 Pro Ser	105 Pro Glu Lys	Arg Glu Glu	Ser Pro Pro	Gln Asn 140 Glu	Glu 125 11e Glu	110 Tyr Gln Val	Arg Val Ala	Ile Asn Thr
40 45	Ile Gln Pro 145 Cys	Phe Leu 130 Leu Val	Leu 115 Arg Gly	100 Cys Val Ile	Gln Tyr Pro Asn 165	Gly Lys Val 150 Gly	Lys Ala 135 Asn . Tyr	Arg 120 Pro Ser	105 Pro Glu Lys	Arg Glu Glu Pro	Ser Pro Pro 155 Gln	Gln Asn 140 Glu Val	Glu 125 Ile Glu	110 Tyr Gln Val	Arg Val Ala Tyr 175	lle Asn Thr 160 Lys
40 45	Ile Gln Pro 145	Phe Leu 130 Leu Val	Leu 115 Arg Gly	100 Cys Val Ile	Gln Tyr Pro Asn 165	Gly Lys Val 150 Gly	Lys Ala 135 Asn . Tyr	Arg 120 Pro Ser	105 Pro Glu Lys	Arg Glu Glu Pro	Ser Pro Pro 155 Gln	Gln Asn 140 Glu Val	Glu 125 Ile Glu	110 Tyr Gln Val	Arg Val Ala Tyr 175	lle Asn Thr 160 Lys

	· Se	er G	ln Ti	hr Va	I GI	u Se	r Se	r Gl	y Le	и Ту	r Th	r Le	u Gl	n Se	r Il	e Lei
5			19	95				20	0 -				20	5		
	Ly	/s A	la Gi	n Le	u Ya	l Ly	s G1	u As	p Ly	s Ası	Ala	a Gl	n Ph	e Ty	r Cy	s Glu
		2	10				21	5			•	220	0			
10	Le	u As	я Ту	r Ar	g Lei	ı Pre	o Se	r Gl	y Asi	n His	Met	Ly:	s Glu	s Se	r Ar	g Glu
	22	5				230	)				235	;				240
15	٧a	.l Th	r Va	l Pro	o Val	Phe	e Ty	r Pro	Thi	r Glu	Lys	. Yal	Tr	Lei	ı Glu	ı Val
					245	j .				250	)				255	j
20	Gl	u Pr	o Va	l Gly	/ Met	Leu	Lys	Glu	Gly	/ Asp	Arg	. Val	Glu	Ile	Arg	Cys
				260	)				265	i				270	)	
	Lei	u Al	a Ası	p Gly	Asn	Pro	Pro	Pro	His	Phe	Ser	He	Ser	Lys	Gln	Asn
25			27	5				280	)				285			
	Pro	Se	r Thi	Arg	Glu	Ala	Glu	Glu	Glu	Thr	Thr	Asn	Asp	Asn	Gly	Val
30		29	) ·				295					300				•
			l Leu	ı G.lu	Pro	Ala	Arg	Lys	Glu	His	Ser	Gly	Arg	Tyr	Glu	Cys
25	305					310					315					320
35	Gln	Ala	Trp	Asn		Asp	Thr	Met	He		Leu	Leu	Ser	Glu	Pro	Gln
	<b>61</b>				325	_				330					335	
40	GIU	Leu	Leu	Val	Asn	Tyr	Vai	Ser		Val	Arg	Val	Ser		Ala	Ala
	D	C)		340	<b>C1</b> .	01.	•	•	345		_			350		
45	710	GIU		Gln	GIU	GIY	Ser		Leu	Thr	Leu	Thr		Glu	Ala	Glu
	°	C	355	4	1	C1	nh.	360	т	•			365			
	361		GIN	Asp	Leu	610		GIN	irp	Leu	Arg		Glu	Thr	Asp	Gln
50	Vol	370	(1	A	C1	D = 0	375	1	C1	1	11 ! -	380				
		ren	UIÜ	Arg			491	ren	GIN			ASP	Leu	Lys	Arg	
55	385	C1	C1	C1		390	r., -	Va 1	41-		395	<b>D</b>		• .	_	400
•	vig	uly	υly	Gly	1 1 [	WLA	υys	val	BIR	196	γal	210	Ser	He	Pro	GIV

						40	5.				410					415	;
5	L	eu /	sn	Arg	Thi	Gli	n Le	y Va	Lys	Let	Ala	He	Pbe	Gl	y Pro	Pro	Trp
					420	)				425	; .				430	)	
10	Ме	et A	l a	Phe	Lys	Gli	ı Arg	g Lys	ya l	Trp	Val	Lys	Glu	Ası	n Met	Val	Leu
,,,				435					440	}				445	j		
	As	n L	eu	Ser	Cys	Glu	i Ala	Ser	Gly	His	Pro	Arg	<b>L</b> to	Thi	· Ile	Ser	Trp
15		4	50					455	,				460			•	
	As	n V	a l	Asn	Gly	Thr	Ala	Ser	Glu	Gln	Asp	Gln	Asp	Pro	Gln	Arg	Val
20	46	5					470	1				475					480
	Le	u S	e r	Thr	Leu	Asn	Vaj	Leu	Va 1	Thr	Pro	Glu	Leu	Leu	Glu	Thr	Gly
25						485					490					495	
	Va	1 G	ļų	Cys		Ala	Ser	Asn	Asp	Leu	Gly	Lys	Asn	Thr	Ser	He	Leu
					500					505					510		
30	Ph	e L			Leu	Val	Asn	Leu		Thr	Leu	Thr	Pro		Ser	Asn	Thr
	ጥኒ	. Ti		515	1	<b>C</b> .	TO 1	<b>C</b> -	520			_	•••	525			
35	10:			GIY	reu	261	ınr		ınr	Ala	Ser	Pro		Thr	Arg	Ala	Asn
	ومې	53 - Th		Sa +	The	Clu	Ara	535	l au	Dro	C1	Dea	540	٠	4	01	11-1
40	548		11	561	1111	010	550	гуз	rea	110	Glu	555	GIU	261	Arg	61 <b>y</b>	
			e 1	Vai	Ala	Val		Val	Cvs	116	Leu		Leu	Δla	Val	î au	560
4-			_			565		•	•,•	•••	570		Dea	1110	401	575	GIY
45	Ala	۷a	1 1	Leu	Tyr		Leu	Tyr	Lys	Lys	Gly	Lys	Leu	Pro	Cvs		Arg
					580			•		585	·	•			590	0	
50	Ser	Gl	y J	Lys	Gln	Glu	Ile	Thr	Leu	Pro	Pro	Ser	Arg	Lys		Glu	Leu
				595		٠			600				-	605	·		
55	Yal	۷a			Val	Lys	Ser	Asp		Leu	Рго	Glu	Glu		Glv	Len	Leu

610 615 620 . Gln Gly Ser Ser Gly Asp Lys Arg Ala Pro Gly Asp Gln Gly Glu Lys 625 630 635 640 Tyr Ile Asp Leu Arg His 10 645 <210> 97 15 <211> 1642 <212> DNA 20 <213> Homo sapiens <220> <221> CDS 25 <222> (158).. (1279) <400> 97 30 gaatcggcgg tcccgcaggt cccggatgtt gcggacagta tgaggcaagc gcagggggac 60 ggggaccage agetgtegee geogetetea gggtgaagag ggaacagaaa telttgeece 120 cigactitgg agaictegit tageettega aciggeg atg tea agg git eeg agt 175 35 Met Ser Arg Val Pro Ser 40 cct cca cct ccg gca gaa atg tcg agt ggc ccc gta gct gag agt tgg .Pro Pro Pro Pro Ala Glu Met Ser Ser Gly Pro Val Ala Glu Ser Trp 10 15 20 45 tgc tac aca cag atc aag gta gtg aaa ttc tcc tac atg tgg acc atc 271 Cys Tyr Thr Gln Ile Lys Val Val Lys Phe Ser Tyr Met Trp Thr Ile 25 30 35 aat aac tit agc tit igc cgg gag gaa aig ggt gaa gtc att aaa agt 319 Asn Asn Phe Ser Phe Cys Arg Glu Glu Met Gly Glu Val Ile Lys Ser 55

		40	)		٠		45	5		•		50	)				
5	to	t aca	tti	t tca	a tca	a gga	a gca	aat	gat	aaa	ctg	aaa	tgg	tg!	ttg	cga	36
	Se	Thr	Phe	e Sei	r Sei	Gly	Ala	Asn	Asp	Lys	Leu	Lys	Trp	Cys	Leu	Arg	٠.
	5 8	5				60	)				65				•	70	
10	gta	a aac	ccc	aaa	ggg	tta	gat	gaa	gaa	ago	aaa	gat	tac	ctg	tca	ctt	418
	Va I	Asn	Pro	Lys	Gly	Leu	Asp	Glu	Glu	Ser	Lys	Asp	Tyr	Leu	Ser	Leu	
15	•				75					80	)				85		
	tac	ctg	tta	ctg	gtc	agc	tgt	cca	aag	agt	gaa	gtt	cgg	gca	aaa	ttc	463
20	Туг	Leu	Leu	Leu	Val	Ser	Cys	Pro	Lys	Ser	Glu	Val	Arg	Ala	Lys	Phe	
				90					95		•			100		•	
	aaa	ttc	tcc	atc	ctg	aat	gcc	aag	gga	gaa	gaa	acc	aaa	gct	atg	gag	511
25	Lys	Phe	Ser	. Ile	Leu	Asn	Ala	Lys	Gly	Glu	Glu	Tbr	Lys	Ala	Me t	Glu	
			105					110					115			•	
30		caa					•					•					559
	Ser	Gln	Arg	Ala	Tyr	Arg		Val	Gln	Gl∙y	Lys		Trp	Gly	Phe	Lys	
35		120					125					130					
55		ttc															607
		Phe	116	Arg			rne	Leu	reu	Asp		Ala	Asn	Gly	Leu		
40	135	+				140	-1-	**-	4		145					150	
		gat															655
45	rio	Asp	ASP	Lys	155	Inr	ren	rne	Cys		чаі	26L	vai	Val		ASP	
	tet	atc	220	att		aac	<b>.</b>	aat	200	160	200				165		700
50	•	gtc Val											•				703
50	oc:	141	nsn	170	JUI	017	0111	N3 II	175	me (	ווכת	10 C L	141		141	rio	
	g a g	tgc	ran		gra	וכם	<b>72</b> 7	112		aus	o t a	t ~~	ac. *	180	100		ŋċ.
55		Cys .															751
	U I U	vj3	1115	<b></b> ∪ U	W10	nop	O i U	T C II	UIJ	OIA	しては	IID	UIU	WZII	J L L	MIK	

			185	j <sub>.</sub>			٠	190	)				195	•			
5	tti	aca	a gac	t go	tgo	t t g	tgt	gtt	gcc	ggc	cag	gaa	ttc	cag	gct	cac	·799
	Phe	? Thi	r Asp	Cys	Cys	Leu	ı Cys	. Val	Ala	Gly	Gln	Glu	Phe	Gln	Ala	His	
10		200	)				205	•				210					
10	aag	gcl	atc	tta	gca	gct	cgt	tct	ccg	git	ttt	agt	gcc	atg	ttt	gaa	847
	Lys	Ala	Ile	Leu	Ala	Ala	Arg	Ser	Pro	Val	Phe	Ser	Ala	Met	Phe	Glu	
15	215					220					225					230	
	cat	gaa	atg	gag	gag	agc	aaa	aag	aat	cga	gtt	gaa	atc	a a t	gat	gtg	895
20	His	Glu	Met	Glu	Glu	Ser	Lys	Lys	Asn	Arg	Val	Glu	I l.e	Asn	Asp	Val	
					235					240					245		
25						aag		•				٠			-	_	943
	Glu	Pro	Glu		Phe	Lys	Glu	.Me t		Cys	Phe	He	Tyr		Gly	Lys	
				250					255				•	260			
30					•	aaa									•		991
	Ala	110		Leu	Asp	Lys	Met		Asp	Asp	Leu	Leu		Ala	Ala	Asp	
35		101	265					270		-4-			275				1000
						cgc Arg											1039
40	Lys	280	VIO	LCU	Giu	NI 6	285	ris	141	MCL	<b>U</b> y S	290	W2h	nia	Leu	CAR	•
	agt		ctg	fcc	gtg	gag		gct	gca	gaa	att		atc	ctø	grr	gar	1087
						Glu			٠							·	1001
45	295	•				300	•				305					310	
	ctc	cac	agt	gca	gat	cag	ttg	aaa	act	cag	gca	gtg	gat	ttc	atc		1135
50	Leu												•			•	
					315	•	•			320			-		325		
55	tat	cat	gct	tcg	gat	gtc	ttg	gag	acc	tct	ggg	t gg	aag	tca		gtg	1183

	Tyr His Ala Ser Asp Val Leu Glu Thr Ser Gly Trp Lys Ser Met Val
_	330 335 340
5	gtg tca cat ccc cac ttg gtg gct gag gca tac cgc tct ctg gct tca 1231
	Val Ser His Pro His Leu Val Ala Glu Ala Tyr Arg Ser Leu Ala Ser
10	345 350 355
	gca cag tgc cct tit ctg gga ccc cca cgc aaa cgc ctg aag caa tcc 1279
15	Ala Gln Cys Pro Phe Leu Gly Pro Pro Arg Lys Arg Leu Lys Gln Ser
	360 365 370
00	laagateetg ettgtigtaa gaeteegitt aatiteeaga ageageagee aetgitgeig 1339
20	ccactgacca ccaggtagac agegeaatet gtggagettt tactetgttg tgaggggaag 1399
	agactgcatt gtggccccag acttttaaaa cagcactaaa taacttgggg gaaacggggg 1459
25	gagggaaaat gaaatgaaaa ccctgttgct gcgtcactgt gttccctttg gcctgtctga 1519
	gtitgatact gtggggattc agittaggcg ctggcccgag gatatcccag cggtggtact 1579
30	teggagacae eigietgeat etgaetgage agaacaaate gteaggtgee tggageaaaa 1639
	agg . 1642
35	⟨210⟩ 98
33	⟨211⟩ 374
	<212> PRT
40	<213> Homo sapiens .
	⟨400⟩ 98
45	Met Ser Arg Val Pro Ser Pro Pro Pro Pro Ala Glu Met Ser Ser Gly
	I 5 10 15
50	Pro Val Ala Glu Ser Trp Cys Tyr Thr Gln lle Lys Val Val Lys Phe
	20 25 30
	Ser Tyr Met Trp Thr Ile Asn Asn Phe Ser Phe Cys Arg Glu Glu Met
55	35 40 45

	Gly	Glu	Val	He	Lys	Ser	Ser	lhr	Phe	Ser	Ser	Gly	Ala	Asn	Asp	Lys
5		50					55					60				
	Leu	Lys	Trp	Cys	Leu	Arg	Val	Asn	Pro	Lys	Gly	Leu	Asp	Glu	Glu	Ser
	65					70					75					. 80
10	Lys	Asp	Tyr	Leu	Ser	Leu	Tyr	Leu	Leu	Leu	Val	Ser	Cys	Pro	Lys	Ser
					85			•		90	-				95	٠
15	Glu	Val	Arg	Ala	Lys	Phe	Lys	Phe	Ser	He	Leu	Asn	Ala	Lys	Gly	Glu
				100					105					110		
20	Glu	Thr	Lys	Ala	Me t	Glu	Ser	Gln	Arg	Ala	Tyr	Arg	Phe	Val	Gln	Gly
	,		115					120					125			
	Lys	Asp	Trp	Gly	Phe	Lys	Lys	Phe	lle	Arg	Arg	Asp	Phe	Leu	Leu	Asp
25		130	-				135					140				
	Glu	Ala	Asn	Gly	Leu	Leu	Pro	Asp	Asp	Lys	Leu	Thr	Leu	Phe	Cys	Glu
30	145					150					155	•				160
	Val	Ser	Val	Val	Gln	Asp	Ser	Val	Asn	Ile	Ser	Gly	Gln	Asn	Thr	Met
•	•				165			•		170					175	
35	Asn	Met	Val	Lys	Val	Pro	Glu	Cys	Arg	Leu	Ala	Asp	Glu	Leu	Gly	Gly
				180					185					190		
40	Leu	Trp	Glu	Asn	Ser	Arg	Phe	Thr	Asp	Cys	Cys	Leu	Cys	Val	Ala	Gly
			195					200					205			
45	Gln	Glu	Phe	Gln	Ala	His	Lys	Ala	He	Leu	Ala	Ala	Arg	Ser	Pro	Val
45	•	210					215					220				
	Phe	Ser	Ala	Me t	Phe	Glu	His	Glu	Met	Glu	Glu	Ser	Lys	Lys	Asn	Arg
50	225					230					235					240
	Val	Glu	He	Asn	Asp	Val	Glu	Pro	Glu	Val	Phe	Lys	Glu	Me t	Met	Cys
55					245					250					255	
	Phe	He	Tyr	Thr	Gly	Lys	Ala	Pro	Asn	Leu	Asp	Lys	Met	Ala	Asp	Asp

		260	265	27	0 .
5	Leu Leu Ala	Ala Ala Asp	Lys Tyr Ala Le	eu Glu Arg Leu Ly	s Val Met
	. 275		280	285	
10	Cys Glu Asp	Ala Leu Cys	s Ser Asn Leu Se	er Yal Glu Asn Al	a Ala Glu
	290		295	300	
	Ile Leu Ile	Leu Ala Asp	Leu His Ser Al	la Asp Gln Leu Ly	s Thr Gln
15	305	310	)	315	320
	Ala Val Asp	Phe Ile Asn	Tyr His Ala Se	er Asp Val Leu Gļ	u Thr Ser
20		325	33	30	335
	Gly Trp Lys	Ser Met Val	Val Ser His Pr	ro His Leu Val Al	a Glu Ala
25		340	345	35	0
	Tyr Arg Ser	Leu Ala Ser	Ala Gln Cys Pr	ro Phe Leu Gly Pr	o Pro Arg
	355		360	365	
30	Lys Arg Leu	Lys Gln Ser			
	370				
35	<210> 99				
	<211> 5722				•
40	<212> DNA				· .
	<213> Homo s	apiens			
	<220>			•	
45	<221> CDS		•		
	<222> (112).	. (3621)		•	
50	<b>&lt;400&gt; 99</b>				
	ggacgcacag e	cattececg e	gcccctcca gccct	cgccg ccctcgccac	cgctcccggc 60
55	cgccgcgctc c	ggtacacac ag	ggatccctg ctggg	cacca acagetecae	c atg ggg 117
			•	•	Met Gly

																1	
5	ctg	gcc	tgg	gga	cta	ggc	gtc	ctg	ttc	ctg	atg	cat	gtg	tgt	ggc	acc	165
	Leu	Ala	Trp	Gly	Leu	Gly	Val	Leu	Phe	Leu	Met	His	Val	Cys	Gly	Thr	
10			5					10					15				
	aac	cgc	att	cca	gag	tct	ggc	gg8	gac	aac	agc	gtg	ttt	gac	atc	ttt	213
	Asn	Arg	He	Рто	Glu	Ser	Gly	Gly	Asp	Asn	Ser	Val	Phe	Asp	Ile	Phe	
15		20					25					30					
	gaa	ctc	acc	ggg	gcc	gcc	cgc	aag	ggg	tct	ggg	cgc	cga	ctg	gtg	aag	261
20	Glu	Leu	Thr	Gly	Ala	Ala	Arg	Lys	Gly	Ser	Gly	Arg	Arg	Leu	Val	Lys	
	35					40					45				•	50	
25			gac													•	309
	Gly	Pro	Asp	Pro		Ser	Pro	Ala	Phe		Ile	Glu	Asp	Ala		Leu	
20					55					60					65	٠	
30			cct														357
	116	rro	Рго		Pro	ASP	ASP	Lys		Gin	Asp	Leu	Val		Ala	Val	
35	roo	or a	gaa	70	o o t	ttc	ctc	ctt	75 cta	( GC1	100	010	200	80	a t a	222	405
			Glu														405
40	6	u	85	2,3	0.,	ίΩC	Du	90	200	A. a	001	Den	95	0111		Lys	
	aag	acc	cgg	ggc	acg	ctg	ctg		clg	gag	CEE	aaa		cac	tct	ggc	453
45	Lys																
		100					105					110	·			•	
	cag	gtc	ttc	agc	glg	gtg	tcc	aat	ggc	aag	gcg	ggc	acc	clg	gac	ctc	501
50	Gln	Val	Phe	Ser	Yal	Val	Ser	Asn	Gly	Lys	Ala	Gly	Thr	Leu	Asp	Leu	
	115					120					125					130	
55	agc	ctg	acc	gtc	caa	gga	aag	cag	cac	gig	gtg	tct	gig	gaa	gaa	gct	549

	Se	r Lei	ı Thr	· Val	Gln	G13	/ Lys	Gln	His	Val	Val	Ser	Val	Glu	Glu	Ala	
E					135	i			. •	140					145	j	
5	cto	cte	gca	aco	ggc	cag	tgg	aag	agc	atc	acc	ctg	ttt	gtg	cag	 gaa	597
	Lei	ı Leu	Ala	Thr	Gly	Gln	Trp	Lys	Ser	He	Thr	Leu	Phe	Val	Gln	Glu	
10				150					155	•				160			
	gac	agg	gcc	cag	ctg	tac	atc	gac	tgt	gaa	aag	atg	gag	aat	gct	gag	645
15	Asp	Arg	Ala	Gln	Leu	Ţyr	Ile	Asp	Cys	Glu	Lys	Met	Glu	Asn	Ala	Glu	
			165					170					175		•		
20	ttg	gac	gtc	ccc	atc	caa	agc	gtc	ttc	acc	aga	gac	ctg	gcc	agc	atc	693
20	Leu	Asp	Vaîl	Pro	He	Gln	Ser	Val	Phe	Thr	Arg	Asp	Leu	Ala	Ser	Ile	
		180					185					190					
25	gcc	aga	ctc	cgc	atc	gca	aag	ggg	ggc	gtc	aat	gac	aat	ttc	cag	ggg	741
	Ala	Arg	Leu	Arg	He	Ala	Lys	Gly	Gly	Val	Asn	Asp	Asn	Phe	Gln	Gly	•
30	195					200					205					210	
					gtg				•								789
	Val	Leu	Gln	Asn	Val	Arg	Phe	Val	Phe	Gly	Thr	Thr	Pro	Glu	.Asp	lle	
35					215					220					225		
					ggc												837
40	Leu	Arg	Asn		Gly	Cys	Ser	Ser		Thr	Ser	Val	Leu		Thr	Leu	·
				230	_4_				235					240		:	
45					gtg												885
	АЅР	AŞN		vai	Val	ASN	GIY		261	PTO	Ala	He		Thr	Asn	Tyr	
			245					250			-4-		255				
50					aca												933
•	116		412	ГÀS	Thr	LYS		ren	GID	AIA	116		GIY	116	Ser	Cys	
55		260					265					270					
	gat	gag.	ctg	ICC	agc	atg	glC	cig	gaa	ctc	agg	ggc	ctg	CgC	acc	att	981

	Asp	Glu	Leu	Ser	Ser	Met	Val	Leu	Glu	Leu	Arg	Gly	Leu	Arg	Thr	Ile	•
5	275	,				280				•	285		•			290	
	gtg	acc	acg	ctg	cag	gac	agc	atc	cgc	aaa	gtg	act	gaa	gag	aac	aaa	1029
10	Val	Thr	Thr	Leu	Gln	Asp	Ser	lle	Arg	Lys	Val	Thr	Glu	Glu	Asn	Lys	
					295					300					305		
	gag	ttg	gcc	aat	gag	ctg	agg	cgg	cct	. ccc	cta	t gc	tat	cac	aac	gga	1077
15	Glu	Leu	Ala	Asn	Glu	Leu	Arg	Arg	Pro	Pro	Leu	Cys	Tyr	His	Asn	Gly	
				310				•	315					320			
20	gtt	cag	tac	aga	aat	aac	gag	gaa	tgg	act	gtt	gat	agc	t gc	act	gag	1125
	Val	Gln	Tyr	Arg	Asn	Asn	Glu	Glu	Trp	Thr	Val	Asp	Ser	Cys	Thr	Glu	
25			325					330					335		•		
	tgt	cac	tgt	cag	aac	tca	gţţ	acc	atc	tgc	888	aag	gtg	tcc	tgc	ccc	1173
	Cys	His	Cys	Gln	Asn	Ser		Thr	He	Cys	Lys	Lys	Val	Ser	Cys	Pro	•
30		340					345					350			•		
		atg															1221
35		Met	Pro	Cys	Ser		Ala	Thr	Val	Pro		Gly	Glu	Cys	Cys		
	355					360					365					370	
40	cgc										•						1269
	Arg	Cys	Irp	Pro		ASP	261	Ala	ASP		Gly	Trp	Ser	Pro		Ser	
					375				1-1	380	- 4				385		
45		tgg															1317
	GIU	Trp			Cys	Ser	ınr	261		619	ASD	GIY	116		GIN	Arg	
50				390					395		. ·			400			
•		cgc															1365
55	Gly			СУS	ASP	Ser	Leu		Asn	Arg	Cys	Glu		261.	Ser	Val	
			405					410					415				

	cag	aca	cgg	acc	tgc	cac	att	cag	gag	tgt	gac	aaa	aga	ttt	aaa	cag	1413
5	Gln	Thr	Arg	Thr	Cys	His	Ile	Gln	Glu	Cys	Asp	Lys	Arg	Phe	Lys	Gln	٠
		420					425			•		430				•	
	gat	ggt	ggc	t gg	agc	cac	igg	tcc	ccg	tgg	tca	tct	tgt	tct	gtg	aca	1461
10	Asp	Gly	G) y	Trp	Ser	His	Trp	Ser	Pro	Trp	Ser	Ser	Cys	Ser	Yal	Thr	
	435		•			440					445		•.			450	
15	tgt	ggt	gat	ggt	gtg	atc	aca	agg	atc	cgg	ctc	t gc	aac	tct	ccc	agc	1509
	Cys	Gly	Asp	Gly	Val	Ile	Thr	Arg	He	Arg	Leu	Cys	Asn	Ser.	Pro	Ser	
20					455					460					465		
20	ccc	cag	atg	aat	ggg	aaa	ccc	tgt	gaa	ggc	gaa	gcg	ċgg	gag	acc	aaa	1557
	Рго	Gln	Me t	Asn	Gly	Lys	Pro	Cys	Glu	Gly	Glu	Ala	Arg	Glu	Thr	Lys	
25			-	470					475					480			
	gcc	tgc	aag	aaa	gac	gcc	t gc	ccc	atc	aat	gga	ggc	lgg	ggt	cct	t gg	1605
30	Ala	Cys	Lys	Lys	Asp	Ala	Cys	Pro	He	Asn	Gly	Gly	Trp	Gly	Pro	Trp	
			485					490					495		-		
				gac				•									1653
35	Ser		Trp	Asp	lle	Cys		Val	Thr	Cys	Gly	Gly	Gly	Val	Gln	Lys	
		500					505					510					
40				ctc						•							1701
		Ser	Arg	Leu	Cys		Asn	Рго	Ala	Pro		Phe	Gly	Gly	Lys		•
45	- 515					520					525				٠	530	
				gat													1749
	Cys	Val	Gly	Asp		lhr	Glu	Asn	GIn			Asn	Lys	GIn		Cys	
50					535					540	•				545		
	cca																1797
55	Pro	lle	Asp		ÜУS	Leu	Ser	ASN		Cys	Phe	Ala	Gly		Lys	Cys	
				550					555					560			

	act	ago	tac	cct	gat	ggc	agc	tgg	aaa	tgt	ggt	gct	tgt	ccc	cct	ggt	1845
5	Thr	Ser	Tyı	Pro	Asp	Gly	Ser	Тгр	Lys	Cys	Gly	Ala	Cys	Pro	Pro	Gly	
			565	,		-		570					575	•			
10	tac	agt	gga	aat	ggc	atc	cag	tgc	aca	gat	gt t	gat	gag	tgc	aaa	gaa	1893
70	İyr	Ser	Gly	Asn	Gly	lle	Gln	Cys	Thr	Asp	Vàl	Asp	Glu	Cys	Lys	Glu	
	•	580			•		585					590					
15	gtg	cc t	gat	gcc	tgc	ttc	aac	cac	aat	gga	gag	cac	cgg	tgt	gag	aac	1941
	Yal	Pro	Asp	Ala	Cys	Phe	Asn	His	Asn	Gly	Glu	His	<b>Vi</b> a	Cys	Glu	Asn	
20	595		•			600					605					610	
	acg	gac	ccc	ggc	tac	aac	tgc	ctg	CCC.	lgc	ccc	cca	cgc	ttc	acc	ggc	1989
25	Thr	Asp	Pro	Gly	Tyr	Asn	Cys	Leu	Pro	Cys	Pro	Pro	Arg	Phe	Thr	Gly	
			-		615					620			-		625		
	tca	cag	ccc	ttc	ggc	cag	ggt	gtc	gaa	cat	gcc	acg	gcc	aac	aaa	cag	2037
<b>30</b>	Ser	Gln	Pro	Phe	Gly	Gln	Gly	Val	Glu	His	Ala	Thr	Ala	Asn	Lys	Gln	
				630					635					640			
35					cgt												2085
٠	Val	Cys		Pro	Arg	Asn	Pro		Thr	Asp	Gly	Thr	His	Asp	Cys	Asn	
40			645			•		650	•				655				
					tgc												2133
			Ala	Lys	Cys	Asn		Leu	Gly	His	Tyr	•	Asp	Pro	Met	Tyr	
45		660					665					670					
,	CgC																2181
50	Arg	Cys	Glu	Cys	Lys		Gly	Tyr	Ala	Gly		Gly	lle	Ile	Cys	, <del>-</del>	
	675					680					685					690	
55	gag															•	2229
	Glu	Asp	Thr	Asp	Leu	Asp	Gly	Trp	Pro	Asn	Glu	Asn <sub>.</sub>	Leu	Val	Cys	Val	

					695	5		•		700	)				708	•	
5	gc	c aa	t gc:	ac	tac	cac	tgo	: aaa	aag	gal	aat	tgo	cco	aac	cli	ccc	2277
	Ala	a Asi	n Ala	Th	Tyr	His	Cys	Lys	Lys	Asp	Asn	Cys	Pro	Asn	Leu	Pro	•
				710	)				715					720	)		
10	aad	ctca	ggg	cas	gaa	gac	tat	gac	aag	gat	gga	att	ggţ	gat	gco	tgt	2325
	Asr	ı Sei	r Gly	GIn	Glu	Asp	Туг	Asp	Lys	Asp	Gly	lle	Gly	·Asp	Ala	Cys	
15			725	i			•	730					735				
	gat	gat	gac	gat	gac	aat	gat	aaa	att	cca	gat	gac	agg	gac	aac	tgt	2373
20	Așp	Asp	Asp	Asp	Asp	Asn	Asp	Lys	He	Pro	Asp	Ásp	Arg	Asp	Asn	Cys	
		740	)	•			745					750	•				
	cca	tto	cat	tac	aac	cca	gc t	cag	tat	gac	tat	gac	aga	gat	gat	gtg	2421
25	Pro	Phe	His	Tyr	Asn	Pro	Ala	Gln	Туг	Asp	Tyr	Asp	Arg	Asp	Asp	.Va1	
	755					760					765					770	
30	gga	gac	cgc	tgt	gac	aac	tgt	ccc	tac	aac	cac	aac	cca	gat	cag	gca	2469
	Gly	Asp	Arg	Cys	Asp	Asn	Cys	Pro	Tyr	Asn	His	Asn	Pro	Asp	Gln	Ala	
					775					780				٠	785		
35	gac	aca	gac	aac	aat	ggg	gaa	gga	gac	gcc	tgt	gc t	gca	gac	att	gat	2517
	Asp	Thr	Asp	Asn	Așn	Gly	Glu	Gly	Asp	Ala	Cys	Ala	Ala	Asp	Ile	Asp	
10				790					795					800			
	gga	gac	ggt	atc	ctc	aat	gaa	cgg	gac	aac	tgc	cag	tac	gtc	tac	aat	2565
<b>15</b> '	Gly	Asp	Gly	He	Leu	Asn	Glu	Arg	Asp	Asn	Cys	Gln	Tyr	Val	Туг	Asn	
.5			805	•				810					815				
	gtg	gac	cag	aga	gac	act	gat	atg	gat	ggg	gtt	gga	gat	cag	tgt	gac	2613
50	Val	Asp	Gln	Arg	Asp	Thr	Asp	Me t	Asp	Gly	Val	Gly	Asp	Gin	Cys	Asp	
		820					825					830					
55	aat	tgc	ccc	llg	gaa	cac	aat	ccg	gat	cag	clg	gac	tct	gac	tca	gac	2661
	Asn	Cys	Pro	Leu	Glu	His	Asn	Pro	Asp	Gln	Leu	Asp	Ser	Asp	Ser	Asp	

	•		•	
	835 .	840	845	850 .
5	cgc att gga gat ac	c igi gac aac aai ca	og gat att gat gaa ga	t ggc 2709
	Arg Ile Gly Asp Th	ır Cys Asp Asn Asn Gl	n Asp Ile Asp Glu Asp	p Gly
10	85	55 86	869	5.
	cac cag aac aat ct	g gac aac tgt ccc ta	it gig ccc aai gcc aad	c cag 2757
	His Gln Asn Asn Le	u Asp Asn Cys Pro Ty	r Val Pro Asn Ala Asr	ı Gln
15	870	875	. 880	
	gct gac cat gac aa	a gat ggc aag gga ga	t gcc tgt gac cac gai	t gat 2805
20	Ala Asp His Asp Ly	s Asp Gly Lys Gly As	p Ala Cys Asp His Asp	Asp
	885	890	895	
٥٢	gac aac gat ggc at	t cct gat gac aag ga	c aac tgc aga ctc gtg	ccc 2853
25	Asp Asn Asp Gly Il	e Pro Asp Asp Lys Ası	p Asn Cys Arg Leu Val	Pro
	900	905	910	•
30	aat ccc gac cag aa	g gac tot gac ggc ga	t ggt cga ggt gat gcc	tgc 2901
	Asn Pro Asp Gln Ly	s Asp Ser Asp Gly Ası	p Gly Arg Gly Asp Ala	Cys
35	915	920	925	930
	aaa gat gat iit gad	c cat gac agt gtg cca	a gac atc gat gac atc	tgt 2949.
	Lys Asp Asp Phe Asp	p His Asp Ser Val Pro	o Asp Ile Asp Asp Ile	Cys
40	938	5 940	0 945	
	cct gag aat git gad	c atc agt gag acc gaf	t tic cgc cga itc cag	atg 2997
45	Pro Glu Asn Val Ası	o Ile Ser Glu Thr Asp	p Phe Arg Arg Phe Gin	.Met .
	950	955	. 960	
50	att cct ctg gac ccc	; aaa ggg aca lcc caa	a aat gac cct aac tgg	gtt 3045
	lle Pro Leu Asp Pro	Lys Gly Thr Ser Glm	n Asn Asp Pro Asn Trp	Val
	965	970	975	
55	gla cgc cat cag ggl	aaa gaa ctc gtc cag	g act glc aac lgt gat	cci 3093

	Val Arg His G	ln Gly Lys Glu	ı Leu Val Gln Thr	Val Asn Cys Asp Pro	
5	980	988	i	990	
	gga ctc gct g	ta ggt tat gai	gag ttt aat gct	gtg gac ttc agt ggc 3	3141
	Gly Leu Ala V	al Gly Tyr Asp	Glu Phe Asn Ala	Val Asp Phe Ser Gly	
10	995	1000	· 1005	1010	٠
	acc ttc ttc a	c aac acc gaa	agg gac gai gac	tat gct gga ttt gtc 3	189
15	Thr Phe Phe II	e Asn Thr Glu	Arg Asp Asp Asp	Tyr Ala Gly Phe Val	
		1015	1020	1025	
	ttt ggc tac·ca	g too ago ago	cgc ttt tat gtt	gtg atg tgg aag caa 3	237
20	Phe Gly Tyr Gl	n Ser Ser Ser	Arg Phe Tyr Val	Val Met Trp Lys Gln	
	103	0	1035	1040	
25	gtc acc_cag to	c tac tgg gac	acc aac ccc acg	agg gct cag gga tac 3	285
	Val Thr Gln Se	r Tyr Trp Asp	Thr Asn Pro Thr	Arg Ala Gln Gly Tyr	
30	1045		1050	1055	
	tcg ggc ctt tc	t gig aaa gii	gta aac tcc acc	aca ggg cct ggc gag 33	333
	Ser Gly Leu Se	r Val Lys Val	Val Asn Ser Thr	Thr Gly Pro Gly Glu	
35	1060	1065	1	070	
	cac ctg cgg aa	c gcc ctg tgg	cac aca gga aac	acc cct ggc cag gtg 3	381
40	His Leu Arg As	a Ala Leu Trp	His Thr Gly Asn	Thr Pro Gly Gln Val	•
	1075	1080	1085	1090	
4 <sup>'</sup> 5	cgc acc ctg tg	g cat gac cct	cgt cac ata ggc	tgg aaa gat ttc acc 34	429
43	Arg Thr Leu Tr	His Asp Pro	Arg His Ile Gly	Irp Lys Asp Phe Thr	
		1095	1100	1105	
50	gcc tac aga tgg	cgt ctc agc	cac agg cca aag a	acg ggt ttc att aga 34	477
	Ala Tyr Arg Tr	Arg Leu Ser	His Arg Pro Lys 1	Thr Gly Phe Ile Arg	
55	1110	)	1115	1120	
	glg glg alg lat	gaa ggg aag	aaa atc atg gct g	sac tea gga eec ate 35	525

	Val Val Me	et Tyr Glu	Gly Lys Lys	Ile Met Al	a Asp Ser Gly	y Pro Ile	
5	112	25 .	1130		1135	•	•
	tat gat as	aa acc tat	gct ggt gg1	aga cta gg	g itg itt gto	ttc tct	3573
10	Tyr Asp Ly	s Thr Tyr.	Ala Gly Gly	Arg Leu Gl	Leu Phe Val	Phe Ser	
-	1140		1145		1150		
	caa gaa at	g gtg ttc	tic tot gad	ctg aaa ta	gaa tgt aga	a gat ccc	3621
15	Gln Glu Me	t Val Phe l	Phe Ser Asp	leu Lys Tyr	Glu Cys Are	Asp Pro	
	1155	1	160	1169	· ·	1170	
	taatcatcaa	attgttgat	t gaaagactg	a tcataaacca	atgctggtat	tgcaccttct	3681
	ggaactatgg	gcttgagaaa	accccagg	a tcacttctcc	ttggcttcct	tcttttctgt	3741
25	gcttgcatca	gtgtggacto	ctagaacgt	g cgacctgcct	caagaaaatg	cagttttcaa	3801
					tcttccaagc		
_	tigctitggt	ttccttttga	aaaagcatc	t acttgcttca	gttgggaagg	tgcccattcc	3921
10					atctctgagc	_	
					gaattagcaa	•	
25					agcactaagg		
					tacatgitcg		
					gctgactggc		•
					gagacaaaga		
					giggccagaa		
5				•	tggtcacatt		
			•		ataggaaaac		
o					ttatattttt		
					tetettitt		
5					tttaaagtct	•	
	aaatatttat	tittactia	ttctggaag	a totggotgaa	ggattattca	tggaacagga	4701

	agaagegtaa agactateea tgteatettt gitgagagte ttegtgaetg taagattgta 47	761
5	aatacagatt atttattaac totgttoigo oiggaaatti aggottoata oggaaagigi 48	321
	tigagagcaa giagiigaca titatcagca aaiciciigc aagaacagca caaggaaaat 48	381
10	cagictaata agcigcicig cocciigigo icagagigga igitatggga ticciitti 49	)4 I
	ctctgtttta tcttttcaag tggaattagt tggttatcca titgcaaatg ttttaaattg 50	001
	caaagaaagc catgaggict tcaatactgt ittaccccat cccitgigca tatticcagg 50	)61
15	gagaaggaaa gcatatacac ttttttcitt cattittcca aaagagaaaa aaatgacaaa 51	21
	aggigaaaci tacatacaaa tattaccica iiigiigi gacigagiaa agaatiiiig 5)	81
20	gatcaagegg aaagagitta agigictaae aaacitaaag etaetgiagi acctaaaaag 52	41
	tcagtgttgt acatagcata aaaactctgc agagaagtat tcccaataag gaaatagcat 53	01
05	tgaaatgtia aatacaatti cigaaagita igiittiiti ciaicaicig giataccait 53	61
25	gcittattit tataaattat liicicalig ccaliggaat agaatatica galigigiag 54	21
	atatgotait taaataatti atoaggaaat actgoolgia gagitagtai itotaiiiti 54	81
30	alalaatgit tgcacactga attgaagaat tgttggtttt ttctttttt tgtttiitt 55	41
	ttttttttttttttttgc ttttgacctc ccatttttac tatttgccaa tacctttttc 56	01
35	taggaatgig ctttttttg tacacatttt tatccatttt acattctaaa gcagtgtaag 56	61
	tigiatatla cigiticita igiacaagga acaacaataa atcataigga aattiatati 57	21
	t 57	22
40	<210> 100	•
	<211> 1170	
45	<212> PRT	
	<213> Homo sapiens	
	<400> 100	
50	Met Gly Leu Ala Trp Gly Leu Gly Val Leu Phe Leu Met His Val Cys	
	1 5 10 15	
55	Gly Thr Asn Arg Ile Pro Glu Ser Gly Gly Asp Asn Ser Val Phe Asp	

	•			20	)				25					30	)	
E	11	e Ph	e Glu	Lei	ı Tbı	Gly	Ala	Ala	Arg	Lys	Gly	Ser	Gly	Arg	Arg	Leu
5			35					40	)			•	45		•	
	٧a	l Lys	Gly	Pro	Asp	Pro	Ser	Ser	Pro	Ala	Phe	Arg	Ile	Ġlu	Asp	Ala
10		50	)				55					60				
	Ası	ı Leu	lle	Pro	Pro	Val	Pro	Asp	Asp	Lys	Phe	Gln	Asp	Leu	Va l	Asp
15	6 5	5				70					75					80
	Ala	a Val	Arg	Ala	Glu	Lys	Gly	Phe	Leu	Leu	Leu	Ala	Ser	Leu	Arg	Gln
20		•			85					90	•				95	•
	Me I	Lys	Lys	Thr	Arg	Gly	Thr	Leu	Leu	Ala	Leu	Glu	Arg	Lys	Àsp	His
				100					105					. 110		
25	Ser	Gly	Gln	Val	Phe	Ser	Va]	Val	Ser	Asn	Gly	Lys	Ala	Gly	Thr	Leu
			115					120					125			
30	Asp		Ser	Leu	Thr	Val		Gly	Lys	Gln	His	Val	Val	Ser	Val	Glu
		130					135					140				
35		Ala	Leu	Leu	Ala		Gly	Gln	Trp	Lys			Thr	Leu	Phe	Val
55	145	C1		•	41-	150	,	_			155		_			160
	GIN	610	Asp	Arg		GIN	Leu	lyr	116		Cys	Glu	Lys	Met		Asn
40	Ala.	C1	Lau	1	165	Des	114	C)-	C	170	DL.	Tr.			175	
	ліа		Leu	180	Yaı	110	116	610	185	Vai	rne	ınr			ren	Ala
45	Ser	ماا	Ala		î o n	A + 0	ماآ	Ala		Clv	Clv	Va l		190	ilan	Dha
	501	110	195	мів	LCU	лгь	110	200	Lys	GIY	GIY	141	205	YSh.	, ASII	rne
50	Gln	Glv	Val	ľ.en	Gln	Asn	Val		Phe	Val	Phe	Clv		The	Dro	C1n
-		210					215	0				220	***	1111	110	Giu
	Asp		Leu	Arg	Asn			Cvs	Ser	Ser	Ser		Ser.	Val	Len	וופּוֹ
55	225			0		230	~ <b>.,</b>	-,•			235	• • • •	501		υcu	240
	•															0 J U

	Thr	Leu	Asp	Asn	Asn	Val	Val	Asn	Gly	Ser	Ser	Pro	Ala	Ile	Arg	Thr
5			_		245					250					255	
	Asn	Tyr	lle	Gly	His	Lys	Thr	Lys	Asp	Leu	Gln	Ala	He	Cys	Gly	Ile
o				260					265		·			270		
	Ser	Cys	Asp	Glu	Leu	Ser	Ser	Met	Ya 1	Leu	Glu	Leu	Arg	Gly	Leu	Arg
_			275					280					285			
5	Thr	He	Val	Thr	Thr	Leu	Gln	Ásp	Ser	Ile	Arg	Lys	Val	Thr	Glu	Glu
		290					295	•			•	300				
o	Asn	Lys	Glu	Leu	Ala	Asn	Glu	Leu	Arg	Arg	Pro	Pro	Leu	Cys	Tyr	His
	305					310		•	•		315					320
5	Asn	Gly	Val	Gln	Туг	Arg	Asn	Asn	Glu	Glu	Trp	Thr	Val	Asp	Ser	Cys
		Ť	~		325					330					335	
	Thr	Glu	Cys	His	Cys	Gln	Asn	Ser	Val	Thr	He	Cys	Lys	Lys	Val	Ser
0				340					345					350		•
	Cys	Pro	lle	Me t	Pro	Cys	Ser	Asn	Ala	Thr	Va I	Pro ·	Asp	Gly	Glu	Cys
5			355					360					365		•	
	Cys	Pro	Arg	Cys	Trp	Pro	Ser	Asp	Ser	Ala	Asp	Asp	Gly	Trp	Ser	Pro
0		370					375					380				
	Trp	Ser	Glu	Trp	Thr	Ser	Cys	Ser	Thr	Ser	Cys	Gly	Asn	Gly	Ile	Gln
	385					390					395					400
5	Gin	Arg	Gly			Cys	Asp ·	Ser	Leu	Asn	Asn	Arg	Cys	Glu	Gly	Ser
					405					410					415	
0	Ser	Val	Gln	Thr	Arg	Thr	Cys	His	lle	Gln.	Glu	Cys	Asp	Lys	Arg	Phe
				420					425					430		
5	Lys	Gln	Asp	Gly	Gly	Trp	Ser	His	Trp	Ser	Pro	Trp	Ser	Ser	Cys	Ser
•			435					440					445			

		14	1 111.	r cy:	5 61	y ASI	0 613	y va.	1116	: 101	ALE	3 116	AIS	Let	Cys	Asn	Sei
5			450	)				458	5				460	)			•
		·Pro	Se 1	Pro	Gli	n Met	Ası	Gly	Lys	Pro	Cys	Glu	Gly	Glu	Ala	Arg	G]u
		465	j				470	)	•			475		•		٠	480
10		Thr	Lys	Ala	Cys	Lys	Lys	Asp	Ala	Cys	Pro	lle	Asn	Gly	Gly	Trp	Gly
						485					490					495	
15		Pro	Trp	Ser	Pro	Trp	Asp	Ile	Cys	Ser	Val	Thr	Cys	Gly	Gly	Gly	Val
					500	)				505		•			510		
		Gln	Lys	Arg	Ser	Arg	Leu	Cys	Asn	Asn	Pro	Ala	Pro	Gln	Phe	Gly	Gly
20		•	•	515					520					525			
		Lys	Asp	Cys	Val	Gly	Asp	Val	Thr	Glu	Asn	Gln	lle	Cys	Àsn	Lys	Gln
25			530	-	•			535					540				
		Asp	Cys	Pro	Ile	Asp	Gly	Cys	Leu	Ser	Asn	Pro	Cys	Phe	Ala	Gly	Val
30		545					550					555					560
30		Lys	Cys	Thr	Ser	Tyr	Pro	Asp	Gly	Ser	Trp	Lys	Cys	Gly	Aļa	Cys	Pro
						565				•	570	•				575	
35		Pro	Gly	Tyr	Ser	Gly.	Asn	Gly	Ile	Gln	Cys	Thr	Asp	Val	Asp	Glu	Cys
					580		٠			585					590		
40	,	Lys	Glu	Val	Рго	Asp	Ala	Cys	Phe	Asn	His	Asn	Gly	Glu	His	Arg	Cys
				595					600				٠.	605			
		Glu	Asn	Thr	Asp	Pro	Gly	Tyr	Asn	Cys	Leu	Pro	Cys	Pro	Pro	Arg	Phe
45	•		610					615					620	•			
		Thr	Gly	Ser	Gln	Pro	Phe	Gly	Gln	Gly	Val	Glu	His	Ala	Thr	Ala	Asn
50		625					630					635					640
		Lys	Gln	Val	Cys	Lys	Pro	Arg	Asn	Pro	Cys	Thr	Asp	Gly	Thr	His	Asp
55						645					650					655	
55		Cys	Asn ]	Lys .	Asn	Ala	Lys	Cys	Asn	Tyr	Leu	Gly	His	Tyr	Ser	Asp	Рго

				660			•		665					670			
5	Met	Tyr	Arg	Cys	Glu	Cys	Lys	Pro	Gly	Туг	Ala	Gly	Asn	Gly	He	He	
			675					680					685		•		
	Cys	Gly	Glu	Asp	Thr	Asp	Leu	Asp	Gly	Trp	Pro	Asn	Glu	Asn	Leu	Val	
10		690					695					700					
	Cys	Val	Ala	Asn	Ala	Thr	Tyr	His	Cys	Lys	Lys	Asp	Asn	Cys	Pro	Asn	
15	705					710			•	•	715					720	
	Leu	Рго	Asn	Ser	Gly	Gln	Glu	Asp	Туг	Asp	Lys	Asp	Gly	lle	Gly	Asp	
20					725					730		•			735		
	Ala	Cys	Asp	Asp	Asp	Asp	Asp	Asn	Asp	Lys	He	Pro	Asp	Asp	Arg	Asp	
25				740					745					750			
	Asn	Cys	Pro	Phe	His	Туг	Asn	Pro	Ala	Gln	Tyr	Asp	Туг	Asp.	Arg	Asp	
			755					760					765				
30	Asp	Val	Gly	Asp	Arg	Cys	Asp	Asn	Cys	Pro	Туг	Asn	His	Asn	Pro	Asp	
		770					775					780					
35	Gln	Ala	Asp	Thr	Asp	Asn	Asņ	Gİy	Glu	Gly	Asp	Ala	Cys	Ala	Ala	Asp	
	785					790					795					800	
40	He	Asp	Gly	Asp		He	Leu	Asn.	Glu	Arg	Asp	Asn	Cys	Gln	Tyr	Val	
••					805					810					815		
	Tyr	Asn	Val		Gln	Arg	Asp	Thr		Met	Asp	Gly	Val		Asp	Gln	
45				820					825					830			
	Cys	•	Asn	Cys	Pro	Leu	Glu		Asn	Pro	Asp	Gln		Asp	Ser	Asp	
50			835					840					845				
	Ser	Asp	Arg	Ile	Gly	Asp		Cys	Asp	Asn	Asn	Gln	Asp	Ile	Asp	Glu	
		850					855					860					
55	Asp	Gly	His	Gln	Asn	Asn	Leu	Asp	Asn	Cys	Pro	Туг	Val	Pro	Asn	Ala	

	865	,				870	ı				875					880
5	Asn	Gli	a Ala	Asp	His	Asp	Lys	Asp	Ġly	Lys	Gly	Asp	Ala	Cys	Asp	His
					885					890	•	•	•		895	
10	Asp	Ası	Asp	Asn	Asp	Gly	Ile	Pro	Asp	Asp	Lys	Asp	Asn	Cys	Arg	Leu
				900					905			•	į	910		
	Val	Pro	· Asn	Pro	Asp	·Gln	Lys	Asp	Ser	Asp	Gly	Asp	Gly	Arg	Gly	Asp
15		:	915					920			•		925			
	Ala	Cys	Lys	Asp	Asp	Phe	Asp	His	Asp	Ser	Val	Pro	Asp	He	Asp	Asp
20		930					935					940				
	He	Cys	Pro	Glu	Asn	Val	Asp	He	Ser	Glu	Thr	Asp	Phe	Arg	Arg	Phe
	945					950					955					960
25	Gln	Me t	lle	Pro	Leu	Asp	Pro	Lys	Gly	Thr	Şer	Gln	Asn	Asp	Pro	Asn
					965	•				970			•	٠.	975	
30	Trp	Val	Val	Arg	His	Gln	Gly	Lys	Glu	Leu	Vaj	Gln	Thr	Val	Asn	Cys
				980					985					990		
	Asp	Pro	Gly	Leu	Ala	Val	Gly	Tyr	Asp	Glu	Phe	Asn	Ala	Val	Asp	Phe
35			995					1000	)				1008	5	•	
	Şer	Gly	Thr	Phe	Phe	He	Asn	Thr	Glu	Arg	Asp	Asp	Asp	Tyr	Ala	Gly
40		1010	)				1015	j				1020	)			
	Phe	Val	Phe	Gly	Tyr	Glņ	Ser	Ser	Ser	Arg	Phe	Tyr	Val	Val	Met	Trp
	1025					1030	)				1035	,				1040
45	Lys	Glņ	Val.	Thr	Gln	Ser	Туг	Trp	Asp	Thr	Asn	Pro	Thr	Arg	Ala	Gln
·					1045	i				1050					1055	;
50	Gly	Туг	Ser	Gly	Leu	Ser	Val	Lys	Yal	Val	Asn	Ser	Ţhr	Thr	Ġly	Pro
				1060					1065	•				1070		
<b>55</b>	Gly	Glu	His	Leu	Arg	Asn	Ala	Leu	Trp	His	Thr	Gly.	Asn	Thr	Рго	Gly
55			1075					1080					1085			

	Gln Val Arg Thr Leu Trp His Asp Pro Arg His Ile Gly Trp Lys Asp
5	1090 1095 1100
	Phe Thr Ala Tyr Arg Trp Arg Leu Ser His Arg Pro Lys Thr Gly Phe
10	1105 1110 1115 1120
	lle Arg Val Val Met Tyr Glu Gly Lys Lys lle Met Ala Asp Ser Gly
	1125 1130 1.135
15	Pro lle Tyr Asp Lys Thr Tyr Ala Gly Gly Arg Leu Gly Leu Phe Val
	1140 1145 1150
20	Phe Ser Gln Glu Met Val Phe Phe Ser Asp Leu Lys Tyr Glu Cys Arg
	1155 1160 1165
25	Asp Pro
	. 1170
30	<210> 101
30	<211> 838
	<212> DNA
35	<213> Homo sapiens
	⟨220⟩
40	<221> CDS
	<b>&lt;222&gt;</b> (35) (568)
	<400> 101
45	gaatteegga gitticatee ageeaegge cage aig iet ggg gge aaa tae gia 55
	Met Ser Gly Gly Lys Tyr Val
50	1 5
	gac tog gag gga cat etc tac acc git ecc ate egg gaa eag gge aac 103
55	Asp Ser Glu Gly His Leu Tyr Thr Val Pro Ile Arg Glu Gln Gly Asn
	10 15 20

	ato	t a	c aag	g ccc	aac	aac	aag	gcc	atg	gca	gac	gag	ctg	agc	gag	aag	151
5	He	Туі	Lys	Pro	Asn	Asn	Lys	Ala	Met	Ala	Asp	Glu	Leu	Ser	Glu	Lys	
	·	25	j .				30			•		35		•			
10	caa	gtg	tac	gac	gcg	cac	acc	aag	gag	atc	gac	ctg	gtc	aac	cgc	gac	199
	Gln	Val	Туг	Asp	Ala	His	Thr	Lys	Glu	lle	Asp	Leu-	Val	Asn	Arg	Asp	
15	40	•		-		45	•				50					55	
15	cct	aaa	cac	ctc	aac	gat	gac	gtg	gtc	aag	att	gac	ttt	gaa	gat	gtg	247
	Pro	Lys	His	Leu	Asn	Asp	Asp	Va I	Va]	Lys	Ile	Asp	Phe	Glu	Asp	Val	
20	·				60		•			65					70		
	att	gca	gaa	cca	gaa	ggg	aca	cac	agt	ttt	cac	ggc	att	t gg	aag	gcc	295
25	lle	Ala	Glu	Pro	Glu	Gly	Thr	His	Ser	Phe	His	Gly	He	Trp	Lys	Ala	
			~	75					80					85		-	
	agc	ttc	acc	acc	ttc	ac t	gtg	acg	aaa	tac	tgg	ttt	tac	cgc	t t g	ctg	343
30	Ser	Phe	Thr	Thr	Phe	Thr	Yal	Thr	Lys	Tyr	Trp	Phe	Tyr	Arg	Leu	Leu	
			90					95					100				
35	tct	gcc	ctc	ttt	ggC	atc	ccg	atg	gca	ctc	atc	tgg	ggc	att	tac	ttc	391
	Ser	Ala	Leu	Phe	Gly	Ile	Pro 	Met	Ala	Leu	He	Trp	Gly	He	Tyr	Phe	
40		105					110					115	_				
,-	gcc	att	ctc	tct	ttc	ctg	cac	atc	lgg	gca	gll	gta	cca	tgc	att	aag	439
		lle	Leu	Ser	Phe		His	Ile	Trp	Ala	Val	Val	Рго	Cys	lle	Lys	
45	120					125					130					135	
				att			•										487
50	Ser	Phe	Leu	He		He	Gln	Cys	Thr	Ser	Arg	Val	Tyr	Ser	lle	Tyr	
					140					145					150		•
	gic	cac	acc	gtc	tgt	gac	cca	ctc	ttt	gaa	gcl	gii	ggg	aaa	ata	ttc	535
55	Val	His	Thr	Val	Cys	Asp	Pro	Leu	Phe	Glu	Ala	Val	Gly	Lys	lle	Phe	

ago aat gto ogo ato aac tig cag aaa gaa ata taaatgacat ticaaggata 588 Ser Asn Val Arg Ile Asn Leu Gln Lys Glu Ile gaagtatacc tgatttttt tccttttaat tttcctggtg ccaatttcaa gttccaagtt 648 gctaatacag caacgaattt atgaattgaa ttatcttggt tgaaaataaa aagatcactt 708 toloagitti calaagiatt aigiciciic igagciatti calciattii iggcagicig 768 aattittaaa acccattiat atticilicc tiacctiiti attigcatgi ggatcaacca 828 tcgctttatt <210> 102 <211> 178 <212> PRT <213> Homo sapiens . <400> 102 Met Ser Gly Gly Lys Tyr Val Asp Ser Glu Gly His Leu Tyr Thr Val Pro Ile Arg Glu Gin Gly Asn Ile Tyr Lys Pro Asn Asn Lys Ala Met Ala Asp Glu Leu Ser Glu Lys Gln Val Tyr Asp Ala His Thr Lys Glu Ile Asp Leu Val Asn Arg Asp Pro Lys His Leu Asn Asp Asp Val Val Lys lle Asp Phe Glu Asp Val Ile Ala Glu Pro Glu Gly Thr His Ser Phe His Gly Ile Trp Lys Ala Ser Phe Thr Thr Phe Thr Val Thr Lys 

	Туг	Trp	Phe	Tyı	Arg	Leu	Leu	Ser	Ala	Leu	Phe	Gly	lle	Pro	Met	Ala	
5				100					105		•			110			
	Leu	Ile	Trp	Gly	lle	Tyr	Phe	Ala	Ile	Leu	Ser	Phe	Leu	His	He	Trp	٠
			115					120					125				
10	Ala	Val	Va l	Pro	Cys	Ile	Lys	Ser	Phe	Leu	lle	Glu	lle	Gln	Cys	Thr	
		130					135					140					
15	Ser	Arg	Va l	Tyr	Ser	lle	Tyr	Val	His	Thr	Val	Cys	Asp	Pro	Leu	Phe	
	145					150					155				,	160	
20	Glu	Ala	Va l	Gly	Lys	He	Phe	Ser	Asn	Val	Arg	Ile	Asn	Leu	Gln	Lys	
					165					170					175		
	Glu	lle															
25	<210	S 10	3														
	<211																
30	<212						•										
	<213			apie	ns									-			
35	<220	>															
	<221)	> CDS	S														
	<222	> (1)	(	444)													
40	<400	> 103	3														
	ccg	cc g	gcc	acc	agc	tac	gcc	ccg	tcc	gac	glg	ccc	tcg	ggg	gtc	gcg	48
45	Pro F	)10 <i> </i>	Ala '	<b>T</b> hr	Ser	Tyr	Ala	Pro	Ser	Asp	Va l	Pro	Ser	Gly	Val	Ala	
	1	٠			. 5					10		•			15		
50	ctg t	ic c	ic :	acc	atc	cct	ttc	gcc	ttc	ttc	ctg	ссс	gag	ctg	ata	ttt	96
	Leu P	he L	eu 1	Thr	He	Pro	Phe	Ala	Phe	Phe	Leu	Pro	Glu	Leu	lle	Phe	
				20					25					30			
55	ggg t	tc t	tg	gtc	i gg	acc	atg	gta	gcc	gcc	acc	cac	ata	gta	tac	ccc	144

	Gly	Phe	Leu	Val	Trp	Thr	Met	Val	Ala	Ala	Thr	His	lle	Va:	lTy	Pro	
5			35					40		•	•		45	)			
	ttg	ctg	caa	gga	tgg	gtg	alg	tat	gtc	tcg	ctc	acc	tcg	ttt	cto	atc	192
	Leu	Leu	Gln	Gly	Trp	Val	Me ţ	Tyr	Val	Ser	Leu	Thr	Ser	Phe	Leu	Ile	
10		50					55				•	60					
	tcc	tig	atg	ttc	cig	ttg	tct	t ac	ttg	ttt	gga	ttt	tac	aaa	aga	ttt	240
15	Ser	Leu	Me t	Phe	Leu	Leu	Ser	Tyr	Leu	Phe	Gly	Phe	Туг	Lys	Arg	Phe	
	65					70					75					80	
20	gaa	tcc	tgg	aga	gtt	ctg	gac	agc	ctg	tac	cac	ggg	acc	ac t	ggc	atc	288
	Glu	Ser	Trp	Arg	Val	Leu	Asp	Ser	Leu	Tyr	His	Gly	Thr	Thr	Gly	Ile	
					85					90					95		
25	ctg	tac	atg	agc	gc t	gcc	gtc	cta	caa	gta	cat	gcc	acg	att	gtt	tct	336
	Leu	Тугі	Me t	Ser	Ala	Ala	Val	Leu	Gln	Val	His	Ala	Thr	lle	Val	Ser	
30		•		100					105					110			
	gag																384
	Glu I		•	Leu	Asp	Pro .			Tyr	Tyr	lle	Asn	Ser	Ala	Ala	Ser	
35			115					120					125				
	itc :		•														432
40	Phe I		lla F	Phe	lle	Ala '	Thr	Leu	Leu	Tyr	He	Leu	His	Ala	Phe	Ser	•
		30					135					140					
45	atc t				tgati	gcaca	ag g	cgcc	aggc	c aa	gggg	gaaa	t gc	tctt	tga		484
43	lle T	yr T	yr H	lis			•	•									
	145						•			٠							
50																aaacg	
	. gaaga	tcca	c ta	aaac	gtco	acg	ggal	taa	caga	aacg	tcc	ttgc	agac	tg a	gcga	lgaca	604
55	ccaca	cttt	gti	l gga	catt	taa	atto	act	ctgo	ctgaa	ata g	ggagg	gaag	ct t	llct	tttc	664
	ctggg	aaaa	c aa	cigi	ctct	tgg	aatt	atc	lgad	cat	gaa d	ttgo	tet	lc t	agac	aactc	724

	acatcaaa	gc cctcactc	ca claatggag	a atcctagcco	c actaatgco	aagicigiti	784
	ggggattt	tg cctcagcta	at gggcttccc	t agagtaggto	taggggaata	ctcagtctga	844
	tettitt	tt gittgiti	a ttttgtttt	tittgagacgg	g agtotogoto	ttcctccaag	904
	gctggagt	gc agtgacgcg	a totocacto	a cigcaggete	cgcctcccgg	gttcccgcca	964
-	ttctcctg	cc tcagcctco	c gagtageeg	g gactacaggo	gcccaccacc	atgcccggct	1024
	aatttagtl	lg tattittag	t agagatggg	g titcaccgta	ttagccagga	tggtctcgat	1084
	ctcctgaco	t cgtgatccg	c ccgcctcgg	ctcccaaagt	gctgggatta	caggcgtgag	1144
	ccaccgtgc	c cggcctgat	t cicitaaaai	tgaagaggtg	ctgccaaggc	cttcagatct	1204
	aacgcaga-t	g catagacçt	t gttcctggta	citgiicage	ctgtgctggg	gagccgtggt	1264
	cccgagttc	c ctgggaggc	t gacagggtca	agccaccctg	cccaccaccc	teccacttee	1324
	cctcccctt	t cctclccage	attaggatto	aagggaaatc	tgcatgaagc	caattttgag	1384
	ggtagacgt	g tggggaaaa	taaatcattat	acagtaagac	ctggggcttg	aggggtgggg	1444
	aatggggag	g gaagggcata	gcctgctcct	ccatgagici	gacatctcgg	aaactgagca	1504
	gctgccgga	c gcctgggtca	ggaatccaag	acccacctc	ttaaggactg	gttcctcaga	1564
	aagcacccto	c agggaaaaag	gtgaaaacat	tacatccgtg	gattctcctg	ccacaaccgc	1624
			caacatctca				
			tcaccccct				
			gcccacgggg				-
			atatcaaatc				
			cigiigaccc				
			atgaaataaa				
	gtttgaggcc	ttacagitii	gtatctacat	ttttcccctc	ciggggittg	cggggacagg	2044
			gggaaagaaa				
	ttictgatca	cictgalact	ttttttttt	ttttttttt	gcaaccigat	accttgaaaa	2164
	gcttctatgt	glctctcctl	ttgttgcctg	gcagctgtct	aggatgatca d	cigatiacia	2224
	tttactaagt	agccacatgc	aaataaaagt	lgiliggiaa	aalgg		2269

	<21	0> 1	04	ē												
5	<21	1> 1	48													
	<21	2> P	RT													
10	<21	3> H	omo	sapi	епѕ											
	<400	0> 1	04													
	Pro	Pro	Ala	Thr	Ser	Tyr	Ala	Pro	Ser	Asp	Val	Pro	Ser	Gly	Val	Ala
	1				5					10					15	
	Leu	Phe	Leu	Thr	He	Pro	Phe	Ala	Phe	Phe	Leu	Pro	Glu	Leu	Ile	Phe
20				20					25					30		
	Gly	Phe	Lėu	Val	Trp	Thr	Met	Val	Ala	Ala	Thr	His	lle	Val	Tyr	Pro
25			35					40					45			
	Leu	Leu	Ğln	Gly	Trp	Val	Me t	Tyr	Va 1	Ser	Leu	Thr	Ser	Phe	Leu	lle
		50					55					60	•			
30	Ser	Leu	Me t	Phe	Leu	Leu	Ser	Туг	Leu	Phe	Gly	Phe	Tyr	Lys	Arg	Phe
	. 65					70					75					80
<b>35</b>	Glu	Ser	Trp	Arg		Leu	Asp	Ser	Lèu		His	Gly	Thr	Thr		He
					85					90					95	
40	Leu	Tyr	Ne t		Ala	Ala	Val	Leu		Val	His	Ala	Thr		Val	Ser
40	•		•	100		В -		11.	105	<b>T</b>			•	110		
	614	Lys	Leu	ren	ASP	rro	AIg		ıyr	lyr	116	ASD		Ala	Ala	Ser
45	Dha	ከኤል	115	Dha	110	Ala	Th -	120	Lan	T.,.	110	1	125	41.	, Dha	C
		rne 130	Ala	riie	116	Ala.	135	TEN	Ļ	1 9 1	116	140	U12	NIA	rne	Sei
50			Tu =	Uic			100					140				
		iyi	Tyr	U12												
	145															
55	<210	> 10	5													• •

	<211> 2899	
5	<212> DNA	
	<213> Homo sapiens	
10	⟨220⟩	
	<221> CDS	
	<222> (91) (2196)	
15	<400> 105	
	gatetgaatt eggteecage tagageteea gegeeegete aggeeceact egaceetete 60	
20	gggcctcggc tactiggact gcggcggaat aig gcg gct ccg aig act ccc gcg 114	4
	Met Ala Ala Pro Met Thr Pro Ala	
25	1 5	
	gct cgg ccc gag gac tac gag gcg gcg ctc aat gcc gcc ctg gct gac 16.	2
	Ala Arg Pro Glu Asp Tyr Glu Ala Ala Leu Asn Ala Ala Leu Ala Asp	
30	10 15 20	
	gtg ccc gaa ctg gcc aga ctc ctg gag atc gac ccg tac ttg aag ccc 216	)
35	Val Pro Glu Leu Ala Arg Leu Leu Glu lle Asp Pro Tyr Leu Lys Pro 25 30 35 40	
	25 30 35 40 tac gcc gtg gac ttc cag cgc agg tat aag cag ttt agc caa att ttg 258	,
40	Tyr Ala Val Asp Phe Gin Arg Arg Tyr Lys Gin Phe Ser Gin Ile Leu	١.
,	45 50 55	
45	aag aac att gga gaa aat gaa ggt ggt att gat aag itt too aga ggo 306	j
	Lys Asn Ile Gly Glu Asn Glu Gly Gly Ile Asp Lys Phe Ser Arg Gly	
	60 65 70	
50	tat gaa toa tit ggo gto cao aga igi goi gai ggi ggi ita iac icc 354	
	Tyr Glu Ser Phe Gly Val His Arg Cys Ala Asp Gly Gly Leu Tyr Ser	
55	7.5 80 85	

	aaa	a gaa	i tgg	gcc	ccg	gga	gca	gaa	gga	glt	ttt	ctt	act	gga	gat	ttt	402
5	Lys	Glu	Trp	Ala	Pro	Gly	Ala	Glu	Gly	Val	Phe	Leu	Thr	Gly	Asp	Phe	
		90	)				95		•			100		•			
	aat	ggt	tgg	aat	cca	ttt	tçg	tac	cca	tac	aaa	aaa	ctg	gat	tat	gga	450
10	Asn	Gly	Trp	Asn	Pio	Phe	Ser	Tyr	Pro	Tyr	Lys	Lys	Leu	Asp	Туг	Gly	
	105					110	·			•	115					120	
15	aaa	tgg	gag	ctg	tat	atc	cca	cca	aag	cag	aat	aaa	tct	gta	ctc	gtg	498
	Lys	Trp	Glu	Leu	Tyr	lle	Рго	Pro	Lys	Gln	Asn	Lys	Ser	Val	Leu	Val	
20					125					130					135		
	cct	cat	gga	tcc	aaa	tta	aag	gta	gtt	att	ac t	agt	aaa	agc	gga	gag	546
	Pro	His	Gly		Lys	Leu	Lys	Val	Yal	Ile	Thr	Ser	Lys	Ser	Gly	Glu	
25			-	140					145					150			
			tat														594
30	116	Leu	Tyr	Arg	He	Ser	Pro		Ala	Lys	Tyr	Vai			Glu	Gly	
	go t	221	155 gtg	221	tat	ora f	taa	160	coo.	tan	~~!		165				C 4 D
35			Val														642
	,	170			.,.	лор	175		1113	.,,	nsp	180		1112	361	1 7 1	
	gag		aag	cat	tcc	aga		aag	aag	cca	cgg		cta	aga	att	tat	690
40			Lys														
	185					190					195					200	
45	gaa	tct	cat	gtg	gga	alt	tc.t	tcc	cat	gaa	gga	aaa	gta	gct	tct	tat	738
•	Glu	Ser	His	Va I.	Gly	He	Ser	Ser	His	Glu	Gly	Lys	Val	Ala	Ser	Tyr	
5 <i>0</i>					205					210					215		
	aaa	cat	ttt	aca	tgc	aat	gta	cta	cca	aga	atc	aaa	ggc	ctt	gga	tac	786
	Lys 1	His	Phe '	Ihr (	Cys .	Asn	Val	Leu	Pro	Arg	He	Lys	Gly	Leu	Gly	Tyr	
55			;	220					225					230			

	aac tgc att cag ttg atg gca atc atg gag cat gct tac tat gcc agc 834
<i>5</i>	Asn Cys Ile Gln Leu Met Ala lle Met Glu His Ala Tyr Tyr Ala Ser
	235 240 . 245
10	ttt ggt tac caa atc aca agc ttc ttt gca gct tcc agc cgt tat gga 882
	Phe Gly Tyr Gln Ile Thr Ser Phe Phe Ala Ala Ser Ser Arg Tyr Gly
	250 255 260
	aca cet gaa gag eta caa gaa etg gta gae aca get cat tee atg ggt 930
	Thr Pro Glu Glu Leu Gln Glu Leu Val Asp Thr Ala His Ser Met Gly
20	265 270 275 280
	atc ata gtc ctc tta gat gtg gta cac agc cat gct tca aaa aat tca 978
25	lle lle Val Leu Leu Asp Val Val His Ser His Ala Ser Lys Asn Ser
	285 290 295
	gca gat gga ilg aat atg tit gat ggg aca gat icc igi iai iit cat 1026
30	Ala Asp Gly Leu Asn Met Phe Asp Gly Thr Asp Ser Cys Tyr Phe His
	300 305 310
35	tot gga cot aga ggg act cat gat out tgg gat ago aga tig tit gcc 1074
	Ser Gly Pro Arg Gly Thr His Asp Leu Trp Asp Ser Arg Leu Phe Ala
40	315 320 325
	tac tec age tgg gaa git tia aga tie eit etg tea aac ata aga tgg 1122
	Tyr Ser Ser Trp Glu Val Leu Arg Phe Leu Leu Ser Asn Ile Arg Trp
45	330 335 340
	tgg tig gaa gaa tal cgc tii gat gga tii cgt tii gat ggi git acg 1170
50	Trp Leu Glu Glu Tyr Arg Phe Asp Gly Phe Arg Phe Asp Gly Val Thr
	345 350 355 360
55	tcc atg ctt tat cat cac cat gga gtg ggt caa ggt ttc tca ggt gat 1218
	Ser Met Leu Tyr His His His Gly Val Gly Gln Gly Phe Ser Gly Asp

					365	j		•		370	)				375	j		
5	ta	ag 	t gaa	a tai	tto	gga	cta	caa	gta	gat	gaa	gat	gco	: tte	g act	tac	1266	
	Tyı	Se	r Glu	ı Tyı	Phe	Gly	Leu	Gln	Val	Asp	Glu	Asp	Ala	Lei	ı Thi	Tyr		
				380	)				385					390				
10	cto	ait	g ttg	gca	aat	cat	ttg	gtt	cac	acg	ctg	tgt	ccc	gat	tct	ata	1314	
	Leu	Mei	Leu	Ala	Asn	His	Leu	۷al	His	Thr	Leu	Cys	Pro	Asp	Ser	Ile	·	
15			395					400					405					
	aca	ata	gct	gag	gat	gta	tca	gga	atg	cca	gct	ctg	lgc	tct	cca	att	1362	
20	Thr	Ιlε	Ala	Glu	Asp	Val	Ser	Gly	Met	Pro	Ala	Leu	Cys	Ser	Pro	Ile		
		410	)				415					420						
	tcc	cag	gga	ggg	ggt	ggt	ttt	gac	tat	cga	cta	gcc	aţg	gca	att	cca	1410	
25	Ser	Gln	_G1y	Gly	Gly	Gly	Phe	Asp	Туг	Arg	Leu	Ala	Net	Ala	He	Pro		
	425					430					435	•				440		
30	gat	aag	tgg	att	cag	cia	ctt	aaa	gag	ttt	aaa	gat	gaa	gac	t gg	aac	1458	
	Asp	Lys	Trp	Ile	Gln	Leu	Leu	Lys	Glu	Phe	Lys	Asp	Glu	Asp	Trp	Asn		
					445					450					455			
35				ata												•	1506	
	Met	Gly	Asp	Ile	Val	Tyr	Thr	Leu	Thr	Asn	Arg	Arg	Tyr	Leu	Glu	Lys		
40				460					465					470			•	
				tat -													1554	
45	Cys	lle		Туг	Ala	Glu			Asp	Gln	Ala	Leu		Gly	Asp	Lys		
45			475					480				•	485					
				111													1602	
50			AJa	Phe	Trp			Asp	Ala	Glu			Thr	Asn	Met	Ser		
		490					495					500						
55				cct										•			1650	
	Val	Leu	Thr	Pro	Phe	Thr 1	Pro	Val	He	Asp	Arg	Gly	He	Gln	Leu	His		

	50	5		٠		510	0				515	5				520	
5	aa	a ata	att	cga	cto	atı	t acg	cat	ggg	ctt	ggt	gga	gaa	ggo	-tai	ctc	1698
	Ly	s Met	He	Arg	Leu	116	Thr	His	Gly	Leu	Gly	Gl3	Glu	Gly	· Tyr	Leu	
10					525					530	١				535		
	aat	tto	atg	ggt	aat	gaa	ttt	ggg	cat	cct	gaa	tgg	tta	gac	ttc	.cca	1746
15	Asa	Phe	Met	Gly	Asn	Glu	Phe	Gly	His	Pro	Glu	Тгр	Leu	Asp	Phe	Pro	
,,				540					545					550	ı		
	aga	.888	gga	aat	aat	gag	agt	tac	cat	tat	gcc	agg	cgg	cag	ttt	cat	1794
20	Arg	Lys	Gly	Asn	Asn	Glu	Ser	Tyr	His	Туг	Ala	Arg	Arg	Gln	Phe	His	
			555					560					565				
25			gac														1842
	Leu	570	Asp	ASP	ASP	ren	575	Arg	Tyr	Lys	Phe		Asn	Asn	Phe	Asp	
30	agg		atg	aat	aga	tte		<b>022</b>	202	tat	aat	580	cti	<b>700</b>	ant.	225	1000
			Met														1890
<i>3</i> 5	585					590					595					600	
	cag	gcc	tac	gtg	agt	gaa	aaa	cat	gaa	ggc	aat	aag	atc	att	gct		1938
	Gln	Ala	Tyr	Yai	Ser	Glu	Lys	His	Glu	Gly	Asn	Lys	Ile	lle	Ala	Phe	
40					605					610					615		
	gaa	aga	gca	ggt	ctt	ctt	tic	att <sub>.</sub>	ttc	aac	ttc	cat	cca	agc	aag	agc	1986
45	Glu	Arg	Ala	Gly	Leu	Leu	Phe	lle	Phe	asA	Phe	His	Pro	Ser	Lys	Ser	
			ı	620					625			٠		630		•	
50	tac	act.	gac	tac	cga	gii	gga	aca	gca	tig	cca	ggg	aaa	ttc	aaa	att	2034
	Tyr	Thr .	Asp 1	Tyr .	Arg '	Val	Gly	Thr	Ala	Leu	Pro	Gly	Lys	Phe	Lys	lle	
55			635					640					645				
	gtg	cta	gat	lca i	gat	gca	gcg	gaa	tat	gga	ggg	cat	cag	aga	clg	gac	2082

	Val Leu Asp Ser Asp Ala Ala Glu Tyr Gly Gly His Gln Arg Leu Asp	
5	650 655 660	
	cac age act gae tit tit tet gag get tit gaa cat aal ggg egt eec 2	2130
	His Ser Thr Asp Phe Phe Ser Glu Ala Phe Glu His Asn Gly Arg Pro	
10	665 670 675 680	
	tat tot ott tig gig tac att cca ago aga gig goo oto ato ott cag. Z	2178
15	Tyr Ser Leu Leu Val Tyr Ile Pro Ser Arg Val Ala Leu Ile Leu Gln	
	685 690 . 695	•
20	aat gtg gat ctg ccg aat tgaagaggcc tgatttcagc tccaccagat	2226
	Asn Val Asp Leu Pro Asn	
	700	
25	gcagattigt gtittgtttt cttgttatca cigtcacaca gctiataaca tgtatgcttt	2286
	tcagaataca giigictagc caagccatca agigictgaa attcaatatt ggittatgca	2346
30	aatacagcaa actittatti aagtagatag gagaatatgi itaaaatati aggaatccta	2406
-	gaccatatti tcaagicato tiagcagota ggaticicaa aiggaagigi talalalaat i	2466
	atgitaaaaa cattiigcii tootggotaa ilattigato ottitaaato caaattigaa	
35	tcattigica igialgatia tiicigilaa algiacacag lalilaagai ggalattigg	
	iggcictatt igiicigata icittiggic taaattatga ggtaccaaga tigtitcitt	
40	gtttcttttt ticaaattgi gtttagaaat acigiaataa ataigcagta gigatataaa	
	gaattatatc caaggtaata taaaagccat lacgtatgaa ctcatccgtg tctcattttg	
45	igititatii igigaicici igiccaciaa glaiciigii aaalgccagi aicicagici	
<b>15</b>	ttctgaagcc ctgaaalggt aattgtagca ittcagaaaa tglctticat ttcaatcaat	
•	aaaaagciii igi	2899
50	<210> 106	
	<211> 702	
55	<212> PRT	
	•	

	<213> Homo sapiens	
5	<400> 106	
5	Met Ala Ala Pro Met Thr Pro Ala Ala Arg Pro Glu Asp Tyr Glu Ala	1
	1 5 10 15	
10	Ala Leu Asn Ala Ala Leu Ala Asp Val Pro Giu Leu Ala Arg Leu Leu	l
	20 25 30	
15	Glu Ile Asp Pro Tyr Leu Lys Pro Tyr Ala Val Asp Phe Gln Arg Arg	ŗ
	35 40 45	
20	Tyr Lys Gin Phe Ser Gin Ile Leu Lys Asn Ile Gly Glu Asn Glu Gly	ř
	50 55 60	
	Gly lie Asp Lys Phe Ser Arg Gly Tyr Glu Ser Phe Gly Val His Arg	
25	65 70 75 80	
	Cys Ala Asp Gly Gly Leu Tyr Ser Lys Glu Trp Ala Pro Gly Ala Glu	ı
30	85 90 95	
	Gly Val Phe Leu Thr Gly Asp Phe Asn Gly Trp Asn Pro Phe Ser Tyr  100 . 105 110	
35	Pro Tyr Lys Leu Asp Tyr Gly Lys Trp Glu Leu Tyr Ile Pro Pro	
	115 120 125	
	Lys Gln Asn Lys Ser Val Leu Val Pro His Gly Ser Lys Leu Lys Val	
40	130 135 140	
	Val lie Thr Ser Lys Ser Gly Glu ile Leu Tyr Arg ile Ser Pro Trp	)
45	145 150 155 160	
	Ala Lys Tyr Val Val Arg Glu Gly Asp Asn Val Asn Tyr Asp Trp Ile	
50	165 170 175	
	His Trp Asp Pro Glu His Ser Tyr Glu Phe Lys His Ser Arg Pro Lys	
ee	180 185 190	
55	Lys Pro Arg Ser Leu Arg Ile Tyr Glu Ser His Val Gly Ile Ser Ser	

			19	5				200	)				205	j		
5	Hi	s G1	u Gl	y Ly	s Va	1 Al	a Se	г Туз	Lys	His	Phe	e Th	r Cys	Asr	ı Val	Leu
		21	0				21	5				220	) .			
10	Pr	o Ar	g II	e Ly	s GI:	y Le	u Gla	у Туг	Așn	Cys	He	Gli	Leu	Met	Ala	Ile
	22	5				230	)				235	į				240
15	Me	t Gl	u His	· Ala	а Ту	г Туі	r Ala	Ser	Phe	Gly	Туг	Gln	Ile	Thr	Ser	Phe
					248	j			•	250					255	
	Phe	e Ala	a Ala	Sei	Sei	Arg	Tyr	Gly	Thr	Pro	Glu	Glu	Leu	Gln	Glu	Leu
20				260	)				265					270		
	Val	Asp	Thr	Ala	His	Ser	Met	Gly	Ile	lle	٧al	Leu	Leu	Asp	Val	Val
25			275					280					285		•	
	His		His	Ala	Ser	Lys		Ser	Ala	Asp	Gly	Leu	Asn	Met	Phe	Asp
30	•	290		_	_	_	295	:				300				
		Thr	Asp	Ser	Cys		Phe	His	Ser	Gly		Arg	Gly	Thr	His	
	305	T		•		310					315					320
35	Leu	līp	Asp	Ser		Leu	Phe	Ala	Tyr		Ser	Trp	Glu	Val		Arg
	Dhe	ומו	Lan	Car	325	110	A = ==	Trn	T	330	C1	C1	Т		335	
40	1110	LCU	Leu	340	nsu,	116	VIR	111	345	ren	GIU	610	171		rne	ASP
	Glv	Phe	Arg		Asp	Glv	Val	Thr		Met	I en	Tur	иіо	350 u:e	Uic	£1v
45			355			.,		360			Deu	.,.	365	1113	1113	013
	Val	Gly	Gln	Gly	Phe	Ser	Gly		Tyr	Ser	Glu	Tyr		Glv	Leu	Gln
		370					375					380		•		
50	Val	Asp	Glu	Asp	Ala	Leu	Thr	Tyr	Leu	Met	Leu	Ala	Asn	His	Leu	Val
	385					390					395					400
55	His	Thr	Leu	Cys	Pro	Asp	Ser	lle	Thr	lle	ŅІа	Glu	Asp	Val		Gly

						40	5				410	)			•	419	5
5	Me	et I	210	Ala	Lei	и Су:	s Se	r Pr	o Il	e Se	r Gla	Gly	, G13	/ G13	Gly	, Phe	e Asp
					420	)		•		425	5				430	)	
	Ty	r A	lrg	Leu	Ala	Met	t Ala	a Ile	e Pro	o Ası	Lys	Trp	Ile	Gli	Leu	Let	Lys
10				435					441	0				445	•		
	G!	u P	he	Lys	Asp	Glu	ı Asp	Tr	ızA c	n Met	Gly	Asp	Ile	Val	Tyr	Thr	Leu
15		4	50					455	j				460				
	Th	ı A	sn	Arg	Arg	Tyr	Leu	Glu	Lys	s Cys	Ile	Ala	Тул	Ala	Glu	Ser	His
20	46	5					470	)				475					480
	As	p G	l n	Ala	Leu	Val	Gly	Asp	Lys	Ser	Leu	Ala	Phe	Trp	Leu	Met	Asp
						485					490					495	
25	Ala	3 G	lu	Met		Thr	Asn	Met	Ser		Leu	Thr	Pro	Phe	Thr	Pro	Val
					500					505					510		
30	116	: As			Gly	He	Gln	Leu			Me t	Ιle	Arg		lle	Thr	His
	Clu			515	C1	CIN	Cl	Т	520		nı.		۵,	525			
35	עוט	53		GIY	GIA	610	GIY	535	Leu	AST	Phe	Met		ASD	Glu	Phe	Gly
	His			Gln	Trn	Len	Asn		Pro	۵rø	Lys	Clv	540	A e n	Clu	°0-	T
	545	••	-		,	200	550	1110		,nr s	Lys	555	nsu	VOII	חוט	261	560
40		Ту	r	Ala.	Arg	Arg		Phe	His	Leu	Thr		Asp	Asn	Len	Len	
						565					570					575	6
45	Tyr	Lys	s I	Phe 1	Leu .	Asn	Asn	Phe	Asp	Arg	Asp	Met	Asn	Arg	Leu		Glu
		•			580			•		585					590		
50	Arg	Туі	r (	Gly 1	Ггр 🛚	Leu	Ala	Ala	Pro	Gln	Ala	Tyr	Val	Ser	Glu	Lys	His
<del></del>				95	•				600					605			
	Glu	Gly	, A	sn I	ys :	lle	He	Ala	Phe	Glu	Arg	Ala	Gly	Leu	Leu	Phe	Ile
55		610						615					620				•

	Phe Asm Phe His Pro Ser Lys Ser Tyr Thr Asp Tyr Arg Val Gly Thr
5	625 630 635 640
	Ala Leu Pro Gly Lys Phe Lys Ile Val Leu Asp Ser Asp Ala Ala Glu
10	645 650 655
	Tyr Gly Gly His Gln Arg Leu Asp His Ser Thr Asp Phe Phe Ser Glu
	660 665 670
15	Ala Phe Glu His Asn Gly Arg Pro Tyr Ser Leu Leu Val Tyr Ile Pro
	675 680 685
20	Ser Arg Val Ala Leu Ile Leu Gln Asn Val Asp Leu Pro Asn
•	690 695 700
25	<210> 10 <u>7</u>
	<211> 790
20	<212> DNA
30	<213> Homo sapiens
	⟨220⟩
35	<221> CDS
	<222> (78) (626)
40	<400> 107 ·
	actgccccaa ggcccccgcc gccgctccag cgccgcgcag ccaccgccgc cgccgccgcc 60
	ictccttagt cgccgcc atg acg acc gcg tcc acc tcg cag gtg cgc cag 110
45	Met Thr Thr Ala Ser Thr Ser Gln Val Arg Gln
	. 1 5 10
50	aac tac cac cag gac tca gag gcc gcc atc aac cgc cag atc aac ctg 158
	Asn Tyr His Gln Asp Ser Glu Ala Ala Ile Asn Arg Gln Ile Asn Leu
55	15 20 25
	gag ctc tac gcc tcc tac gtt tac ctg tcc atg tct tac tac tit gac 206

·	Glu Le	u Tyr Ala	Ser Tyr Val	l Tyr Leu Ser	Met Ser Tyr Tyr	Phe Asp
5		30		<b>35</b> .	40	
	cgc ga	t gat gtg	gct ttg aag	g aac ttt gcc	aaa tac ttt ctt	cac caa 254
10	Arg As	p Asp Yal	Ala Leu Lys	s Asn Phe Ala	Lys Tyr Phe Leu	His Gln
	4	5	50	)	55 .	
	tct ca	t gag gag	agg gaa cat	gct gag aaa	ctg atg aag ctg	cag aac 302
15	Ser Hi	s Glu Glu	Arg Glu His	Ala Glu Lys	Leu Met Lys Leu	GIn Asn
	60		65		70	75
20	caa cg	a ggt ggc	cga atc itc	ctt cag gat	atc aag aaa cca	gac tgt 350
	Gln Ar	g Gly Gly			lle Lys Lys Pro	Asp Cys
25		_	80	85		90
					gag igi gca tia	
20	ASP AS	o irp Giu 95	set Gly Len	AST Ala Net	Glu Cys Ala Leu	His Leu
30			aat cao tca		ctg cac aaa ctg	gcc act 446
					Leu His Lys Leu	
35		110		115	120	
	gac aaa		ccc cat ttg		att gag aca cat	tac ctg 494
40	Asp Lys	Asn Asp I	Pro His Leu	Cys Asp Phe	Ile Glu Thr His	Tyr Leu
	125		130		135	
45	aat gag	cag gtg a	aaa gcc aic	aaa gaa tig	ggt gac cac gig	acc aac 542
	Asn Glu	Gln Val I	Lys Ala Ile	Lys Glu Leu	Gly Asp His Val	Thr Asn
	140		145		150	155
50	itg cgc	aag atg g	gga gcg ccc	gaa tot ggc	itg gcg gaa tai	ctc ttt 590
	Leu Arg	Lys Met (	Gly Ala Pro	Glu Ser Gly	Leu Ala Glu Tyr	Leu Phe
55		1	160	165		170

	gac	8 8 8	cac	acc	ctg	gga	gac	agt	gat	aat	gaa	agc	taa	gccl	cgg		636
5	Asp	Lys	His	Thr	Leu	Gly	Asp	Ser	Asp	Asn	Glu	Ser					
				175					180								•
	gct	aatt	tcc	ccat	agcc	gt g	gggt	gact	t cc	ctgg	tcac	caa	ggca	gtg	catg	catgtt	696
10	ggg	gttt	cc t	ttac	cttt	tc t	ataa	gtig	t ac	caaa	acat	cca	ctta	agt	tett	tgattt	756
	gta	ccat	tcc	ttca	aata	aa g	aaat	tigg	t ac	СС							790
15	<b>/</b> 91	0> 1	ΛR														
		1> 1								•			٠		•		
20		2> P														•	
				sapi	ens												
		0> 1		,								•					
25	Met	Thr	Thr	Ala	Ser	Thr	Ser	Gln	Val	Arg	Gln	Asn	Туг	His	Gln	Asp	
	1				5					10					15		
30	Ser	Glu	Ala	Ala	Ile	Asn	Arg	Gln	lle	Asn	Leu	Glu	Leu	Tyr	Ala	Ser	
				20					25					30	ı		
35	Tyr	Val	Туг	Leu	Ser	Met	Ser	Туг	Tyr	Phe	Asp	Arg	Asp	Asp	Val	Ala	
			35					40					45				
	Leu	Lys	Asn	Phe	Ala	Lys	Туг	Phe	Leu	His	Gln	Ser	His	Glu	Glu	Arg	
40		50					55					60					
	Glu	His	Ala	Glu	Lys	Leu	Met	Lys	Leu	Gln	Asn	Gln	Arg	Gly	Gly	Arg	
45	65					70				•	75					80	
	He	Phe	Leu	Gln		He	Lys	Lys	Pro		Cys	Asp	Asp	Trp	Glu	Ser	•
50		_			85		_			90					95		
	Gly	Leu	Asn		Met	Glu	СУS	Ala		His	Leu	Glu	Lys		Val	Asn	
				100					105					110			
55	Gln	Ser	Leu	Leu	Glu	Leu	His	Lys	Leu	Ala	Thr	Asp	Lys	Asn	Asp	Pro	

115 120 125 His Leu Cys Asp Phe Ile Glu Thr His Tyr Leu Asn Glu Gln Val Lys 130 135 140 Ala Ile Lys Glu Leu Gly Asp His Val Thr Asn Leu Arg Lys Met Gly 10 145 150 155 Ala Pro Glu Ser Gly Leu Ala Glu Tyr Leu Phe Asp Lys His Thr Leu 15 165 170 175 Gly Asp Ser Asp Asn Glu Ser 180 <210> 109 <211> 3460 25 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (256).. (1857) <400> 109 ccctaccgcc cccaattccg ccctgccccc gccgcggcgg cgctagccgc cactgaggga 60 ccgaccctat aaaggccgct ccgcgagggg tgcgcagcat tcggcagagg gcgcttcgac 120 gggctgggct gtgcgcctgc gcagtgtggg tcgctcccga ttccctgccc cggccggccc 180 egectegget eegeaceete geeeegetet eageegeege tetgeeege ageageeage 240 45 cccgtgtccg gcagt atg itc agc lgg gtc agc aag gat gcc cgc cgc aag 291 Met Phe Ser Trp Val Ser Lys Asp Ala Arg Arg Lys 10 aag gag ccg gag ctc tlc cag acg gtg gcc gag ggg cig cgg cag ctg 55 Lys Glu Pro Glu Leu Phe Gln Thr Val Ala Glu Gly Leu Arg Gln Leu

			15					20					25				
5	tac	gcg	cag	aag	ctg	cta	ccc	ctg	gag	gag	cac	tac	cgc	ttc	cac	gag	387
	Tyr	Ala	Gln	Lys	Leu	Leu	Pro	Leu	Glu	Glu	His	Tyr	Arg	Phe	His	Glu	
		30					35					40					
10	ttc	cac	tcg	ccc	gcr	ctg	gag	gac	gc t	gac	ttc	gac	aac	aag	cct	atg	435
	Phe	His	Ser	Pro	Хаа	Leu	Glu	Asp	Ala	Asp	Phe	Asp	Asn	Lys	Pro	Met.	
15	45					50					55					60	
	gtg	ctc	ctc	głg	rgg	cag	tac	agc	acg	ggc	aag	acc	acc	ttc	atc	cga	483
20	Val	Leu	Leu	Val	Xaa	Gln	Tyr	Ser	Thr	Gly	Lys	Thr	Thr	Phe	lle	Arg	
					65					70					75		
	cac	ctg	atc	gag	cag	gac	ttc	ccg	ggg	atg	cgc	atc	ggg	ccc	gag	ccc	531
25	His	Leu	Ile	Glu	Gln	Asp	Phe	Pro	Gly	Me t	Arg	He	Gly	Pro	Glu	Pro	
				80					85					90			
30		•	gac														579
	Thr	Thr	Asp	Ser	Phe	He	Ala		Me t	His	Gly	Pro		Glu	Gly	Val	
35			95					100					105				007
-			ggc														627
	141	110	Gly	VOII	VIG	LCu	115	141	nsp	110	иів	120	FIU	rne	MIR	Lys	
40	ctc		gcg	111	gg (	aac		ttc	ctc	aar	200		ato	tot	acc	rio	675
			Ala											•			0.0
15	125					130					135			-,-		140	
		ccc	aac	ccc	gtc		gac	agc	atc	agc		alc	gac	acc	ccc		723
-a			Asn					•									
50					145					150					155		
	atc	cig	tct	gga		aag	cag	cgg	atc		aga	ggc	tat	gac		gca	771
55			Ser														
				•	_			-			_	•			<del>-</del>		

				160					165					170			•
5	gco	gtc	ctg	gag	tgg	ttc	gcg	gag	cgt	gtg	gac	cgc	atc	atc	ctg	ctc	819
	Ala	Val	Leu	Glu	Trp	Phe	Ala	Glu	Arg	Val	Asp	Ārg	He	Ile	Leu	Leu	
10			175					180					185				
	tto	gạc	gcc	cac	aag	ctg	gac	atc	tcc	gat	gag	ttc	tcg	gaa	gtg	atc	867
	Phe	Asp	Ala	His	Lys	Leu	Asp	He	Ser	Asp	Glu	Phe	Ser	Glu	Val	Ile	
15		190					195					200					
	aag	· gc t	ctg	aag	aac	cat	gag	gac	aag	atc	cgc	gtg	gtg	ctg	aac	aag	915
20	Lys	Ala	Leu	Lys	Asn	His	Glu	Asp	Lys	Ile	Arg	Val	Va l	Leu	Asn	Lys	
	205					210					215					220	
25	gca	gac	cag	atc	gag	acg	cag	cag	ctg	atg	cgg	gtg	tac	ggg	gcc	ctc	963
	Ala	Asp	Ğln	lle		Thr	Gln	Gln	Leu		Arg	Val	Tyr	Gly		Leu	
					225					230					235		
30	atg	tgg	tcc	ctg	ggc	aag	atc	atc	aac	acc	CCC	gag	gtg	gtc	agg	gtc	1011
	Met	Trp	Ser		Gly	Lys	He	Ile		Thr	Pro	Glu	Val	Val	Arg	Val	
35				240					245					250			
	tac	atc	ggc	tcc	ttc	tgg	tcc	cac	ccg	ctc	cic	atc	CCC	gac	aac	cgc	1059
40	Tyr	Ile		Ser	Phe	Trp	Ser		Pro	Leu	Leu	lle	Pro	Asp	Asn	Arg	٠
40			255					260					265	•	•		
	aag	ctc	ttt	gag	gcc	gag	gag	cag	gac	ctc	ttc	aag	gac	atc	cag	tca	1107
45	Lys	Leu	Phe	Glu	Ala	Glu	Glu	Gln	Asp	Leu	Phe	Lys	Asp	He	Gln	Ser	
		270					275	•	•			280					•
50	clg	ccc	cga	aac	gcc	gcc	cic	agg	aag	ctc	aat	gac	clg	atc	aag	cgg	1155
	Leu	Pro	Arg	Asn	Ala	Ala	Leu	Arg	Lys	Leu	Asn	Asp	Leu	He	Lys	Arg	
	285					290					295				•	300	
55	gca	cgg	cig	gcc	aag	gtt	cac	gcc	tac	atc	atc	agc	tcc	ctc	aag	aaa	1203

	Ala Arg	Leu Ala Lys Val	l His Ala Tyr	Ile Ile Ser Ser	Leu Lys Lys
5		305		310	315
	ġag atg	ccc aat gtc til	t ggt aaa gag	agc aaa aag aaa	gag ctg gtg 1251
10	Glu Met 1	Pro Asn Val Phe	e Gly Lys Glu	Ser Lys Lys Lys	Glu Leu Val
,,		320	325		330
	aac aac o	ctg gga gag atc	tac cag aag	att gag cgc gag	cac cag atc 1299
15	Asn Asn I	teu Gly Glu Ile	Tyr Gln Lys	Ile Glu Arg Glu	His Gln lle
	3	335	340	345	
20	tcc cct g	ggg gac itc ccg	ago clo cgo	aag atg cag gaa	ctc ctg cag 1347
	Ser Pro G	Gly Asp Phe Pro	Ser Leu Arg	Lys Met Gln Glu	Leu Leu Gln
25	350		355	360	
25				ctg aag ccc aag	
		sp Phe Ser Lys	Phe Gin Ala	Leu Lys Pro Lys	Leu Leu Asp
30 ·	365	. 370		375	380
				atc gcg cgg ctg	
35	Thr Val A			lle Ala Arg Leu	Met Val Met
	-1	385		390	395
				tcc cag gtg gtc	
40	Val Arg G.	•		Ser Gln Val Val	
		400	4,05		410
45				tic ggg cac ggc	
	. 41		420	Phe Gly His Gly	lyr Gly Glu
				425	
50				gag tgg gtg gtg	
				Glu Trp Val Val (	oly Lys Asp
55	430		435	440	
	aag ccc ac	cc lac gac gag	aic iic iac a	acg clg lcc cct i	gtc aac ggc 1635

	Lys Pro Thr Tyr Asp Glu lle Phe Tyr Thr Leu Ser Pro Val Asn Gly	
5	445 450 455 460	
	aag atc acg ggc gcc aac gcc aag aag gag atg gtg aag tcc aag ctc 168	33
10	Lys Ile Thr Gly Ala Asn Ala Lys Lys Glu Met Val Lys Ser Lys Leu	
	465 470 475	
	ccc aac acc gig cta ggg aag aic igg aag cig gcc gac gig gac aag 173	1
15	Pro Asn Thr Val Leu Gly Lys Ile Trp Lys Leu Ala Asp Val Asp Lys	
	480 485 490	
20	gac ggg ctg ctg gac gac gag gag ttc gcg ctg gcc aac cac ctc atc 177	9
	Asp Gly Leu Leu Asp Asp Glu Glu Phe Ala Leu Ala Asn His Leu Ile	
25	495 500 505	
	aag gtc aag ctg gag ggc cac gag ctg ccc gcc gac ctg ccc ccg cac 182	7
	Lys Val Lys Leu Glu Gly His Glu Leu Pro Ala Asp Leu Pro Pro His	
30	510 515 520	
	ctg gtg ccg ccc tcc aag cgc aga cat gag tgatggcgcc cggccccgca 187	7
35	Leu Val Pro Pro Ser Lys Arg Arg His Glu	
	525 530	
40	cctgccattt gcacgcccgg ccgggaggca gagacggggg gaggggaagc ctcaccattt 1937	
	cicaaggice ataaagacig ageggaigii teelegeele tegaaaagga aaaceaceat 1997	
	ctitctttia aggetgitee tgggeetgge gggggaggea ggggtgagag gatggaattg 2057	
45	tgtgcacaag aactgtggct attttaatat ataacgitag aggctgcgtt ctttgtcgcc 2117	
	gcctcccctg tgtgccagcc ctgtgtgcac ggcctctgcc ccccggcctt gtgctgtggc 2177	
50	tggagcigga cagigcagig acigcgaccy tgggggagcc aggicgccci itiggcagci 2237	
	gctaggctga ggctgcatgg acaggaacac caggcaccct ccgtgtgctt ctgagctgag	
55	gitgcitcac gggaccgigg citccitcci cacciggcic igccicccc gigcicicgg 2357	
-	gcgaagiggg ticitgigce ticeceiece gggcccagge teceegigeg egggcceige 2417	

	cctttcctc	c cgcgcccac	cggctccgac	gcgcaacccc	gctcagcagt	cacagaagca	2477
5	gggcccagc	c_accttggtct	ttttttggga	gticagggga	gtaggagaat	gtcttccaga	2537
	aaaatacat	a agctagtttc	tgttctgtaa	agigatatet	ttcatacttg	accaaagttc	2597
	ccaataact	i cccaaccact	gttcaaaagc	tgtgatttt	gtctcccctt	cccaccctcc	2657
10	agccaaggag	g cagceetgee	caggggaatt	taggtgtggg	tacccgggga	gcaccccgtt	2717
	cctggaccc	agtgttgcat	ticciggcig	aggaagggtg	gtcatcccag	ctcctgccct	2777
15	accetetead	ttaactggag	ctttgggacg	caccciccac	agtgggaggt	ggtggtgggg	2837
	tggcggtggc	ggggcctcac	gacagctigg	tgctggtaag	aggaagcccg	tggtictggc	2897
?0	taggcictca	tgtccagaca	gcggggacca	ggggaaaacc	cagccccttc	tgtaatcccc	2957
	cttcatttcc	taccttcctt	cctcctctgt	ttagcaaagg	agggcagctc	actiggatgi	3017
	ccttacaacg	ccctggccc	caggitgagc	aataagaaac	cagaacctig	cggcccagtg	3077
?5	gcccgggcca	gticaggccg	cctcccctc	ctctgcctgg	ggccattgag	ccccagcctc	3137
	caggggcccg	ggtgcgtttg	caagccaglg	gccactgtcc	gggctgtgat	ggcaccaagg	3197
30	cagglggagc	accaggiacc	acacagcigg	gcttcccacc	aggetttece	gcgggggtct	3257
	cagggagctt	ctcccagcg	ctgctcggag	tctgcaggaa	ctggccttgt	tctccttagc	3317
		atacagtatt					
35	actgttgaag	ttgcagtggc	ligitcacac	ctgtgggaag	agaagtgaag	actttctcct	3437
	tgcattaaaa	agtctgaact	gtg				3460
10	<210> 110						·
	<211> 534						
15	<212> PRT						
	<213> Homo	sapiens	•				
	<400> 110						
50	Met Phe Se	r Trp Val Se	er Lys Asp A	la Arg Arg	Lys Lys Glu	Pro Glu	
	1	5	-	10		15	
55	Leu Phe Gli	Thr Val Al	a Glu Gly 1	eu Arg Gln	Leu Tyr Ala	Gln Lys	

				20	)				25					30		
5	Lei	ı Lev	Pro	Leu	Glu	Glu	His	Tyr	Arg	Phe	His	Glu	Phe	His	Ser	Pro
			35	·				40					45			
	Xaa	Leu	Glu	Asp	Ala	Asp	Phe	Asp	Asn	Lys	Pro	Met	Va}	Leu	Leu	Val
10		50		•	•		55					60				
	Xaa	Gln	Tyr	Ser	Thr	Gly	Lys	Thr	Thr	Phe	He	Arg	His	Leu	Ile	Glu
15	65	i				70					75					80
	Gln	Asp	Phe	Pŗro	Gly	Met	Arg	lle	Gly	Pro	Glu	Pro	Thr	Thr	Asp	Ser
20					85				•	90					95	
	Phe	lle	Ala	Va 1	Met	His	Gly	Pro	Thr	Glu	Gly	Val	Val	Pro	Gly	Asn
				100					105					110		
25	Ala	Leu	•	Val	Asp	Pro	Arg	Arg	Pro	Phe	Arg	Lys	Leu	Asn	Ala	Phe
			115					120					125			
30	Gly	Asn	Ala	Phe	Leu	Asn		Phe	Met	Cys	Ala		Leu	Pro	Asn	Pro
	Val	130	1 an	So	Ila	Sor	135	I l o	400	Th-	Dwo	140	71-	1	C	C1
35	145	Leu	VSh	261	116	150	116	116	ASP	1111	155	GIY	116	reii	SEL	160
		Lys	Gln	Arg	lle		Arg	Glv	Tvr	Asn		Ala	Ala	Val	len	
		-,-	<b></b>	0	165		0	.,	.,.	170	• ••		,,,,		175	014
40	Trp	Phe	Ala	Glu		Val	Asp	Arg	He		Leu	Leu	Phe	Asp		His
				180					185					190		
45	Lys	Leu	Asp	Ile	Ser	Asp	G l.u	Phe	Ser	Glu	Yal	lle	Lys	Ala	Leu	Lys
			195					200					205			
50	Asn	His	Glu	Asp	Lys	l l e	Arg	Val	Val	Leu	Asn	Lys	Ala	Asp	Gln	He
		210					215					220				
	Glu	Thr	Gln	Gln	Leu	Me t	Arg	Val	Туг	Gly	Ala	Leu	Met	Trp	Ser	Leu
55	225					230					235			-		240
											~			•		

	Gly	Lys	lle	Ile	Asn	Thr	Pro	Glu	Yal	Val	Arg	Val	Tyr	He	Gly	Ser	
5					245					250					255		
	Phe	Trp	Ser	His	Pro	Leu	Leu	He	Pro	Asp	Asn	Arg	Lys	Leu	Phe	Glu	
10				260					265					270			
	Ala	Glu	Glu	Gln	Asp	Leu	Phe <sub>.</sub>	Lys	Asp	Ile	Gln	Ser	Leu	Pro	Arg	Asn	
			275					280					285				
	Ala	Ala	Leu	Arg	Lys	Ļeu	Asn	Asp	Leu	Ile	Lys	Arg	Ala	Arg	Leu	Ala	
		290					295					300				•	
20	Lys	Yal	His	Ala	Tyr	He	Ile	Ser	Ser	Leu	Lys	Lys	Glu	Met	Pro	Asn	
	305					310					315					320	
25	Val	Phe	Gly	Lys	Glu	Ser	Lys	Lys	Lys	Glu	Leu	Val	Asn	Asn ·	Leu	Gly	
-			-		325				•	330		•		•	335		
	Glu	Ile	Tyr	Gin	Lys	Ile	GIu	Arg	Glu	His	Gln	Ile	Ser	Pro	Gly	Asp	
30				340					345					350			
	Phe	Pro	Ser	Leu	Arg	Lys	Met	Gla	Glu	Leu	Leu	Gln	Thr	Gln	Asp	Phe	
35	_	,	355					360					365				
	Ser	Lys	Phe	Gln	Ala	Leu		Pro	Lys	Leu	Leu		Thr	Val	Asp	Asp	
		370	4.				375					380					
40	Met	Leu	Ala	Asn	ASD		Ala	Arg	Leu	Met		Met	Val	Arg	Gln		
	385	•			D	390	01				395			<b>.</b> .		400	
45	GIU	Ser	ren			26L	GIN	Yaı	vai		Giy	GIY	Ala	Phe		Gly	
	TL	M - 4			405	nL.	C1		C)	410	C1	01	01		415	•	
50	101	Met			Pro	rne		nıs		131	GIY	GIU	GIY		Gly	Glu	
	01			420	•• •	0.1	<b>*</b>	17. 1	425	01				430		_	
	Gly			ASP	۷aJ	GIU			Val	Gly	Lys	ASP		Pro	Thr	Туг	
55			435					440					445				

	Asp Glu Ile Phe Tyr Thr Leu Ser Pro Val Asn Gly Lys Ile Thr Gly
5	450 455 460
	Ala Asn Ala Lys Lys Glu Met Val Lys Ser Lys Leu Pro Asn Thr Val
10	465 470 475 480
70	Leu Gly Lys lle Trp Lys Leu Ala Asp Val Asp Lys Asp Gly Leu Leu
	485 490 495
15	Asp Asp Glu Glu Phe Ala Leu Ala Asn His Leu Ile Lys Val Lys Leu
	500 505 510
20	Glu Gly His Glu Leu Pro Ala Asp Leu Pro Pro His Leu Val Pro Pro
	515 520 525
	Ser Lys Arg Arg His Glu
25	530 <sub>-</sub>
	<210> 111
30	<211> 1622
	<212> DNA
35	<213> Homo sapiens
i	⟨220⟩
	<221> CDS
40	<222> (89) (724)
	·<400> 111
45	ggtcggtgtg cttgtgaccc tgcctttgtg tggctgtcac cggtgggact ggcggggact 60
	gigtgattaa cotocattic agotaato atg gga gag att aaa gto tot cot 112
50	Met Gly Glu Ile Lys Val Ser Pro
	1 5
	gat tat aac tgg tit aga ggt aca git ccc cil aaa aag att ati gig 160
55	Asp Tyr Asn Trp Phe Arg Gly Thr Val Pro Leu Lys Lys lle Ile Val

		1	0				18	5	•			20			•		
5	ga	t ga	t ga	t gad	agt	aag	g ata	ı tgg	tcg	ctc	tat	gac	gcg	ggc	ccc	cga	208
J	Ás	p As	p Ası	Asp	Ser	Lys	lle	Trp	Ser	Leu	Tyr	Asp	Ala	Gly	Pro	Arg	
	2	5			•	30	)				35		٠			40	
10	ag	t ato	c agg	gtgt	cct	cto	ala	ttc	ctg	ccc	cct	gic	agt	gga	act	gca	256
	Se	r Ile	Are	y Cys	Pro	Leu	Ile	Phe	Leu	Pro	Pro	Val	Ser	Gly	Thr	Ala	•
15					45					50					55		
	· ga	t gto	ttt	itc	cgg	cag	att	ttg	gct	ctg	act	gga	tgg	ggt	tac	cgg	304
20	Ası	Val	Phe	Phe	Arg	Gln	Ile	Leu	Ala	Leu	Thr	Gly	Trp	Gly	Tyr	Arg	
				60					65					70	•		
	gt	atc	gct	ttg	cag	tat	cca	gtt	tat	tgg	gac	cat	ctc	gag	ttc	tgt	352
25	Val	lle	_		Gln	Туг	Pro		Tyr	Trp	Asp	His		Glu	Phe	Cys	
			75					80					85				
30		gga	•														400.
	Asp	Gly	Phe	Arg	Lys	Leu		Asp	His	Leu	Gln		Asp	Lys	Val	His	
<i>3</i> 5	:011	90	<b>6</b> 60	no t	101		95					100					440
		t t t Phe					•										448
,	105		GIY	NIG.	261	110	GIY	GIY	rne	Leu	115	6111	Lys	rne	AIA	120	
40		act	cac	ааа	tet		aga	gtc	cat	tcc		atc	ctc	tor	221		496
	•	Thr							•								430
45				-,-	125					130				0,5	135	JC1	
	ttc	agt	gac	acc	tct	alc	llc	aac	caa		tgg	act	gca	aac -		ttı	544
50		Ser															
				140					145				٠.	150			
	tgg	cig	atg	cct	gca	ttt	alg	ctc	aaa	aaa	ata	gtt	ctt		aat	ttt	592
55	Trp	Leu	Mel	Pro	Ala	Phe	Me t	Leu	Lys	Lys	lle	Val	Leu	Gly	Asn	Phe	

	155	160		165
5	tca tct ggc ecg g	gtg gac cct atg a	atg gct gat gcc	att gat tic_atg 640
	Ser Ser Gly Pro V	Val Asp Pro Met M	det Ala Asp Ala	lle Asp Phe Met
10	170	175	180	
	gta gac agg cta g	gaa agt tig ggt o	ag agt gaa ctg	gct tca aga ctt 688
15	Val Asp Arg Leu G	Glu Ser Leu Gly G	Gln Ser Glu Leu	Ala Ser Arg Leu
	· 185	190	195	200
	acc itg aaa itg i	ca aaa tto tta t	gt gga acc tca	taaaattegg 734
20	Thr Leu Lys Leu S	Ger Lys Phe Leu C	ys Gly Thr Ser	
	2	05	210	
25	ggacatacct gtaact	atta tggatgtgtt	tgatcagagt gcgc	tttcaa ctgaagctaa 794
	agaagaaalg tacaag	ctgt atccctaatg	ccccgaagag gctc	atotga aaacaggagg 854
	caatttccca tacctg	tgca gaagtgcaga	ggtcaatctt tatg	tacaga tacatttgtc 914
30	kgcaattccw kggrgg	accm aatacgcggc	ctttgaccca tcaa	tggtca gtgccgagga 974
	gcttgaggtg cagaaa	ggca gccttggcat	cagccaggag gagca	aglagt gtgtctctcg 1034
35				gcatc agcacccgit 1094
				ctgtgt ctgggaagta 1154
40				igigta actgitecet 1214
40				iclocc attitaagaa 1274
				ngigaa tgitaatiic 1334
45				alict ictitctiic 1394
	•			cagga cattggttat 1454
50				taccc cactgtttgc 1514
	ictccigcaa aicaaci	lgct tilaattiac a	acttaaacaa attgt	titga gigitageta 1574
	ctgcctttct agatatt	lagt calliggaat a	aaaaattcaa titca	1622
55	Z210\ 112			

•	<211> 212	٠.		
5	<212> PRT			
	<213> Homo	sapiens		
	<400> 112			
10	Met Gly Glu	lle.Lys Val	Ser Pro Asp Tyr /	asn Trp Phe Arg Gly Thr
	. 1	5	10	15
15	Val Pro Leu	Lys Lys Ile	lle Val Asp Asp <i>A</i>	sp Asp Ser Lys Ile Trp
		20	25	30
20	· Ser Leu Tyr	Asp Ala Gly	Pro Arg Ser lle A	rg Cys Pro Leu Ile Phe
	35		40	45
25		Val Ser Gly	Thr Ala Asp Val P	he Phe Arg Gin Ile Leu
	50	•	55	. 60
			•	la Leu Gln Tyr Pro Val
<sub>.</sub> 30	65 ·	70	•	75 80
	lyr irp Asp	HIS LEU GIU		he Arg Lys Leu Leu Asp
35	His Leu Glo		90 Val Hislen Phe G	95 ly Ala Ser Leu Gly Gly
	. HIS Dea Oil	100	· 105	110
40	Phe Leu Ala			is Lys Ser Pro Arg Val
	. 115		120	125
45	His Ser Leu	Ile Leu Cys	Asn Ser Phe Ser A	sp Thr Ser lie Phe Asn
	130	• 1	35	140
	Gln Thr Trp	Thr Ala Asn S	Ser Phe Trp Leu M	et Pro Ala Phe Met Leu
50	145	150	1	55 160
	Lys Lys Ile	Val Leu Gly /	Asn Phe Ser Ser G	ly Pro Val Asp Pro Met

	Met Ala As	p Ala Ile	Asp Pl	ne Met	Val	Asp	Arg	Leu	Glu	Ser	Leu	Gly
<b>5</b>		180			185					190		
	Gln Ser Gl	u Leu Ala	Ser Ar	g Leu	Thr	Leu	Lys	Leu	Ser	Lys	Phe	Leu
10	19	5		200					205		٠	
	Cys Gly Th	r Ser		•								
	210				,		٠.					
15	<210> 113									٠		
20	<211> 2391											
	<212> DNA	. •										
	<213> Homo <220>	sapiens										
25	<221> CDS											
		(0.00)										
30	<222> (1) 220	(300)										
	<221> unsure											
95	<222> (49)											٠
35	(223) g or t									,		
	<220>											
40	<221> unsure											
	<222> (51)											
45	<223> a or t											
	<220>											
	<221> unsure											
<b>50</b>	<222> (54)											
	<223> t or c											
55	<220>											

	<221> unsure
5	<222> (55)
	<223> g or (
	⟨220⟩
70	<221> unsure
	<222> (56)
15	<223> g or t
	⟨220⟩
20	<221> unsure
	<222> (91)
	<223> g or c
<b>25</b>	⟨220⟩
	<221> unsure
30	<b>&lt;222&gt; (101)</b>
	<223> t or c
	<220>
35	<221> unsure
	<222> (103)
40	<223> g or t
	<220>
45	<221> unsure
•5	⟨222⟩ (325)
	· <223> t or c
50	<220>
	<221> unsure
5 <b>5</b>	<222> (425)
	<223> g or t

	<23	20>									•					•	
5	<2;	21> ı	ושצחנ	·e													
	<22	22>	(688)			•											
10	<22	23> g	s or	С											÷		
	<22	20>												/			
15	<22	21> u	ınsur	е													
,,	<22	2> (	(1459	)		•								•			
	<22	3> g	or	t												•	
20	⟨220⟩ .																
	<22	1> u	nsur	е									٠				
25	<22	2> (	1705	)													
	<22	3> g	01	ı													
	<40	0> 1	13														
30	gac	ccg	ttc	cat	gca	gtt	gta	tac	ata	gtg	ttc	atg	ctg	ggc	tcc	tgt	48
	Asp	Pro	Phe	His	Ala	Val	Val	Tyr	Ile	Val	Phe	Met	Leu	Gly	Ser	Cys	
35	1				5					10					15		
	kcw	tty	kkc	tcc	aaa	acg	tgg	att	gag	gtc	tca	ggt	tcc	tct	scc	aaa	96
40	Xaa	Xaa	Xaa	Ser	Lys	Thr	Trp	Ile	Glu	Val	Ser	Gly	Ser	Şer	Xaa	Lys	•
40				20					25					30		٠	
	•						aag										144
45	Asp	Xaa	Xaa	Lys	Gln	Leu	Lys ·	Glu	Gin	Gln	Met	Va l	Met	Arg	Gly	His	
			35					40				•	45				
50							cai										192
	Arg	Glu	Thr	Ser	Met	Val	His	Glu	Leu	Asn	Arg	Tyr	lle	Pro	Thr	Ala	
		50					55					60					
55	gcg	gcc	ttt	ggt	ggg	ctg	tgc	alc	ggg	gcc	ctc	tcg	glc	ctg	gct	gac	240

Ala Ala Phe Gly Gly Leu Cys Ile Gly Ala Leu Ser Val Leu Ala Asp 65 70 75 80 5 itc cta ggc gcc att ggg tct gga acc ggg atc ctg ctc gca gtc aca 288 Phe Leu Gly Ala lle Gly Ser Gly Thr Gly Ile Leu Leu Ala Val Thr 10 90 atc atc tac cag tac tit gag atc tic git aag gag yaa agc gag git 336 lle lle Tyr Gln Tyr Phe Glu lle Phe Val Lys Glu Xaa Ser Glu Val 15 100 105 110 ggc agc atg ggg gcc ctg ctc ttc tgagcccgtc tcccggacag gttgaggaag 390 20 Gly Ser Met Gly Ala Leu Leu Phe 115 120 25 clgctccaga agegectegg aaggggaget etcakeatgg egegtgetge tgeggeatat 450 ggactittaa taatgigiii igaatticgi attoittoat tooactgigi aaagtgotag 510 acalllicca alliaaaatt tigettitta teelggeact ggeaaaaaga actgigaaag 570 30 tgaaatttta ttcagccgac tgccagagaa gtgggaatgg tataggattg tccccaagtg 630 iccalgiaac iitigiitta acciligcac ciicicagig cigiatgegg cigeagesic 690 35 ctcaccigit iccccacaaa gggaattici caciciggii ggaagcacaa acacciggaa 750 algiciacgi licaltitgg caagtarggi gigaagccig ggagcagaic atgiatticc 810 cggagacgtg ggacctigct ggcatgtctc cticacaatc aggcgtggga atatctggct 870 40 laggacigit iciciclaag acaccatigi lilcccttat titaaaagig attitittaa 930 ggacagaact teltecaaaa gagagggalg gellleccag aagacaetee tggecaletg 990 lggattigle igigeaccia liggeicile tagetgaete tietggiigg gettagagte 1050 igocigitic igotagotec gigitiagic cactigggic alcageteig ecaagetgag 1110 cciggccaag claggiggac agaccciigc agigatgicc gittgiccag atictgccag 1170 50 tcalcactgg acacgicice teggeagetg ecctageaag gggagacatt gtggtageta 1230 lcagacatgg acagaaactg acttagtgct cacaagcccc tacacctttc tgggctgaag 1290 55 atcacccago igigitoaga attilottao tglgottagg actgoacgca agtragcaga 1350

	caccaccgac	ttcctttctg	cgtcaccagt	gtcgtcagca	gagagaggac	agcacaggct	1410
5	caaggitggt	agtgaagtca	ggttcggggt	gcatgggctg	tggtggtgkt	gatcagttgc	1470
	tccagigiti	gaaataagaa	gactcaiglt	tatgictgga	ataagtictg	tttgtgctga	1530
10 ·	caggtggcct	aggtcctgga	gatgagcacc	ctctctctgg	cctttaggga	gtccctctt	1590
	aggacaggca	ctgcccagca	gcaagggcag	cagagiiggg	tgctaagatc	ctgaggagct	1650
15	cgaggtttcg	agciggciti	agacattggt	gggaccaagg	aigiitigca	ggatkccctg	1710
	atcctaagaa	gggggcctgg	gggtgcglgc	agcctgtcgg	ggagacccca	ctctgacagt	1770
	gggcacacgg	cagcctgcaa	agcacagggc	caccgccaca	gcccggcaga	ggggcacact	1830
20	ctggagacct	tgctggcagt	gctagccagg	aaacagagtg	accaagggac	aagaagggac	1890
	ttgcctaaag	ccacccagca	actcagcagc	agaaccaaga	tgggccccag	gctcctccat	1950
25	atggcccagg	gcttaccacc	ctatcacacg	tggcctttgt	cctagaccca	gtcctgagca	2010
	ggggagaggc	tcttgagacc	.tgatgccctc	ctacccacat	ggitciccca	cigcccigic	2070
	tgctctgctg	ctacagaggg	gcagggcctc	ccccagccca	cgcttaggaa	tgcttggcct	2130
30	ctggcaggca	ggcagctgta	cccaagctgg	tgggcagggg	gctggaaggc	accaggcctc	2 F90
	aggaggagcc	ccatagtccc	gcctgcagcc	tgtaaccatc	ggctgggccc	tgcaaggccc	2250
35	acactcacgc	cctgtgggtg	atggtcacgg	tgggtgggtg	ggggctgacc	ccagcttcca	2310
	ggggactgtc	actgtggacg	ccaaaatggc	ataactgaga	taaggtgaat	aagtgacaaa	2370
	taaagccagt	tttttacaag	g				2391
40	<210> 114						
	<211> 120						
45	<212> PRT						
	<213> Homo	sapiens			,		

⟨220⟩

<221> unsure

<223> unknown

<222> (17)

50

55

	<220>										
5	<221> unsure										
	<222> (18)										
10	<223> unknown										
	⟨220⟩										
15	<221> unsure										
	<222> (19)										
	<223> unknown										
20	⟨220⟩										
	<221> unsure										
25	<222> (31)										
	<223> unknown										
	⟨220⟩										
30	<221> unsure										
•	<222> (109)										
35	<223> unknown										
	<400> 114										
40	Asp Pro Phe His Ala Val Val Tyr lle Val Phe Met Leu Gly Ser Cys										
40	1 5 10 15										
	Xaa Xaa Xaa Ser Lys Thr Trp Ile Glu Val Ser Gly Ser Ser Xaa Lys										
45	20 25 30										
	Asp Xaa Xaa Lys Gln Leu Lys Glu Gln Gln Met Val Met Arg Gly His										
50	35 40 45										
	Arg Glu Thr Ser Met Val His Glu Leu Asn Arg Tyr Ile Pro Thr Ala										
	50 55 60										
55	Ala Ala Phe Gly Gly Leu Cys Ile Gly Ala Leu Ser Val Leu Ala Asp										

65 70 75 Phe Leu Gly Ala Ile Gly Ser Gly Thr Gly Ile Leu Leu Ala Val Thr 90 85 Ile Ile Tyr Gln Tyr Phe Glu Ile Phe Val Lys Glu Xaa Ser Glu Val 10 100 . 105 110 Gly Ser Met Gly Ala Leu Leu Phe 15 115 120 <210> 115 20 <211> 599 <212> DNA <213> Homo sapiens 25 <400> 115 gggtatggaa ttggctgagg atcanacgta tgtaggtgaa aggataccag gatgttgcta 60 30 aaggtgaggg acagtitggg titgggacti accggggtga tgttagatct ggaacccca 120 agigaggoig gagggagita aggicagiai ggaagalagg giigggacag ggigciligg 180 aatgaaagag tgaccttaga gggctccttg ggcctcagga atgctcctgc tgctgtgaag 240 35 atgagaaggt gcicitacic agitaatgat gaglgactat atttaccaaa gcccctacct 300 gctgctgggt cccttgtagc acaggagact tgggctaagg gcccctccca gggaagggac 360 accatcagge ctetggetga ggeaglagea tagaggatee attictacet geatticeea 420 gaggactage aggaggeage citgagaaac eggeagitee caaagceage geeiggeigt 480 tototoatty teactgood etececaace tetectetaa eccaetagag attgootsis 540 45 tectgeetet tgeetettgt agaatgeage tetggeeete aataaatget teetgeatt 599 <210> 116 (211) 364 <212> DNA 55 <213> Homo sapiens

•	⟨220⟩	
5	<221> unsure	
	<222> (134)	
10	<223> a, c, g or t .	
	⟨220⟩	
45	<221> unsure	
15	<b>&lt;222&gt;</b> (135)	
	<223> a, c, g or t	
20		
	<b>&lt;220&gt;</b>	
25	<221> unsure	
	<222> (1 <del>7</del> 9)	
30	<223> g or a	
	<400> 116	
	ticgatcaca tagticcica ticccaccga agtgcatgaa atggcagtag aaatcactat	60
35		
	acagtgcttc caggggtgca ttggtgggaa tgagaatagt gatgaagtag aaatgtctgc	120
40		
	cacagiteca gganngggta ggtageagig igigigitai gigeeaciga eeetgaaara	180
45	tat	0.40
	tgtgccatag cccaagccaa ttgaaatiga tcagggggcc aggcatggtg gctcatgcct	240
50	gtaatcccag caccitggga agcigaggig ggaggaligc tigaaaccag gagticaaga	300
	ormarocomo caccirosom abordaboro obastarios rigadacido gagricaded	300
	ccagcotgig caacatagca aaaccccato totacaaaga tlaaaaataa aaaattagot	360
55		000

	gggc		364										
5	<210> 117												
	⟨211⟩ 852												
10	· <212> DNA												
	<213> Homo sapiens												
4.5	<220>												
15	<221> CDS												
	<222> (26) (217)												
20	⟨220⟩												
	<221> unsure												
25	<222> (37)												
	<223> a, c, g or t												
	<400> 117												
30	gttcagtttc aagttlacaa gaggc atg gal gga gin	gtg acg ttc ttg aca 5	2										
	Met Asp Gly Xaa	Val Thr Phe Leu Thr											
35	·	5											
	age tgg get aac ett tee ega act tgt tte eeg		00										
40	Ser Trp Ala Asn Leu Ser Arg Thr Cys Phe Pro		•										
	10 15 20	25	40										
	gig acc cag cgc aic tia acc tig ggi cic cta		48										
45	Val Thr Gln Arg Ile Leu Thr Leu Gly Leu Leu 30 35	. 40											
	cat tac git tog tgg aac caa agc agc caa tig	,	96										
50	His Tyr Val Ser Trp Asn Gln Ser Ser Gln Leu		30										
	45 50	55											
5 <i>5</i>	cct gca ttc caa tta aat gct taagaaaaag cagca		47										

Pro Ala Phe Gln Leu Asn Ala

60

atcataaaca tocatticoc toagottitig igagigoott gacitacago caacatcact 307 gittaactca giotgittaa aaacaaacti ticiggiggi igataacaga gagitgotoc 367 cigagocato agggicotgg gagotggaag igaaagggit attaacatto taccittatig 427 cagotgitigg otgaccagaa taaactooot gotgagitoa agottigaat ggaatggalg 487 caaatgatgi igiticoatt agagocaggig otcacagoat totgatiggo otgagoagac 547 cgaggotatg gotgitigga caagottago atcotggaca tottgicaaa gaacotcact 607 caccoototg goototacag cootcagagg agagaaaaco aattotocaa caaacaggio 667 totocaacat ggiggigotg goaggottag gitiagaaaa tootgacigi taaaggogti 727 tgaatacato acattootat gcaaatgiti titaatotoca gittaatgia gitiattiti 787 cootatatgia aagtattii atacggotig taacagata gittagcaat aaaacagtig 847 gaago

<210> 118

10

15

20

25

30

35

40

45

50

55

<211> 64

<212> PRT

<213 > Homo sapiens

<220>

<221> unsure

<222> (4)

<223> unknown

<400> 118

Met Asp Gly Xaa Val Thr Phe Leu Thr Ser Trp Ala Asn Leu Ser Arg

1 5 10 15

Thr Cys Phe Pro Glu Ala Arg Cys Ser Val Thr Gln Arg Ile Leu Thr

20 25 30

	Leu Gly Leu Leu Gly Ser Arg Leu Gly His Tyr Val Ser Trp Asn Gln
5	35 40 45
	Ser Ser Gln Leu His Ser Lys Tyr Phe Pro Ala Phe Gln Leu Asn Ala
	50 55 60
10	<210> 119
	<211> 1156
15	<212> DNA
20	<213> Homo sapiens
20	⟨220⟩
	<221> CDS
25	<222> (524) (1105)
	<b>&lt;220&gt;</b>
	<221> unsure
30	<222> (10)
	<223> a or t
35	<400> 119
	cggcaactgw gaggaagcaa agggaaaaaa actccattaa aaagcccagc tttcctccat 60
	gitagaigig acitggaaaa igagaaagai tiagcaaaai iccaccgiai ciiligccag 120
40	gctagagaca gggagagcag agtaaaaccc tcaggctgct gaaatttcta ggctgttagg 180
	aagccccicg aaticigiga aaaigagggi iicilaacic acacigagag cggaaagggg 240
45	cagaccettt teataactee eteaagtgig igitaeetit ettiaceage atggtaagea 300
	acaggacata teccageete ggacatgiet gtalgateca aggtacecaa agteagacag 360
	agiaaacica agcciggcac iggctiicig ccgciicaig igciiiggaa aaagcaggag 420
50	aagcaatagc agcaggagtc cccagcagct ggagccgcaa gaatgaactg caaagaggga 480
	actgacagca gctgcggctg cagggggggaa cgacgagaag aag atg ttg aag tgt 535
55	Met Leu Lys Cys

	1
ı	

5	gtg	ggtg	ggtg	ggg	gac	ggt	. gcc	gtg	ggg	aaa	acc	tgc	ctg	clg	atg	agc	583
	Val	Val	Yal	Gly	Asp	Gly	Ala	Val	Gly	Lys	Tbr	·Cys	Leu	Leu	Me t	Ser	
10	. 5	j				10					15					20	
70	tac	gcc	aac	gac	gcc	ttc	cca	gag	gaa	tac	gţg	ccc	act	gtg	ttt	gac	631
	Tyr	Ala	Asn	Asp	Ala	Phe	Pro	Glu	Glu	Tyr	Val	Pro	Thr	Val	Phe	Asp	
15					25					30					35		
	cac	tat	gca	gtt	act	glg	act	gtg	gga	ggc	aag	caa	cac	ttg	ctc	gga	679
20	His	Tyr	Ala	Val	Thr	Va l	Thr	Уаl	Gly	Gly	Lys	Gln	His	Leu	Leu	Gly	
				40	•				45					50			
	ctg	tat	gac	acc	gcg	gga	cag	gag	gac	tac	aac	cag	ctg	agg	cca	ctc	727
25	Leu	Tyr	Asp	Thr	Ala	Gly	Gln	Glu	Asp	Tyr	Asn	Gln	Leu	Arg	Pro	Leu	
			55					60					65				
30	tcc	tac	ccc	aac	acg	gat	glg	ttt	ttg	atc	tgc	ttc	tct	gtc	gta	aac	775
	Ser	Tyr	Pro	Asn	Thr	Asp	Val	Phe	Lev	lle	Cys	Phe	Ser.	Vaj	Val	Asn	
	•	70					. 75					80	•				
35	cct	gcc	tct	tac	cac	aat	glc	cag	gag	gaa	tgg	gtc	ccc	gag	cic	aag	823
	Pro	Ala	Ser	Tyr	His	Asn	Va}	Gin	Glu	Glu	Trp	Val	Pro	Glu	Leu	Lys	
40	85					90					95					100	
				cct													871
45	Asp	Cys	Met	Pro		Ya I	Pro	Tyr	Va l	Leu	He	Gly	Thr	Gln	He	Asp	
43					105		٠			110		,			115		
				gac													919
50	Leu	Arg	Asp	Asp	Pro	Lys	Thr	Leu	Ala	Arg	Leu	Leu	Туг	Me t	Lys	Glu	
				120					125					130			
55	aaa	cct	ctc	ac t	tac	gag	cat	ggt	gtg	aag	ctc	gca	888	gcg	atc	gga	967
	Lys	Pro	Leu	Thr	Tyr	Glu	His	Gly	Val	Lys	Leu	Ala	Lys	Ala	Ile	Gly	

	135	1,40	. 14	5 .
5	gca cag tgc tac tlg g	gaa tgt tca go	ct ctg act cag aa	a ggt ctc aaa 1015
	Ala Gln Cys Tyr Leu G	Glu Cys Ser A	la Leu Thr Gln Ly	s Gly Leu Lys
10	150	155	. 160	
	gcg gtt ttt gat gaa g	ca atc ctc ac	c att ttc cac co	c aag aaa aag 1063
	Ala Val Phe Asp Glu A	la lle Leu Th	or Ile Phe His Pro	Lys Lys Lys
15	165	70	175	180
	aag aaa cgc tgt ict g	ag ggt cac ag	gc tgc tgt tca at	t atc 1105
20	Lys Lys Arg Cys Ser G	lu Gly His Se	er Cys Cys Ser Ile	: Ile
	. 185		190	
25	tgaggttgtc tgggacctgc	ctccacccca t	ccagggatg agaatgg	scag c 1156
	<210> 120			
30	<211> 194			
	<212> PRT			
	<213> Homo sapiens	•	•	
35	<400> 120	•		
	Met Leu Lys Cys Val Va	al Val Gly As	p Gly Ala Val Gly	Lys Thr Cys
40	1 5		10	15
	Leu Leu Met Ser Tyr Al	la Asn Asp Al	a Phe Pro Glu Glu	Tyr Val Pro
	20	2	5	30
45	Thr Val Phe Asp His Ty	yr Ala Val Th	r Val Thr Val Gly	Gly Lys Gln
	35	40	. 45	
50	His Leu Leu Gly Leu Ty	r Asp Thr Al	a Gly Gln Glu Asp	Tyr Asn Gln
	50	55	60	
55	Leu Arg Pro Leu Ser Ty	r Pro Asn Th	r Asp Val Phe Leu	Ile Cys Phe
	65 7	70	75	80 .

	Ser	Val	Va 1	Asn	Pro	Ala	Ser	Tyr	His	Asn	Val	Gln	Glu	Glu	Trp	Val
5					85					90					95	
	Pro	Glu	Leu	Lys	Asp	Cys	Me t	Pro	His	Val	Pro	Tyr	Val	Leu	Ile	Gly
10	٠			100					105				•	110		
	Thr	Gln	He	Asp	Leu	Arg	Asp	Asp	Pro	Lys	Thr	Leu	Ala	Arg	Leu	Leu
. 15			115					120					125			•
	. Tyr	Met	Lys	Glu	Lys	Pro	Leu	Thr	Tyr	Glu	His	Gly	Val	Lys	Leu	Ala
		130					135					140				
20	Lys	Ala	Ile	Gly	Ala	Gln	Cys	Tyr	Leu	Glu	Cys	Ser	Ala	Leu	Thr	Gln
	145					150					155					160
25	Lys	Gly	Leu	Lys	Ala	Va!	Phe	Asp	Glu	Ala	He	Leu	Thr	He	Phe	His
					165					170					175	
20	Pro	Lys	Lys	Lys	Lys	Lys	Arg	Cys	Ser	Glu	Gly	His	Ser	Cys	Cys	Ser
30			•	180					185					190		
	Ile	He														
35	<210	> 12	1													
	<211	> 17	32													
40	<212	> DN	A					-								
	<213	> Ho	mo s	apie	ns								•			
	<220)	>														
45	<221)	> CD	S				•									
	<222	> (2)	)(	259)												
50	<220>	>														
	<221>	uns	sure													
55	<b>&lt;222&gt;</b>	(2)	3)													•
	<223>	a, (	c, g (	or t					•							

	<220>
5	<221> unsure
	⟨222⟩ (388)
10	<223> g or. a
\$\frac{221}{388}\$ \$\frac{222}{388}\$ \$\frac{222}{320}\$ g or a \$\frac{220}{320}\$ \$\frac{221}{321}\$ unsure \$\frac{222}{631}\$ \$\frac{222}{631}\$ \$\frac{223}{3}\$ a or t \$\frac{220}{320}\$ \$\frac{221}{321}\$ unsure \$\frac{222}{637}\$ \$\frac{223}{39}\$ g or a \$\frac{220}{322}\$ \$\frac{638}{35}\$ \$\frac{223}{323}\$ g or a \$\frac{220}{320}\$ \$\frac{221}{321}\$ unsure \$\frac{222}{638}\$ \$\frac{220}{322}\$ \$\frac{639}{321}\$ \$\frac{223}{323}\$ g or a \$\frac{220}{322}\$ \$\frac{639}{321}\$ \$\frac{223}{322}\$ g or a \$\frac{23}{322}\$  g or a \$\frac{23}{3222}\$ g or a \$\frac{23}{3222}\$ g or a \$\frac{23}{3222}\$ g or a \$\frac{23}{3222}\$ g or a \$\frac{23}{3222}\$ g or a \$\frac{23}{3222}\$ g or a \$\frac{23}{3222}\$ g or a \$\frac{23}{3222}\$ g or a \$\frac{23}{3222}\$ g or a \$\frac{23}{3222}\$ g or a \$\frac{23}{32222}\$ g or a \$\frac{23}{32222}\$ g or a \$\frac{23}{32222}\$ g or a \$\frac{23}{32222}\$ g or a \$\frac{3222}{32222}\$ g or a \$\frac{322}{32222}\$ g or a \$\frac{322}{32222	⟨220⟩ .
	<221> unsure
15	<222> (631)
	<223> a or t
20	<220>
	<221> unsure
	<222> (637)
23	⟨223⟩ g or a
	<220>
30	<221> unsure
	⟨222⟩ (638)
35	<223> g or a
	<220>
	<221> unsure
<b>40</b>	<b>&lt;222&gt;</b> (639)
	<223> g or a
45	<400> 121
	g gac att gag icc aag gag cag gig cgn acc cic acg ggc cac gig ggc 49
50	Asp Ile Glu Ser Lys Glu Gln Val Xaa Thr Leu Thr Gly His Val Gly
•	1 5 10 15
	acc gig tat gcc cig gcg glc atc icg acg cca gac cag acc aaa gic 97
55	Thr Val Tyr Ala Leu Ala Val Ile Ser Thr Pro Asp Gln Thr Lys Val

				20					25					30	1		
5	ttc	agt	gca	tcc	lac	gac	cgg	tcc	ctc	agg	gtc	tgg	agt	atg	gac	aac	145
	Phe	Ser	Ala	Ser	Tyr	Asp	Arg	Ser	Leu	Arg	Val	Trp	Ser	Met	Asp	Asn	
			35					40					45				
10	atg	atç	tgc	acg	cag	acc	ctg	ctg	cgt	cac	cag	ggc	agt	gtc	acc	gcg.	193
	Met	He	Cys	Thr	Gln	Thr	Leu	Leu	Arg	His	Gln	Gly	Ser	Val	Thr	Ala	•
15		50					55					60					
	ctg	gc t	gtg	tcc	cgg	ggc	cga	ctc	ttc	tca	ggg	gct	gtg	gat	agc	act	241
20	Leu	Ala	Val	Ser	Arg	Gly	Arg	Leu	Phe	Ser	Gly	Ala	Va!	Asp	Ser	Thr	
20	65					70					75					80	
	gtg	aag	gtt	tgg	act	t gc	taac	agga	itc d	aggo	cagg	sc tg	tgg	tttc	2		289
25	Val	Lys	<u>Y</u> a l	Trp	Thr	Cys		٠									
					85												•
30	cctg	aacc	ag c	cctg	gacc	t tt	ctga	gcca	ggc	tggc	cac	atgg	ggtg	ggt	tcgg	ggttt	349
	·c t gc	c t gc	cc c	gtgg	gcat	a gg	tgga	cagg	ctc	lggc	arg	ccgg	cagt	gc (	ctcc	ccgtc	409
	ccat	gctc	gg c	gagc	ctcc	c tc	tact	cggc	ac-t	gtcc	ttg	ctgc	ccag	scc (	ctct	ctggg	469
<b>35</b>								•								cctag	
																tttgg	
40																tcctc	
																gtgag	
45																gggct	
												•				tetee	
																t tgac	
50			•													gigcc	
																acggg	
	gtgag	gacag	gc ag	ggaag	gggg	CC	lgcad	cgcc	ggg	acgc	cac	clcci	gcca	gc c	gcc t	ccacc	1069

cgccccacac cacaatcgct ggttttcggc attitttaaa tittttttt aagaaacgtc 1129

aaagttgtgc ccaacactgt ggatcagcaa acacgataga ggagaccagt cagtacttct 1189 tggaggggc aggaggaga aggaaaaggg agggcgagaa tgaccacaca acacagcctt 1249 ggaccatgag cagaagcgtc cgtgggaact ccactggggt ggatgggctg cctgcacagc 1309 ccctggagag ggggccaggc acaccctcag agggagctgc aagcccgtgg cctggcctgc 1369 10 tacatgecet gettecaegt ggetgecaeg etgacaeaec cacatteaec aaacceaece 1429 gegeeetggg aegeageeae geeaggagga ggacaeggee geegagagea aggeacaace 1489 15 tcgagttctt ggggcgcaga gaacttagga gagaagcacg gaggagcccc cggcagagca 1549 cccgccccg ggccccagcc itccacctgt gctagcagcc tggggcctcc actctggccg 1609 gaggaaggac cgcaggcaga cagccigggc cictaacagc tittgiccgg agctagactt 1669 20 cgtglccttt cagttggtaa alggittici atagaatcaa taatattict tictttaaat 1729 ata 1732 25 <210> 122 <211> 86 30 <212> PRT <213 Homo sapiens <220> 35 <221> unsure (222) (9) <223> unknown (400) 122 45 Asp Ile Glu Ser Lys Glu Gln Val Xaa Thr Leu Thr Gly His Val Gly 10 Thr Val Tyr Ala Leu Ala Val Ile Ser Thr Pro Asp Gln Thr Lys Val 20 25 30 Phe Ser Ala Ser Tyr Asp Arg Ser Leu Arg Val Trp Ser Met Asp Asn 55 35 40 45

	Met Ile Cys Th	r Gln Thr	Leu Leu A	Arg His Gln	Gly Ser V	al Thr Ala
5 ·	50		55	•	60	
	Leu Ala Val Se	r Arg Gly	Arg Leu P	he Ser Gly	Ala Val A	sp Ser Thr
10	65	70		75		80
	Val Lys Val Tr	p Thr Cys				
15		85				
	<210> 123					•
20	<211> 603					
	<212> DNA		•		,	
	<213> Homo sap	iens				
25	<220> _					
	<221> CDS			•		
30	<222> (168)(	350)		·		
	⟨220⟩					
	<221> unsure				•	
35	<222> (343)·		•	•		٠
	<223> g or a					
40	⟨220⟩					
40	<221> unsure	-				
	<222> (422)					
45	<223> t or c			•		
	⟨220⟩		•			
50	<221> unsure					
	<222> (457)					
	<223> g or c					
55	<400> 123					
	/100/ 160					

	gricitiece ceaeceigee acaeceiggg agaaa	aaact agacttigge ticagaaage 60	
<b>5</b>	acagatgtga cccaggctta ctaaagagac aacto	cacag ccctgggaac acactettga 120	i
	gccaaacttg gttgaagact aggtcttccc tggca	agite eggaaga aig gae ita 176	
10		Met Asp Leu	
	•	. 1	
	ctg act tit atc aac ict ict cac igc ca	a ggc caa cag cat ctg agg 224	
15	Leu Thr Phe Ile Asn Ser Ser His Cys Gl	n Gly Gln Gln His Leu Arg	
	. 5 10	15	
20	tat ago tit itg gga gta cot got tic tit	g cct cct gga gga tat ttt 272	
	Tyr Ser Phe Leu Gly Val Pro Ala Phe Leu	Pro Pro Gly Gly Tyr Phe	
25	20 25	·30 35	
23	ctg tee lgg gge tte atg gee eet ete tte	cct gtt aca cat tgc tgt 320	
	Leu Ser Trp Gly Phe Met Ala Pro Leu Phe	Pro Val Thr His Cys Cys	
30	. 40 45	50	
	gct tca gag cct tig cag cig cra cct agt	tgaatccaca taggsttcct 370	
35	Ala Ser Glu Pro Leu Gln Leu Xaa Pro Ser		
	55 60		
	tccacacggt gggaaggatc ttgctgcttt cactca	cagg accagggagt tyttcaatca 430	
40	ggaggtgggt iittgitccc iicaggscii iggcaa	catc lagagacagt tilgatigcc 490	
	acgcciggag igggatgigt gigctacigg catcia	gigg cigctaaaca icctacacig 550	
45	cataggatag (ccccactac ccccagccaa gaatta	ictg actccagggg tca 603	
	⟨210⟩ 124		
50	<211> 61		
50	<212> PRT		
	<213> Homo sapiens	·	
55	<220>		
	1000/		

	<221> unsure
5	<222> (59)
	<223> unknown
40	<400> 124
10	Met Asp Leu Leu Thr Phe Ile Asm Ser Ser His Cys Glm Gly Glm Glm
	1 5 10 15
15	His Leu Arg Tyr Ser Phe Leu Gly Val Pro Ala Phe Leu Pro Pro Gly
	20 25 30
20	Gly Tyr Phe Leu Ser Trp Gly Phe Met Ala Pro Leu Phe Pro Val Thr
	35 40 45
	His Cys Cys Ala Ser Glu Pro Leu Gln Leu Xaa Pro Ser
25	50 55 60
	<210> 125
30	<211> 1289
	<212> DNA
<i>35</i>	<213> Homo sapiens
	<220>
	<221> CDS
40	<222> (775) (1017)
	<220>
45	<221> unsure
	<222> (200)
. 50	<223> g or a .
	<400> 125
	tatgcgagcc aatatigaga gaggaattit gctgaggitt icicigaggt tilltigaig 60
55	citialagga aactatitti taaaaaaaagc catlicccac ccaaggacac agtggaigig 120

	111	ICCC	tga	CICC	agca	88 1	gcaag	gaate	, la	accg	agag	gii	gıgı	RRR	Cigg	gcicig	100
5	gtg	ccc t	ctt	ccct	ggcc	CT I	gaaca	cctct	СС	t cc t	gatt	ССС	ttgg	cac	cttg	tctttc	240
	tgt	ctgt	tta	cctg	tete	cc	t gcc t	gccca	tc	t gc a	tctt	ttg	cagc	cca	ctct	gactic	300
10	cat	ctgg	ggg	ciga	gacc	ac (	cctlg	cctgo	cc	cctt	cttt	ctg	cctt	aag	aatg	tçcttt	360
	tag	gctg	ggc	atgg	ttgto	ca o	cgcct	gtaac	cc	cago	actt	tgg	gagg	cgg	agac	gggcag	420
46	ata	acc t	gag	gtca	ggat	it (	cgaga	ccaac	ct:	gacc	taca	tgg	agaa	act	ccgc	ctctag	480
15	taa	aaat	aca	aaat	tagco	g	ggcat	ggtgg	tg	cacg	cctc	taa	tccc	agc	tact	cgggag	540
	gct	gagg	cag	gaga	atçad	et !	tgaac	ccggg	aa	gtgg	aggt	·t gc	agtg	agc	caag	agtaca	600
20	cca	ctgc	act	ccag	ctg	gg (	caaca	gagcg	ag	acto	cgtc	tta	aaaa	aaa	aaaa	aaaaag	660
•	aac	gccc	ttt	tact	gtcci	ic a	atcate	ccag	tt	t ga g	gcag	t gc	t gga	gtg	ggga	aggccg	720
25	tct	taga	cca ~	tagas	ggttg	gg a	aagac	gctga	ga	gatc	atcc	agc	ccag	ccc	cttg	atg	777
							٠						. •			Me t	
20		-														i	
							atg								•		825
	Leu	GIN	ser	Arg 5	Arg	911	ı Met	PTO	Lys 10	GIB	GIU	Lys	AIA			HIS	
35	aat	cat	200		a a t	t ar	cac	222		220	ato	gr2	acc	15		630	873
							His										010
40	0.,		20		0.,	0,1		25	••••	2,0		,,,,	30	Dea	,	01	٠
·	cgt	gcc			cca	cto	cca	gag	cca	ggg	agc	ccc		aaa	ccc	aca	921
45							ı Pro										
		35					40				٠	45					
	lca	tgt	ctt	aag	agt	ata	tct	ggc	tcc	ltg	acc	agc	aat	cgg	CCC	t gg	969
50	Ser	Cys	Leu	Lys	Ser	He	e Ser	Gly	Ser	Leu	Thr	Ser	Asn	Arg	Pro	Trp	
	50					55	j				60					65	
55	gag	cca	cca	ggi	ggg	aaa	agc	gcc	tct	gcc	aga	gtc	cag	gcc	ttg	gga	1017

10		Glu Pro Pr	o Gly Gly	Lys Ser	Ala Ser	Ala Arg	Val Gln	Ala Leu Gly	
Cottgacccct coctgggcat tgggaaggig gggaagggcc tggccttggg aggagggca 1137   ggggcatcac ctccttctgc tgcttctccc tgctcctacc ctcaagggcc tgggggctgc 1197   ccagctgcct ctatgccctt ctgggggctc cagcccactg ctgacacttc tgcaatccag 1257   agaaacacta aataaagcaa tacgtgtttg cc	5		70	1		75		80	
### ### ##############################		tgacagacag	cttgcccg	ca cacto	gggcc cc	actcaagg	atgtaggg	cc titiciggcc	1077
### ### #### #########################		cctgacccct	ccctgggc	at tggga	gcgig gg	gacggggc	tggccttg	gg aggagcggca	1137
1289    Canon   126	10	ggggcatcac	ctccttct	gc tgctt	ciccc ig	ctcclacc	ctcaaggg	cc tgggggctgc	1197
\$\leq 20  \text{\capacitage} 21 \rightarrow 81 \\		ccagctgcct	ctatgccc	ti ciggg	ggtot ca	gcccactg	ctgacact	tc tgcaatccag	1257
20	15	agaaacacta	aataaagc	aa tacgt	gitig cc				1289
20		<210\ 126				٠			
212> PRT         (213> Homo sapiens         (400> 126         Met Leu Gin Ser Arg Arg Gin Met Pro Lys Gin Glu Lys Ala Leu Ala         1       5         His Gly His Thr Ala Gly Cys His Lys Thr Lys Met Ala Ala Leu Pro         20       25         35       30         Gin Arg Ala Ser Leu Pro Leu Pro Glu Pro Gly Ser Pro Ile Lys Pro         35       40         40       45         Thr Ser Cys Leu Lys Ser Ile Ser Gly Ser Leu Thr Ser Asn Arg Pro         50       55         65       70         75       80         Gly         50       75         65       70         75       80         Gly         50       70         75       80         Gly         50       75         80       80         65       70         75       80         65       70         75       80         65       70         70       75         80       80         70       75         80       80         80       80	20								
25						•			
Met Leu Gin Ser Arg Arg Gin Met Pro Lys Gin Glu Lys Ala Leu Ala			sapiens				-		
1 5 10 15  His Gly His Thr Ala Gly Cys His Lys Thr Lys Met Ala Ala Leu Pro 20 25 30  Gln Arg Ala Ser Leu Pro Leu Pro Glu Pro Gly Ser Pro lie Lys Pro 35 40 45  Thr Ser Cys Leu Lys Ser lle Ser Gly Ser Leu Thr Ser Asn Arg Pro 50 55 60  Trp Glu Pro Pro Gly Gly Lys Ser Ala Ser Ala Arg Val Gln Ala Leu 65 70 75 80  Gly 50  (210) 127  (211) 1085		<400> 126							
His Gly His Thr Ala Gly Cys His Lys Thr Lys Met Ala Ala Leu Pro  20 25 30  Gln Arg Ala Ser Leu Pro Leu Pro Glu Pro Gly Ser Pro Ile Lys Pro  35 40 45  Thr Ser Cys Leu Lys Ser Ile Ser Gly Ser Leu Thr Ser Asn Arg Pro  50 55 60  Trp Glu Pro Pro Gly Gly Lys Ser Ala Ser Ala Arg Val Gln Ala Leu  65 70 75 80  Gly  50  (210) 127  (211) 1085		Met Leu Gin	Ser Arg	Arg Gln	Met Pro	Lys Gln	Glu Lys A	Ala Leu Ala	
20 25 30  Gln Arg Ala Ser Leu Pro Leu Pro Glu Pro Gly Ser Pro lle Lys Pro 35 40 45  Thr Ser Cys Leu Lys Ser lle Ser Gly Ser Leu Thr Ser Asn Arg Pro 50 55 60  Trp Glu Pro Pro Gly Gly Lys Ser Ala Ser Ala Arg Val Gln Ala Leu 65 70 75 80  Gly  50 (210) 127 (211) 1085	30	1	. 5	•		10		15	
Gin Arg Ala Ser Leu Pro Leu Pro Glu Pro Gly Ser Pro Ile Lys Pro  35 40 45  40 Thr Ser Cys Leu Lys Ser Ile Ser Gly Ser Leu Thr Ser Asn Arg Pro  50 55 60  Trp Glu Pro Pro Gly Gly Lys Ser Ala Ser Ala Arg Val Gln Ala Leu  65 70 75 80  Gly  50 (210) 127  (211) 1085		His Gly His	Thr Ala	Gly Cys	His Lys	Thr Lys	Met Ala /	la Leu Pro	
Gin Arg Ala Ser Leu Pro Leu Pro Giu Pro Giy Ser Pro Ile Lys Pro  35 40 45  40 Thr Ser Cys Leu Lys Ser Ile Ser Giy Ser Leu Thr Ser Asn Arg Pro  50 55 60  Trp Giu Pro Pro Giy Giy Lys Ser Ala Ser Ala Arg Val Gin Ala Leu  65 70 75 80  Gly  50 <210> 127  <211> 1085	35		20		25			30	
Thr Ser Cys Leu Lys Ser IIe Ser Gly Ser Leu Thr Ser Asn Arg Pro 50 55 60  Trp Glu Pro Pro Gly Gly Lys Ser Ala Ser Ala Arg Val Gln Ala Leu 65 70 75 80  Gly  50 (210) 127  (211) 1085		Gin Arg Ala	Ser Leu	Pro Leu	Pro Glu	Pro Gly	Ser Pro 1	le Lys Pro	
50 55 60  Trp Glu Pro Pro Gly Gly Lys Ser Ala Ser Ala Arg Val Gln Ala Leu  65 70 75 80  Gly  50 <210> 127  <211> 1085		. 35	•		40		45		
Trp Glu Pro Pro Gly Gly Lys Ser Ala Ser Ala Arg Val Gln Ala Leu 65 70 75 80 Gly 50 <210> 127 <211> 1085	40	Thr Ser Cys	Leu Lys	Ser Ile	Ser Gly	Ser Leu	Thr Ser A	Isn Arg Pro	
65 70 75 80  Gly  50  <210> 127  <211> 1085	•	50		55			60	•	
Gly 50 <210> 127 <211> 1085	45	Trp Glu Pro	Pro Gly		Ser Ala	Ser Ala	Arg Val (	in Ala Leu	
Gly 50 <210> 127 <211> 1085		•		70		75		80	
<210> 127 <211> 1085	50	Gly							
55	50	<210> 127							
55 (212) DNA		<211> 1085							
	55	<212> DNA							

<213> Homo sapiens <220> <221> CDS <222> (734).. (886) 10 <220> 15 <221> unsure <222> (276) <223> g or t 20 · <400> 127 ttttgagaca gagttttgct ctcattgccc aggctggagt gcggtggtgc tatttcagct 60 25 caccacaacc telgecteet gggttcaage gatteteetg cettageete cegaataget 120 ggaattacag gcacgcacca ccatgcctga ctaattitgt attittagta gacatggggt 180 30 tictccatgi iggicagget ggictcaaac icccaccitc aggigateeg eccacciegg 240 cctcctgagg tggctgagat tacaggcgtg caactkgtgc cagcttgcta attttcacag 300 aagtigatgg caattetica catgiaaaca gigccagigc acagaacett tatatatiti 360 35 tigaagccag tactgigctc tgcatataac aaagctgctt caaggatgag acctttitct 420 aaaagcatgt aatgtgagaa gccggcctgc cttattttct tttttctttt ttaatgatta 480 40 aaaatagitt giggcaaggc acggiggcic aggccigtaa tictagcact tigggaggcc 540 gaggcaggag gattactiga gcctacaagt tigatgggcc agcatgcaca gcatagcaag 600 actgcatctc tacagagagt aaaaaaaatt acccgagtgt ggtgatgtgc atctgtaatc 660 45 icagciacii gggaggciga ggigaggga icaciigagc ligggigagg lgaggcigca 720 gigagicoig ato aig oig oig cao toa ato tig gao aac aga goa aga 769 50 Met Leu Leu His Ser Ile Leu Asp Asm Arg Ala Arg 10

ccc igi cic aaa aaa aaa aaa aat ata lat ata tat ata tat iit

55

	Pro Cys	Leu Lys	Lys Lys	s Lys Asn	lle Tyr	lle Tyr	lle Tyr	Tyr Phe	
5		15		20			25		
	tat gag	gtg aag	tgc ato	aaa ctt	ggg aaa	gat ttg	agg agg	cig gga	865
	Tyr Glu	Val Lys	Cys Ile	Lys Leu	Gly Lys	Asp Leu	Arg Arg	Leu Gly '	
10	30	•		35		40			
	acc tcc	tgg aaa	acc act	cct tga	agaaaga	tatgagaga	c attlag	aagt	916
15 .	Thr Ser	Trp Lys	Thr Thr	Pro	•				
	45		50	١					
20	gattcct	gct tica	gaagga g	gtggattc	a aataca	tcaa aagt	cccttc c	tctgctaag	976
	tgtttat	agt tcaa	tgaata a	tttcaata	t tigiat	gigt tott	gtcatt t	latttttt	1036.
	ctgaaaa	act tcca	aaaatt t	gaaaataa	a attaca	gcct titc	ttctt		1085
25	<210> 13	28							
	<211> 5	1						٠.	
30	<212> PI	RT							
	<213> He	omo sapi	ens				•		
35	. <400> 13	28							
	Met Leu	Leu His	Ser Ile	Leu Asp	Asn Arg	Ala Arg	Pro Cys	Leu Lys	
	1		5		10		٠.	15	
40	Lys Lys	Lys Asn	He Tyr	lle Tyr	lle Tyr	Tyr Phe	Tyr Glu	Val Lys	
		20			25		30		
45	Cys Ile	Lys Leu	Gly Lys	Asp Leu	Arg Arg	Leu Gly	Thr Ser	Trp Lys	
		35		40			45		
	Thr Thr	Pro							
50	50								
	<21 <b>0&gt;</b> 12	29							
55	<211> 15								
		· · •				•			•

	<212> DNA	
5	<213> Homo sapiens	
	<220>	
10	<221> unsure	•
	<222> (1076)	
15	<223> g or a	
	<400> 129	
20	gctitgaact tactcaggaa agccagccc cataatattg tattaccaaa cagtatcgct	60
	ttgttaggaa ggatciggaa taaictigaa gggaagicag agiitticicc cigcciatia	120
25		
	acaaaaaccc aattiigiic alatigaagc algaaalaaa igagagcaag glagggccaa	180
30	attaactott giggacagio ootaaaagio caglictaca liigigaaaa tigiggigoo	240 <sup>.</sup>
	•	
35	atgaattaag atggatgact ggaaaaaggt gtiggagaaa gagttaaaga igaggaagag	300
	atattittag tatatgaagt tatccaggga citgatatic ataaticagt gcigtggaaa	360
40	•	
	tgaaaaaaat gattgaagag giggaacgga aatgacctla gggggaaaaa aaaggaccaa	420
45		
	agaagtotga ttaaaagttg aaatcagtat ttotgaatto aaattgotig aatttocaaa	480
50	atagicagia saggatotas tagaaccaga attalitaga tagaitalas accitivas	5.40
	atagicagia aaggaictaa tagaaccaga attalitggg igaaticigc aggiittaig	540
55	ggcitgicac aacgigaagg gciggaaigi alailaccaa aigggaaiti ccaligiagg	600

	tttttgctag	teccaecece	attttagcct	aatttggctt	aaacgcagta	tggggagaat .	660
5	tgttcccatt	ccatgtgttc	t gaat t cagc	tcatctccca	gcatatagat	atatectect	720
10	ttaactccga	ccagaaccct	tcttcctgtg	gcactcccca	cccatagacc	ttcagatcat	780
15	ctcccacacc	ctggatctca	ctctcctctt	agtaacagag	acactcctga	ggttggactt	840
20	ccttgctttt	ctctacttcc	aaatcacaat	ttcttacaac	caagctitgt	gctcccgagt	900
25	aagcagggat	gtactagggg	aatgtaaaac	tgcaaactta	aaaacctgca	tcttcttgaa	960
30	gcatcagttt	tacttaccaa	atggttlaga	gtcataagat	gacctatttt	tatataaaag	1020
<b>3</b> 5	ttatattata	gaataaaatg	t tca tacgca	tagactgita	agataaaaaa	ataggraatc	1080
	tigcaaggla	attcttattt	gcaagtgggt	tatgtgttca	cictccicta	cctttatggt	1140
40	attitggtgt	tcacttacga	agcatacaac	lagaaccata	tccaagcaga	cicigggitg	1200
45	ctgttaaccc	agggcctaga	citctagigc	ctctgaggca	gaaccaaagg	agcctgcact	1260
50	gggggaaatc	ccttttcctg	cctgcctgtc	tgcctgtgac	ctgtgtacgt	attacaggct	1320
55	ttaggaccag	cigaligita	tgcttgcagg	atggtiltga	aacagaaaca	alactigiti	1380

5	actgtaggaa tootatitat attattitic agicotgiga aigotgiga	a aagattiatt	1440
	ccitigagge caggaageie ecaggeatat atgettetag gttaggatt	g tectgaetea	1500
10	ctaaagatgc caggatattg gggctgaggg gagtitgagg igit		1544
15			
	<210> 130		
00	<211> 508	٠.	•
20	<212> DNA	•	
	<213> Homo sapiens		
25	<400> 130		
	tgaaatcagg gctggagctt tacttaggat tcacatggcc tcctaggaa	c catgggacaa	60
<i>30</i> ·	atgggaaaca ggttatcggg ggattcatga agtcagtgag agtaattgc	t totttlitge	120
35	gggigaacig aaigiatlic ticaccaaat ciigalgita acaattaaa	a agaagaaatg	180
40	acaigcaagi aggicitagc agaaaaatgc aggcigggca igagicaig	t igitacccic	240
45	ccacatgete etacaateca cagagatgee tgletgeagg tiettgaag	t latigitagi	300
	attiggiale icaaattiit egicacigli cacaigecae liicielgi	g cacagiggta	360
50	tecteating citilizance tacactgagg agreetingle agginger	t gatiticcaa	420
55	ticigcagia aigaglaago icacggcaig gggaagaaga cagicagio	c aatgaagttc	480

	tctaaattat tttaacattg cctttgaa	508
5		
	<210> 131	·
10	<211> 1204	•
10	<212> DNA	
	<213> Homo sapiens	
15	<220>	
	<221> unsure	
20	<b>&lt;222&gt;</b> (50)	
	<223> g or t	
25	⟨220⟩	
	<221> unsure	
	<222> (54)	
30	<223> g or c	
	<220 <u>&gt;</u>	
<b>3</b> 5	<221> unsure	
	<222> (300)	
40	<223> g or c	
	<220>	
45	<221> unsure .	
43	<222> (407)	
	<223> g or a	
50	<220>	
	<221> unsure	
55	<222> (415)	

	<223> a, c, g or t
5	⟨220⟩
J .	<221> unsure
	<222> (417)
10	<223≯ g or c
. 15	<220>
	<221> unsure
	<222> (419)
20	<223> t or c
	⟨220⟩
25	<221> unsure
	<222> (430)
30	<223> a or t
	⟨220⟩
	<221> unsure
35	<b>&lt;222&gt;</b> (448)
	<223> t or c
40	⟨220⟩
	<221> unsure
	<222> (449)
45	<223> g or t
	<220>
50	⟨221⟩ unsure
	<222> (472)
	<223> a, c. g or t
55	

<400> 131

	ggcccctggc	aatttgcctc	aagatggggg	tttgaaaata	actttacctk	actsaaggag	. 60
5	tgtctggagc	acctcctagt	ctaagtctgc	aagctccagt	tcttgcctaa	aaccatgcca	120
10	gtggccaccc	tigggctcag	acagcicigg	gccttltgac	cacaagccag	ccctcgccc	180
15	tctctgtggc	atagtcttct	cigccccagg	actgcagggc	ggcttcctcc	aagget teea	240
20	aggcicaaaa	gaaatttggc	tccatccaag	aaggctccag	ctccctact	ggcccctggs	300
25	ticaggecea -	cacccctggg	ccagggccag	agagtgtgtc	tcaggagaat	tcaatgggct	360
30	ctagagagac	acacagaaag	tttgggcatt	tgggaaattt	tcaaggrtgt	atginisgyi	420
35	cacgtatggw	gcaggttgtc	ctggtccykg	ggtgcaggga	aglgggclgc	anggaagtgg	480
40	attggagggg	agcttgagga	atataaggag	cgggggigga	gactcaggct	atggacaagg	540
•	acagccccaa	ggttgggaag	acciggcctt	agtcgtcctc	agcctagggg	cagggcagtg	600
45	aagaaagctc	tccccgctcc	tgctgtaatg	acccagagia	gcctccccag	gccggcatct	660
50		ttccaccatc			ggcctgtctc	ccagcatigi	720
55	gcaaggctcg	gaagagaacc	agggaagtga	aacigggiga	aaacagaaag	ctcaatggat	780

	gggctaggtt	cccagatca	ttagggcaga	gttigcacgi	cctctggtca	ctggaatcca	840
5	cccagcccac g	gaatcatctc	cctcttgaag	gatittatti	ctactgggtt	t tggaacaaa .	900
10	ciccigciga g	accccacag	ccagaaactg	aaagcagcag	ctcccaaag	cctggaaaat	960
15	ccclaagaga a	aggcclgggg	caggaagtgg	agigacaggg	gacaggtaga	gagaaggggg	1020
20	cccaatggcc a	igggagtgaa	ggaggtggcg	ttgctgagag	cagtctgcac	atgcttctgt	1080
25	cigagigcag g	aaggigiic	cagggtcgaa	attacacttc	tcgtacctgg	agacgctgtt	1140
	tgtgggagca c	tgggctcat	gcctggcaca	caataggtct	gcaataaacc	atggttaaat	1200
				•			
30	cctg						1204
35	cctg <210> 132			·			1204
					·		1204
	<210> 132 <211> 508 <212> DNA <213> Homo sa	apiens					
<i>35 40</i>	<210> 132 <211> 508 <212> DNA <213> Homo sa <220>	apiens					
35	<210> 132 <211> 508 <212> DNA <213> Homo sa <220> <221> unsure	apiens					1204
35 40 	<210> 132 <211> 508 <212> DNA <213> Homo sa <220>						1204
<i>35 40</i>	<210> 132 <211> 508 <212> DNA <213> Homo sa <220> <221> unsure <222> (223)						1204
35 40 	<210> 132 <211> 508 <212> DNA <213> Homo sa <220> <221> unsure <222> (223) <223> a. c. as						1204

	<223> a. c. g or t	
5	⟨220⟩	
	<221> unsure	
10	<222> (380)	
	<223> a, c, g or t	
15	<220>	
	<221> unsure	
	<222> (468)	•
20	<223> a, c, g or t	•
	<400> 132	
25	cccgggagaa tcacttcagc ctgggagatc aaggctgcag tgagctctga acgcaccact	60
30	acactccago cigggigaca gagigagato cigicicaaa aaaagagaaa gaaaacciit	120
35	gagattette cattitiaga geigagagag caetigigaa acaeacaea aigeacaaae	180
	atatanant gentaeegge etgeneetge	
40	atataaacat gcatacaggc atgcacatgc acacacaaat acncatacac acacacnagc	240
	acacacaca caccaccacc atcatcagag gaacttacag aaaaggggac atttatagat	
		300
<b>45</b>	tcctaggaat atgccaaagc ttttcaaagc ctctatggac agctcattcc ttaacttttc	360
50	ctctttaaaa tctttttan cticttattt gccccagcca ctatcactgc ctcaggcagc	420
	·	
55	tgcaacgita aacaatigcc acigatiaci ilcaacaaat aaccicanag aaaaggcigi	480

	gtgtattgaa tgggtatcaa gtcacgtc	508
5		
	⟨210⟩ 133	
	⟨211⟩ 484	
10	<212> DNA	
	<213> Homo sapiens	
15	⟨220⟩	
	<221> unsure	
20	<222> (313)	
20	<223> a, c, g or t	
	⟨220⟩	
25	<221> unsure	
	<222> (336)	
30	<223> g or c	
	<220>	
	<221> unsure	
35	<222> (401)	
	<2223> g or c	
40	<400> 133	•
	gicgacicga gcggccgcgg accglitti itiillict ciccicigcc cciictaata	60
45	totiggagag ggatggagac igaagagiga giliggicoi coacilgato caggitotia	120
50	tttttgtttt ctacttcaaa gcgagaacti gglacigtga ctttgalaag aattgacttc	180
	·	
55	aggcccagca agatccctca tgcctgtaat cccagcactt lgggggggcca aggcaggagg	240

·	attgcgtgag	cccaggagtt	cgagacccac	ctgggcaaca	tagggacctt	giciciacaa	300
5	aaaataaaat	tanctgggtt	tgaiggigca	catcastggt	cctggctact	cgggaggcca	360
10	agglgggagg	aalgctigag	gatoggaggi	caaggclgca	stgagccaat	attgtgccac	420
15	tgcattccag	cctgggcaac	agagtgagac	actgtcttaa	aaaaaaaaaa	aaaaaacggt	480
20	ccgc						484
25	<210> 134						
30	<211> 605 <212> DNA <213> Homo	saniens					
35	<400> 134	taaaattaca	tggagttagt	gtctattctt	tttccccttt	tgcagcaact	60
	tacacagcat	ttttaacacc	ttttttttct	agtittittg	ttcggtiltg	ttttccatca	120
40	ggaatttgag	tictctctaa	cccagcttac	tgtgggacat	aggaaaactc	agtagaaata	180
45	cctttggtga	tcttgttgag	tttaagtctg	atcttgatct	taaactcagt	aagccactat	240
50	ctgcaatttt	gtacattata	tagtatttig	aagatatgga	accitatgaa	aaaaaaatag	300
55	caaaltagtt	ctttttcccc	cagaggggaa	agttatgttc	lgcaaatagt	gigigicita	360

	1				5					10					15			
55	Ala	Arg	Gly	Ser	Ser	Ala	Тгр	Gly	Gln	Val	Leu	Leu	Cys	Leu	Leu	Ser		
	g gca	cga	ggg	tcc	tct	gca	tgg	ggt	cag	gtg	cit	ctg	lgc	ttg	ctg	tcc	49	
50	<b>&lt;400&gt;</b>	135																
	<223>	g or	a															
45	<222>	(689	))				•											
	<221>	unsu	re															
40	⟨220⟩																	
	<222>	(2).	. (19	51)							•							
	<b>&lt;221&gt;</b>	CDS										•						
35	<220>																	
	<213>	Homo	o saj	pien	s			٠										
30	<212>																	
	<211>		5															
25	<b>&lt;210&gt;</b>	135		•														
20	atccc																	605
	tgtta	attt	c ta	cttt	tttt	aat	attt	aaa	attg	cttt	ta a	ataa	acata	a ti	ctca	gttg		600
15							•	•										
	aacat	cagt	a ca	cttg	tcat	ttc	acati	gtg	ttta	atgt	ga c	agtt	tttc	a gt	actg	talg		540
10	•					•												
	tatag	gaat	c ct	gtag	tgcc	act	agtt	aaa	tgcc	gaat	tc t	catc	t gga	t gt	tacc	atca		480
5		-	-	_		-						- 3				- <b>-</b>		
	tttta	ctgt	t ga	acag	caat	tgc	tatt	tat	tttt	ttat	tg c	ctag	aact	t ca	acat	gttg		420

	tac cic tot coa cag cag ggo tot caa aac cat tit gat coc coa tig 9	7
5	Tyr Leu Ser Pro Gin Gin Gly Ser Gin Asn His Phe Asp Pro Pro Leu	
	20 25 30	
10	gca gag ggt tcc cct ctt tac aga gtt cag tca tta aaa gca tgg atc 1	45
	Ala Glu Gly Ser Pro Leu Tyr Arg Val Gln Ser Leu Lys Ala Trp Ile	
	35 40 45	
15	ago igi taatotoati ggaggaggga acigittooi goattoatto atoigggaac 2	01
	Ser Cys	
20	50	
	ctictigagi agccactgic igccagccac igcictagag aigggaaaac agcacggaac 2	61
	aaaaccaagg tottictice agcgaatita tatcoticag gaagetggti cetgecacca 3	21
25	acttagcagg caacagtict cotcocctag tgggcacagg gtaccagtil tgtaggaaaa 3	8 ]
	glggtccagc aaaggaagaa agcagaccaa cccagctgcc ttaccttatt ctggggccat 4	41
30	teccecages atgasasets etetistic tactsceace ateteticis setseactic 50	01
·	acctgctgct tgagcttctg accttccttc agttccacca aatgaggaca ggaaatagca 50	6 1
35	gtcaagaccc ctgggccctg ctgagcgtga aacaggaagg caatgggatg agttgctggg 6	21
	acggaagaat gggcctgggg cagaacaaat agggagcatt tgaaagcttc tggctgataa 68	81
	atciccargg tgcatcccgg ttgccacgcc tgcccccatt aacctgctcc tggtaaatac 74	11-
40	tgatccagca gctgctccag gagaggccgi ctittilitic ccagccacgc igigictitg 80	)1
	catgagacic cttggggcct gggcacagag agaaaagaat tgagactcag gaggctcagt 80	31
45	gggtgagaaa atgcaaagtg gctlcacaga cacagggctg tgggagcaga tcgacgggga 9%	21
	acitgggaga tgaacticag ggccticcga cgccligici caggaacaig cittgagaaa 98	
50	aatggtagca teetileeat aacleagiet etelleeeta gitteeetga agtgtgaegi 10	)41
	titiagiatet ggageteagt gateceealg aatgagggat aaagtticae tetiggtati 1	101
	ticiaactag tgctagggaa agtccigaga cacgaicaca gccacigcti ggcatacagg 1	61
55	gcctccaccc aataagcaaa ciggagatic cicagccici cgiggacacc.cacatcicat 1%	221

tetteteaca geagagaage tetecettea geetgagetg tettettet getgeagtge 1281 agectgetee etectaceet ggeeteaagg aaggtgggaa acatettetg catticaaag 1341 tcctcacttt gacttatttg gccttcatct tggcatggaa ggtggcaggc agaatggaaa 1401 tacctcccc caaacaaaac agatatictt gcgtgtgtaa gggcagaagg gacaagctct 1461 10 ctatcccatg agactagggg ccggagccca cctgcctttc cccacaactt ttcctgctca 1521 aacccactcc tottgacaca otggaatotg tattalatat attittaaga aaatacaatg 1581 atggligici ggiitigiig ittilacagg igtigiggaa taaaaactgi aagaaaatta 1641 15 agtatttaaa atgttccaat aaagtggggt tttttgttat tctaatatat tattgtgtac 1701 ctattgtaaa latgaaacac tcctattttg caagctgagg acacaatttg tactgttgtt 1761 20 1786 atatataaat aaagtttact gaatt <210> 136 25 <211> 50 <212> PRT 30 <213> Homo sapiens <400> 136 Ala Arg Gly Ser Ser Ala Trp Gly Gln Val Leu Leu Cys Leu Leu Ser 35 10 1 15 Tyr Leu Ser Pro Gln Gln Gly Ser Gln Asn His Phe Asp Pro Pro Leu 40 20 25 30 Ala Glu Gly Ser Pro Leu Tyr Arg Val Gln Ser Leu Lys Ala Trp Ile 45 Ser Cys 50 50 <210> 137 <211> 835 <212> DNA

	12	13/	nomo	sap	iens			•				•					
5	<2	20>	•												•		
	⟨2	21>	CDS				•										
	<2	22>	(535)	(	729)				•								
10 .	<41	00> :	137		٠							•					
•	gaa	aaaal	tctc	atta	ttto	aa	aatga	taga	c at	atac	caaa	aac	aagt	cta	taat	gtgagt	60
15	agi	ttact	aaa	attt	acac	at	cttaa	aagt	g ţg	taaa	tgct	taa	attt	cag	aatt	accatc	120
	aga	acct	caa	ttga	catt	СС	tttga	atag	g ct	aata	agtg	aca	aata	aga	ttaa	taagat	180
20	ttt	tcaa	aat	cgcc	agga	ct	ggtga	atat	a aa	tgat	gatt	gaa	cigg	aat	aata	t t gggg	240
	acc	aaat	caa	atga	atga	tt	aaatt	atga	a gc	tcat	atcc	ttt	tgaa	ggt	agtt	gcaaag	300
25																tcatta	
23																aaggtc	
														•		atttgg	480
30	tta	tgtt	gat	aaac	caaa	aa c	cattt	gatta	a at	aaaa	tatc	tat	ttga	ata	aatt	atg	537
				•												Met	
35		1.1														1	
							cla										585
40	Ser	197	rro	rne 5	Lys	GIT	Leu	Leu		Ser	Phe	Lys	Pro		Ile	Tyr	
***	202	cat	201		a i a	212	aaa	cta	10	<b>726</b>	* * * * * * * * * * * * * * * * * * * *	100		15			
				•			Lys										633
45	****	1113	20	001		110		25	i ne	voh	THE		30	nsn	MEL	101	
	toc	tta		ctg	aac	agi	ac t		 tac	†††	raa	aat		•••	tta	l l a	681
50							Thr										001
	<b>-</b>	- 35	· •		<b></b>		40	,			~***	45	914	1 110	PcA	bcu	
55	aga		tcc	att	aac	tat		ttt	caa	aga	ctc		111	tet	acc	aag	720
	-													- 0 -	~~~	440	

	Aig Phe	e Ser	He	Asn	Tyr	Pbe	Phe	Gln	Arg	Leu	Lys	Phe	Cys	Thr	Lys	
5	50		٠		55					60					65	
	taaatco	cagg	cttt	atgi	ac a	aacai	gtt	tti	gtti	tat	ttg	gggc	tgg (	ggga	ggtata	789
10	tgatga	gcag	actt	ctcg	ga a	t t c a l	taati	a a a 1	ttt	ctaa	aag	cct				835
	<b>&lt;210&gt;</b> 1	138														
15	<211> 6	55														
	<212> I	PRT									•		•			
	<213> i	lomo	sapi	ens												
20	<b>&lt;400&gt;</b> 1	138														
	Met Sei	r Tyr	Pro	Phe	Lys	Gln	Leu	Leu	Ala	Ser	Phe	Lys	Pro	Lys	Ile	
25	1			5					10					15		
	Tyr Thi	His	Ser	Ser	Val	He	Lys	Leu	Phe	Asp	Phe	Ser	Ser	Asn	Met	
			20					25	•				30		,	
30	Thr Sei	r Leu	Phe	Leu	Asn	Ser	Thr	Gly	Tyr	Phe	Gln	Asn	Glu	Phe	Leu	
		35					40					45				
35	Leu Arg	Phe	Ser	lle	Asn	Tyr	Phe	Phe	Gln	Arg	Leu	Lys	Phe	Cys	Thr	
	50	)				55					60					
	Lys															
40	65															
	<210> 1	139												•		
45	<211> 6	626														
	<212> [	)NA														
50	<213> F	Iomo	sapi	ens												•
	<220>								•	•						
	<221> (	CDS														
55	<222>	(1)	(201)	)												

	<220>										•				
5	<221> u	nsure													
•	<222> (	(348)				•									
	<223> t	or c												•	
10	<220>														
	<221> u	nsure				•									
15	<222> (	(353)													
	<223> a	or t													
20	<220>										•				
	<221> u	insure													
	<222> (	(358)													
	<223> a	or t													•
	<220>														
	<221> u	insure													
	<b>&lt;222&gt;</b> (	(363)													
35	<223> a	or t													
	<220>														
	<pre>&lt;221&gt; unsure &lt;222&gt; (353)  &lt;223&gt; a or t &lt;220&gt; &lt;221&gt; unsure &lt;222&gt; (358) &lt;223&gt; a or t &lt;220&gt; &lt;221&gt; unsure &lt;222&gt; (363) &lt;223&gt; a or t </pre> <pre>&lt;222&gt; (368) &lt;223&gt; a or t </pre> <pre>&lt;222&gt; (368) &lt;223&gt; a or t </pre> <pre>&lt;220&gt; &lt;221&gt; unsure &lt;222&gt; (368) &lt;223&gt; a or t </pre> <pre>&lt;220&gt; &lt;221&gt; unsure &lt;222&gt; (368) &lt;223&gt; g or a &lt;400&gt; 139 </pre> <pre>tgt itc agt gtg act gtc ttg ita gag gig aag itt atc cag gg</pre> Cys Phe Ser Val Thr Val Leu Leu Glu Val Lys Phe Ile Gln Gly														
10 15 20 25 30 35	<223> g	g or a													
50															. 48
•	Cys Phe	e Ser Val	Thr	Val	Leu	Leu	Glu	Val	Lys	Phe	He	Gln		Asn	
	1		5					10					15		
55	tia cla	r act aar	f a f	tee	111	tta	lee	cct	222	gtt	aaa	ggg	agc	atg	96

	Leu Leu Thr Asn Tyr Ser Phe Leu Trp Pro Gly Val Lys Gly Ser Met	•
5	20 25 30	
	gct cac act ggt gaa aat aag gaa ggc ctg gtc tta tct tgt att aat	144
	Ala His Thr Gly Glu Asn Lys Glu Gly Leu Val Leu Ser Cys lle Asn	
	35 40 45	
	aat act ggc tgc att cca cca gcc aga gat ttc tat ctg cga aga cct	192
15	Asn Thr Gly Cys lie Pro Pro Ala Arg Asp Phe Tyr Leu Arg Arg Pro	
	50 55 60	
20	aig aaa cac igaagagaaa igiaggcaga aggaaaiggc cacaiatcac	241
	Met Lys His	
25	65	
	aagitetati alatatiett tiglaaatae atatigiata tiaeliggat gittiettat	
	atcatttact gictiitiga gitaatgica gittitactc tcicaayita cwaigiwaca	
30	twgtaartaa cataatgicc titattatti atalitaagc aictaacata tagagitgit	
	ttcatataag titaagataa atgicaaaaa tataigitci tiigiittic tiigciitaa	
35	aattatgtat citticctit ictiiitti aagaataatt tatigticag gagaaagaat	
	gtatalgtaa cigaaactat cigaagaatg cacaligaag gccgigaggi acigataaac	
	taaagaatti attattcaaa atact	626
40	⟨210⟩ 140	
	⟨211⟩ 67	
45	<212> PRT	
	<213> Homo sapiens	
50	<400> 140	•
	Cys Phe Ser Val Thr Val Leu Leu Glu Val Lys Phe Ile Gln Gly Asn	•
	1 5 10 15	
55	Leu Leu Thr Asn Tyr Ser Phe Leu Trp Pro Gly Val Lys Gly Ser Met	

20 25 30 Ala His Thr Gly Glu Asn Lys Glu Gly Leu Val Leu Ser Cys Ile Asn 40 45 Asn Thr Gly Cys Ile Pro Pro Ala Arg Asp Phe Tyr Leu Arg Arg Pro 10 50 55 60 Met Lys His 65 15 <210> 141 20 <211> 525 <212> DNA <213> Homo sapiens 25 <220> <221> CDS <222> (103).. (525) ⟨400⟩ 141 aagaaatgga ggactcagaa ccaaggattt ccaagtgatt tcttccaaag cacaggaatc 60 35 teactetett aaagetggte tgitetaact gagaigacag te aig tee ett tee 114 Met Ser Leu Ser 40 agg gac cic aag gac gac tit cac agt gac acg gia cic icc atc ita 162 Arg Asp Leu Lys Asp Asp Phe His Ser Asp Thr Val Leu Ser Ile Leu 45 5 10 15 aat gag cag cgc att cgg ggc att tta tgc gat gic act atc att gtg 210 Asn Glu Gln Arg lle Arg Gly Ile Leu Cys Asp Val Thr lle Ile Val 35 gaa gat acc aaa iii aaa gcc cat agc aai gii cig gca gci ica agc 258 55

	Glu	Asp	Thr	Lys	Phe	Lys	Ala	His	Ser	Asn	Val	Leu	Ala	Ala	Ser	Ser	
5				40	•				45					50			
	ctg	tat	ttt	aaa	aat	atc	ttt	tgg	agc	cat	aca	atc	tgt	att	tcc	agc	306
	Leu	Tyr	Phe	Lys	Asn	Ile	Phe	Trp	Ser	His	Thr	lle	Cys	Ile	Ser	Ser	
10			55					60					65				
	cac	gtc	ctg	gag	ctg	gac	gạt	ctc	aaa	gct	gaa	gtg	ttt	act	gaa	ata	354
15	His	Val	Leu	Glu	Leu	Asp	Asp	Leu	Lys	Ala	Glu	Val	Phe	Thr	Glu	Ile	
		70					75					80					
20	ctt	aat	tat	atc	tac	agt	tcc	aca	gtc	gtt	gtc	aag	aga	cag	gaa	aca	402
	Leu	Asn	Туг	He	Tyr	Ser	Ser	Thr	Val	Val	Val	Lys	Arg	Gln	Glu	Thr	
25	85					90		٠			95					100	
	gtc	act	gat	ctc	gca	gct	gca	gga	aaa	aag	ctg	gga	ata	tcg	ttc	ttg	450
	Val	Thr	Asp	Leu	Ala	Ala	Ala	Gly	Lys	Lys	Leu	Gly	He	Ser	Phe	Leu	
30					105					110					115		
														ccc			498
35	Glu •	Asp	Leu		Asp	Arg	Asn	Phe		Asn	Ser	Pro	Gly	Pro	Туг	Val	
				120					125					130			
		tgt															<b>525</b> .
40	Phe	Cys		Inr	GIU	Lys	Gly		Vaj								
	•		135					140		•							
45	<210	> 14	2														
	<211	> 14	1 -				•					٠					
50	<212	> PR	T								•						
	<213	> Ho	mo s	apie	пs		•										
	<400	> 14	2														
55	Me t	Ser	Leu	Ser	Arg	Asp	Leu	Lys	Asp	Asp	Phe	His	Ser	Asp	Thr ·	Yal	

	. 1	5		10		15								
5	Leu Ser	lle Leu Asn	Glu Gln	Arg lle Arg	Gly Ile Leu	Cys Asp Val								
	•	20		25		30								
10	Thr Ile	lle Val Glu	Asp Thr	Lys Phe Lys	Ala His Ser	Asn Val Leu								
,,,		35		40	45									
	Ala Ala	Ser Ser Leu	Tyr Phe	Lys Asn Ile	Phe Trp Ser	His Thr Ile								
15	50		55		60									
	Cys Ile	Ser Ser His	Val Leu	Glu Lev Asp	Asp Leu Lys	Ala Glu Val								
20	65		70		75	80								
	Phe Thr	Glu Ile Leu	Asn Tyr	lle Tyr Ser	Ser Thr Val	Val Val Lys								
25		85		90		95								
	Arg Gln 1	Glu Thr Val	Thr Asp	Leu Ala Ala	Ala Gly Lys	Lys Leu Gly								
		100		105		110								
30	lle Ser F	he Leu Glu	Asp Leu	Thr Asp Arg	Asn Phe Ser	Asn Ser Pro								
	1	115	•	120	125									
25	Gly Pro T	yr Val Phe	Cys Ile	Thr Glu Lys	Gly Val Val									
35	130		135		140									
	<210> 143													
40	<211> 182	7												
	<212> DNA													
45	<213> Hom	o sapiens												
	<b>&lt;220&gt;</b>	<220>												
	<221> CDS					•								
50	<222> (13	8) (1307)												
	<400> 143													
55	gagactigg	g ciggageege	cctggg	igic ageggete	ogg clocogog	sca cgctccggcr ß								

	gt	cgcg	cagc	ctcg	gcac	ct 8	gcag	gtcc	gt go	gtc	cgc	g gc	ggcı	gccc	ctga	ctccgt	120
5	cc	cggc	cagg	gagg	gcc	atg	att	tcc	ctc	ccg	ggg	ccc	ctg	gtg	acc <sub>.</sub>	aac	170
						Met	Ile	Ser	Leu	Pro	Gly	Pro	Leu	Val	Thr	Asn	
10						ı				5					10		
	tt	cts	g cgg	ttt	ttg	ttc	ctg	ggg	ctg	agt	gco	cto	gce	·ccc	ccc	tcg	218
	Lei	Lei	ı Arg	Phe	Leu	Phe	Leu	G] y	Leu	Ser	Ala	Leu	Ala	Рго	Pro	Ser	
15				15					20	}				25			
	cgs	gco	cag	ctg	caa	ctg	cac	ttg	ccc	gcc	aac	cgg	ttg	cag	gcg	gtg	266
20	Arg	Ala	Gln	Leu	Gln	Leu	His	Leu	Pro	Ala	Asn	Arg	Leu	Gln	Ala	Val	
			30					35					40	)			
25	gag	gga	ggg	gaa	gtg	gtg	ctt	cca	gcg	tgg	tac	acc	ttg	cac	ggg	gag	314
	Glu	Gly	Lly	Glu	Va !	Val	Leu	Pro	Ala	Trp	Туг	Thr	Leu	His	Gly	Glu	
		45					50					55					
30																ttc	362
			Ser	Ser	Gln		Trp	Glu	Val	Pro			Met	Trp	Phe		
35	60					65					70					75	
				gaa													410
	Lys	GIB	LYS	Glu		610	ASP	GIN	ASI		261	Tyr	116	Asn		-	
40	262	202	200	202	80	~~~	at a	taa		85	• • •				90		450
				aaa Lys													458
45	1111	1111	261	95	110	GIY	. 441	261	100	101	1 91	261	Met	105	261	игк	
	aar	cte	tee	ctg	C Ø Ø	clø	σασ	ggt		rag	g a g		gac		·a a c	000	506
50				Leu													300
- <del>-</del>			110		0		J. u	115		J. II	<b>→</b> , u	2,3	120	561	013	110	
	tac	200		tcc	gig	aai	gto		gar	פגג	C22	gg^		101	900	aar	554
55				Ser													J U 7

		125					130					135					
5	cac	agc	atc	aaa	acc	tta	gaa	ctc	aat,	gla	ctg	gtt	cct	cca	gct	cct	602
	His	Ser	He	Lys	Thr	Leu	Glu	Leu	Asn	Val	Leu	۷a }	Pro	Pro	Ala	Pro	
	140					145					150					155	
10	cca	tcc	tgc	cgt	ctc	cag	ggt	gtg	ccc	cat	gtg	ggg	gca	aac	gtg	acc	650
	Pro	Ser	Cys	Arg	Leu	Gln	Gly	Val	Pro	His	Val	Gly	Ala	Asn	Val	Thr	•
15					160					165					170		
	ctg	agc	tgc	cag	tct	cca	agg	agt	aag	cct	gc t	gtc	caa	t ac	cag	t gg ·	698
20	Leu	Ser	Cys	Gln	Ser	Pro	Arg	Ser	Lys	Pro	Ala	Val	Gln	Tyr	Gln	Trp	
				175					180					185			
25	gat	cgg	cag ~	ctt	cca	tcc	ttc	cag	act	ttc	ttt	gca	cca	gca	tta	gat	746
	Asp	Arg	Gln	Leu	Pro	Ser	Phe	Gln	Thr	Phe	Phe	Ala	Pro	Ala	Leu	Asp	
			190					195					200				
30				ggg							٠.						794
	Val		Arg	Gly	Ser	Leu		Leu	Thr	Asn	Leu		Ser	Ser	Met	Ala	
35		205					210					215					
				gtc													842
		Va1	lyr	Val	Cys		Ala	nıs	ASII	GIU		ыу	ınr	Ala			٠
40	220	at a		010	<b>700</b>	225	0.00		~~~	001	230	<b>70</b> t	<b>700</b>			235	000
				ctg Leu													890
45	ווכת	va i	1111		240	101		1111	GIÀ	245	Gly	VIG	ліа	1 4 1	250	ліа	
	<b>0</b> 02	øct	ott	gtg		200	ctø	- σtt	<i>00</i> 2		000	ttø	rta	art		cta	938
				Val													300
	UIY	VIG		255		1111		141	260	LCU	013	beu		265	Oly	Leu	
	atr	ctc				rar	caa	gar		arr	cta	g a g			arr	221	OSE
55 8	810			tac	val	CBC	~8B	66 <sup>(</sup>	σ'α <b>Ω</b>	<b>6</b> 11		648	бав	UÇĞ	gct	ααι	986

	Val Leu Leu Tyr His Arg Arg Gly Lys Ala Leu Glu Glu Pro Ala Asn	
5	270 275 280	
	gat atc aag gag gat gcc att gct ccc cgg acc ctg ccc tgg ccc aag 103	4
	Asp lle Lys Glu Asp Ala Ile Ala Pro Arg Thr Leu Pro Trp Pro Lys	
10	285 290 295	
	ago toa gao aca ato too aag aat ggg aco ett too tot gto aco too 108	2
15	Ser Ser Asp Thr lle Ser Lys Asn Gly Thr Leu Ser Ser Val Thr Ser	
	300 305 310 315	
20	gca cga gcc ctc tgg cca ccc cat ggc cct ccc agg cct ggt gca ttg 113	)
20	Ala Arg Ala Leu Trp Pro Pro His Gly Pro Pro Arg Pro Gly Ala Leu	
	320 325 330	
25	acc ccc acg ccc agt ctc tcc agc cag gcc ctg ccc tca cca aga ctg 1178	}
	Thr Pro Thr Pro Ser Leu Ser Ser Gln Ala Leu Pro Ser Pro Arg Leu	
30	335 340 . 345	
	ccc acg aca gat ggg gcc cac cct caa cca ata tcc ccc atc cct ggt 1226	j
	Pro Thr Thr Asp Gly Ala His Pro Gln Pro Ile Ser Pro Ile Pro Gly	
35	350 355 360	
	ggg gtt tot too tot ggc ttg agc cgc atg ggt gct gtg cct gtg atg 1274	1
40	Gly Val Ser Ser Ser Gly Leu Ser Arg Met Gly Ala Val Pro Val Met	
	365 370 375	
45	gig cct gcc cag agt caa gct ggc tct ctg gta tgatgacccc accactcatt 1327	
	Val Pro Ala Gln Ser Gln Ala Gly Ser Leu Val	
	380 385 390	
50	ggclaaagga tilggggtct ctccticcta (aagggtcac ctctagcaca gaggcctgag 1387	
	tcalgggaaa gagtcacact cctgaccctt aglactctgc ccccacctct ctttactgtg 1447	
55	ggaaaaccat cicagtaaga cctaagtgtc caggagacag aaggagaaga ggaagtggat 1507	
	ciggaatigg gaggageete cacceaecee igaciectee ilaigaagee agetgetgaa 1567	

	attagctact caccaagagt gaggggcaga gacticcagt cactgagtct cccaggcccc 162	7
5	- cttgatctgt accecacce tatetaacae caccettgge teccacteea getecetgta 168	7
	ttgatataac ctgtcaggct ggcttggtta ggttttactg gggcagagga tagggaatct 174	7
10	cttattaaaa ctaacatgaa atatgtgttg ttttcatttg caaatttaaa taaagataca 180	7
	taatgitigi atgagataag 1827	1
15	<210> 144	
	<211> 390	
	<212> PRT	
20	<213> Homo sapiens	
	<400> 144	
25	Met Ile Ser Leu Pro Gly Pro Leu Val Thr Asn Leu Leu Arg Phe Leu	
	1 5 10 15	
30	Phe Leu Gly Leu Ser Ala Leu Ala Pro Pro Ser Arg Ala Gln Leu Gln	
	20 25 30	
	Leu His Leu Pro Ala Asn Arg Leu Gln Ala Val Glu Gly Glu Val	
35	35 40 45	
	Val Leu Pro Ala Trp Tyr Thr Leu His Gly Glu Val Ser Ser Gln	
40	50 55 60	
	Pro Trp Glu Val Pro Phe Val Met Trp Phe Phe Lys Gln Lys Glu Lys	
45	65 70 75 80	
45	Glu Asp Gln Val Leu Ser Tyr lie Asn Gly Val Thr Thr Ser Lys Pro	
	85 90 95	
50	Gly Val Ser Leu Val Tyr Ser Met Pro Ser Arg Asn Leu Ser Leu Arg	
٠	100 105 110	
<b>55</b>	Leu Glu Gly Leu Gln Glu Lys Asp Ser Gly Pro Tyr Ser Cys Ser Val	
	115 120 125	

		ASE	i Va	] G]	n As	sp Ly	's Gl	n Gl	y Ly	s Se	r Ar	g Gl	y Hi	s Se	r II	e Ly	s Thi
5			13	Ō				13	5				].4	0			
		Leu	Gl	u Le	υAs	n Va	l Le	u Va	l Pr	о Рго	Ala	a Pro	o Pr	o Se	г Су:	s Ar	g Leu
10		1,45		•			15	0				15	5				160
		Gln	Gly	y Va	l Pr	o Hi	s Val	l Gly	y Ala	a Asn	va!	The	r Lei	u Se	r Cys	Gli	Ser
15			•			16	5				170	)				175	;
	i	ro	Arg	Se:	r Ly	s Pr	o Ala	a Val	Gln	Tyr	Gln	Trp	Ası	Arg	g Gln	Let	Рго
					18	0				185	•				190		
20	S	er	Phe	G1r	Th.	r Phe	e Phe	Ala	Pro	Ala	Leu	Asp	Val	He	Arg	Gly	Ser
				195	5				200					205			
25	L				Th	r Asn	Leu	Ser	Ser	Ser	Met	Ala	Gly	Val	Tyr	Val	Cys
			210					215					220				
30	L	ys .	Ala	His	Asr	Glu	Val	Gly	Thr	Ala	GIn	Cys	Asn	Val	Thr	Leu	Glu
00	2:	25					230					235					240
	V	il i	Ser	Thr	Gly	Pro	Gly	Ala	Ala	Val	Vai	Ala	Gly	Ala	Val	Val	Gly
35						245					250					255	
	Th	ır l	Leu	Val			Gly	Leu	Leu		Gly	Leu	Va]	Leu	Leu	Туг	His
40		_			260					265					270		
	Ar	g A	lrg		Lys	Ala	Leu	Glu		Pro	Ala	Asn	Asp		Lys	Glu	Asp
	,			275	_				280					285			
45	A I			Ala	Pro	Arg	Thr		Pro	Trp	Pro	Lys	Ser	Ser	Asp	Thr	He
	•		90					295				•	300	•			
50			ys .	Asn	Gly	Thr	Leu	Ser	Şer	Val	Thr	Ser	Ala	Arg	Ala	Leu	Trp
	30						310					315					320
<i></i>	Pro	P	ro 1	His	Gly	Pro	Pro	Arg	Pro	Gly	Ala :	Leu	Thr	Pro	Thr	Pro	Ser
55						325					330				,	335	

	Leu Ser Ser Glm Ala Leu Pro Ser Pro Arg Leu Pro Thr Thr Asp Gly
5	340 345 350
	Ala His Pro Gln Pro Ile Ser Pro Ile Pro Gly Gly Val Ser Ser
10	355 360 365
	Gly Leu Ser Arg Met Gly Ala Val Pro Val Met Val Pro Ala Gln Ser
	370 375 380
15	Gln Ala Gly Ser Leu Val
	385 390
20	2010\ 146
	<210> 145 <211> 3466
	<212> DNA
25	<213> Homo sapiens
	<220>
30	<221> CDS
	<222> (84) (2726)
<i>35</i>	<400> 145
33	tgcgggaage gatgtagtag etgccagget gtcccccgcc etgcccggcc cgagccccgc 60
	gggccgccgc cgccaccgcc gcc alg aag aag cag itc aac cgc atg aag cag 113
40	Met Lys Lys Gln Phe Asn Arg Met Lys Gln
	1 5 10
45	ctg gct aac cag acc gtg ggc aga gct gag aaa aca gaa gtc ctt agt 161
	Leu Ala Asn Gln Thr Val Gly Arg Ala Glu Lys Thr Glu Val Leu Ser
•	15 20 25
50	gaa gat cta tta cag att gag aga cgc ctg gac acg gtg cgg tca ata 209
	Glu Asp Leu Leu Gln Ile Glu Arg Arg Leu Asp Thr Val Arg Ser Ile
55	30 35 40
	·

	. <del>.</del>	•	
	·		
•	•		
	•		
	·		

	tg	c ca	C cal	t tç	cat	aag	g cg(	tte	gts	g gc	a tgi	tto	cag	gg	cas	g cat	257
5	Су	's Hi	s His	Sei	His	Lys	s Arg	g Leu	Val	Ala	a Cys	Phe	Gln	Gly	Gli	His	3
			45	i	••			50					55				
	gg	c ac	c gat	gco	gag	age	a a ga	cac	aaa	aaa	cts	cct	ctg	aca	gct	ctt	305
10	G1	y Thi	r Asp	Ala	Glu	Arg	Arg	His	Lys	Lys	Leu	Pro	Leu	Thr	Ala	Leu	
		60	)			•	65					70					
15	gc	t caa	aat	atg	caa	gaa	gca	tcg	act	cag	ctg	gaa	gac	tct	ctc	ctg	353
	. Ala	a Gln	Asn	Met	Gln	Glu	Ala	Ser	Thr	Gln	Leu	Glu	Asp	Ser	Leu	Leu	
20	75	5				80					85					90	
	gge	aag	atg	ctg	gag	acg	tgt	gga	gat	gcl	gag	aat	cag	ctg	gct	ctc	401
	Gly	Lys	Met	Leu	Glu	Thr	Cys	Gly	Asp	Ala	Glu	Asn	Gln	Leu	Ala	Leu	
25			~		95					100					105		
		ctc															449
30	Glu	Leu	Ser		His	Glu	Val	Phe		GIu	Lys	Glu	He	Val	Asp	Pro	
	- 4 -	<b>.</b>		110					115	•				120			
<i>3</i> 5		tac															497
	ren	Tyr	125	116	AIA	GIU	vai		116	Y TO	ASD	He		Lys	Gln	Arg	
	229	rao		gra	202	tta	ata	130	<b>420</b>	taa			135				T 45
40		cag Gln													.4		545
	5,0	140	204		,,,,	DCu	145	LU	nsp	ήιħ	nsp	150	141	VIE	nia	MIR	
45	tgg	aac	caa	gct	cac	aaa .		tca	gga	acc	aac		cag	<b>2</b> 22	ctt	cca	593
		Asn										•					000
50	155					160					165			•••		170	
	tca	aaa	ata (	gat :	ac t	cta	aag	gaa	gag	atg	gat	gaa	gct	gga	aat		641
		Lys															
55					175 <sup>.</sup>					180					185		

	gt	a ga	a cag	gtgc	aag	gat	caa	ı ct	gca	e gc	a ga	c ata	g tac	aac	: tt	tatg	689
5	Va	1 G1	u Glm	Cys	Lys	Asp	Gli	Lei	ı Ala	Ala	a Ası	) Met	t Tyı	Ası	Phe	e Met	
				190					195	i				200	ļ		
10	gco	c aaa	a gaa	ggg	gag	tat	ggo	aaa	tto	ttt	gti	acg	; tta	tta	gaa	gcc	737
	Ala	a Lys	Glu	Gly	Glu	Tyr	Gly	Lys	Phe	Phe	. Val	Thr	Leu	Leu	Glu	Ala	
			205			•		210	)				215				
15	caa	gca	gat	tac	cat	aga	aaa	gca	tta	gca	gto	tta	gaa	aag	acc	ctc	785
	Glr	Ala	Asp	Tyr	His	Arg	Lys	Ala	Leu	Ala	Val	Leu	Glu	Lys	Thr	Leu	
20	•	220					225					230					
	ccc	gaa	atg	cga	gcc	cat	caa	gat	aag	tgg	gcg	gaa	aaa	cca	gcc	ttt	833
25	Pro	Glu	Met	Arg	Ala	His	Gln	Asp	Lys	Trp	Ala	Glu	Lys	Pro	Ala	Phe	
	235		•			240			٠		245				٠	250	
			ccc						•								881
30	Gly	Thr	Pro			Glu	His	Leu	Lys		Ser	Gly	Arg	Glu	Ile	Ala	
					255					260					265		
35	_	_	att														929
	Leu	Pro	lle		Ala	Cys	Val	Mel		Leu	Leu	Głu	Thr		Met	Lys	
40	50 <i>a</i>			270			- 4.4		275					280			
	_		ggc													_	977
	O tu		Gly:	ren i	rne i	#1.R	116	290	на	ч	AIA	ser		Leu	LYS	Lys	
45	cta		gct :	ant 1	110	700			201	tot	000	.1.	295			4-4	1005
			Ala														1025
50		300	nia i	nia L	eu r		305	361	1 11 1	361		310	wsh	Olu	rne	lyr	
			ccc (	e ter	ret a			a a t	ant	tia			101		085	<b></b>	1077
55																	1073
33	SEI .	nsp.	Pro 1	115 A	ııa Y	di /	118	uly	W I S	ren	r A 2	ser	1 A L	ren	Arg	GIU	

	31	5				320	)				325	i				330	
5	tt	g cci	gaa	ccl	ttg	ate	act	tt	aat	cte	tat	gaa	gaa	tge	aca	caa	1121
	Le	1 Pro	G) u	Pro	Leu	Met	Thr	Phe	Asr	Lei	ı Tyr	Glu	Glu	Trp	Thr	Gln	
					335	,				340	)		•		345		
10	gti	gca	agt	gtg	cag	gat	caa	gac	aaa	aaa	ctt	caa	gac	ttg	tgg	aga	1169
	Val	Ala	Ser	Val	Gln	Asp	Gln	Asp	Lys	Lys	Leu	Gln	Asp	Leu	Trp	Arg	•
15				350	ı				355					360			•
	aca	igt	cag	aag	ttg	cca	cca	caa	aa.t	ttt	gtt	aac	ttt	aga	tat	ttg	1217
20	Thr	Cys	Gin	Lys	Leu	Pro	Pro	Gln	Asn	Phe	Val	Asn	Phe	Arg	Tyr	Leu	
			365					370					375				
05	atc	aag	ttc	ctt	gca	aag	ctt	gct	cag	acc	agc	gat	gtg	aat	aaa	atg	1265
25	lle		Phe	Leu	Ala	Lys		Ala	Gln	Thr	Ser		Val	Asn	Lys	Met	•
		380					385				•	390		•			
30					att												1313
	395	Pro	Se r	ASN	He	A1a	116	Val	Leu	GIY		ASN	Leu	Leu	Trp		
35		aat	gaa	663	aca		gc t	633	afø	or a	405	ac.c	202	100	a to	410	1261
					Thr												1361
40	_			•	415					420			••••		425		
40	gtg	gtt	gca	gtg	att	gaa	ccc	atc	att		cat	gcc	gac	t gg		ttc	1409
					Ile												
45				430					435					440			
	cct	gaa	gag	gtg	gaa	ttt	aat	gta	tca	gaa	gca	ttt	gta	cct	ctc	acc	1457
50	Pro	G J u	Glu	Val	Glu	Phe	Asn	Val	Ser	G) u	Ala	Phe	Yal	Pro	Leu	Thr	
			445					450					455		•		
55	acc	ccg	agt	tct	aat	cac	tca	ttc	cac	act	gga	aac	gac	tct	gac	tcg	1505
	Thr	Pro	Ser	Ser	Asn	His	Ser	Phe	His	Thr	Gly	Asn	Asp	Ser	Asp	Ser	

	:	460	)				465					470				•	
5	ggg	acc	ctg	gag	agg	aag	cgg	cct.	gct	agc	a t g	gcg	gtg	atg	gaa	gga	1553
	Gly	Thr	Leu	Glu	Arg	Lys	Arg	Pro	Ala	Ser	Met	Ala	Val	Met	Glu	Gly	
10	. 475					480					485				•	490	
	gac	ttg	gig	aag	aag	gaa	agc	ttt	ggt	gtg	aag	ctt	atg	gac	ttc	cag	1601
15	Asp	Leu	Val	Lys	Lys	Glu	Ser	Phe	Gly	Val	Lys	Leu	Met	Asp	Phe	Gln	
15					495					500					505		
	gcc	cac	cgg	cgg	ggt	ggc	act	cta	aat	aga	aag	cac	ata	tcc	ccc	gct	1649
20	Ala	His	Arg	Arg	Gly	Gly	Thr	Leu	Asn	Arg	Lys	His	He	Ser	Pro	Ala	
				510					515					520			
25				cca													1697
	Phe	Ģin		Pro	Leu	Pro	Pro		ASP	Gly	Ser	Thr		Val	Pro	Ala	
30	ggr	cca	525	ccc	cct	ccc	റമെ	530	ict	200	ac t	<b>G</b> 2 2	535	2.00	tat	ggg ·	1745
				Pro													1140
	***	540	-				545					550	,	JU.	501	01)	
35	ggt	ggg	act	gtc	ccc	tct	tcc	gcg	ggc	ata	ctg	gag	cag	ggg	ccg	agc	1793
	Gly	Gly	Thr	Val	Pro	Ser	Ser	Ala	Gly	Ile	Leu	Glu	Gln	Gly	Pro	Ser	
40	555					560					565					570	·
	cca	ggc	gac	ggc	agt	cct	ccc	aaa	ccg	aag	gac	cct	gta	lct	gca	gct	1841
45	Pro	Gly	Asp	Gly	Ser	Pro	Pro	Lys	Pro	Lys	Asp	Pro	Val	Ser	Ala	Ala	
	•				575		•			580					585		
50	gtg	cca	gca	cca	ggg	aga	aac	aac	agt	cag	ata	gca	tct	ggc	caa	aat	1889
·	Val	Pro	Ala	Pro	Gly	Arg	Asn	Asn	Ser	Gln	He	Ala	Ser	Gly	Gln	Asn	
				590					595					600			
55	cag	ccc	cag	gca	gct	gcl	ggc	tcc	cac	cag	ctc	tcc	atg	ggc	caa	cct	1937

	GIn	Pro Gl	n Ala A	la Ala	a Gly	/ Ser	His	Gln	Leu	Ser	Met	Gl	/ G1:	n Pro	
5		60	5			610	)				615	;			
	cac	aat gc	t gca ge	g ccc	ago	ccg	cat	aca	ctg	cgc	cga	gct	gti	aaa	1985
10	His /	Asn Ala	a Ala Gl	у Рго	Ser	Pro	His	Thr	Lev	Arg	Arg	Ala	Val	Lys	
70	(	520			625					630	•				
	aaa (	cc gci	cca go	а ссс	_ccg	aaa	ccg	ggc	aac	cca	ċct	cct	ggc	cac	2033
15	Lys F	ro Ala	Pro Al	a Pro	Pro	Lys	Pro	Gly	Asn	Pro	Pro	Pro	Gly	His	•
	635			640					645	٠				650	
20	ccc g	gg ggc	cag ag	t tct	t ca	gga	aca	tct	cag	cat	cca	ccc	agt	ctg	2081
	Pro G	ly Gly	Gln Se	r Ser	Ser	Gly	Thr	Ser	Gln	His	Pro	Pro	Ser	Leu	
25			65	5				660					665		•
23			cca cc											_	2129
	Ser P	ro Lys	Pro Pro	Thr	Arg	Ser		Ser	Pro	Pro	Thr	Gln	His	Thr	
30			670				675					680			
			CCa gg												2177
35	diy G	685	Pro Gly	GIN	PT0		BIA	Pro	Ser			Ser	Ala	Pro	
	C88 20		tcc ago	200	110	690		nto			695				0005
			Ser Ser												2225
40	70		001 001		705	001		110		710	110	veii	nıs	110	
			ccc cct			gcc	acg	сса			cac	acc	222	ccc	2273
45			Pro Pro								•				52.0
	715			720					725	•				730	
50	aat ag	c cag	ggc cct	ccc	aac (	ccc :	aig.	gca	tig	ccc	agt	gag.			2321
			Gly Pro												
			735					740					745	Ť	
55	cit gas	g cag (	cca tct	cac	acc (	ect o	icc (	cag a	act o	ca	acg (			agt	2369
														-	_

	Lei	Glu	Gli	Pro	Ser	His	Thr	Pro	Pro	Gln	Thr	Pro	Thr	Pro	Pro	Ser	
5				750					755					760			
	ac t	CC8	ccc	cta	gga	aaa	cag	aac	ccc	agt	ctg	cca	gct	cct	cag	acc	2417
10	Thr	Pro	Pro	Leu	Gly	Lys	Gln	Asn	Pro	Ser	Leu	Pro	·Ala	Pro	Gln	Thr	
			765					770					775				
	ctg	gca	ggg	ggt	aac	cct	gaa	act	gca	cag	cca	cat	gct	gga	acc	tta	2465
15	Leu	Ala	Gly	Gly	Asn	Pro	Glu	Thr	Ala	Gln	Pro	His	Ala	Gly	Thr	Leu	
		780					785					790					
20	ccg	aga	ccg	aga	cca	gta	cca	aag	cca	agg	aac	cgg	ccc	agc	gtg	ccc	2513
	Pro	Arg	Pro	Arg	Pro	Val	Pro	Lys	Pro	Arg	Asn	Arg	Pro	Ser	Val	Pro	
25	795		_			800					805					810	
				caa													2561
30	Pro	Pro	Pro	Gln		Pro	Gly	Val	His		Ala	Gly	Asp	Ser		Leu	
				500	815			4		820	-4-				825		0.000
				gca													2609
<b>35</b>	1111	voii	1111	Ala 830	110	1111	nia	261	835	116	vai	1111	ASP	Ser 840	ASN	261	
	agg	gtt	tca	gaa	ĊCE	cat	CEC	agc		111	cci	gaa	atσ		tca	gar	2657
40				Glu													2001
			845				. •	850					855			,	
45	1 c a	gcc	agc	aaa	gac	gtg	cct	ggc	cgc	atc	ctg	ctg		ata	gac	aat	2705
				Lys													
		860					865					870					
50	gat	acc	gag	agc	ac t	gcc	ctg	i ga a	gaaa	gc c	cttt	ccca	g cc	ctc	acca	1	2756
	Asp	Thr	Glu	Ser	Thr	Ala	Leu						÷				
55	8,75					880											

citccaccci ggcgagtgga gcaggggcag gcgaaccici tictttgcag accgaacagt 2816 gaaaagctit cagiggagga caaaggaggg ccicacigig cgggaccigg ccitcigcac 2876 ggcccaagga gaacctggag gccaccacta aagctgaatg acctgtgtct tgaagaagtt 2936 ggcttlcttt acatgggaag gaaatcatgc caaaaaaatc caaaacaaag aagtacctgg 2996 10 agtggagaga gtattcctgc tgaaacgcgc ataggaagct titgtccctg cigitaatgc 3056 gggcagcacc tacagcaact tggaatgagt aagaagcagt gcgttaacta tctatttaat 3116 15 aaaatgcgct cattatgcaa gtcgcctact ctctgctacc tggacgttca ttcttatgta 3176 ttaggaggga ggctgcgctc cttcagactt gctgcagaat cattttgtat catgtatggt 3236 ctgtgtctcc ccagtcccct cagaaccatg cccatggatg gtgactgctg gctctgtcac 3296 20 cicatcaaac tggatgtgac ccatgccgcc tcgttggatt gtcggaatgt agacagaaat 3356 giacigitet tittititt titaaacaat giaatigeta etigataagg aeegaacatt 3416 25 attctagtit catgittaat tigaattaaa tatatictgi ggittataig 3466 <210> 146 30 <211> 881 <212> PRT <213 Homo sapiens 35 <400> 146 Met Lys Lys Gin Phe Asn Arg Met Lys Gin Leu Ala Asn Gin Thr Val 40 1 10 Gly Arg Ala Glu Lys Thr Glu Val Leu Ser Glu Asp Leu Leu Gln Ile 45 20 25 Glu Arg Arg Leu Asp Thr Val Arg Ser Ile Cys His His Ser His Lys 35 40 45 50 Arg Leu Val Ala Cys Phe Gln Gly Gln His Gly Thr Asp Ala Glu Arg 50 55 60

Arg His Lys Lys Leu Pro Leu Thr Ala Leu Ala Gln Asn Met Gln Glu

55

	6	j				70					75					80
5	Ala	Se i	Thr	Gln	Leu	Glu	Asp	Ser	Leu	Leu	Gly	Lys	Me t	Leu	Glu	Thr
					85					90				•	95	•
	Cys	Gly	/ Asp	Ala	Glu	Asn	Gln	Leu	Ala	Leu	Glu	Leu	Ser	Gln	His	Glu
10				100					105					110		
	Val	Phe	Val	Glu	Lys	Glu	lle	Val	Asp	Pro	Leu	Tyr	Gly	He	Ala	Glu
15			115					120					125			
	Val	Glu	lle	Pro	Asn	lle	Gln	Lys	Gln	Arg	Lys	Gln	Leu	Ala	Arg	Leu
20		130					135		•		•	140		٠.		
•	Va!	Leu	Asp	Trp	Asp	Ser	Val	Arg	Ala	Arg	Trp	Asn	Gln	Ala	His	Lys
	145					150					155					160
25	Ser	Ser	Gly	Thr	Asn	Phe	Gln	Gly	Leu	Pro	Ser	Lys	Ile	Asp	Thr	Leu
				٠	165					170					175	•
30	Lys	Glu	Glu	Me t	Asp	Glu	Ala	Gly	Asn	Lys	Val	Glu	Gln	Cys	Lys	Asp
				180					185					190		
	Gln	Leu	Ala	Ala	Asp	Met	Tyr	Asn	Phe	Met	Ala	Lys	Glu	Gly	Glu	Tyr
35			195					200					205			
	Gly	Lys	Phe	Phe	Val	Thr		Lev	Glu	Ala	Gln	Ala	Asp	Tyr	His	Arg
10	٠	210				ē	215					220				
		Ala	Leu	Ala	Val		Glu	Lys	Thr	Leu	Pro	Glu	Met	Arg	Ala	His
<b>1</b> 5	225					230					235					240
	Gln	Asp	Lys	Trp		Glu	Lys	Pro	Ala		Gly	Thr	Pro	Leu	Glu	Glu
					245					250					255	
50	His	Leu	Lys	Arg	Ser	Gly	Arg	Glu	He	Ala	Leu	Pro	lle	Glu	Ala	Cys
				260					265					270		
55	Yal	Me t	Leu	Leu	Leu	Glu	Thr	Gly	Met	Lys	G) u	Glu	Gly	Leu	Phe	Arg
			275					280					285			

	11	e Gl	y Ala	a Gly	/ Ala	s Se r	Lys	Leu	Lys	Lys	Leu	Lys	Ala	Ala	Leu	Asp
5		29(	)				295	ı				300				
	Cys	s Sei	Thi	Ser	His	Leu	Asp	Glu	Phe	Tyr	Ser	Asp	Pro	His	Ala	Val
10	30	5			•	310					315					320
	Ala	a Gly	/ Ala	Leu	Lys	Ser	Tyr	Leu	Årg	Glu	Leu	Pro	Glu	Pro	Leu	Met
					325					330					335	
15	Thi	Phe	Asn	Leu	Tyr	Glu	Glu	Trp	Thr	Gln	Val	Ala	Ser	Val	Gln	Asp
				340					345					350		
20	Gln	Asp	Lys	Lys	Leu	Gln	Asp	Leu	Trp	Arg	Thr	Cys	Gln	Lys	Leu	Pro
			355					360					365			
25	Pro	Gln	Asn	Phe	Val	Asn	Phe	Arg	Tyr	Leu	Ile	Lys	Phe	Leu	Ala	Lys
		370	•				375					380				
	Leu	Ala	Gln	Thr	Ser	'Asp	Val	Asn	Lys	Met	Thr	Pro	Ser	Asn	He	Ala
30	385					390					395					400
	lle	Val	Leu	Gly	Pro	Asn	Leu	Leu	Trp	Ala	Arg	Asn	Glu	Gly	Thr	Leu
35					405					410					415	
	Ala	Glu	Met	Ala	Ala	Ala	Thr	Ser	Val	His	Val	Val	Ala	Val	He	Glu
40				420				•	425					430		
	Pro	Ile		Gln	His	Ala	Asp	Trp	Phe	Phe	Рго	Glu	G } u	Val	Glu	Phe
		,	435					440					445			
45	Asn	Val	Ser	Glu	Ala	Phe	•	Pro	Leu	Thr	Thr		Ser	Ser	Asn	His
		450		•	÷		455					460				
50		Phe	His	Thr	Gly		Asp	Ser	Asp	Ser		Thr	Leu	Glu	Arg	Lys
	465					470					475					480
55	Arg	Pro	Ala	Ser	Met	A)a	Val	Met	Glu	Gly	Asp	Leu	Val	Lys	Lys	G] u
55					485					490					495	

	Se	r Phe	: G13	<i>V</i> al	Lys	Leu	Met	Asp	Phe	Gln	Ala	His	Arg	.Arg	Gly	Gly
_				500	!				505					510		
5	Thi	Leu	Asn	Arg	Lys	His	Ile	Ser	Pro	Ala	Phe	Gln	Pro	Pro	Leu	Pro
			515					520				•	525			
10	Pro	Thr	Asp	Gly	Ser	Thr	Val	Val	Pro	Ala	Gly	Pro	Glu	Pro	Pro	Pro
		530					535					540	·			
15	Gin	Ser	Ser	Arg	Ala	Glu	Ser	Ser	Ser	Gly	Gly	Gly	Thr	Val	Pro	Ser
	545					550					555					560
•	Ser	Ala	Gly	lle	Leu	Glu	Gln	Gly	Pro	Ser	Pro	Gly	Asp	Gly	Ser	Pro
20					565					570					575	
	Pro	Lys	Pro	Lys	Asp	Pro	Val	Ser	Ala	Ala	Val	Pro	Ala	Pro	Gly	Arg
25			-	580					585					590		
	Asn	Asn		GIn	He	Ala	Ser		Gln	Asn	Gln	Pro	Gln	Ala	Ala	Ala
30			595					600					605			
	Gly		His	Gln	Leu	Ser		Gly	Gln	Pro	His		Ala	Ala	Gly	Pro
	0	610		m.		Ā	615					620		_		
35		Pro	HIS	Thr	Leu		Arg	Ala	Val	Lys		Pro	Ala	Рго	Ala	
	625 D	,	D	<b>C</b> 1	4	630	D	D	61	11.	635	٥.	٥.	۵.	_	640
40	PIO	LYS	PTO	Gly		Pro	Pro	710	ыу		Pro	Gly	Gly	Gin		Ser
	°	CI.	Th	C	645	W:.	D = 0	D-0	°	650	C	D	<b>,</b>	D	655 2	æt.
45	261	оту		Ser 660	6111	nıs	P10	riu	5e1 665	rea	3e r	PTO	Lys		PTO	Inr
	Åra	Sar			Dro	Dro	The	Cln		The	Clv	C1 =	D	670 B	C1	C1-
	ni g		675	Ser	710	riu		680	U12	1111	GIA	GID	685	rro	GIY	GIN
50	Dro			Dro	Ca=	Cla			410	D-0	<b>.</b>	A		٠	C	٥.
			YIS	Pro	261			261	Ala	rio			туг	261	261	Ser
55		690	<b>n</b> .	71	<b>0</b> 1 -		695	4	11! -	<b>n</b>		700	01		_	
	ren	261	110	Ile	GIN	AIA	rro	ASN	HIS	110	rro	110	GIN	10	Pro	Thr

	705	710	715	720
5	Gln Ala Thr	Pro Leu Met His	Thr Lys Pro Asn Ser Gln Gl	y Pro Pro
		725	730	735
10	Asn Pro Met	Ala Leu Pro Ser	Glu His Gly Leu Glu Gln Pr	o Ser His
		740	745 75	0
	Thr Pro Pro	Gln Thr Pro Thr	Pro Pro Ser Thr Pro Pro Le	u Gly Lys
15	.755		760 765	
	Gln Asn Pro	Ser Leu Pro Ala	Pro Gln Thr Leu Ala Gly Gl	y Asn Pro
20	770	775	780	
	Glu Thr Ala	Gln Pro His Ala	Gly Thr Leu Pro Arg Pro Ar	g Pro Val
25	785	790	795	800
	Pro Lys Pro	Arg Asn Arg Pro	Ser Val Pro Pro Pro Gla	n Pro Pro
		805	810	815
30	•		Ser Ser Leu Thr Asn Thr Ala	
		820	825 830	
35		ile val inr Asp	Ser Asn Ser Arg Val Ser Glu	u Pro His
	835	Pha Pro Clu Nat	840 845	. A.s. V.1
40	850	855	His Ser Asp Ser Ala Ser Lys 860	s ASP Vai
			Ile Asp Asn Asp Thr Glu Ser	r The Ala
	865	870	875	880
45	Leu	•		000
50	<210> 147	•		
	<211> 3021			
55	<212> DNA			
	<213> Homo sa	apiens		

	<220>	
5	<221> CDS	,
	<222> (140) (1105)	
	<400> 147	
10	gagetgeege tgtegtettt getteageeg cagtegeeae tggetgeetg aggtgetett 6	i O
	acagcolgit ccaagigigg citaalcogi ciccaccacc agaictitci ccgiggatic l	20
15	ctctgctaag accgctgcc atg cca glg acg gla acc cgc acc acc atc aca l	72
	Met Pro Val Thr Val Thr Arg Thr Thr lie Thr	
20	1. 5 10	
•	acc acc acg acg tca tct tcg ggc ctg ggg tcc ccc atg atc gtg ggg 2	220
25	Thr Thr Thr Ser Ser Ser Gly Leu Gly Ser Pro Met Ile Val Gly	
25	15 20 25	
	tcc cct cgg gcc ctg aca cag ccc ctg ggt ctc ctt cgc ctg ctg cag 2	68
30	Ser Pro Arg Ala Leu Thr Gln Pro Leu Gly Leu Leu Arg Leu Leu Gln	
	30 35 40	
35	ctg gtg tot acc tgc gtg gcc ttc tcg ctg gtg gct agc gtg ggc gcc 3	16
	Leu Val Ser Thr Cys Val Ala Phe Ser Leu Val Ala Ser Val Gly Ala	
40	45 . 50 55	
		64
	Trp Thr Gly Ser Met Gly Asn Trp Ser Met Phe Thr Trp Cys Phe Cys	
<b>1</b> 5	60 65 70 75	
		12
50	Phe Ser Val Thr Leu Ile Ile Leu Ile Val Glu Leu Cys Gly Leu Gln	
	80 85 90	••
55		60
-	Ala Arg Phe Pro Leu Ser Trp Arg Asn Phe Pro Ile Thr Phe Ala Cys	

				9	5				10	0				10	5		
5	ta	it go	g gg	c ct	c tto	t go	cte	e te	g gc	c tc	c at	c at	c ta	с сс	c ac	c ác	c 508
	Ty	r Al	a Gl	y Le	u Phe	Cy:	s Lei	ı Sei	Ala	a Se	r II	e Il	е Ту	r Pr	o Th	r Th	г
			11	0				115	j	•			12	0			
10	t a	t gt	с са	g tto	ctg	tco	cac	ggc	cgt	tc	g cg	g ga	c ca	c gc	c at	C gc	556
	Ту	r Va	l G1:	n Phe	Leu	Ser	His	Gly	Are	Se	r Arı	g Asp	.Hi	s Al	a II	e Ala	1
15		12	5			•	130	ļ				135	j				
	gc	c ac	c tto	c tto	tcc	t gc	atc	gcg	tgt	gts	gci	tac	gc	ace	gaa	gtg	604
20	Al	a Thi	r Phe	Phe	Ser	Cys	Ile	Ala	Cys	Val	Ala	Tyr	Ala	Th	Gli	ı Val	
	140	)				145					150	)				155	
	gco	t gg	acc	cgg	gcc	cgg	ccc	ggc	gag	ato	act	ggc	tat	atg	gco	acc	652
25	Ala	Trp	Thr	Arg	Ala	Arg	Pro	Gly	Glu	Ile	Thr	Gly	Tyr	Met	Ala	Thr	
				_	160					165					170		
30	gta	ccc	ggg	ctg	ctg	aag	gtg	ctg	gag	acc	ttc	gtt	gcc	tgo	ato	atc	700
	Va l	Pro	Gly	Leu	Leu	Lys	Val	Leu	Glu	Thr	Phe	Val	Ala	Cys	He	Ile	
35				175					180					185			
				atc													748
	rne	Ala		lle	Ser	Asp	Pro		Leu	Tyr	Gln	His		Рго	Ala	Leu	
40	626	100	190				4	195					200				•
				gig											•		796
45	O1 u	205	Cys	Val	ніа			AIA	116	Cys	Phe		Leu	Ala	Ala	He	
	· grr		cta	cta	200		210	~~~	1.00			215					•
				ctg Leu													844 .
50	220	110	LCB	LCB		225	Oly	שנט	Cys	1311		vaı	Leu	Pro			
								- 4 -	_		230				ctc	235	
		CUL	200	110 4	י קור						~ · ·						892

			240	•	245	•	250	
5	gcc acc	gcc ctt	gii cic	tgg ccc	ctc tacca	g tic gat ga	g aag tat	940
	Ala Thr	Ala Leu	Val Leu	Trp Pro	Leu Tyr Gl	n Phe Asp Gl	u Lys Tyr	
		255			260	26	5	
10	ggc ggc	cag cct	cgg cgc	tcg aga	gat gta ag	c tgc agc cg	c agc cat	988
	Gly Gly	Gln Pro	Arg Arg	Ser Arg	Asp Val Se	r Cys Ser Ar	g Ser Ḥis	
15		270		275		280		
	gcc tac	tac gtg	tgt gcc	tgg gac	cgc cga ct	g gct gtg gc	c atc ctg	1036
20	Ala Tyr	Tyr Val	Cys Ala	Trp Asp	Arg Arg Le	u Ala Val Al	a lle Leu	
	285			290	•	295		•
	acg gcc	atc aac	cta ctg	gcg tat	gtg gct ga	c cig gig ca	c tot gcc	1084
25	Thr Ala	le Asn	Leu Leu	Ala Tyr	Val Ala As	p Leu Val Hi	s Ser Ala	
	300		305		31	0	315	
30	cac ctg	gtt ttt	gtc aag	gtc taag	gactoto coa	agagget cccg	ttccct	1135
	His Leu	Val Phe	Val Lys	Val			•	
35			320					
	ctccaaco	tc tttgt	tcttc tt	gcccgagt	tttctttat	g gagtacitct	ttcctccgcc	1195
	tttcctct	gt titcc	tctlc ct	gtctcccc	tecetecea	cittiticitt	ccttcccaat	1255
40	tccttgca	ct ctaac	cagit ci	tggatgca	icttcttcc	t teeettleet	cttgctgttt	1315
						cctgagctgt		
45						a cicigiggee	•	
		•				c igggiicaag		
50						t gccgcaccca		
						t gcctgtcggc		
_	gcctgttt	tg caagca	accit ci	cctgtgtc	ctigggage	clgagactic	tttctctcct	1675
55	tgcctcca	cc caccto	caaa gg	tgctgagc	tcacatcca	cacccttgca	gccgtccatg	1735

ccacagcccc	ccaaggggcc	ccattgccaa	agcatgcctg	cccaccctcg	ctgtgcctta	1795
gicagiggigi	acgtgtgtgt	gigigigigi	ttggggggtg	gggggtgggt	agctggggat	1855
tgggccctct	ttctcccagt	ggaggaaggt	gtgcagtgta	cttccccttt	aaattaaaaa	1915
acatatatat	atatattt	ggaggtcagt	aatttccaat	gggcgggagg	cattaagcac	1975
cgaccctggg	tccctaggcc	ccgcctggca	ctcagccttg	ccagagattg	gctccagaat	2035
ttttgccagg	cttacagaac	acccactgcc	tagaggccat	cttaaaggaa	gcaggggctg	2095
gatgcctttc	atcccaacta	ttctctgtgg	tatgaaaaag	aaaaaaaaa	aaaaagaagg	2155
agicggggcc	gggcgtggtg	gctcacgcct	gtaatcccag	cactttggga	gaccaagtca	2215
ggcaatcatc	tgaagtcagg	agticaagac	cagcctggcc	aacatggtga	aagcatgtct.	2275
ctattaaaaa	tacaaaaatt	agccgggcgt	ggtggcgggc	gcctgtaatc	ccaggiaiti	2335
ggggggactg	agacaggaga	atcccttcaa	cccgggaggt	ggaggttgca	gtaagtcaag	2395
atggcaccac	tgtgctccag	cctgggggac	agagcgagac	tccatctcaa	aaaaaaagg	2455
gaatcggacg	aagaaccaca	ggatgttgaa	gacaactgtc	tgaagtatit	gtgagggaca	2515
gcgatgtggc	cctctgtgtt	aagaataacg	tgtcctgctt	iggcagagag	aagaaaatag	2575
ccactgcccg	ctttcaaggc	aagatcgacc	ittctgttt	tgttttgttt	ttctttcttt	2635
ttcctggcca	tgaggacaaa	aaltactgag	tggcccttaa	agagggaagt	ttgttttcag	2695
ctgttctctt	ttgcccgtag	gtgggagggt	ggggattgct	gcgtcctagc	tagaggaatg	2755
gctttgcttg	aatgtgtagt	gcacacgcac	gggtgtttct	gigigciagi	tgcttcttgc	2815
tgctgcttcc	tgcttgtctg	ggactcacat	acataacgtg	atatatat	atatatataa	2875
atgtataaat	atatatttta	tttttttta	aalccitgga	gcttctggtt	cctatcagtt	2935
cctgttgtta	atcgtagaac	cgtigtccci	tcccccattc	ccgtatccat	catgitcili	2995
ttcttttaaa	tatcaatata	aaaggt				3021

<210> 148

<211> 322

<212> PRT

55 <213> Homo sapiens

	<b>\4</b>	007	148						•							
5	Me	t Pr	o Ya	l Th	r Ya	l Thi	r Arg	g Th	r Thi	· He	Thr	Thr	Thi	Thr	Thi	Se
		]				5				10	)				15	;
	Se	r Se	r Gl	y Lei	ı G13	/ Sei	Pro	Me1	i Ile	Val	Gly	Ser	Pro	Arg	Ala	Lei
10				20	)				25	;				30		
	Th	r Gli	n Pro	Lei	ı Gly	/ Let	Leu	Arg	Leu	Leu	Gln	Leu	Val	Ser	Thr	Су
15			38	5				40	)				45			
	۷a	l-Ala	a Phe	: Ser	Leu	Ya!	Ala	Ser	Val	Gly	Ala	Trp	Thr	Gly	Ser	Me 1
		5 (	)				55					60				
20	Gly	Asn	Trp	Ser	Met	Phe	Thr	Trp	Cys	Phe	Ċys	Phe	Ser	٧al	Thr	Leu
	65	;				70					75					80
25	Ile	He	Leu	Ile	Val	Glu	Leu	Cys	Gly	Leu	Gln	Ala	Arg	Phe	Pro	Leu
			-		85					90					95	
30	Ser	Trp	Arg	Asn	Phe	Pro	He	Thr	Phe	Ala	Cys	Tyr	Ala	Gly	Leu	Phe
30				100					105		•			110		
	Cys	Leu	Ser	Ala	Ser	Ile	Ile	Tyr	Pro	Thr	Thr	Tyr	Val	Gln	Phe	Leu
35			115					120					125			
	Ser	His	Gly	Arg	Ser	Arg	Asp	His	Ala	Ile	Ala	Ala	Thr	Phe	Phe	Ser
40		130					135					140				
	Cys	He	Ala	Cys	Val	Ala	Tyr	Ala	Thr	Glu	Val	Ala	Trp	Thr	Arg	Ala
	145					150					155					160
45	Arg	Pro	Gly	Glu	He	Thr	Gly	Tyr	Met	Ala	Thr	Val	Pro	Gly	Leu	Leu
					165					170					175	
50	Lys	Val	Leu	G1 u	Thr	Phe	Yal	Ala	Cys	Ile	Ile	Phe	Ala	Phe	lle	Ser
•	•			180					185					190		
	Asp	Pro	Asn	Leu	Tyr	Gln	His	Gln	Pro	Ala	Leu	Glu	Trp	Cys	Val	Ala
55			105					วกก					205			

Leu Gly Glu Cys Thr Asn Val Leu Pro IIe Pro Phe Pro Ser Phe Leu  225 230 235 240  Ser Gly Leu Ala Leu Leu Ser Val Leu Leu Tyr Ala Thr Ala Leu Val  245 250 255  Leu Trp Pro Leu Tyr Gln Phe Asp Glu Lys Tyr Gly Gly Gln Pro Arg  260 265 270  Arg Ser Arg Asp Val Ser Cys Ser Arg Ser His Ala Tyr Tyr Val Cys  275 280 285  Ala Trp Asp Arg Arg Leu Ala Val Ala IIe Leu Thr Ala IIe Asn Leu  290 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val  30 305 310 315 320  Lys Val  23 (210) 149  (212) DNA  (213) Homo sapiens  (220)  45 (221) CDS  (222) (39) (2027)  50 Met Ser Trp Leu Ser Ser  Net Ser Trp Leu Ser Ser		Val Tyr Ala Ile Cys Phe Ile Leu Ala Ala lle Ala Ile Leu Leu Asn
225 230 235 240  Ser Gly Leu Ala Leu Leu Ser Val Leu Leu Tyr Ala Thr Ala Leu Val  245 250 255  Leu Trp Pro Leu Tyr Gln Phe Asp Glu Lys Tyr Gly Gly Gln Pro Arg 260 265 270  ARS Ser Arg Asp Val Ser Cys Ser Arg Ser His Ala Tyr Tyr Val Cys 275 280 285  Ala Trp Asp Arg Arg Leu Ala Val Ala lle Leu Thr Ala lle Asn Leu 290 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val 305 310 315 320  Lys Val  325 (210) 149 (2112) 4409 (2122) DNA (223) Homo sapiens (220)  45 (222) (39) (2027) 50 Met Ser Trp Leu Ser Ser	5	210 215 220
Ser Gly Leu Ala Leu Leu Ser Val Leu Leu Tyr Ala Thr Ala Leu Val  245 250 255  Leu Trp Pro Leu Tyr Gln Phe Asp Glu Lys Tyr Gly Gly Gln Pro Arg 260 265 270  Arg Ser Arg Asp Val Ser Cys Ser Arg Ser His Ala Tyr Tyr Val Cys 275 280 285  Ala Trp Asp Arg Arg Leu Ala Val Ala Ile Leu Thr Ala Ile Asn Leu 290 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val 30 305 310 315 320  Lys Val  32 (210) 149  (212) DNA (213) Homo sapiens (220)  45 (221) CDS (222) (39). (2027)  46 Met Ser Trp Leu Ser Ser		Leu Gly Glu Cys Thr Asn Val Leu Pro Ile Pro Phe Pro Ser Phe Leu
15	10	225 230 235 240
Leu Trp Pro Leu Tyr Gln Phe Asp Glu Lys Tyr Gly Gly Gln Pro Arg   260   265   270		Ser Gly Leu Ala Leu Leu Ser Val Leu Leu Tyr Ala Thr Ala Leu Val
260 265 270  260 265 270  275 280 285  Ala Trp Asp Arg Arg Leu Ala Val Ala Ile Leu Thr Ala Ile Asn Leu 280 290 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val 300 305 310 315 320  Lys Val  3210 4409  (211) 4409  (212) DNA (213) Homo sapiens (220)  45 (221) CDS (222) (39) (2027)  (400) 149  ggigtcagga tcgcagaaag tatgtccctt ctclcacc atg agc tgg ctc tcc agt 56  Met Ser Trp Leu Ser Ser		245 250 255
Arg Ser Arg Asp Val Ser Cys Ser Arg Ser His Ala Tyr Tyr Val Cys  275 280 285  Ala Trp Asp Arg Arg Leu Ala Val Ala Ile Leu Thr Ala Ile Asn Leu  290 - 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val  300 305 310 315 320  Lys Val  35  (210) 149 (211) 4409 (212) DNA (220) 45 (221) CDS (222) (39) (2027) 50 (400) 149 ggtgtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56 Met Ser Trp Leu Ser Ser	15	Leu Trp Pro Leu Tyr Gln Phe Asp Glu Lys Tyr Gly Gln Pro Arg
275 280 285  Ala Trp Asp Arg Arg Leu Ala Val Ala Ile Leu Thr Ala Ile Asn Leu 25 290 ~ 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val 30 305 310 315 320  Lys Val 35 <210> 149  <211> 4409  <212> DNA  <213> Homo sapiens  <220> 45 <221> CDS  <222> (39) (2027)  50 Met Ser Trp Leu Ser Ser		260 265 270
Ala Trp Asp Arg Arg Leu Ala Val Ala Ile Leu Thr Ala Ile Asn Leu  290 - 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val  30 305 310 315 320  Lys Val  35 <210> 149  <211> 4409  <212> DNA  <213> Homo sapiens  <220>  45 <221> CDS  <222> (39) (2027)  50	20	
25		
Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val  305 310 315 320  Lys Val  35 <210> 149  <211> 4409  <212> DNA  <2213> Homo sapiens  <220>  45 <221> CDS  <222> (39). (2027)  50 <400> 149  ggigtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56  Met Ser Trp Leu Ser Ser	25	
305 310 315 320  Lys Val  35 (210> 149 (211> 4409 (212> DNA (2213> Homo sapiens (220> 45 (221> CDS (222> (39) (2027) (400> 149 ggtgtcagga tcgcagaaag tatgtccctt ctclcacc atg agc tgg ctc tcc agt 56  Met Ser Trp Leu Ser Ser		
Lys Val  35	20	
35	30	
40 <212> DNA <213> Homo sapiens <220> 45 <221> CDS <222> (39). (2027) 50 <400> 149 ggtgtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56 Met Ser Trp Leu Ser Ser 55	35	<210> 149
40 (213) Homo sapiens (220) 45 (221) CDS (222) (39) (2027) 50 (400) 149 ggtgtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56 Met Ser Trp Leu Ser Ser 55		
	40	
45 (221) CDS (222) (39). (2027)  50 (400) 149 ggtgtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56 Met Ser Trp Leu Ser Ser		
<222> (39). (2027) <400> 149 ggtgtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56 Met Ser Trp Leu Ser Ser 55	45	·
50 <400> 149 ggtgtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56 Met Ser Trp Leu Ser Ser 55		
ggtgtcagga tcgcagaaag tatgtccctt ctclcacc atg agc tgg ctc tcc agt 56  Met Ser Trp Leu Ser Ser		·
Met Ser Trp Leu Ser Ser	50	
55		
	55	

	tc	c cas	g 888	gtg	gta	cta	aca	gcc	tac	cac	cco	ago	ggc	aag	gac	cag	104
5	Se	r Gli	n GIy	/ Val	Val	Leu	Thr	Ala	Туг	His	Pro	Ser	Gly	Lys	Asp	Gln	
				10					15					20	١		
10	gco	glo	ggg	aaċ	agc	cat	gca	aag	gca	ggg	gag	gaa	gcc	acc	tcg	agt	152
	Ala	Val	Gly	Asn	Ser	His	Ala	Lys	Ala	Gly	Glu	Glu	Ala	Thr	Ser	Ser	
			25					30				•	35				•
15	cgc	aga	tat	ggc	cag	tac	act	atg	aac	cag	gaa	agc	acc	acc	atc	aaa	200
	Arg	Arg	Туг	Gly	Gln	Tyr	Thr	Me t	Asn	Gln	Glu	Ser	Thr	Thr	lle	Lys	
. 20		40					45					50				•	
	gtt	atg	gag	aag	cct	cca	ttt	gat	cga	tca	att	tcc	cag	gať	tct	ttg	248
25			Glu	Lys	Pro		Phe	Asp	Arg	Ser	lle	Ser	Gln	Asp	Ser	Leu	
	55		-			60					65					70	
				tct													296
30	Asp	Glu	Leu	Ser		Glu	Asp	Tyr	Trp		Glu	Leu	Glu	Asn		Lys	
					75					80					85		
35				gaa													344
	Lys	Ser	Ser	Glu	Asn	Ser	Gln	Glu		Gln	Glu	Val	Val		Va}	Lys	
40		1		90					95					100			
				gag													392
	VIU	LIO		Glu	GIA	610	ren		•	GIU	110	Leu		Głu	Ala	GIŢ	
45	***	tee	105	o t o	110	~~^	م. <u>.</u>	110		~~^	~~1		115				440
				ctc													440
50	Leu		VOII	Leu	rne	GIY		261	міа	GIY	ASP		611	GIU	ser	116	
	<b>-4</b>	120		4			125					130					
55				tca													488
	Va)	Phe	ren	Ser	Thr	Lev	Thr	Arg	Thr	Gln	Ala	Ala	Ala	Val	Gln	Lys	

	13	5				140	)				145	5				150	
5	cg	a gt	a ga	g acı	ggto	c to	cas	g acc	tte	gag	g aas	aaa	aac	aa	a ca	g tac	536
	Ar	g Va	l G1:	u Tha	r Val	Ser	Glr	The	Leu	Arg	Lys	Lys	Ası	Ly:	s Gli	ı Tyr	
10					155	i				160	)				165	j	
,,,	Cas	g at	t cct	gac	gio	aga	gac	ata	ttt	gct	caa	cag	aga	gaa	tca	aaa	584
	Gli	ı Ile	Pro	Asp	Val	Arg	Asp	lle	Phe	Ala	Gin	·Gln	Arg	Glu	Ser	Lys	
15				170	)				175			•		180	)		
																gaa	632
20	Glu	Thr	Ala		Gly	Gly	Thr	Glu	Ser	Gln	Ser	Leu	Arg	Thr	Asn	Glu	
			185					190		•			195				•
25			tac														680
		200	Tyr -	GIN	GIY	Arg	205	ASP	GIU	Ala	Ser		Leu	Val	Gly	Glu	
	gag		clg	atc	cca	cct		727	200	cct	acc	210	g a a	202	<b>720</b>	212	710
30			Leu														728
	215					220					225		٠,٠٠	• • • •	7107	230	•
35	aac	ctg	gag	gta	tca	ttt	gcc	gag	caa	gca	ctc	aat	cag	aaa	gag		776
	. Asn	Leu	Glu	Val	Ser	Phe	Ala	Glú	Gln	Ala	Leu	Asn	Gln	Lys	Glu	Ser	
40					235					240					245		
	tcc	aag	gag	aaa	atc	cag	aag	agc	aaa	ggc	gat	gat	gcc	aca	t t a	cci	824
	Ser	Lys	Glu	Lys	He	Gln	Lys	Ser	Lys	Gly	Asp	Asp	Ala	Thr	Leu	Pro	
45				250					255					260			
			aga			•											872
50	Ser		Arg	Leu	Pro	Lys	Asp	Lys	Thr	Gly	Thr	Thr	Arg	He	Gly	Asp	
			265					270					275				
55	ctc													٠		•	920
	Leu .	Ala	Pro	Gln.	Asp	Met	Lys	Lys	Va l	Cys	His	Leu	Ala	Leu	He	Glu	

•	280		285	290	
. 5	ctg act	gcc ctc tat	gat gia tig gg	t att gag ctg aaa	caa caa aaa 968
	Leu Thr	Ala Leu Tyr	Asp Val Leu Gl	y Ile Glu Leu Lys	Gln Gln Lys
40	295		300	305	310
10	gct gtg	aaa atc aaa	aca aaa gat to	t ggt ctt ttt tgc	gtt cca ttg 1016
	Ala Val	Lys Ile Lys	Thr Lys Asp Se	r Gly Leu Phe Cys	Val Pro Leu
15		315		320	325
	aca gcg	cta tta gaa	caa gat cag ag	g aaa gta cca gga	atg cga ata 1064
20	Thr Ala	Leu Leu Glu	Gln Asp Gln Ar	g Lys Val Pro Gly	Met Arg Ile
		330	33	5	340
25				t cga att gaa gag	
				r Arg lle Glu Glu	Arg Gly Leu
		345	350	355	
30				t gga gct gcc att	
	360	GIU GIY LEU	365	o Gly Ala Ala Ile 370	Alg He Lys
35		tgc caa gaa		g til tat gaa ggg	act ttt aat 1208
				s Phe Tyr Glu Gly	
40	375		380	. 385	390
	tgg gaa	agt gtc aaa	cag cat gat gc	c gcc agc ctg ctg	aag ctc ttc 1256
45	Trp Glu	Ser Val Lys	Gln His Asp Al	a Ala Ser Leu Leu	Lys Leu Phe
		395	•	400 .	405
	att cgg	gag tig ccc	cag cca ctg ct	c agt gtg gag tat	ctc aaa gcc 1304
50	lle Arg (	Glu Leu Pro	Gln Pro Leu Le	u Ser Val Glu Tyr	Leu Lys Ala
		410	41	5	420
55	iii cag i	gct gtc cag	aat ctt cca ac	c aag aag cag caa	cta cag gct 1352

	Phe Gln	Ala Val Gln	Asn Leu Pro Thr	Lys Lys Gln Gln L	eu Gln Ala
5		425	430	435	
	ttg aac	ctt ctt ggc	atc ctc cta cct	gat gca aac agg g	ac aca ctg 1400
	Leu Asn	Leu Leu Gly	lle Leu Leu Pro	Asp Ala Asm Arg A	sp Thr Leu
10	440	٠	445	450	•
	aag gcc	ctt ctt gaa	ttt ctc caa aga	gta ata gat aat a	aa gaa aaa 1448
15	Lys Ala 1	Leu Leu Glu	Phe Leu Gln Arg	Val Ile Asp Asn Ly	s Glu Lys
	455	·	460	465 .	470
20	aat aaa	atg aca gtc	atg aat gta gca	atg gtc atg gcc co	cg aat ctc 1496
	Asn Lys 1	Met Thr Val	Met Asn Val Ala	Met Val Met Ala Pi	ro Asn Leu
		475		480	485 .
25	ttt atg	tgt cat gca	itg gga tig aag	tcc agt gaa cag ca	ga gaa ttt 1544
	Phe Met (	Cys His Ala	Leu Gly Leu Lys	Ser Ser Glu Gln Ai	g Glu Phe
· 30		490	495	5(	00
			•	alg cac tta ttg al	
<i>35</i>	•			Met His Leu Leu II	e Lys Tyr
		505	510	515	
				tit att gta aac ca	
40	520	ed ted 11p	525	Phe Ile Val Asn Gi 530	u sai viā
		196 969 989 3		gal aaa aga gcc at	g aag aaa 1688
45			•	Asp Lys Arg Ala Me	
	535		540	545	550
50				gaa aaa tat gaa aa	
30		•		Glu Lys Tyr Glu Ly	
	2-3 200 2	555	,	560	565
55	aag agt a		get gae git eet	cag gga gtg att cg	
				00m 018 011 C8	u 016 cad 1104

	Lys Ser Thr Asn Asp Ala Asp Val Pro Gln Gly Val Ile Arg Val Gln	
5	570 575 580	
J	gct ccc cat ctt tcg aaa gtt tcc atg gca ata cag cta act gaa gaa	1832
	Ala Pro His Leu Ser Lys Val Ser Met Ala Ile Gln Leu Thr Glu Glu	
10	585 590 595	
	cta aaa gcc agt gat gta ctt gcc agg ttt ctc agc caa gaa agt ggg	1880
15	Leu Lys Ala Ser Asp Val Leu Ala Arg Phe Leu Ser Gln Glu Ser Gly	
	600 605 610	
20	gtt gcc cag act ctc aag aaa gga gaa gtt ttt ttg tat gaa att gga l	1928
	Val Ala Gln Thr Leu Lys Lys Gly Glu Val Phe Leu Tyr Glu Ile Gly	
	615 620 625 630	
25	gga aat att ggg gaa cgc tgc ctt gat gat gac act tac atg aag gat l	1976
	Gly Asn Ile Gly Glu Arg Cys Leu Asp Asp Asp Thr Tyr Met Lys Asp	
30	635 640 645	
	tta tat cag ctt aac cca aat gct gag tgg gtt ata aag tca aag cca 2	2024
35	Leu Tyr Gln Leu Asn Pro Asn Ala Glu Trp Val Ile Lys Ser Lys Pro	
	650 655 660	
	·	2077
40	Leu	
	tigcigagic aagagigiaa ataaaagaaa iggcaggaci catattatic agiigiacce 2	
45	aagtattiaa aaatgactot ollaagoott aaaaagtoat agatttgigo tgoigooaga 2	
	attatattaa ttattattaa tgitattatt agaaaaaaaa ttictggagi gagagtaaag 2	
50	aggettaatt agittgiggg eagitticat algeietgig aaalgigtee agaigigaea 2	
	lagilittit tittittaat aigiggaaat gicticicit cocaticiti icicciaaaa 2	
	tcatatatac tgtaatatat gctctctcac ctctattacc tcctcacatc taccctttcc 2	
55	cagitaggii igcililiga ccaaaaagai aacaaatacc aggialggca agilgigaag 2	չ497

ê	acagcacati	aaaacatacc	taatttcaca	gtattcctgt	cacgacagaa	igitagiati	2557
(	catetettie	aatcatttgc	tcaaataata	acattccacc	ttttcctgct	gtatcacagg	2617
8	agtgattie	cattttttt	cagticatet	gacttatgit	cacagaaccg	tatcagcgac	.2677
C	aagaaaata	ggactgtcag	aagctgccag	tiattactga	accattaaat	acttatatac	2737
ŧ	aagaataaa	taaaatatac	ccatgtgaaa	taataattgg	attatggata	acaagagagt	2797
g	aaagccaaa	gcactttctg	tctactgtac	tcttctaaat	ggaatttaa	aagtcatagc	2857
t	ggctttacg	tgttgtcatt	attagcatta	taaatatgca	tgatagtata	atccagtaat	2917
g	gttgaagaa	tgtattttac	ttaaagaggg	attttttt	ttaagtcctg	aataagtota	2977
c	tggaagaat	tattcttctg	ggtgaaaagc	ttttgtttgt	gticttattt	taaataatcg	3037
g	agtcaattt	attaaaatgt	tcttgaaagt	actattccca	gggatttaa	tgcacaaacc	3097
а	tattgtgac	aagagatgag	cctctgtact	gtaaataaga	aatgaagtag	agaaatgtta	3157
a	atatttat -	gagtttagaa	tatagtaaat	aaaaggtgat	gtaaatgaat	gctgcacaaa	3217
C.	gglgttcat	gatacittia	gtagtacttt	aggaaaaact	acacattctc	agaagctctt	3277
g	atgicicia	atgaaggggg	ggaatgctgt	taatgagaac	agtcataaat	ttttagcata	3337
t	aattacaag	aacagcctgt	ggalatgalc	acttaaatga	titigiggig	attcgtgcca	3397
t	tgctttttt	atttaaaaga	aaatttgta	attaaatgce	ttttctaaa	ttatcttctc	3457
t	tggaatcat	tactttlaat	cctatgtgtt	tatgagtatt	ttigctitti	ttttattaat	3517
a	ttgagaaat	ggacttttt	gttattaaaa	gtcacctcta	ttttctattt	tctttgtaat	3577
t	litaaagta	ggaagatgtc	agagatgtaa	atatgttttc	glctttagtt	tttttccttt	3637
t a	acaaatttt	tattcttcag	gattticaaa	atacagttta	gicigitici	ttgacaatat	3697
gl	lattaattt	cccaattagc	aaaatggtac	ttattagtgg	gitgaaaaca	attaataata	3757
t a	aaagaaaa	attaagtgct	taaaacatti	taggagtata	caacttcaaa	aaaaaagala	3817
gc	agtgagga	taatgattta	agtaaaaggt	tglctgaagc	atatgccaac	taaatttcgc	3877
aa	cgittgct	acctacctga	aaaggagggt	caggagggag	acacaacata	titttgatca	3937
t g	gaaaaagta	tcttaatttt	aaaaaagtga	aaatgccatt	ttattttgaa	tcccttttag	3997
a a	ctcacgac	ccaagitcai	caatgitgaa	taatatcacg	tttaaataac	aaaaaatat	4057
gg	actitaaa	aaatctcaaa	tttittagag	acagggicti	gclcigittt	ccagattgga	4117

	gtgcagcagt gcattcgcgg ctaactgcag cctcaagcac tggggctcaa gcaaacctcc 4177	,
5	tgcctcagcc tcgtgagtag ctaggaccac aggtgcatgc caccatgcct ggctctaaag 4237	
	agaaaaaaaa ctigatacca tagagcciig aatataaata teetgatgit aacetactge 4297	
10	ttitgcigig attititic citagigagi litaaatcic aggctagati titaliigit 4357	
	tttctgtgtg tgtatgagac aaaataaaaa taaatatatt tgccttgagt tt 4409	
	<210> 150	
15	<b>&lt;211&gt;</b> 663	
	<212> PRT	
20	(213) Homo sapiens	
	<400> 150	
25	Met Ser Trp Leu Ser Ser Gln Gly Val Val Leu Thr Ala Tyr His	
	1 5 10 15	
	Pro Ser Gly Lys Asp Gln Ala Val Gly Asn Ser His Ala Lys Ala Gly	
30	20 25 30	
	Glu Glu Ala Thr Ser Ser Arg Arg Tyr Gly Gln Tyr Thr Met Asn Gln	
35	35 40 45	
	Glu Ser Thr Thr Ile Lys Val Met Glu Lys Pro Pro Phe Asp Arg Ser	
40	50 55 . 60	
-	Ile Ser Gln Asp Ser Leu Asp Glu Leu Ser Met Glu Asp Tyr Trp Ile	
	65 70 75 80	
45 ·	Glu Leu Glu Asn lle Lys Lys Ser Ser Glu Asn Ser Gln Glu Asp Gln	
	85 90 95	
50	Glu Val Val Val Lys Glu Pro Asp Glu Gly Glu Leu Glu Glu Glu	
	100 105 110	
	Trp Leu Lys Glu Ala Gly Leu Ser Asn Leu Phe Gly Glu Ser Ala Gly	
55	115 120 . 125	

	Asp	Pro	Gln	Glu	Ser	Ile	Va)	Phe	Leu	Ser	Thr	Leu	Thr	Arg	Thr	Gln
5		130	)				135			•		140				
	Ala	Ala	Ala	Val	Gln	In Lys Arg Val       Glu Thr Val       Ser Gln Th         150       155         In Tyr Gln Ile       Pro Asp Val       Arg Asp Il         65       170         er Lys Glu Thr Ala Pro Gly Gly Thr Gl       185       19         sn Glu Asn Lys Tyr Gln Gly Arg Asp As       200       205         ly Glu Glu Lys Leu Ile Pro Pro Glu Gl       215       220         sp Ile Asn Leu Glu Val       Ser Phe Ala Gl       230       235         su Ser Ser Lys Glu Lys Ile Gln Lys Se       250       250         su Pro Ser Phe Arg Leu Pro Lys Asp Ly       265       27         sy Asp Leu Ala Pro Gln Asp Met Lys Ly       285       285         se Glu Leu Thr Ala Leu Tyr Asp Val Le       295       300         n Lys Ala Val Lys Ile Lys Thr Lys As       310       315         so Leu Thr Ala Leu Glu Gln Asp Gl       315	Thr	Leu	Arg							
10	145					150					155					160
	Lys	Lys	Asn	Lys	Gln	Tyr	Gln	He	Pro	Asp	Val	Arg	Asp	lle	Phe	Ala
15			•		165					170		٠			175	
	Gln	Gln	Arg	Glu	Ser	Lys	G) u	Thr	Ala	Pro	Gly	Gly	Thr	Glu	Ser	Gln
				180					185			٠		190		
20	Ser	Leu	Arg	Thr	Asn	Glu	Asn	Lys	Tyr	Gln	Gly	Arg	Asp	Asp	Glu	Ala
			195					2,00					205			
25	Ser	Asn	Leu	Val	Gly	Glu	GI u.	Lys	Leu	Ile	Pro	Pro	Glu	Glu	Thr	Pro
		210	~				215					220				
	Ala	Pro	Ala Ala Val Gin Lys Arg Valor  150  Lys Asn Lys Gin Tyr Gin 11  165  Gin Arg Glu Ser Lys Glu Ti  180  Leu Arg Thr Asn Glu Asn Ly  195  Lys Glu Glu Glu Ly  215  To Glu Thr Asp Ile Asn Le  230  Sn Gin Lys Glu Ser Ser Ly  245  sp Ala Thr Leu Pro Ser Ph  260  hr Arg Ile Gly Asp Leu Al  275  28  eu Ala Leu Ile Glu Leu Th  90  295  eu Lys Gin Gin Lys Ala Va  310	Leu	Glu	Val	Ser	Phe	Ala	Glu	Gln	Ala				
30	225					230					235					240
	Leu	Asn	Gln	Lys	Glu	Ser	Ser	Lys	Glu	Lys	Ile	Gln	Lys	Ser	Lys	Gly
35					245					250					255	
	Asp	Asp	Ala	Thr	Leu	Pro	Ser	Phe	Arg	Leu	Pro	Lys	Asp	Lys	Thr	Gly
40				260					265					270		
.•	Thr	Thr	Arg	lle	Gly	Asp	Leu	Ala	Pro	Gln	Asp	Met	Lys	Lys	Val	Cys
45	His	Leu	Ala	Leu	I ŀe	Glu		Thr	Ala	Leu	Tyr	Asp	Val	Leu	Gly	He
•		290					295					300				
50	Glu	Leu	Lys	Gln	Gln	Lys	Ala	Val	Lys	lle	Lÿs	Thr	Lys	Àsp	Ser	Gly
	305		•			310					315					320
	Leu	Phe	Cys	Val	Рго	Leu	Thr	Ala	Leu	Leu	Glu	Gln	Asp	Gln	Arg	Lys
55					325					330					335	

	Val	Pro	Gly	Me t	Arg	He	Pro	Leu	He	Phe	Gln	Lys	Leu	He	Ser	Arg
5				340					345					350		
	He	Glu	Glu	Arg	Gly	Leu	Glu	Thr	Glu	Gly	Leu	Leu	Arg	He	Pro	Gly
			355					360					365			
10	Ala	Ala	He	Arg	He	Lys	Asn	Leu	Cys	Gln	Głu	Leu	Glu	Ala	Lys	Phe
		370					375					380		•		
15	Tyr	Glu	Gly	Thr	Phe	Asn	Trp	Glu	Ser	Va]	Lys	Gln	His	Asp	Ala	Ala
	385					390					395					400
20	Ser	Leu	Leu	Lys	Leu	Phe	lle	Arg	Glu	Leu	Pro	Gln	Pro	Leu	Leu	Ser
25					405					410					415	
	Val	Glu	Tyr	Leu	Lys	Ala	Phe	Gln	Ala	Val	Gln	Asn	Leu	Pro	Thr	Lys
25			_	420					425					430		
	Lys	Gln	Gjn	Leu	Gln	Ala	Leu	Asn	Leu	Leu	Gly	Ile	Leu	Leu	Pro	Asp
30			435	•				440					445			
	Ala	Asn	Arg	Asp	Thr	Leu	Lys	Ala	Leu	Leu	Glu	Phe	Leu	Gln	Arg	Val
		450					455					460				
35		Asp	Asn	Lys	Glu		Asn	Lys	Met	Thr	Val	Met	Asn	Val	Ala	Met
	465					470					475					480
40	Val	Met	Ala	Pro		Leu	Phe	Met	Cys		Ala	Leu	Gly	Leu		Ser
					485					490					495	
45	Ser	Glu	Gln		Glu	Phe	Val	Met		Ala	Gly	Thr	Ala		Thr	Met
45		_		500	•	_		,	505	,				510		
	His	Leu		He	Lys	Tyr	GIn		Leu	Leu	Trp	Thr		Pro	Lys	Phe
50			515					520					525			
	He	Val	Asn	Gln	Val	Arg		Gin	Asn	Ihr	Giu		His	Lys	Lys	qzk
55		530					535					540				
	Lys	Arg	Ala	Met	Lys	Lys	Leu	Leu	Lys	Lys	Me t	Ala	Туг	Asp	Arg	Glu

	545	550	555	560
5	Lys Tyr Glu Ly	s Gln Asp Lys	Ser Thr Asn Asp Ala As	p Val Pro Gln
		565	. 570	575
10	Gly Val Ile Ar	g Val Gln Ala I	Pro His Leu Ser Lys Va	l Ser Met Ala
	58	0	585	590
٠	lle Gln Leu Th	r Glu Glu Leu I	Lys Ala Ser Asp Val Le	u Ala Arg Phe
15	595	<b>{</b>	600	5
	Leu Ser Gln Gl	u Ser Gly Val A	Ala Gin Thr Leu Lys Ly	s Gly Glu Val
20	610	615	620	•
			Asn Ile Gly Glu Arg Cys	
25	625	63,0	635	640
	ASP INT AYR ME	645	'yr Gln Leu Asn Pro Asi 650	655
30	Val Ile Lys Se			
30	66			
35	<210> 151			
	<211> 4490			
40	<212> DNA <213> Homo sap	ons		
	<220>	6112	,	•
45	<221> CDS			
	<222> (3) (259			
	<400> 151	•	· .	
50	aa atg ggc tac	atc ccc tcc tc	c tat gig cag ccc tig	aac tac cgg 47
	Met Gly Tyr	lle Pro Ser Se	r Tyr Val Gln.Pro Leu	Asn Tyr Arg
55	1 .	. 5	10	15

	aac	cica	aca	ctg	agt	gad	agc	ggt	atg	att	gat	aat	ctt	cca	gac	agc	95
5	Ast	Se r	Thi	Leu	Ser	Asp	Ser	Gly	Met	lle	Asp	Asn	Leu	Pro	Asp	Ser	
					20			٠		25					30		
10	cca	gac	gag	gta	gcc	aag	gag	ctg	gag	cig	ctc	ggg	gga	tgg	aca	gat	143
	Pro	Asp	Glu	Val	Ala	Lys	Glu	Leu	Glu	Leu	Leu	Gly	Gly	Trp	Thr	Asp	
	•			35				•	40			٠		45			·
15	gac	aaa	aaa	gta	cca	ggc	aga	atg	tac	agt	aat	aac	cct	ttc	tgg	aat	191
	Asp	Lys	Lys	Yal	Pro	Gly	Arg	Me t	Туг	Ser	Asn	Asn	Pro	Phe	Trp	Asn	
20	•		50		٠			55					60				
	ggg	gtc	cag	acc	aat	cca	ttt	ctg	aat	ggg	aac	gtg	ccc	gtc	atg	ccc	239
25	Gly	Val	Gln	Thr	Asn	Pro	Phe	Leu	Asn	Gly	Asn	Val	Pro	Val	Met	Pro	
		65				ė	70					75					
				gag													287
30		Leu	Asp	G) u	Leu		Pro	Lys	Ser	Thr		Asp	Leu	Leu	Leu		
	80		4	•		85		•			90					95	
35				aca										•			335
	ASP	Ala	ы	Thr		Ser	rne	111	610		261	261	Ala	Inr		AST	
40		201		224	100	* * * *	<b>50</b> f	<b>a</b> 0. <b>a</b>		105	<b>-1</b> -0				110		
				Asn				•									. 383
	567	1111	017	115	210	1 110	nsp	010	120	110	741	1111	лош	125	Leu	n i S	
15	gc a	gag	CCR	ccg	gtc	200	cġg	gar		ccc	tte	itc	202		220	cac	431
				Pro													
		•••	130	•••		0	0	135					140		<b>D</b> ,0		
	toc	tac		ctc	tcg	gaa	ctc		gtc	ctc	caa	gcc		tcc	gar	get	479
55				Leu													31J
													_, .		u		

		145			•		150					155	•			•	
5	ccc	aca	tcg	tcg	agt	ttc	ttc	acc	ggc	ttg	aaa	tca	cct	gcc	ccc	gag	527
•	Pro	Thr	Ser	Ser	Ser	Phe	Phe	Thr	Gly	Leu	Lys	Ser	Pro	Ala	Pro	Glu	•
	160					165					170					175	
10	caa	ttt	cag	agc	cgg	gag	gat	ttt	cga	act	gcc	tgg	cta	aac	cac	agg	575
	Gln	Phe	Gln	Ser	Arg	Glu	Asp	Phe	Arg	Thr	Ala	Trp	Leu	Asn	His	Arg	
15					180					185					190		
	aag	ctg	gcc	cgg	lct	t gc	cac	gac	ctg	gac	tig	ctt	ggc	.caa	agc	cct	623
20	Lys	Leu	Ala	Arg	Ser	Cys	His	Asp	Leu	Asp	Leu	Leu	Gly	Gln	Ser	Pro .	
				195					200				.•	205			
	ggt	tgg	ggc	cag	acc	caa	gcc	gtg	gag	aca	aac	atc	gtg	tgc	aag	ctg	671
25	Gly	Trp	Gly -	Gln	Thr	Gln	Ala	Yal	Glu	Thr	Asn	Ile	Val	Cys	Lys	Leu	
•			210					215					220				
30	gat	agc	tcc	ggg	ggt	gct	glc <sub>.</sub>	cag	ctt	cct	gac	acc	agc	atc	agc	alc	719
	Asp	Ser	Ser	Gly	Gly	Ala	Val	Gln	Leu	Pro	Asp	Thr	Ser	Ile	Şer	Ile	
		225					230					235					
35	cac	gtg	ccc	gag	ggc	cac	gtc	gcc	cct	ggg	gag	acc	cag	cag	atc	tcc	767
		Val	Pro	Glu	Gly		Val	Ala	Pro	Gly		Thr	GIn	GIn	Ile		
40	240					245					250					255	•
		aaa -					•										815
45	Met	Lys	Ala	Leu		Asp	Pro	Pro	Leu		Leu	Asn	Ser	Asp		Ser	
43					260					265					270		
		agc				•											863
50	Cys	Ser			Pro	Val	Leu	Glu		Lys	Leu	Ser	asa		Glu	Val	
				275					280					285			
55	aaa																911
	Lys	Thr	Ser	He	lle	Leu	Glu	Met	Lys	Val	Ser	Ala	Glu	He	Lys	Asn	

			290	)				295					300				
5	gao	cti	tti	ago	aaa	ago	aca	gtg	ggc	ctc	cag	tgc	ctg	agg	ago	gac	959
	Asp	Leu	Phe	Ser	Lys	Ser	Thr	Val	Gly	Leu	Gln	Cys	Leu	Arg	Ser	Asp	
10		305	,				310	)				315					
	tcg	aag	gaa	ggg	cca	tat	gto	tcc	gtc	ccg	ctc	aac	tgc	agc	tgt	ggg	1007
	Ser	Lys	Glu	Gly	Pro	Tyr	Val	Ser	Vail	Pro	Leu	Asn	Cys	Ser	Cys	Gly	
15	320					325					330					335	
	gac	acg	gtc	cag	gca	cag	ctg	cac	aac	ctg	gag	ccc	tgt	atg	tac	gtg	1055
20	Asp	Thr	Va 1	Gln	Ala	Gln	Leu	His-	Asn	Leu	Glu	Pro	Cys	Met	Tyr	Val	
					340					345					350		
25	•			gcc											•		1103
	Ala	Val	-Val	Ala	His	Gly	Pro	Ser		Leu	Tyr	Pro	Ser		Val	Trp	
		***		355			-4-		360	4	- 4 -			365			
30				aat													1151
	лзр	1116	370	Asn	L)3	LA2	491	375	441	GIY	ren	Iğr	380		Lys	HIS	
35	atc	cac		tcc	ttc	aag	acg		ete	acc	att	111			go.c	tat	1199
				Ser		•											1133
40		385				•	390					395			,	<b>7,</b> 0	
	gcc	cca	aag	acg	clc	ctg	glc	agc	gag	glc	aca	cgc	cag	gca	ccc	aac	1247 -
45	Ala	Pro	Lys	Thr	Leu	Leu	Val	Ser	Glu	Val	Thr	Arg	Gln	Ala	Pro	Asn	•
43	400					405	•				410					415	
	cct .	gcc	ccg	gtg	gcc	clg	cag	ctg	tgg	ggg	aag	cac	cag	ttc	gtt	tlg	1295
50	Pro .	Ala	Pro	Va-l	A.I.a.	Leu	-G-1-n-	Leu-	T.r.p.	GIy	Lys-	His-	Gl-n-	Phe-	Val	Leu	
	•			,	420					425					430		
55	tcc	agg	ccc	cag	gat	clc	aag	glc	tgt	atg	ttt	tcc	aat	atg	acg	aat	1343

	S	еr	Arg	у Рг	o Gla	n As	p Le	u Ly	s Va	l Cys	s Me	t Phe	Se	r Asi	n Me	t Th	r Asn	
5					43	5				44(	)				44	5		
	t	ac	gag	gto	c aaa	a gc	ago	ga	g cas	g gc (	aaa	a gtg	gte	cg	a 'gg	a tto	cag	1391
10	T	ŗ	Glu	Val	Lys	s Ala	Se i	r Gli	ı Glı	Ala	Lys	s Val	Va 1	Arg	g Gl	y Phe	G-1 n	
10				450	)				455	i				460	)			
	cı	g	aag	cts	g ggc	aag	gtg	ago	cgc	ctg	ato	ttċ	ccc	ato	aco	tco	cag	1439
15	Le	u	Lys	Leu	Gly	Lys	Val	Sei	Arg	Leu	Ile	Phe	Pro	He	Thi	Ser	Gln	
			465					470	)				475		•			
20	aa	C	ccc	aac	gag	ctc	tct	gac	ttc	acg	ctg	cgg	gtt	cag	gte	aag	gac	1487
	As	n	Pro	Asn	Glu	Leu	Ser	Asp	Phe	Thr	Leu	Arg	Val	Gln	Val	Lys	dsA.	
	48	0					485					490					495	
<b>25</b> .	ga	С	cag	gag	gcc	atc	ctc	acc	cag	ttt	tgt	gtc	cag	act	cct	cag	cca	1535
	As	p (	Gln	Glu	Ala	Ile	Leu	Thr	Gln	Phe	Cys	Val	Gln	Thr	Рго	Gln	Pro	
30						500					505					510		
												caa						1583
95	Pro	o I	610	Lys		Ala	lle	Lys	Pro		Gly	Gln	Arg	Arg	Phe	Leu	Lys	
35					515					520					525			
												ccg						1631
40	Lys	i A			Vaj	Gly	Lys	He		Leu	Ser	Pro	Phe		Thr	Thr	Thr	•
				530					535					540				
45												1cc						1679
	Lys		45		1111	rne	וונט	550	YIR.	rio	Yaı	Ser		Leu	Lys	Phe	Gly	
	. 220			n i n	220	201	ata		C 17 17				555			- 4 -		1202
50												aag					·	1.727
	560		eu i	Leu	LA2			141	VIR	VIII	ASII	Lys	AŞII	uis	lyr	Leu		
55							565		n t -	<b>70</b> -	<b>~ 1</b> -	570					575	
	gag	L	at a	gsı	aag	RRC	Rac	RRB	аlС	RCC	CIB	ctc	agc	gag	gag	cgg	gtc	1775

	Glu Tyr Lys L	ys Gly Asp Gly Il	e Ala Leu Leu Ser	Glu Glu Arg Val	
5		580	585	5,90	
	agg ctc cgg gg	gc cag cig igg ac	c aag gag tgg tac	atc ggc tac tac 1823	
10	Arg Leu Arg G	y Gln Leu Trp Th	r Lys Glu Trp Tyr	lle Gly Tyr Tyr	
	59	95	600	605	
15	cag ggc agg gl	g ggc ctc gtg ca	c acc aag aac gtg (	ctg gtg gtc ggc 1871	
15		l Gly Leu Val Hi	s Thr Lys Asn Val I	eu Val Val Gly	
	610	61:		520	
20			g ggc ccc gag cig a		
	Arg Ala Arg Pr 625	o ser Leu Cys se	r Gly Pro Glu Leu S 635	Ser Thr Ser Val	
25			tgc aaa ttc ctc a	icg tac atc tat 1967	
		•	Cys Lys Phe Leu T		
30	640	645	650	655	
	gcc tcc gtg ag	g acc ctg ctc atg	gag aac atc agc a	gc tgg cgc tcc 2015	
35	Ala Ser Val Ar	g Thr Leu Leu Mei	Glu Asn Ile Ser S	er Trp Arg Ser	
		660	665	670	
	tic gct gac gc	c ctg ggc tac gtg	aac ctg ccg ctc a	cc ttt ttc tgc 2063	
40			Asn Leu Pro Leu T	hr Phe Phe Cys	
	679		680	685	
45			gag cgg gtg gcg t	·	
	Arg Ara Gru Let	ASP Ser GIU Pro	Glu Arg Val Ala S		
50			act gag aac aaa g	00	
			Thr Glu Asn Lys G		
55	705	710	715	in his bis act	
		,	110		

	Į i	c ca	g aa	g gas	g ct	l gl	gat	g gc	CCL	a cta	3 8 8	ate	ga	c tg	c ca	g gg	2207
5	Ph	e Gli	n Ly:	s Glu	Le	ı Val	l Me	t Ala	Lei	ı Lev	Lys	Mel	Ası	р Су	s Gl	n Gly	
	72	0				725	5				730	)				735	i
	ct	ggtg	geto	aga	cto	ato	cag	g gad	tt	gtg	çtc	ctg	aco	ace	g gc	t gta	2255
10	Lei	ı Val	Val	Arg	Leu	He	GIT	ı Asp	Phe	. Vai	Leu	Leu	Thr	Thi	r Ala	a Val	
					740	)				745		•			750	)	
15	gag	gtg	gcc	cag	cgc	tgg	cgg	gag	clg	gct	gag	aag	ctg	gco	aag	gtc	2303
	Gli	Va]	Ala	Gln	Arg	Trp	Arg	Glu	Leu	Ala	Glu	Lys	Leu	Ala	Lys	Val	
20			•	755					760					765	ı		•
	tcc	aag	cag	cag	atg	gac	gcc	tac	gag	tct	ccc	cac	cgg	gac	agg	aac	2351
	Ser	Lys	Gln	Gln	Me t	Asp	Ala	Tyr	Glu	Ser	Pro	His	Arg	Asp	Arg	Asn	
25			770					775					780				
	ggg	gtt	glg	gac	agc	gag	gcc	alg	igg	aag	cct	gcg	tat	gac	ttc	tta	2399
30	Gly	Val	Val	Asp	Ser	Glu	Ala	Met	Trp	Lys	Pro	Ala	Tyr	Asp	Phe	Leu	
	•	785					790					795					
	ctc	acc	tgg	agc	cat	cag	atc	ggg	gac	agc	tac	cgg	gat	gtc	atc	cag	2447
35	Lev	Thr	Trp	Ser	His	Gln	lle	Gly	Asp	Ser	Tyr	Arg	Asp	Val	He	Gln	
	800					805					810					815	
40	gag	ctg	cac	ctg	ggc	ctg	gac	aag	alg	aaa	aac	ccc	atc	acc	aag	cgc	2495
	Glu	Leu	His	Leu	Gly	Leu	Asp	Lys	Me t	Lys	Asn	Pro	Ile	Thr	Lys	Arg	
					820			٠		825					830		
45	tgg	aag	cac	ctc	act	ggg	açt	ctg	atc	tig	gtg	aac	tcc	ctg	gac	gtt	2543
	Trp	lys 1	His :	Leu 1	l h r	Gly	Thr	Leu	He	Leu	Val.	Asn	Ser	Leu	Asp	Yal	
50			i	835					840					845			
	ctg	aga (	gca (	gcc g	cc	itc.	agc	cct	gcg	gac	cag	gac	gac	ttc	gig	att	2591
E E	Leu	Arg A	Ala /	Ala A	lal	Phe :	Ser	Pro	Ala	Asp (	Gln 1	Asp.	Asp	Phe	Va]	lle	
55	•	8	350					855					860				

	tgaatgggt	ccctcccct	ctgctgctct	ggagigcaag	ccctcttctg	ccctgcgtgc	265
	cctgctgtc	a ccgcggagci	gaagagggag	. gaaggggcgg	cigcicagac	agatttaggg	2711
	cccgccagc	t aggctacaco	catcatgcgc	cgccctcctc	catcgaggga	gaggcctgaa	2771
	gggactgcct	l actgcagcto	gttgccaatc	acatagettt	ctatttgtta	agtataaatt	2831
	taaatttaaa	atcactttt	taacgaatgg	ggggaaggga	tctatgagaa	aggtggtatc	2891
	taatttttt	atggaccata	aaggittaaa	agaaaatagg	ggcacagggt	gttgaggttt	2951
	ttatgttgtt	atagaccttt	ttaaattatg	ttagagatgt	atataggtat	ttaaaggtca	3011
	ctgggagcat	itcigatico	cggccacact	. itgcalitca	acactcagcc	cggaaagatg	3071
	ctcgttcggt	tgttggacct	ctttcactcc	ctgcgtgtaa	gaaggtgaat	cacgtgggaa	3131
	aaagtggctt	ttcagtaaac	gggtacagct	caltctttct	gagaaggccc	caggiccigc	3191
	teceteeteg	gattigatig	tcttccgtgc	tttgcctcac	tcgtagtaaa	tgaccatcca	3251
	tagaátatgt	gaatctttgg	tgagcttcag	tgggcagagt	gaagtcccgc	attagcattt	3311
	aggigcccig	agcigitici	gccaatagat	tagaaagcag	ccatgagttg	acagictita	3371
	gggccccigc	cagtgtgcaa	ttagtcattg	acaagaacaa	tgccatttga	gagtgaggtg	3431
	gtccctgctg	ctacgaggcc	attgtactgt	tttttccttg	aggtcaaagc	agtgcttccc	3491
	atagagtttg	ctgcctcttc	tgtggacagg	aagaaaact t	catgaccgaa	tcagagcctt	3551
	ggtggccact	gactctcgtg	cttattgcag	atgctgtggt	tggcctcaca	agcaacgcct	3611
	tatgctgatg	tgcagaggtg	ccagctgcca	ttigccaaac	tctgcatttc	atticateta	3671
	aggettaace	ccicticcti	cctggtgtac	cigigicicc	tcggaaggaa	gtcatagttt	3731
	agatgaaacc	atttttgta	caatgtaaag	atcatctgag	caagatgagc	attitgtaaa	3791
	aatgaaaatg	tgactcacat	aaaatcagga	acliggcaca	gigiigcaii	aataacttta	3851
	gggtgcagac	algotgtgtg	aatctcacaa	tgcgtcgtag	atgtcgcgtg	ttggaaggga	3911
•	gcaggaggaa	ggactgatac	tggcaaatca	gtagagtgag	gigatectia	gcaacgtgcc	3971
	aggacactic	ctgtgtgcct	gcagtigica	gggaccattt	gggatcccga	atctcattct	4031
	ctaaaactgc	tticttgaaa	catgitacit	ccitagtata	atcaatgtat	actcccttac	4091
	tggccigaaa	cgttgtatag	ctactlattc	agatactgaa	gaccaacgga	ctgaaaaaaa	4151

	gaacaa	acat	tagc	tatt	tt a	tgct	gcaa	g aad	cag	gaca	caca	aatt	cgc	caato	atccc	4211
5	accata	taac (	cttc	gatt	gt g	cttc	tcaad	c to	cacco	cat	aati	ltct	ccc	agaga	tcatc	4271
	tatcac	cttt	tccc	caaa	ga a	gaaa	casai	cca	agttg	gcac	ctta	aaac	cat	ggata	tttt	4331
	tectear	ggg (	cttta	aaata	ag t	ttcc	tatgo	aac	gtgt	tctt	gtag	gcaca	aaa	taaaa	itteta	4391
10	caaaag	itgc a	agtaa	aatt	t a	tttg	gatal	tti	aaco	tgt	l aag	gigi	glg	tgtgt	tttct	4451
	gtaccca	aacc a	agaci	lttaa	aa ta	aaaa	caaac	ate	gaaac	ct						4490
15																
	<210>	152														
	<211> 8	363														
20	<212> 1	PRT														
	<213> I	lomo s	sapie	ens												
25	<b>&lt;400&gt;</b> 1	152														
	Met Gly	/-Tyr	He	Pro	Ser	Ser	Tyr	Va l	Gln	Pro	Leu	Asn	Tyr	Arg	Asn	
	1			5					10					15		
30	Ser Thi	r Leu	Ser	Asp	Ser	G1 y	Met	He	Asp	Asn	Leu	Pro	Asp	Ser	Pro ·	
			20					25					30			
35	Asp Glu	ı Yal	Ala	Lys	Glu	Leu	Glu	Leu	Leu	Gly	Gly	Trp	Thr	Asp	Asp	
		35					40					45				
	Lys Lys	; Val	Pro	Gly	Arg	Met	Tyr	Ser	Asn	Asn	Pro	Phe	Trp	Asn	Gly	
40	50	)				55					60					
	Val Glr	Thr	Asn	Pro	Phe	Leu	Asn	Gly	Asn	Va I	Pro	Val	Met	Pro	Ser	
	65				70					75					80	
	Leu Asp	Glu	Leu	Asn	Pro	Lýs	Ser	Thr	Val	Asp	Leu	Leu	Leu	Phe	Asp	
				85					90			•		95		
50	Ala Gly	/·Thr	Ser	Ser	Phe	Thr	Glu	Ser	Ser	Sejr	Ala	Thr	Thr	Asn	Ser	
•			100					105					110			
	Thr Gly	7 Asn		Phe	Asp	Glu	Len		Val	Thr	Asn	Glv		His	Ala	
55				•				· ·				•				

			115					120					125			
5	Glu	Pro	Pro	Val	Arg	Arg	Asp	Asn	Pro	Phe	Phe	Arg	Ser	Lys	Arg	Ser
		130					135					-140				
10	Tyr	Ser	Leu	Ser	Glu	Leu	Ser	Yal	Leu	Gln	Ala	Lys	Ser	Asp	Ala	Pro
10	145					150					155					160
	Thr	Ser	Ser	Ser	Phe	Phe	Thr	Gly	Leu	Lys	Ser	Pro	Ala	.Pro	Glu	Gln
15					165					170					175	
	Phe	Gln	Ser	Arg	Glu	Asp	Phe	Arg	Thr	Ala	Trp	Leu	Asn	His	Arg	Lys
20				180					185					190		
	Leu	Ala		Ser	Cys	His	Asp		Asp	Leu	Leu	Gly		Ser	Pro	Gly
	_		195					200					205	_		
25	Trp	Gly	Gln -	Thr	Gln	Ala		Glu	Thr	Asn	lle		Cys	Lys	Leu	Asp
	C	210	C1	Class	41.	17 - 1	215	•	n		<b>9</b> 1.	220	71.	0		
30	225	Ser	СІУ	GIY	Ala	va i 230	GIN	ren	rro	ASP	235	261	116	Ser	116	
		Рго	Cln	Clv	Hic		۵la	Pro	Clv	Cl 11		Gin	Cln	110	Sor	240 Met
35	•	•••	0.4	0.7	245		,,,,		<b>0.</b> ,	250	****	0111	0111	,110	255	iuc c
	Lys	Ala	Leu	Leu		Pro	Pro	Leu	Glu		Asn	Ser	Asp	Arg		Cys
				260					265					270		
40	Ser	Ile	Ser	Pro	Va]	Leu	Glu	۷al	Lys	Leu	Ser	Asn	Leu	Glu	Val	Lys
			275					280					285			
45	Thr	Ser	He	Ile	Leu	Glu	Met	Lys	Val	Ser	Ala	Glu	Ile	Lys	Asn	Asp
		290					295					300				
50	Leu	Phe	Ser	Lys	Ser	Thr	Va l	Gly	Leu	Gln	Cys	Leu	Arg	Ser	Asp	Ser
	305					310					315.					320
	Lys	Glu	Gly	Pro	Tyr	Va l	Ser	Va I	Pro	Leu	Asn	Cys	Ser	Cys	Gly	Asp
<b>55</b>					325					330					335	

	Th	r Val	Gin	Ala	Gln	Leu	His	Asn	Leu	Glu	Pro	Cys	Met	Туг	Val	Ala
5		•		340		•			345					350		
	Vai	Val	Ala	His	Gly	Pro	Ser	lle	Leu	Tyr	Pro	Ser	Thr	Val	Trp	Asp
10	•		355					360					365			
	Phe	Ile	Asn	Lys	Lys	Val	Thr	٧a١	Gly	Leu	Tyr	Gly	Pro	Lys	His	Ile
15		370					375					380				
.5	His	Pro	Ser	Phe	Lys	Thr	Val	Val	Thr	lle	Phe	Gly	His	Asp	Cys	Ala
	385					390					395					400
20	Pro	Lys	Thr	Leu	Leu	Vai	Ser	Glu	Val	Thr	Arg	Gln	Ala	Pro	Asn	Pro
					405					410					415	
25	Ala	Pro	Val	Ala	Leu	Gln	Leu	Trp	Gly	Lys	His	Gln	Phe	Val	Leu	Ser
			-	420		•			425					430	•	
30	Arg	Pro		Asp	Leu	Lys	Val		Met	Phe	Ser	Asn		Thr	Asn	Tyr
	C1	V - 1	435	43.	٥.	61	01	440	7		<b>V</b> . 1		445	D.	٥,	
	610	450	LYS	Ala	ser	GIU	455	BIA	LYS	Val	vaı		Giy	rne	GIR	Leu
35	Ive		Glv	Lys	Val	Ser		Len	lle	Phe	Pro	460	The		Gln	4 c n
	465	LCU	01,	273	141	470	6	DCG		1110	475	116	****	Jei	0111	480
40		Asn	Glu	Leu	Ser		Phe	Thr	Leu	Arg		Gln	Val	Lys	Asp	
					485					490					495	·
45	Gln	Glu	Ala	Ile	Leu	Thr	Gln	Phe	Cys	Val	Gln	Thr	Pro	Gln	Pro	Pro
				500					505					510	,	
	Pro	Lys	Ser	Ala	Ile	Lys	Pro	Ser	Gly	Gln	Arg	Arg	Phe	Leu	Lys	Lys
50			515					520					525			
	Asn	Glu	Val	Gly	Lys	Ile	lie	Leu	Ser	Pro	Phe	Ala	Thr	Thr	Thr	Lys
55		530					535					540				

	Ty	r Pr	o Th	r Phe	Glr	ı Asp	Arg	Pro	Val	Ser	Ser	Lei	Ly	s Pho	e Gly	y Ly:	S
5	54	5				550	)				555	i				560	)
	Le	u Lei	ı Ly:	s Thr	Va)	Yal	Arg	Gln	Ası	Lys	Asn	His	Ту	Lei	Lei	ı Glu	l
10					565					570					575	j	
	Ţyı	r Lys	Lys	Gly	Asp	G}y	He	Ala	Leu	Leu	Ser	Glu	Glu	Arg	. Val	Arg	ŗ
				580					585					590	)		
15	Lei	ı Arg	Gly	Gln	Leu	Trp	Thr	Lys	Glu	Trp	Туг	He	Gly	Tyr	Tyr	Gln	1
			595	ì				600					605				
20	Gly	/ Arg	Val	Gly	Leu	Val	His	Thr	Lys	Asn	Val	Leu	Val	Val	Gly	Arg	,
•		610					615					620					
	Ala	Arg	Pro	Ser	Leu	Cys	Ser	Gly	Pro	Głu	Leu	Ser	Thr	Ser	Val	Leu	
25	625		_			630					635					640	
	Leu	Glu	Gln	He	Leu	Arg	Pro	Cys	Lys	Phe	Leu	Thr	Tyr	Ile	Tyr	Ala	
30					645					650					655		
	Ser	Val	Arg	Thr	Leu	Leu	Met	Glu	Asn	He	Ser	Ser	Trp	Arg	Ser	Phe	
35				660				•	665					670			
33	Ala	Asp		Leu	Gly	Tyr	Val		Leu	Pro	Leu	Thr	Phe	Phe	Cys	Arg	
			675		_		_	680					685				
40	Ala		Leu	Asp	Ser	Glu		Glu	Arg	Va J	Ala		Val	Leu	Glu	Lys	
	1	690	C1	4	<b>0</b>	•	695	<b>5</b> 1	0.1			700		_	_		
45		Lys	6111	Asp			ASN	int	610			Glu	Arg	Lys	Ser		
	705	1	C1.	1		710		1	1	•	715		•	•	٥.	720	
	6111	LYS	614	Leu		мец	Ala	ren	ren		Met	ASP	Cys	GIn		Leu	
50	Va I	V-1			725	C1-		DL.	W - 1	730	T	<b></b>	<b></b>		735	۵.	
	191	741		Leu	116	UIN .	ASD			ren	ren	IBT			val	GIU	
55	V- 1	41-		740	т	<b>1</b>	<b>01</b> .		745	<b>61</b>	T			750		_	
	vai	AIA	CIN	Arg	1 L D	Arg	611	ren	Ala	Glu	Lys	Leu	Ala	Lys	Val	Ser	

Lys Gln Gln Met Asp Ala Tyr Glu Ser Pro His Arg Asp Arg Asn Gly Val Val Asp Ser Glu Ala Met Trp Lys Pro Ala Tyr Asp Phe Leu Leu Thr Trp Ser His Gln Ile Gly Asp Ser Tyr Arg Asp Val Ile Gln Glu Leu His Leu Gly Leu Asp Lys Met Lys Asn Pro Ile Thr Lys Arg Trp Lys His Leu Thr Gly Thr Leu lle Leu Val Asn Ser Leu Asp Val Leu Arg Ala-Ala Ala Phe Ser Pro Ala Asp Gln Asp Asp Phe Val Ile <210> 153 <211> 2194 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (133).. (1125) <400> 153 ggtgcggcgc tggtccctc agagggttcc tgctgcc ggtgccttgg accetcccc 60 tegetteteg ttetactgee ceaggageee ggegggteeg ggaeteeegt eegtgeeggt 120 gegggegeeg ge aig igg eig igg gag gae eag gge gge eie eig gge eet 171 Met Trp Leu Trp Glu Asp Gln Gly Gly Leu Leu Gly Pro 

	tto	tcc	ttc	ctg	ctg	cta	gtg	ctg	clg	ctg	gtg	acg	cgg	agc	CCG	gtc	219
5	Phe	Ser	Phe	Leu	Leu	Leu	Yal	Leu	Leu	Leu	Val	Thr	Arg	Ser	Pro	Val	
		15					20					25					
10	aat	gcc	t gc	ctc	ctc	acc	ggc	agc	ctc	ttc	gtt	cta	ctg	cgc	gtc	ttc	267
70	Asn	Ala	Cys	Leu	Leu	Thr	Gly	Ser	Leu	Phe	Val	Leu	Leu	Arg	Val	Phe	
	30					35					40	•				45	
15	agc	ttt	gag	ccg	gtg	ссс	tct	t gc	agg	gcc	ctg	cag	gtg	ctc	aag	ccc	315
	Ser	Phe	Glu	Pro	Val	Pro	Ser	Cys	Arg	Ala	Leu	Gln	Val	Leu	Lys	Pro	
20					50					55				٠	60		
	cgg	gac	cgc	att	tct	gcc	atc	gcc	cac	cgt	ggc	ggc	agc	cac	gac	gcg	363
	Arg	Asp	Arg	Ile	Ser	Ala	Ile	Ala	His	Arg	Gly	Gly	Ser	His	Asp	Ala	
25	•		-	65					70					75			
	ccc	gag	aac	acg	ctg	gcg	gcc	att	cgg	cag	gca	gc t	aag	a a t	gga	gca	411
30	Pro	Glu	Asn	Thr	Leu	Ala	Ala	lle	Arg	Gln	Ala	Ala	Lys	Asn	Gly	Ala	
			80					85					90				
35	aca	ggc	gtg	gag	ţţg	gac	aťt	gag	ttt	ac t	tct	gac	ggg	att	cct	gtc	459
	Thr	Gly	Val	Glu	Leu	Asp	He	Glu	Phe	Thr	Ser	Asp	Gly	Ile	Pro	Val	
		95					100					105					
40	tta	atg	cac	gat	aac	aca	gta	gat	agg	acg	act	gat	ggg	act	ggg	cga	507
	Leu	Met	His	Asp	Asn	Thr	Val	Asp	Arg	Thr	Thr	Asp	Gly	Thr	Gly	Arg	
45	110					115					120					125	
	ttg	tgt	gat	ttg	aca	ttt	gáa	caa	all	agg	aag	ctg	aat	cct	gca	gca	555
50	Leu	Cys	Asp	Leu	Thr	Phe	Glu	Gln	He	Arg	Lys	Leu	Asn	Pro	Ala	Ala	
30					130					135					140		
	aac	cac	aga	ctc	agg	aat	gat	ttc	cct	gat	gaa	aag	atc	cct	acc	cta	603
55	Asn	His	Arg	Leu	Arg	Asn	Asp	Phe	Рго	Asp	Glu	Lys	He	Pro	Thr	Leu	

				145					150					155			
5	agg	gaa	gct	gtt	gca	gag	tgc	cta	aac	cat	aac	ctc	aca	atc	ttc	ttt	651
	Arg	Glu	Ala	٧al	Ala	Glu	Cys	Leu	Asn	His	Asn	Leu	Thr	11e	Phe	Phe	•
			160					165					170				
10	gat	gtc	aaa	ggc	cat	gca	cac	aag	gc t	act	gag	gct	cta	aag	aaa	atg	699
	Asp	٧al	Lys	Gly	His	Ala	His	Lys	Ala	Thr	Glu	Ala	Leu	Lys	Lys	Met	
15		175					180	•				185					
	tat	atg	gaa	ttt	cct	caa	ctg	tat	aat	aat	agt	gtg	gtc	tgt	tct	ttc	747
20	Tyr	Met	Glu	Phe	Pro	Gln	Leu	Tyr	Asn	Asn	Ser	Val	Val	Cys	Ser	Phe	
	190					195	•				200					205	•
	ttg	cca	gaa	gtt	atc	tac	aag	atg	aga	caa	aca	gat	cgg	gat	gta	ata	795
25	Leu	Pro	Glu	Val	He	Tyr	Lys	Met	Arg	Gln	Thr	Asp	Arg	Asp	Val	Ile	
					210					215					220		
30			tta														843
	Thr	Ala	Leu		His	Arg	Ьц	Trp		Leu	Ser	His	Thr		Asp	Gly	
				225					230					235			
35			cgc														891
	LYS	PTO	Arg	Tyr	ASP	Inr	rne		Lys	HIS	Phe	116		Val	Met	Met	
40	<b>500</b>	211	240					245			010		250		01-	1.01	
			t t g Leu														939
45	nsp	255	ren	rea	vsh	111	260	met	1112	VSII	116	265		1 91	Leu	U y S	
	002		tca	ørt	110	ctc	•	caa	226	gat	111			CCB	<b>BCC</b>	tar	987
			Ser														001
50	270					275			2,0	,	280	•••				285	
		220	aag	tpo	ica		222	gga	atr	CSE		gtt	gøt	100	act		1035
55			Lys														1000
	rcn	r A 2	L y S	ı ı þ	761	nia	r y 3	O 1 A	116	3111	141	. 01	O i y	עונ	1 11 1	101	

				290			295	٠		300	
5	aat a	cc tt	t gat	gaa a	ag agt	tac	tac gaa	tcc	cat ctt	ggt tcc.ago	1083
	Asn T	hr Phe	e Asp	Glu I	ys Ser	Tyr	Tyr Glu	Ser	His Leu	Gly Ser Ser	-
10			305		•	;	310 .		·	315	
	tat a	tc act	gac	agc a	itg gtå	gaa	gac tgc	gaa	cct cac	ttc	1125
	Tyr I	le Thi	Asp	Ser M	let Yal	Glu A	Asp Cys	Glu	Pro His	Phe	
15		320	)			325	·		330		
	tagac	tttca	cggte	ggacg	aaacg	ggttc	agaaac	l gcc	aggggcc	tca tacaggga	ta 1185
20	tcaaaa	atạcc	cttte	tgcta	gccca	ggccc	t ggggaa	atca	ggtgacto	cac acaaatgo	aa 1245
	tagtts	ggtca	ctgca	tttt	acctga	аасса	aagctaa	acc (	cggtgtti	gcc accatgca	cc 1305
25	alggca	algcc	agagt	tcaac	actgt	lgctc	tigaaaa	atct	gggtctga	aaa aaacgcac	aa 1365
25	gagcco	cctgc	cctgc	cctag	ctgagg	gcaca	cagggag	sacc (	cagtgagg	gat aagcacag	at 1425
	tgaatt	tgtac	agttt	gcaga	tgcaga	atgta	aatgca	ggg	acatgcal	iga taactcag	ag 1485
30	ttgaca	attt	aaaac	ttgcc	acacti	attt	caaatat	tttg	tactcago	ta tgttaaca	tg 1545
	tactgt	agac	atcaa	actig	t ggcca	tact	aataaaa	tta	ttaaaagg	gag cactaaag	ga 1605
35	aaactg	tgtg	ccaag	catca	tatcci	aagg	catacga	gaat	t t ggggaa	igo caccatgo	aa 1665
	tccagt	gagg	cttca	gigia	cagcaa	ccaa	aatggta	ggg :	aggictig	gaa gccaatga	gg 1725
	gattta	tagc	atctt	gaata	gagago	tgca	aaccaco	agg	gggcagag	sti gcatilii	cc 1785
40	aggctt	ttta	ggaag	cicig	caacag	atgi	gatotga	ica	t aggcaa i	ta gaactgga	ag 1845
	aaactt	ccaa	aaata	tctag	gttigt	cctc	atttac	aaa	t gaggaaa	ict aaactetg	tg 1905
45	gaaggg	aagg	ggttg	cctca	aaagto	acag	cttagct	ggg	cacagtgg	ct cateccea	la 1965
	atccca	gcaa	ttcag	aaagc	t gaggo	agga	ggattac	ttg	aggccaga	ict gggcaata	ta 2025
50	gcaaga	сссс	atctc	taaaa	aattag	gcat	gglggtg	cat :	gcclglat	tc ccagctac	tc 2085
'	aggagg	ttga	ggtgg	gagga	tcactt	gagc	ccagaag	ttc	aaggctgo	aa tgagccat	ga 2145
	ttacac	cacg	gcact	acaac	cttggt	ggca	cagigae	gaac (	cigacici	t	2194

<210> 154

	(211)	331										•		
5	<212>	PRT										•		
	. <213>	Homo	sapien	s										
4.0	<400>	154				•								
10	Net Tr	p Leu	Trp G	lu As:	p Gln	Gly	Gly	Leu	Leu	Gly	Pro	Phe	Ser	Phe
	1			5				10					15	
15	Leu Le	u Leu	Val Le	eu Lei	ı Leu	Yal	Thr	Arg	Ser	Pro	Val	Asn	Ala	Cys
			20				25					30		
20	Leu Le	u Thr	Gly Se	r Lei	Phe	Val	Leu	Leu	Arg	Val	Phe	Ser	Phe	Glu
		35				40					45			
05	Pro Va	l Pro	Ser Cy	s Arg	Ala	Leu	Gln	Val	Leu	Lys	Pro	Arg	Asp	Arg
25	5	0 ~			55					60				
	lle Se	r Ala	Ile Al	a His	Arg	Gly	Gly	Ser	His	Asp	Ala	Pro	Glu	Asn
30	65			70					75					80
	Thr Let	u Ala	Ala II	e Arg	Gln	Ala	Ala	Lys	Asn	Gly	Ala	Thr	Gly	Val
35			8	5				90					95	
•	Glu Lei			u Phe	Thr	Ser	Asp	Gly	Ile	Pro	Val	Leu	Met	His
			100				105					110		
40	Asp Asi		Val Ası	p Arg	Thr		Asp	Gly	Thr	Gly	Arg	Leu	Cys	Asp
		115				120					125		٠	
45	Leu Thr		Glu Gli	n Ile		Lys	Leu	Asn	Pro		Ala	Asn	His	Arg
	130				135					140				
50	Leu Arg	Asn	Asp Phe		Asp	Glu	Lys	He		Thr	Leu	Arg	Glu	Ala
	145			150					155					160
	Val Ala	Glu (	Cys Leu	ı Asn	His	Asn	Leu		Ile	Phe	Phe	Asp	Val	Lys
55			165	,				170					175	

	Gly	/ H15	Ala	His	Lys	Ala	Thr	Glu	Aia	Leu	Lys	Lys	Met	Tyr	Me t	Glu	
5				180	1				185					190			
	Phe	Pro	Gln	Leu	Tyr	Asn	Asn	Ser	Val	Vai	Cys	Ser	Phe	Leu	Pro	Glu	
			195					200					205				
10	· Val	Ile	Tyr	Lys	Me t	Arg	Gin	Thr	Asp	Arg	Asp	Val	Ile	Thr	Ala	Leu	
		210					.215					220			•		
15	Thr	His	Arg	Pro	Trp	Ser	Leu	Ser	His	Thr	Gly	Asp	Gly	Lys	Pro	Arg	
	225	٠				230		•			235					240	
20	Tyr	Asp	Thr	Phe	Trp	Lys	His	Phe	He	Phe	Val	Met	Met	Asp	Ile	Leu	
					245					250		•	•		255		
	Leu	Asp	Trp	Ser	Met	His	Asn	He	Leu	Trp	Туг	Leu	Cys	Gly	He	Ser	
25			_	260					265					270			
	Ala	Phe	Leu	Met	Gln	Lys	Asp	Phe	Val	Ser	Pro	Ala	Tyr	Lev	Lys	Lys	
30			275					280					285				
	Trp		Ala	Lys	Gly	lie		Val	Val	Gly	Trp		Val	Asn	Thr	Phe	
35		290	•	•	<b>m</b>		295	•	,,,,			300	_	_			
55		618	Lys	261	lyr		GIU	Ser	HIS	Leu		Ser	Ser	Tyr	lle		
	305	Co.	Va+	Val	C1	310	C	C1	D-0	11: 4	315					320	
40	Asp	261	meı	vai		ASP	Cys	GIU	P10		rne						
					325					330							
45	<210	> 15	5					•	•								
	<211	> 33	77				•										
	<212	> DN	A														
50	<213	> Ho	mo s	apie	ns		•										
	<220	>	•														
55	<221	> CD	S														

	(2)	22>	(44).	. (18	166)												
5	<40	10> 1	55							•							
·	gco	tote	cac	ccct	actg	ct 1	ctgc	ittg	a ag	gcgg	aggc	tcc	atg	ttg	tcc	cct	55
													Met	Leu	Ser	Pro	
10									•				ı				
	cag	cga	gtg	gga	gca	gct	gcc	tca	aga	gga	gca	gat	gat	gcc	atg	gag	103
15	Gln	Arg	Val	Gly	Ala	Ala	Ala	Ser	Arg	Gly	Ala	Asp	Asp	Ala	Met	Glu	
	5					10	)				15					20	
20	agc	agc	aag	cct	ggt	cca	gtg	cag	gtt	gtt	ttg	gtt	cag	aaa	gat	caa	151
	Ser	Ser	Lys	Pro	Gly	Pro	Val	Gln	Val	Val	Leu	Val	Gln	Lys	Asp	Gln	
		,			25					30					35	•	
25	cat	tcc	_ttt	gag	cta	gat	gag	aaa	gcc	itg	gcc	agc	atc	ctc	ttg	cag	199
	His	Ser	Phe		Leu	Asp	Glu	Lys	Ala	Leu	Ala	Ser	lle	Leu	Leu	Gln	
30				40					45					50			
•			atc														247
	Asp	His	Ile	Arg	Asp	Leu	Asp		Val	Val	Val	Ser		Ala	Gly	Ala	
35			55					60		4	444	- 4 -	65				005
			aag														295
40	rne	70	Lys	GIY	LYS	SEI	75	116	Leu	WZħ	rne	ме t 80	rea	нгв	ıyr	Leu	•
	tat		cag	220	022	201		cat	tra	221	too		aat	gae	cca	a o	343
45			Gin														242
	85	501	0111	LJS	Olu	90	0,7		00.	11311	95	·	017	nsp	110	100	
		CCE	tta	aca	gga		tee	tee	aga			tet	gat	cca	gaa	•	391
50			Leu														031
	<b></b>				105				<b>U</b>	110	,		,		115	• • • •	
55	act	ggg	att	сая		tgg	agt	gaa	git		act	gig	235	226		ggt	439

_	Thi	Gly	lle	Gln	Ile	Trp	Ser	Glu	Val	Phe	Thr	Val	Glu	Lys	Pro	Gly	•
5				120					125					130	)		
	ggg	aag	aag	gtt	gca	gtt	gtt	ctg	atg	gat	acc	cag	ggg	gca	įtt	gac	487
10	Gly	Lys	Lys	Val	Ala	Val	Val	Leu	Met	Asp	Thr	Gln	Gly	Ala	Phe	Asp	
			135					140					145				
15	agc	cag	tca	act	gtg	aaa	gac	tgt	gct	acc	atc	ttt	gct	cla	agc	act	535
	Ser	Gln	Ser	Thr	Val	Lys	Asp	Cys	Ala	Thr	lle	Phe	Ala	Leu	Ser	Thr	
	. •	150					155					160					
20	alg	act	agt	tct	gtt	cag	att	tat	aat	tta	tct	cag	aac	att	caa	gaa	583
	Met	Thr	Ser	Ser	Val	Gln	Ile	Tyr	Asn	Leu	Ser	Gln	Asn	lle	Gln	Glu	
25	165					170					175					180	
	gat	gat	ctt	caa	cag	ctg	cag	ctc	ttc	aca	gaa	tac	ggt	cgt	ctg	gca	631
30	Asp	Asp	Leu	Gln	Gln	Leu	Gln	Leu	Phe	Thr	Glu	Tyr	Gly	Arg	Leu	Ala	
30			•		185					190					195		
	atg	gat	gaa	att	ttc	caa	aag	cct	tic	cag	aca	clg	atg	ttt	ttg	gtt	679
35	Met	Asp	Glu	Ile	Phe	Gln	Lys	Pro	Phe	Gln	Thr	Leu	Met	Phe	Leu	Yal	
•				200					205					210			
40				agt													727
	Arg			Ser	Phe	Pro	Tyr		Туг	Ser	Tyr	Gly		Gln	Gly	Gly	
	-4-		215	44-			4	220		_•-			225				
45 ·				ttg												•	775
	Met		rne	ren	ASP			ren	GIN	Val	Lys		HIS	Gin	HIS	Glu	
50		230		4	_4.1		235		- 4 4			240					
	gaa																823
55	Glu	116	01N	ASN			ASN	nıs	116	n15		Cys	rne	Ser	Asp		
	245					250					255					260	

	acc	tgo	ttt	ctc	tta	ccā	cat	cca	gga	ctc	cag	gtg	gcc	aca	agc	cct	871
5	Thr	Cys	Phe	Leu	Leu	Pro	His	Pro	Gly	Leu	Gln	Val	Ala	Thr	Ser	Pro	
					265					270				•	275		
	gac	ttt	gat	ggg	aaa	tta	aaa	gat	att	gc t	ggt	gaa	ttc	aaa	gag	cag	919
10	Asp	Phe	'Asp	Gly	Lys	Leu	Lys	Asp	He	Ala	Gly	Glu	Phe	Lys	Glu	GIn	
				280					285					290	•		
15	tta	cag	gca	ctg	ata	ccg	tat	gta	tta	aac	cca	tct	aag	tta	atg	gaa	967
	Leu	Gln	Ala	Leu	He	Pro	Tyr	Val	Leu	Asn	Pro	Ser	Lys	Leu	Met	Glu	
20			295					300				٠	305				
	aag	gag	atc	aat	ggc	tca	aag	gtc	acc	tgt	cgg	gga	cta	ctg	gag	tat	1015
	Lys		Ile	Asn	Gly	Ser	Lys	Val	Thr	Cys	Arg	Gly	Leu	Leu	Glu	Tyr	
25		310	_				315					320					
	ttt	aag	gca	ťat	att	aaa	att	tát	caa	gga	gaa	gat	ctg	cct	cac	ccc	1063
30	Phe	Lys	Ala	Tyr	He	Lys	He	Tyr	Gln	Gly	Glu	Asp	Leu	Pro	His	Pro	
	325					330					335					340	
	aag	tcc	atg	ctt	cag	gcc	act	gct	gaa	gcc	aac	aac	tta	gca	gct	gca	1111
35	Lys	Ser	Met	Leu	Gln	Ala	Thr	Ala	Glu	Ala	Asn	Asn	Leu	Ala	Ala	Ala	
					345					350					355		
40	gcc	tct	gcc	aag	gac	att	lat	tat	aac	aac	atg	gaa	gag	gtt	tgt	ggg	1159
	Ala	Ser	Ala	Lys	Asp	lle	Tyr	Туг		Asn	Met	Glu	Glu	Val	Cys	Gly	
				360					365					370			
45	gga	gag	aaa	cct	lat	ttg	tçt	cca	gac	att	cta	gag	gag	aag	cac	tgt	1207
	Gly	Glu	Lys	Pro	Туг	Leu	Ser	Pro	Asp	He	Leu	Glu	Glu	Lys	His	Cys	
50			375					380					385				
	gaa	ttc	aaa	caa	ctt	gci	ctg	gac	cat	ttt	aag	aag	acc	aag	aag	atg	1255
55	Glu	Phe	Lys	Gln	Leu	Ala	Leu	Asp	His	Phe	Lys	Lys	Thr	Lys	Lys	Met	
55		390					395					400					

5	ggi	ggg	aag	gal	ttc	ago	ttt	cgt	tac	cag	cag	gag	ctg	gag	gag	gaa	1303
3	Gly	Gly	Lys	Asp	Phe	Ser	Phe	Arg	Tyr	Gln	Gln	Glu	Leu	Glu	Glu	Glu	
	405					410					415					420	•
10	ato	aag	gaa	tta	tat	gag	aac	ttc	t gc	aag	cac	aat	ggt	agc	aag	aac	1351
	Ile	Lys	Glu	Leu	Tyr	Glu	Asn	Phe	Cys	Lys	His	Asn	Gly	Ser	Lys	Asn	
15					425				•	430					435		
	gtc	ttc	agc	acc	ttc	cga	acc	cct	gca	gtg	ctg	ttc	acg	ggc	att	gta	1399
	Val	Phe	Ser	Thr	Phe	Arg	Thr	Pro	Ala	Val	Leu	Phe	Thr	Gly	Ile	Val	
20				440					445					450			
	gct	ttg	tac	ata	gcc	tca	ggc	ctc	act	ggc	ttc	ata	ggt	cit	gag	gtt	1447
25	Ala	Leu	Tyr	Ile	Ala	Ser	Gly	Leu	Thr	Gly	Phe	Ile	Gly	Leu	Glu	Val	
			<b>-45</b> 5					460					465				
	gta	gcc	cag	itg	ttc	aac	tgt	atg	gtt	gga <sup>.</sup>	cta	ctg	t t a	ata	gca	ctc	1495
30	Val	Ala	Gln	Leu	Phe	Asn	Cys	Me t	Val	Gly	Leu	Leu	Leu	lle	Ala	Leu	
		470					475					480					
35	ctc	acc	tgg	ggc	tac	atc	agg	tat	tct	ggt	caa	tat	cgt	gag	ctg	ggc	1543
	Leu	Thr	Trp	Gly	Туг	Ile	Arg	Туг	Ser	Gly	Gln	Tyr	Arg	Glu	Leu	Gly	
40	485					490					495					500	
.•	gga	gc t	att	gat	ttt	ggt	gcc	gca	tat	gtg	ttg	gag	cag	gct	tct	tct	1591
	Gly	Ala	He	Asp	Phe	Gly	Ala	Ala	Tyr	Val	Leu	Glu	Gin	Ala	Ser	Ser	
45					505					510					515		
	cat	atc	ggt	aat	lcc	act	cag	gcc	act	glg	agg	gat	gca	git	gtt	gga	1639
50	His	lle	Gly	Asn	Ser	Thr	Gln	Ala	Thr	Yal-	Arg	Asp	Ala	Val	Val	Gly	•
				520					525					530			
	aga	cca	tcc	atg	gat	aaa	a a <b>a</b>	gcl	caa	tagc	atct	ta a	cglg	aaga	t	-	1686
55	Arg	Pro	Ser	Met	Asp	Lys	Lys	Ala	Gln								

535 540

5	caaacaagaa	cacaacaagc	ccctactgat	itcigggitt	ctgccacggc	cacaggttca	174
	tatccagagg	aatggcagat	ctgagacgat	ccaggaagag	ctaaaacatg	gccctgtaat	-180
	aaatgagcag	acctctcctg	lggtilcaaa	itattaaaca	cacticcati	tctcttggaa	1860
10	gcatttcttt	tccttgctgt	tatagatgca	agccigigic	tattttcata	ttactctgct	192
	itgigcacit	tatggaggag	gaage tagag	gaaaaatgga	aatgcagctt	ttaagtictt	1986
15	tatgtgccac	ttagtgcctt	ttaagattga	ticcatggit	ttgcacacac	gatggggagg	2046
	ggatggagga	taacctcatg	aaaggtgcca	ttttcgggtg	aaacttgaca	tttcttttat	2106
20	actttacttt	t gagaagga't	tcttttttt	ttgagttgga	gtctcgctct	gtcaccaggc	2166
	ttgagtgcag	tggtgtgatc	ttggctcact	gcaacctctg	cctgccgggt	tcaagcagtt	22,26
	ctcctgcctc	agcctcccaa	gtagctggga	ctacaggtgt	acgccaccat	acccagctaa	2286
25	ttittttgta	tttttagtag	agatggggtt	tcaccatgtt	ggccaggatg	gtctlggtct	2346
	cttgaccttg	tgatccgcct	gcccgccttg	gcclcccaaa	gtgctgggat	tacaggcgtg	2406
30	agccaccgtg	cccggccaag	aaggattcct	ttttaaaag	tttacagaac	ttggagaaac	2466
	ticagaacta	aagactaact	gaaaatgatg	tcattacact	caaaaaaaat	ttacaatagg	2526
	•	gccacatagt					
35		ttttacccag	•				
		cctatagctt	•				
40		ataaaaggaa					
		tctgataagt					
45		tatgttttac					
45		tgggagcggc					
	•	aggtgtttga					
50		ggctglttac					
		gggggtgggg		•	•		
55 ·	atccaatatc						
	aagatotoac	tccalgalac	tglglaaaat	attiligeae	lgliglgaag	latititgac	3246

5	ttttttcigt acataactgi gitcicagag cigaatgiit atatciitig cigigcaaaa 3306	j
3	gaaacaigia aaaigiigii cagiigiata lacagaaaig igialaaaac attiigiial 3366	j
	tttttaaaag t	,
10	<210> 156	
	<211> 541	
15	<212> PRT	
	<213> Homo sapiens	
20	<b>&lt;400&gt;</b> 156	
	Met Leu Ser Pro Gln Arg Val Gly Ala Ala Ala Ser Arg Gly Ala Asp	
	1 5 10 15	
25	Asp Ala Met Glu Ser Ser Lys Pro Gly Pro Val Gln Val Val Leu Val	
	20 25 30	
30	Gln Lys Asp Gln His Ser Phe Glu Leu Asp Glu Lys Ala Leu Ala Ser	
	35 40 45	
<i>3</i> 5	lle Leu Leu Gln Asp His Ile Arg Asp Leu Asp Val Val Val Ser	
	50 55 60	
	Val Ala Gly Ala Phe Arg Lys Gly Lys Ser Phe Ile Leu Asp Phe Met	
40	65 70 75 80	
	Leu Arg Tyr Leu Tyr Ser Gln Lys Glu Ser Gly His Ser Asn Trp Leu	
45	85 90 95	
	Gly Asp Pro Glu Glu Pro Leu Thr Gly Phe Ser Trp Arg Gly Gly Ser	
	·	
50	Asp Pro Giu Thr Thr Gly Ile Gln Ile Trp Ser Giu Val Phe Thr Val	
	•	
55	Glu Lys Pro Gly Gly Lys Lys Val Ala Val Val Leu Met Asp Thr Gln	
	130 135 140	

	Gly	/ Ala	Phe	Asp	Şer	Gln	Ser	Thr	Ya)	Lys	Asp	Cys	Ala	Thr	He	Phe
<b>5</b>	145	•				150		<b></b> .			155		•			160
	Ala	Leu	Ser	Thr	Met	Thr	Ser	Ser	Val	Gln	Ile	Tyr	Asn	Leu	Ser	Gln
10					165					170					175	
	Asn	Ile	Gln	Glu	Asp	Asp	Leu	Gln	Gln	Leu	Gln	Leu	Phe	Thr	Glu	Туг
				180					185		•			190	٠	
15	Gly	Arg	Leu	Ala	Met	Asp	Glu	lle	Phe	Gln	Lys	Pro	Phe	Gln	Thr	Leu
			195					200					205			
20	Me t	Phe	Leu	Val	Arg	Asp	Trp	Ser	Phe	Pro	Tyr	Glu	Tyr	Ser	Туг	Gly
		210					215					220				
	Leu	Gln	Gly	Gly	Met	Ala	Phe	Leu	Asp	Lys	Arg	Leu	Gln	Val	Lys	Glu
25	225		-			230					235					240
	His	Gln	His	Glu	Glu	He	Gln	Asn	Val	Arg	Asn	His	Ile	His	Ser	Cys
30		•			245					250					255	
	Phe	Ser	Asp	Val	Thr	Cys	Phe	Leu	Leu	Pro	His	Pro	Gly	Leu	Gln	Val
35				260				٠	265					270		
	Ala	Thr	Ser	Pro	Asp	Phe	Asp	Gly	Lys	Leu	Lys	Asp	He	Ala	Gly	Glu
			275					280					285			
40	Phe	Lys	Gl∙u	Gln	Leu	Gln	Ala	Leu	Ile	Pro	Tyr	Val	Leu	Asn	Pro	Ser
		290					295					300				
45	Lys	Leu	Met	Glu	Lys		He	Asn	Gly	Ser	Lys	Ya]	Thr	Cys	Arg	Gly
	305					310					315					320
	Lev	Leu	Glu	Tyr	Phe	Lys	Ala	Tyr	lle	Lys	lle	Туг	Gln	Gly	Glu	Asp
50					325					330					335	
	Leu	Pro	His	Pro	Lys	Ser	Met	Leu	Gln	Ala	Thr	Ala	Glu	Ala	Asn	Asn
55				340					345					350	٠	

	Leu	Ala	Ala	Ala	Ala	Ser	Ala	Lys	Asp	lle	Tyr	Tyr	Asn	Asn	Met	Glu
5		•	355	ı				360					365			
	Glu	Val	Cys	Gly	Gly	Glu	Lys	Pro	Tyr	Leu	Ser	Pro	Asp	lle	Leu	Glu
10		370	1				375	•				380				
10	Glu	Lys	His	Cys	Glu	Phe	Lys	Gln	Leu	Ala	Leu	Asp	His	Phe	Lys	Lys
	385					390		•			395					400
15	Thr	Lys	Lys	Me t	Gly	Gly	Lys	Asp	Phe	Ser	Pĥe	Arg	Туг	Gln	Gln	Glu
					405					410					415	
20	Leu	Glu	Glju	Glu	He	Lys	Glu	Leu	Tyr	Glu	Asn	Phe	Cys	Lys	His	Asn
				420					425					430		
	Gly	Ser	Lys	Asn	Val	Phe	Ser	Thr	Phe	Arg	Thr	Pro	Ala	Val	Leu	Phe
25			435					440					445			
	Thr	Gly	He	Val	Ala	Leu	Tyr	Ile	Ala	Ser	Gly	Leu	Thr	Gly	Phe	lle
30		450					455					460	•			
•	Gly	Leu	Glu	Val	Val	Ala	Gln	Leu	Phe	Asn	Cys	Met	Val	Gly	Leu	Leu
	465					470					475					480
35	Leu	He	Ala	Lev	Leu	Thr	Trp	Gly	Tyr	He	Arg	Tyr	Sei	Gly	Gln	Tyr
					485					490					495	
40	Arg	Glu	Leu	Gly	Gly	Ala	He	Asp	Phe	Gly	Ala	Ala	Tyr	Val	Leu	Glu
				500					505					510		
	Gln	Ala	Ser	Ser	His	lie	Gly	Asn	Ser	Thr	Gin	Ala	Thr	Val	Arg	Asp
45			515					520					525			
	Ala	Val	Val	Gly	Arg	Pro.	Ser	Met	Asp	Lys	Lys	Ala	Gln			
50		530					535					540				
	<210	> 15	57						٠.							
EE	<211															
55	(511	, ,,														

	<b>&lt;</b> 2.	12> 1	AAC														
5	<2	13> }	lomo	sapi	ens									٠.			
5	<22	20>															
	<22	21> (	DS														
10	<22	22>	(45) .	. (56	3)												
	<40	00> 1	57														
15	gga	acac	ggc	accc	gcac	tg c	gcgt	catg	g tg	cagg	cctg	gta	t at	g ga	c ga	c gcc	56
													Ме	t As	p As	p Ala	
	•													1			
20	ccg	ggc	gac	ccg	cgg	caa	ccc	cac	cgc	ccc	gac	ccc	ggc	cgc	cca	gtg	104
	Pro	Gly	Asp	Pro	Arg	Gln	Pro	His	Arg	Pro	Asp	Pro	Gly	Arg	Pro	Val	
25	5		_			10					15					20	
	ggc	ctg	gag	cag	ctg	cgg	cgg	ctc	ggg	gtg	ctc	tac	tgg	aag	ctg	gat	152
30	Gly	Leu	Glu	Głn	Leu	Arg	Arg	Leu	Gly	Val	Leu	Туг	Trp	Lys	Leu	Asp	
					25					30					35		
			aaa													•	200
35	Ala	Asp	Lys		Glu	Asn	Asp	Pro		Leu	Glu	Lys	He		_	Glu	
				40					45					50			
40			tac														248
	Arg	Asn	Tyr	Ser	Trp	Met	ASP		116	Ihr	116	Cys		ASP	Lys	Leu	
45			55					60					65		* * * *		000
			tat Tyr-				•										296
	riu	70	191.	010	GIU	LYS	75	Lys	mc r	Luc	1 7 1	80	GIU		reu	uıż	
50	tia		gat	#2 #	atc	cac		atc	cto	gat	aar		aaa	tac	110	gá t	344
			Asp														944
55		vsh	VSħ	y i u	116	90	1 1 1	116	·	лэр	95	261	G13	1 % 1	1 116		
	85					30			•		33					100	

	gtg	agg	gac	aag	gag	gac	cag	tgg	atc	cgg	atc	ttc	atg	gag	aag	gga	392
5	Val	Arg	Asp	Lys	Glu	Asp	Gln	Trp	He	Arg	lle	Phe	Met	Glu	Lys	Gly	
•					105					110					115		•
10	gac	atg	gig	acg	ctc	ССС	gcg	ggg	atc	tat	cac	cgc	ttc	acg	glg	gac	440
	Asp	Met	Val	Thr	Leu	Pro	Ala	Gly	lle	Ty r.	His	Arg	Phe	Thr	Vai	Asp	
				120					125	•				130		•	
15	gag	aag	aac	tac	acg	aag	gcc	atg	cgg	ctg	ttt	gtg	gga	gaa	ccg	gtg	488
	Glu	Lys	Asn	Туг	Thr	Lys	Ala	Met	Arg	Leu	Phe	Val	Gly	Glu	Pro	Val ·	
20			135					140					145				
	tgg	aca	gcg	tac	aac	cgg	ccc	.gct	gac	cat	ttt	gaa	gcc	cgc	ggg	cag	536
25	Trp	Thr	Ala	Tyr	Asn	Arg	Pro	Ala	Asp	Hi s	Phe	Glu	Ala	Arg	Gly	Gln	
		150	-				155					160			_		
	tac	gtg	aaa	ttt	ctg	gca	cag	acc	gcc	tage	cagt	gct	gccli	ggga	ac		583
30	Tyr	Val	Lys	Phe	Leu	Ala	Gln	Thr	Ala								
	165					170					•						
35	taac	acgt	gc (	tcgi	aaag	gg to	cccc	aatg	t aa	tgac	tgag	cag	aaaa	lca	atca	cttici	643
	cttt	gcti	itt a	agagg	gatag	gc c	ttga	ggct	a ga	ttat	cttt	cct	ttgi	aag	atta	tttgat	703
40	caga	atat	itt 1	igtaa	tgaa	aa g	gatc	taga	a ag	caac	ttgg	aag	tgta	aag	agtc	acctic	763
40	attt	tcls	gta a	actca	atca	aa g	actg	gtgg	g (c	catg	gccc	lgt.	gtta	gti	calg	cattca	823
	gttg	gagto	cc a	aaatg	gaaa	gt t	tcate	ctcc	c ga	aalg	cagt	tcc	ttag	atg	ccca	tctgga	883
45	cgig	atgo	cg	cgcci	gcci	gt g	taag	aagg	t gc	aalc	ctag	ata	acac	agc	iagc	cagata	943
	gaag	gacac	ett 1	tttt	tcca	aa a	a l ga	t gcc	t tg	gggt	gggg	agt	ggta	ggg	ggaa	gagcic	1003
50	ccac	ccta	ag (	gggca	acaca	ac t	gagt	t gc t	t at	gcca	ctlc	cţt	gttc	aaa	ataa	aglaac	1063
	tgcc	ttaa	atc	ttata	acte	at g	gctt	ggag	t ta	cctt	atat	tca	ggta	tat	glga	tattt	1123
	gcct	ggti	ttg	ttaaa	aatt	gc c	ccat	ttag	a tt	cctt	ctat	aat	tgtt	ctt	atag	ataagt	1183
55	aatt	tata	ata	tgago	etgt	gt t	agta	tttt	t tc	aglg	tgag	atc	tctg	gai	tctt	tcacaa	1243

	taaagetgit gaatittaac aggagtalta giacataaat tiiciaetea acaatteega 130
5	gataggatta tgcctagttt gicatatcac agaaaaactc caagttaact tcatgttttg 136
	gaagggcagg tcgtttttaa agtattictt tttttaactg gatgaaaaat cttcatgtta .142
10	ggattaattt tettaateae elecacacig tacagaggaa acteaageet taaalgiita 148
-	agtaaactci gicicagiii laggallaaa alacccaccg giggigigal galgccalal 154
	accgcagggc tigcticigi caagigigac iciaicicag taattaaaat aagigcigai 160
15	ctactgattt tittiaatgg attcattict aaatgggcat tataaataga gcitgiicat 166
	tittaagaac gaaacatica talgalaaac talogottta aatigootti citgoticat 172
20	ataactitic ccigicagga tccttagigi tigaaactcc icgigcgggg ciggccicci 178
	geggaeteta gittegeete etigatgig egeetgggat tietteaeti eagagetgia 184
05	tttttacagg caagagtaag ttcctgggca cagtggctca tgcctgtaat ctcagc.tact 190
. 25	caggaggeta aggigggagg attellagag cetgggaggi egaggetgea gigagetgig 196
•	atigiggoca cigcacicca godigggiga cagagogaga cicigicica aaaaaagaaga 202
30	aagagtaaga gotgaggoat ataatagaat totgotaaag cacitaaggt gaaatcacat 208
	tttcttttcc caggatgttg ctcacatcit tcgtttttat tgaggtglca ttlatgtaca 214
35	ataaaatgta cicattiica gigiittig 217
	<210> 158
	<211> 173
40	<212> PRT
	<213> Homo sapiens
45	⟨400⟩ 158
	Met Asp Asp Ala Pro Gly Asp Pro Arg Gln Pro His Arg Pro Asp Pro
50	1 5 10 15
	Gly Arg Pro Val Gly Leu Glu Gln Leu Arg Arg Leu Gly Val Leu Tyr
	20 25 30
55	Trp Lys Leu Asp Ala Asp Lys Tyr Glu Asn Asp Pro Glu Leu Glu Lys

	35		40		45	
5	Ile Arg Arg	Glu Arg Asn	Tyr Ser Tr	rp Met Asp Ile	e Ile Thr Ile	Cys
	50		55	60	)	
10	Lys Asp Lys	Leu Pro Asn	Tyr Glu Gl	lu Lys Ile Lys	s Met Phe Tyr	Glu
	65	70		75	•	80 .
4.5	Glu His Leu	His Leu Asp	Asp Glu II	le Arg Tyr Il	e Leu Asp Gly	Ser
15		85		90	. 95	·
	Gly Tyr Phe	Asp Val Arg	Asp Lys Gl	lu Asp Gln Tr	p lle Arg lle	Phe
20		100	. 10	05	110	
	Met Glu Lys	Gly Asp Met	Val Thr Le	eu Pro Ala Gl	y Ile Tyr His	Arg
25	115		120		125	
	Phe Thr Val	Asp Glu Lys			t Arg Leu Phe	Val
	130		135	14		
30	Gly Glu Pro	Val Trp Thr	Ala Tyr A	sn Arg Pro Al	a Asp His Phe	Glu
	145	. 150		155		160
35	Ala Arg Gly	Gln Tyr Val	Lys Phe L	eu Ala Gln Th	r Ala	
		165		170		
40	<210> 159					
40	<211> 20					•
	<212> DNA					
45	<220>					·
	<223> Descisequence	ription of t	he artific	ial sequence:	an artificial	ly synthesized primer
50	<400> 159					
	ggaagtgtta	cttctgctct				20 .

	<210> 160	٠
5	⟨211⟩ 50	
	<212> DNA	
10	⟨220⟩	
,,	<223> Description of the artificial sequence:an artificially synthesized sequence	primer
15	· <400> 160	
	gagagagaga gagagagaga actagtotog agitititit titititit 50	
20	•	
	<210> 161	
	<211> 41	
25	<212> DNA	
	<220>	
30	<223> Description of the artificial sequence: an artificially synthesized sequence	primer
	<400> 161	
35	gagagagag gagagageg cegeactagt ecceecece c 41	
	<210> 162 <211> 30 <212> RNA	
40	<pre>&lt;213&gt; Artificial Sequence &lt;220&gt;</pre>	
•	(223) Description of the artificial sequence: an artificially synthesized cap linker sequence (400) 162	oligo-
45	agcaucgagu cggccuuguu ggccuacugg 30	
	<210> 163 <211> 42 <212> DNA	
50	<213> Artificial Sequence <220> <223> Description of the artificial sequence: an artificially synt oligo (dT) primer sequence	hesized
55	<pre>&lt;400&gt; 163 gcggctgaag acggcctatg tggccttttt ttttttttt tt 42</pre>	

```
<210> 164
          (211) 21
          <212> DNA
         <213> Artificial Sequence
         <223> Description of the artificial sequence: an artificially synthesized primer
         sequence
10
         <400> 164
         agcatcgagt cggccttgtt g
                                                                             21
         <210> 165
         <211> 21
15
         <212> DNA
         <213> Artificial Sequence
         <223> Description of the artificial sequence: an artificially synthesized primer
         sequence
20
         <400> 165
         gcggctgaag acggcctatg t
                                                                            21
         <210> 166
         <211> 30
25
         <212> DNA
         <213> Artificial Sequence
         <220>
         <223> Description of the artificial sequence: an artificially synthesized primer
         sequence
         <400> 166
         actitatigi catagitiag atctattitg
                                                                            30
         <210> 167
<211> 30
35
         <212> DNA
         <213> Artificial Sequence
         <220>
         <223> Description of the artificial sequence: an artificially synthesized primer
         sequence
40
         <400> 167
        ataatectia aaaactecat ttecaccect
                                                                             30
        <210> 168
        <211> 1536
45
        <212> DNA
        <213> Homo sapiens
        <220>
        <221> CDS
        <222>(139).. (1062)
        <400> 168
         GTGCTCCGCC GCCCGCCCG ACCCGGGCCC AGCCGCCTCC ACGGCCCGCG CTCGTACTGG
                                                                                    60
         AGCGAAGAGC GGCCTCCTGA GGGAGGGGAA GGGACGTGGG GGCGGCCACG GCAGGATTAA
                                                                                   120
         CCTCCATTTC AGCTAATC ATG GGA GAG ATT AAA GTC TCT CCT GAT TAT AAC
                                                                                   171
55
                              Met Gly Glu Ile Lys Val Ser Pro Asp Tyr Asn
                               1
                                                5
```

5		TTI Phe			Thr									219
		C AGT Ser		He										267
10		CCT Pro 45	Leu											315
15		CGG Arg												363
20		CAG GIn												411
25		AAA Lys												459
30		TCT Ser		Gly										507
35		TCT Ser 125												555
		TCT Ser							Ala					603
40		GCA		Met			Lys	He	Leu	Gly		Ser		651.
45		GTG Val												699
<b>50</b>		ĢAA Glu												747
55	Cys	CAA Gln 205				Val V				lle				795

5	ACT ATT ATG GAT GTG TTT GAT CAG AGT GCG CTT TCA ACT GAA GCT AAA Thr lle Met Asp Val Phe Asp Gin Ser Ala Leu Ser Thr Glu Ala Lys 220 225 230 235	843
40	GAA GAA ATG TAC AAG CTG TAT CCT AAT GCC CGA AGA GCT CAT CTG AAA Glu Glu Met Tyr Lys Leu Tyr Pro Asn Ala Arg Arg Ala His Leu Lys 240 245 250	891
10	ACA GGA GGC AAT TTC CCA TAG CTG TGC AGA AGT GCA GAG GTC AAT CTT Thr Gly Gly Asn Phe Pro Tyr Leu Cys Arg Ser Ala Glu Val Asn Leu 255 260 265	939
15	TAT GTA CAG ATA CAT TTG CTG CAA TTC CAT GGA ACC AAA TAC GCG GCC Tyr Val Gln Ile His Leu Leu Gln Phe His Gly Thr Lys Tyr Ala Ala 270 275 280	987
20	ATT GAC CCA TCA ATG GTC AGT GCC GAG GAG CTT GAG GTG CAG AAA GGC Ile Asp Pro Ser Met Val Ser Ala Glu Glu Leu Glu Val Gln Lys Gly 285 290 295	1035
25	AGC CTT GGC ATC AGC CAG GAG GAG CAG TAGTGTGTCT CTCGCTGTCA ATGATGA Ser Leu Gly Ile Ser Gln Glu Glu Glp 300 305	1089
30	GTTGACCCGG TGTGTTCTTG TATAGTCAGT GGCATCAGCA CCCGTCAGCC GGCCTTTTCC TTCAGGTTCG TCAGGCTCAC CGGTTCTCAC TGTGTCTGGG AAGTAGGACT GATGGTCATC TTCATGACAG GCGGCATCTC CACTAAGCCT GTGTAACTGT TCCCTCTTTG GTTTTCTTAG CTTTTGAATT TGAAGAAGTA CTTTTGAAGA CTCCCATTTT AAGAACCGTG CAGATTTTGC TACCAAAAGT CTTCACCACT GTGTTCTTAA GTGAATGTTA ATTTCTGAGG TTTGGGACTT TGTGGTGGTT TTTTTCTTCT TTTCTTTTCC ATTCTTCTTT CTTTCTTT	1149 1209 1269 1329 1389 1449
35	ATATAACCAT GATCAGAGTG CCATGGC  <210> 169 <211> 308 <212> PRT	1536
40 ·	<213> Homo sapiens <400> 169 Met Gly Glu IIe Lys Val Ser Pro Asp Tyr Asn Trp Phe Arg Gly Thr i 5 10 15 Val Pro Leu Lys Lys IIe IIe Val Asp Asp Asp Ser Lys IIe Trp	
45	20 25 30 Ser Leu Tyr Asp Ala Gly Pro Arg Ser Ile Arg Cys Pro Leu Ile Phe 35 40 45	
50	Leu Pro Pro Val Ser Gly Thr Ala Asp Val Phe Phe Arg Gln Ile Leu 50 55 60  Ala Leu Thr Gly Trp Gly Tyr Arg Val Ile Ala Leu Gln Tyr Pro Val 65 70 75 80  Tyr Trp Asp His Leu Glu Phe Cys Asp Gly Phe Arg Lys Leu Leu Asp	
55	85 90 95  His Leu Gln Leu Asp Lys Val His Leu Phe Gly Ala Ser Leu Gly Gly 100 105 110  Phe Leu Ala Gln Lys Phe Ala Glu Tyr Thr His Lys Ser Pro Arg Val	

		115		12	0		125	5		
	His Ser 130	Leu II	e Leu Cys			Ser Asp			e Asn	
5	Gln Thr	Trp Th	r Ala Asr 150		e Trp 1	Leu Met 155		Phe Me	t Leu 160	
		Ile Va	Lev Gly				Pro Val		o Met	
10	Met Ala	Asp Ala	lle Asp	Phe Me			Leu Glu	17: Ser Le: 190		
	Gln Ser		Ala Ser	Arg Let 200			Cys Glr 205	Asn Se	r Tyr	
15	Val Val 210	Pro His	Lys Ile						yal Yal	
			Ala Leu 230	Ser Thi	r Glu A	la Lys 235		Met Ty	r Lys 240	
		Pro Asr	Ala Arg 245				Thr Gly	Gly Ası 25	n Phe	
20	Pro Tyr	Leu Cys 260	Arg Ser	Ala Glu			Tyr Val			
	Leu Leu		His Gly	Thr Lys	Tyr A	la Ala	lle Asp 285	Pro Sei	Met	
25	Val Ser 290		Glu Leu			ys Gly			e Ser	
	Gln Glu 305	Glu Gln								
30	<210> 17 <211> 25 <212> DN <213> Ho <220>	60 NA	ens							
35	<221> CI (202) (400> 17	(1002) '0								
40	TGCAGTTG AGTGGTCG GCTGGCTC	GAA GCAG GA GCCC	AACCAA G1 GCCAGT G1	TGGCCATC GGCAGGCA ATG GCG Met Ala	C CGGC G CTCT CTG C Leu G	GTTAGA TGCTCA AA GTG	CCGTAGG CAGGCCG GAG CTG Glu Leu	TTC CTGG CGG TGCC	TCCCGG CAGGCC ACC	60 120 180 231
45	GGG GAG Gly Glu				Pro H				Ala	279
50	CTG GGC Leu Gly									327
55	CGT GAC Arg Asp									375

5		GAG Glu 60	Ala															423
10		ATC																471
10		GAC Asp																519
15		AGC Ser																567
20		TAC Tyr																615
25		GGG Gly 140																663
30		TTC Phe																711
		GAC Asp																759
35		AAG Lys																807
40		GTG Val															٠	855
45	AGT Ser	TAC Tyr 220																903
50		AAC Asn																951
		TTC Phe																999
55	TGG	TGAA	GGCC	CAG 1	rgtgc	CAAA	G TO	TTCT	TCAT	CAA	CGÁC	AAG	AGTO	GACTO	GA A	GGTCG		1058

Trp

```
TCAGGAAGGC TCTGACAGTC ATTGATTTCA CCGAGGATGA AGTGGAGGAC CTGCTGAGCA
                                                                              1118
          TCGTGGCCAG CGTCCTTCAT TTGGGCAACA TCCACTTTGC TGCCAACGAG GAGAGCAATG
                                                                              1178
          CCCAGGTCAC CACCGAGAAC CAGCTCAAGT ATCTGAGCCC ATTCAGTATG CGGTGCCTGT
                                                                              1238
          TGTGAAATAC GACCGCAAGG GCTACAAGCC TCGCTCCCGG CAGCTGCTGC TCACGCCCAA
                                                                              1298
          CGCCGTCGTC ATCGTGGAGG ACGCCAAAGT CAAGCAGAGG ATTGATTACG CCAACCTGAC
                                                                              1358
          CGGAATCTCT GTCAGCAGCC TGAGCGACAG TCTTTTTGTG CTTCATGTAC AGCGTGCGGA
                                                                              1418
10
          CAATAAGCAA AAGGGAGATG TGGTGCTGCA GAGTGACCAC GTGATTGAGA CGCTGACCAA
                                                                              1478
          GACAGCCCTC AGTGCCAACC GCGTGAACAG CATCAACATC AACCAGGGCA GCATCACGTT
                                                                              1538
          TGCAGGGGGC CCCGGCAGGG ATGGCACCAT TGACTTCACA CCCGGCTCGG AGCTGCTCAT
                                                                              1598
          CACCAAGGCC AAGAACGGGC ACCTGGCTGT GGTCGCCCCA CGGCTGAATT CTCGGTGATA
                                                                             1658
          AAGGCGCCCA CTGGACCCTC CCAACGCCCA ATGCTTTGCT TTTCTCCTCC TCCCCTTCCC
                                                                             1718
         AGTTACCAAA GACTCGAACT TCCAGACAGG GACCCAGGGA CACCCCGAAG CCCACCTGCA
                                                                             1778
         ATCTCCCACC TCCTGCCCAT CCCTCTCTTG AGGGAGCAGC AGGGGCCAGG AGCTACCCCA
                                                                             1838
         GGAGTGGGCC AGGCCGGGCC ACAGCAATAG GAAAGCCAGG GCCAGAGCGA GCCATGCCAG
                                                                             1898
         CCCTACTGCC GATGCCAAAT ATTTGAGAGA AGGGAACTTT TGCTGAGGTT TTCTCTGAGG
                                                                             1958
20
         TITTITITGA TGCTTTATAG GAAACTATTT TTTAAAAAAA GCCATTTCCC ACCCAAGGAC
                                                                             2018
         ACAGTGGATG TGTTTTCCCT GACTCCAGCA GGGCAAGGAA ATGTAGCCGA GAGGTTGTGT
                                                                             2078
         GGGCTGGGCT CTGGTGCCCT CTTCCCTGGC CAGGACACCT CTCCTCCTGA TTCCCTTGGC
                                                                             2138
         ACCITGICIT TCTGTCTGTT TACCIGTCTC CCTGCCTGCC CATCTGCATC ITTTGCAGCC
                                                                             2198
         CACTCTGACT TCCATCTGGG GGCTGAGACC ACCCTTGCCT GCCCCCTTCT TTCTGCCTTA
                                                                             2258
25
         AGAATGTCCT TITAGGCTGG GCATGGTGGC TCACGCCTGT AACCCCAGCA CTTTGGGAGG
                                                                             2318
         CGGAGACGGG CAGATAACCT GAGGTCAGGA TTTCGAGACC AACCTGACCT ACATGGAGAA
                                                                             2378
         ACTCCGCCTC TGGTAAGGAT ACAAAATTAG CCGGGCATGG TGGTGCACGC CTCTAATCCC
                                                                             2438
         AGCTGCTCGG GAGGCTGAGG CAGGAGAATC ACTTGAACCC GGGAAGTGGA GGTTGCAGTG
                                                                             2498
         AGCCAAGAGT ACACCACTGC ACTCCAGCCT GGGCAACAGA GCGAGACTCC GTCTTAAAAA
                                                                             2558
30
                                                                             2560
         <210> 171
         <211> 267
         <212> PRT
35
         <213> Homo sapiens
         <400> 171
         Met Ala Leu Gln Val Glu Leu Val Pro Thr Gly Glu Ile Ile Arg Val
                      5 10
         Val His Pro His Arg Pro Cys Lys Leu Ala Leu Gly Ser Asp Gly Val
                                     25
         Arg Val Thr Met Glu Ser Ala Leu Thr Ala Arg Asp Arg Val Gly Val
                       40.
         Gln Asp Phe Val Leu Leu Glu Asn Phe Thr Ser Glu Ala Ala Phe Ile
                             55
         Gly Asn Leu Arg Arg Arg Phe Arg Glu Asn Leu lle Tyr Thr Tyr lle
         65 70 75
         Gly Pro Val Leu Val Ser Val Asn Pro Tyr Arg Asp Leu Gln Ile Tyr .
                                           90
         Ser Arg Gln His Met Glu Arg Tyr Arg Gly Val Ser Phe Tyr Glu Val
                   100 105
         Pro Pro His Leu Phe Ala Val Ala Asp Thr Val Tyr Arg Ala Leu Arg
               115 120
                                                      125
         Thr Glu Arg Arg Asp Gln Ala Val Met Ile Ser Gly Glu Ser Gly Ala
                       135
                                                 140
```

Gly Lys Thr Glu Ala Thr Lys Arg Leu Leu Gln Phe Tyr Ala Glu Thr

	145 150	155 160
5	Cys Pro Ala Pro Glu Arg Gly Gly Ala Val 165 170	Arg Asp Arg Leu Leu Gln 175
	Ser Asn Pro Val Leu. Glu Ala Phe Gly Asn 180 185	
	Asp Asn Ser Ser Arg Phe Gly Lys Tyr Met 195 200	Asp Val Gln Phe Asp Phe 205
10	Lys Gly Ala Pro Val Gly Gly His Ile Leu 210 215	Ser Tyr Pro Leu Glu Lys 220
	Ser Arg Val Val His Gln Asn His Gly Glu 225 230	
15	Thr Ser Cys Trp Arg Gly Ala Arg Arg Arg 245 250	
	Trp Asn Gly Thr Pro Arg Ala Ile Cys Thr 260 265	Trp
20	<210> 172 <211> 2650	·
	<pre>&lt;211</pre>	
	<220> <221> CDS	
25	<222> (116) (1216) <400> 172	
	CTTTTGCTGC TGCGCCCGGG CAGGGGCTGC CGCGGCC CGCGGTCCAG GCGGGAGGCG ACTCCCTAGG AAGGGAC	000 00000000000000000000000000000000000
30	TOUGHT BOTTONIA TOUGHT ACTUAL WARE	CUG GGGUGGGAGG AGGAA ATG 118  Met 1
	AGG CCG CGC GGA AGG AAG GCG GCG AGC CCC Arg Pro Arg Gly Arg Lys Ala Ala Ser Pro	GGG GCC CCG AGG CCT TGG 166
35	5 10	15
	CCG CGT CAC AGC ACC CAC ATG GCC TCT GGA ( Pro Arg His Ser Thr His Met Ala Ser Gly	GTG GGC GCG GCC TTC GAG 214
40	20 25	30
	GAA CTG CCT CAC GAC GGC ACG TGT GAC GAG : Glu Leu Pro His Asp Gly Thr Cys Asp Glu ( 35 40	Cys Glu Pro Asp Glu Ala
45	CCG GGG GCC GAG GAA GTG TGC CGA GAA TGC (	GGC TTC TGC TAC TGC CGC 310
	Pro Gly Ala Glu Glu Val Cys Arg Glu Cys ( 50	Gly Phe Cys Tyr Cys Arg 60 65
50	CGC CAT GCC GAG GCG CAC AGG CAG AAG TTC (	TC AGT CAC CAT CTG GCC 358
50	CGC CAT GCC GAG GCG CAC AGG CAG AAG TTC ( Arg His Ala Glu Ala His Arg Gln Lys Phe 1 70 75	CTC AGT CAC CAT CTG GCC 358 Leu Ser His His Leu Ala 80
50	Arg His Ala Glu Ala His Arg Gln Lys Phe I	eu Ser His His Leu Ala 80 CCG CCA GCT GAC GGA GAG 406

5			GGG Gly 100	Lys					Val					Glu			. •	454
			AGC Ser					Glu										502
10		Glu	GAA Glu				Thr											550.
15			AGT Ser			Asp											ţ	598
20 .			GCC Ala														6	646
<b>25</b>			ACT Thr 180														6	694
30	GCA Ala		AGA														1	742
			TAT Tyr														7	790
35			GGG Gly														8	838
40.			GAA Glu														. 8	386
<b>45</b>			TTG Leu 260														g	934
50			GAC Asp														g	982
			GTG Val														10	)30
55	ATC	CAA	GAG	GCA	ATG	GCC	ACA	GCT	CAT	GTG	AC <b>T</b>	GAG	ATA	CTG	GCA	GAC	10	78

F	Ile Gln Glu Ala Met Ala Thr Ala Hís Val Thr Glu Ile Leu Ala Asp 310 315 320	
5	ATC CAA TCC CAC ATG GAT AGG TTG ATG ACT CAG ATG GCC CAA GCC AAG Ile Gln Ser His Met Asp Arg Leu Met Thr Gln Met Ala Gln Ala Lys 325 330 335	1126
10	GAA CAA CTT GAT ACC TCT AAT GAA TCA GCT GAG CCA AAG GCA GAG GGC Glu Gln Leu Asp Thr Ser Asn Glu Ser Ala Glu Pro Lys Ala Glu Gly 340 345 350	1174
15	GAT GAG GAA GGA CCC AGT GGT GCC AGT GAA GAA GAG GAC ACA TGAAGGCTT Asp Glu Glu Gly Pro Ser Gly Ala Ser Glu Glu Glu Asp Thr 355 360 365	1225
20	GCTACCCCA GTGGAAAATC ATCCCCTCCC CTTGTGTGTA TGTGACAGCG TGTATGTAAC GGCTTCTGAT TTCTGTGAAA GCTGCTCAGC AACAAACGTA CTTCCACCAG ATGTGTCCCC AGATCCACAG CAGGCACATA TCTCTCCAAG GGATGACCAG TTTTATGCTT ACTGTGTGCT TCTCATCCCC TGGTTGTGGT AGGTCAAGGA AAAGAGCCCC TTTGATCCAC CAGGAGCAAT TAAGAAAGGT CCTTCAGGTA ATCCCTCAAT GGCTGCTTTG AACTTACTCA GGAAAGCCAG	1285 1345 1405 1465 1525
25	CCCCCATAAT ATTGTATTAC CAAACAGTAT CGCTTTGTTA GGAAGGATCT GGAATAATCT TGAAGGGAAG TCAGAGTTTT CTCCCTGCCT ATTAACAAAA ACCCAATTTT GTTCATATTG AAGCATGAAA TAAATGAGAG CAAGGTAGGG CCAAATTAAC TCTTGTGGAC AGTCCCTAAA AGTCCAGTTC TACATTTGTG AAAATTGTGG TGCCATGAAT TAAGATGGAT GACTGGAAAA AGGTGTTGGA GAAAGAGTTA AAGATGAGGA AGAGATATTT TTAGTATATG AAGTTATCCA	1585 1645 1705 1765 1825
30	GGACTTGATA TTCATAATTC AGTGCTGTGG AAATGAAAAA AATGATTGAA GAGGTGGAAC GGAAATGACC TTAGGGGGAA AAAAAAAGGAC CAAAGAAGTC TGATTAAAAG TTGAAATCAG TATTTCTGAA TTCAAATTGC TTGAATTTCC AAAATAGTCA GTAAAGGATC TAATAGAACC AGAATTATTT GGGTGAATTC TGCAGGTTTT ATGGGCTTGT CACAACCTGA AGGGCTGGAA TGTATATTAC CAAATGGGAA TTTCCATTGT AGGTTTTTGC TAGTCCCACC CCCATTTTAG	1885 1945 2005 2065 2125
35	CCTAATTTGG CTTAAACGCA GTATGGGGAG AATTGTTCCC ATTCCATGTG TTCTGAATTC AGCTCATCTC CCAGCATATA GATATATCCT CCTTTAACTC CGACCAGAAC CCTTCTTCCT GTGGCACTCC CCACCCATAG ACCTTCAGAT CATCTCCCAC ACCCTGGATC TCACTCTCCT CTTAGTAACA GAGACACTCC TGAGGTTGGA CTTCCTTGCT TTTCTCTACT TCCAAATCAC AATTTCTTAC AACCAAGCTT TGTGCTCCCG AGTAAGCAGG GATGTACTAG GGGAATGTAA AACTGCAAAC TTAAAAACCT GCATCTTCTT GAAGCATCAG TTTTACTTAC CAAATGGTTT	2185 2245 2305 2365 2425 2485
40	AGAGTCATAA GATGACCTAT TTTTATATAA AAGTTATATT ATAGAATAAA ATGTTCATAC GCATAGACTG TTAAG	2545 2560
45	<210> 173 <211> 367 <212> PRT <213> Homo sapiens	
	173 Met Arg Pro Arg Gly Arg Lys Ala Ala Ser Pro Gly Ala Pro Arg Pro  1 5 10 15 The Bro Arg Wig Ser The Wig Met Ala Ser Cly Vol Cly Ala Ala Pho	
50	Trp Pro Arg His Ser Thr His Met Ala Ser Gly Val Gly Ala Ala Phe 20 25 30 Glu Glu Leu Pro His Asp Gly Thr Cys Asp Glu Cys Glu Pro Asp Glu 35 40 45	
55	Ala Pro Gly Ala Glu Glu Val Cys Arg Glu Cys Gly Phe Cys Tyr Cys 50 55 60 Arg Arg His Ala Glu Ala His Arg Gln Lys Phe Leu Ser His His Leu	

```
70
                                                            75
                   Ala Glu Tyr Val His Gly Ser Gln Ala Trp Thr Pro Pro Ala Asp Gly
                                    85
                                                        90
                   Glu Gly Ala Gly Lys Glu Glu Ala Glu Val Lys Val Glu Gln Glu Arg
                                                   105
                   Glu Ile Glu Ser Glu Ala Gly Glu Glu Ser Glu Ser Glu Glu Glu Ser
                                               120
                   Glu Ser Glu Glu Glu Ser Glu Thr Glu Glu Glu Ser Glu Asp Glu Ser
10
                                           135
                                                               140
                   Asp Glu Glu Ser Glu Glu Asp Ser Glu Glu Glu Met Glu Asp Glu Gln
                                                           155
                                       150
                   Glu Ser Glu Ala Glu Glu Asp Asn Gln Glu Glu Gly Glu Ser Glu Ala
15
                                                       170
                   Glu Gly Glu Thr Glu Ala Glu Ser Glu Phe Asp Pro Glu Ile Glu Met
                                                   185
                   Glu Ala Glu Arg Val Ala Lys Arg Lys Cys Pro Asp His Gly Leu Asp
                                               200
20
                   Leu Ser Thr Tyr Cys Gln Glu Asp Arg Gin Leu Ile Cys Val Leu Cys
                                           215
                                                               220
                   Pro Val Ile Gly Ala His Gln Gly His Gln Leu Ser Thr Leu Asp Glu
                                      230
                                                         235
                   Ala Phe Glu Glu Leu Arg Ser Lys Asp Ser Gly Gly Leu Lys Ala Ala
25
                                   245
                                                      250
                  Met Ile Glu Leu Val Glu Arg Leu Lys Phe Lys Ser Ser Asp Pro Lys
                                                   265
                  Val Thr Arg Asp Gln Met Lys Met Phe Ile Gln Gln Glu Phe Lys Lys
                                               280
30
                  Val Gin Lys Val lle Ala Asp Glu Glu Gln Lys Ala Leu His Leu Val
                                          295
                                                              300
                  Asp Ile Glu Ala Met Ala Thr Ala His Val Thr Glu Ile Leu Ala
                                       310
                                                          315
                  Asp lle Gln Ser His Met Asp Arg Leu Met Thr Gln Met Ala Gln Ala
35
                                       325
                                                          330
                  Lys Glu Gln Leu Asp Thr Ser Asn Glu Ser Ala Glu Pro Lys Ala Glu
                                                       345
                  Gly Asp Glu Glu Gly Pro Ser Gly Ala Ser Glu Glu Glu Asp Thr
                          355
                                               360
                                                                   365
                  <210> 174
                  <211> 41
                  <212> DNA
                  <213> Artificial Sequence
45
                  <223> Description of the artificial sequence: a synthetic DNA
                 . <400> 174
                  ttaagcitgc caccatgagc aaccccagcg ccccaccacc a
                                                                              41
50
                  <210> 175
                  <211> 29
                  <212> DNA
                  <213> Artificial Sequence
55
                  <220>
```

	(223) Description of the artificial sequence:a synthetic DN/	1
5	<b>&lt;400&gt;</b> 175	
-	gtatcgattt aattgcgatc ccccatcag	29
	176	
	<211> 24 · · · · · · · · · · · · · · · · · ·	
10	<212> DNA	
	<213> Artificial Sequence	
	⟨220⟩	
	<223> Description of the artificial sequence: a synthetic DNA	ı
15	<400> 176	
	cacctactgtatgacaccacattc	4
	<210> 177	
	(211) 24	
20	<212> DNA	
	<213> Artificial Sequence	
	⟨220⟩	
	<223> Description of the artificial sequence:a synthetic DNA	
?5	<400> 177	
	gagatgctgticcatgctggcctg	24
	<210> 178	
30	(211) 24	
-	(212) DNA	
	<213> Artificial Sequence	
	(220)	
	<223> Description of the artificial sequence: a synthetic DNA	
35	<400> 178	
	ggaaagctctccgtggctaacaag	24
	9944-9010100001000000	24
	<b>&lt;210&gt; 179</b>	
	(211) 24	
10	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> Description of the artificial sequence: a synthetic DNA	
15		
	<400> 179 .	
	catagtccttgacaagggtcacag	24
	<210> 180	
50	⟨211⟩ 22	
	<212> DNA	
	<pre>&lt;213&gt; Artificial Sequence</pre>	
	⟨220⟩	
	(223) Description of the artificial sequence: a synthetic DNA	
55	**************************************	
	ZADDN 100	

	cccatcaccatcttccaggagc	22
5	<210> 181 <211> 26	
	<212> DNA	
	<213> Artificial Sequence <220>	
0	<223> Description of the artificial sequence:a synthetic I	)NA
	<400> 181	
	ttcaccaccttcttgatgtcatcata	26
5		

#### Claims

25

35

40

- A DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 147, 149, 151, 153, 155, I57, 168, 170 and 172.
  - 2. A shear stress-responsive DNA capable of hybridizing with a DNA having the nucleotide sequences represented by SEQ ID NO:143, 145, 149, 151, 153, 155, 157, 168, 170 or 172 under stringent conditions.
  - 3. A shear stress-responsive DNA capable of hybridizing with a DNA having the nucleotide sequence represented by SEQ ID NO:147 under stringent conditions, and having not less than 90% homology with the DNA.
- 4. A DNA having the same sequence as 5 to 60 consecutive bases in a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 149, 153, 155, 157, 168, 170 and 172, or a DNA having a sequence complementary to the DNA.
  - A method for detecting an mRNA for a shear stress-responsive gene using a DNA according to any one of claims 1 to 4.
  - 6. A diagnostic agent for vascular diseases caused by arteriosclerosis which contains a DNA according to any one of claims 1 to 4.
  - 7. A method for detecting a gene causative of arteriosclerosis using a DNA according to any one of claims 1 to 4.
  - 8. A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using a DNA according to any one of claims 1 to 4.
- A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a DNA according to any one of claims 1 to 4.
  - 10. A therapeutic agent for vascular diseases caused by arteriosclerosis which contains a DNA according to any one of claims 1 to 4.
- 11. A recombinant virus vector containing a DNA according to any one of claims I to 4.
  - 12. A recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA according to any one of claims 1 to 4.
- 13. A DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO: 111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139 and 141.
  - 14. A shear stress-responsive DNA capable of hybridizing with the DNA according to claim 13 under stringent condi-

tions.

5

20

25

30

45

50

- 15. A DNA having the same sequence as 5 to 60 consecutive bases in a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139 and 141, or a DNA having a sequence complementary to the DNA.
- A diagnostic agent for vascular diseases caused by arteriosclerosis which contains a DNA according to any one
  of claims 13 to 15.
- 17. A method for detecting a gene causative of arteriosclerosis using a DNA according to any one of claims 13 to 15.
  - 18. A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using a DNA according to any one of claims 13 to 15.
- 19. A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a DNA according to any one of claims 13 to 15.
  - 20. A method for detecting an mRNA for a shear stress-responsive gene using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
  - 21. A method for identifying the apoptosis sensitivity of cells by detecting the endogenous transcription level of a DNA having the nucleotide sequence represented by SEQ ID NO:7 using a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7:
  - 22. A method for suppressing or promoting the apoptosis of cells by regulating the endogenous transcription or translation of a DNA having the nucleotide sequence represented by SEQ ID NO:7 using a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, or an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs.
- 23. A diagnostic agent for vascular diseases caused by arteriosclerosis which contains a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
- 24. An agent for identifying the apoptosis sensitivity of cells which contains a DNA having the nucleotide sequence represented by SEQ ID NO:7, or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7.
  - 25. A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
  - 26. A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
  - 27. A method for screening an agent for suppressing or promoting the apoptosis of cells by regulating the endogenous transcription or translation of a DNA having the nucleotide sequence represented by SEQ ID NO:7 using a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7.
  - 28. A therapeutic agent for vascular diseases caused by arteriosclerosis which contains a DNA having a nucleotide

### EP 1 225 224 A1

sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.

- 29. An agent for suppressing or promoting the apoptosis of cells which contains a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, or an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs.
- 30. A recombinant virus vector containing a DNA having a nucleotide sequence selected from the nucleotide sequence es represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
- 31. A recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
- 32. A therapeutic agent for vascular diseases caused by arteriosclerosis which contains a recombinant virus vector according to claim 30 or 31.
  - 33. A method for suppressing the apoptosis of cells using a recombinant virus vector containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, or a recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA having the nucleotide sequence represented by SEQ ID NO:7.
  - 34. A method for screening an agent for suppressing or promoting the apoptosis of cells using a recombinant virus vector containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, or a recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA having the nucleotide sequence represented by SEQ ID NO:7.
  - 35. A protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO: 144, 146, 148, 150, 152, 154, 156, 158, 169, 171 and 173.
  - **36.** A protein comprising an amino acid sequence in which one or more amino acids are deleted, replaced or added as compared with the amino acid sequence possessed by the protein according to claim 35, and having an activity participating in the formation of an arteriosclerotic lesion.
- 40 37. A DNA encoding a protein according to claim 35 or 36.

25

30

35

- 38. A recombinant DNA obtained by inserting a DNA according to any one of claims 1-4 and 37 into a vector.
- 39. A transformant obtained by introducing the recombinant DNA according to claim 38 into a host cell.
- 40. A process for the preparation of a protein which comprises culturing the transformant according to claim 39 in a culture medium, causing a protein according to claim 35 or 36 to be produced and accumulated in the culture medium, and harvesting the protein from the resulting culture.
- 41. A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis which comprises culturing the transformant according to claim 39 in a culture medium and using the resulting culture for the screening.
- **42.** A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a protein according to claim 35 or 36.
  - 43. A recombinant virus vector capable of producing a protein according to claim 35 or 36.

#### EP 1 225 224 A1

- 44. A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the recombinant virus vector of claim 43.
- 45. An antibody capable of recognizing a protein according to claim 35 or 36.

5

20

35

45

50

- 46. A method for detecting a protein according to claim 35 or 36 immunologically, using the antibody according to claim 45.
- 47. A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using the antibody according to claim 45.
  - **48.** A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using the antibody according to claim 45.
- 49. A diagnostic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to claim 45.
  - **50.** A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to claim 45.
  - 51. A drug delivery method which comprises combining the antibody of claim 45 with a radioactive isotope, a protein or a low-molecular-weight agent, and delivering the resulting conjugated antibody to an arteriosclerotic lesion.
- **52.** An antibody capable of recognizing a protein having an amino acid sequence represented by SEQ ID NO: 112, 114, 118, 120, 122, 124, 126, 128, 136, 138, 140 and 142.
  - 53. A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using the antibody according to claim 52.
- 30 54. A method for screening an agent for suppressing the transcription or translation of a shear stress-responsive gene using the antibody according to claim 52.
  - 55. A diagnostic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to claim 52.
  - 56. A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to claim 52.
- 57. A drug delivery method which comprises combining the antibody of claim 52 with a radioactive isotope, a proteinor a low-molecular-weight agent, and delivering the resulting conjugated antibody to an arteriosclerotic lesion.
  - 58. A method for screening an agent capable of binding specifically to a protein having the amino acid sequence represented by SEQ ID NO:8 and effective for suppressing or promoting the apoptosis of cells, using a protein having the amino acid sequence represented by SEQ ID NO:8.
  - 59. A method for screening an agent for suppressing or promoting the apoptosis of cells which comprises inserting a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA encoding a protein having the amino acid sequence represented by SEQ ID NO:8, into a vector; introducing the resulting recombinant DNA into a host cell; culturing the resulting transformant in a culture medium; and using the resulting culture for the screening.
  - **60.** A recombinant virus vector capable of producing a protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 and 110.
  - **61.** A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the recombinant virus vector according to claim 60.

#### EP 1 225 224 A1

- **62.** A method for suppressing the apoptosis of cells using a recombinant virus vector capable of producing a protein having the amino acid sequence represented by SEQ ID NO:8.
- 63. An agent for suppressing the apoptosis of cells which contains a recombinant virus vector capable of producing a protein having the amino acid sequence represented by SEQ ID NO:8.

10

15


25


40


45


50

- 64. A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.
- 65. A method for screening an agent for suppressing or promoting the transcription or translation of a shear stress-responsive gene using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.
- **66.** A method for regulating the apoptosis of cells using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
- 20 67. A method for screening an agent for regulating the apoptosis of cells using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
  - 68. A method for identifying the apoptosis sensitivity of cells by detecting the expression level of a protein having the amino acid sequence represented by SEQ ID NO:8 using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
  - 69. A method according to any one of claims 21, 22, 27, 33, 34, 58, 59, 62, 66, 67 and 68 wherein the cells are vascular endothelial cells.
- 70. A diagnostic agent for vascular diseases caused by arteriosclerosis which contains an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.
- 71. An agent for identifying the apoptosis sensitivity of cells which contains an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO.8.
  - 72. A therapeutic agent for vascular diseases caused by arteriosclerosis which contains an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.
    - 73. An agent for regulating the apoptosis of cells which comprises an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
    - 74. An agent for suppressing or promoting the apoptosis of cells which is obtained by a method according to any one of claims 27, 34, 58, 59 and 67.
  - 75. An agent according to any one of claims 24, 29, 63, 71, 73 and 74 wherein the cells are vascular endothelial cells.
  - 76. A drug delivery method which comprises combining an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110, with a radioactive isotope, a protein or a low-molecular-weight agent, and delivering the resulting conjugated antibody to an arteriosclerotic lesion.













FIG.6A



Time after induction (h)
Anti-Fas conc.(100 ng/ml)

# FIG.6B




FIG.7A





FIG.7B



4RS-041	⊣	1 MSNPSAPPPYEDRNPLYPGPLPPGGYGQPSVLPGGYPAYPGYPQ 44	4
T.			40
	45	45PGYGHPAGYPQPMPPTHPMPMNYGPGHGYDGEERAVSDSFGP. 86	86
·	41		96
	87	GEWDD	13
	91	SAGMTKKVRRVFVRKVYTILLIQLLVTLAVVALFTFCDPCQGLCSGQPGW 14	74
	137	137 YYVSYAVFVVTYLILACCQGPRRRFPWNIILLTLFTFAMGFMTGTISSMY 1	18
	141	YWASYAVFFATYLTLACCSGPRRHFPWNLILLTVFTLSMAYLTGMLSSYY 1	19
. ,	187	187 QTKAVIIAMIITAVVSISVTIFCFQTKVDFTSCTGLFCVLGIVLLVTGIV 23	23
	191		24
	237		28
•	241	241 LAILLPFOYVPWLHAVYAALGAGVFTLFLALDTQLLMGNRRHSLSPEEYI 2	29
	287	287 TGALQIYTDIIYIFTFVLQLMGDRN. 311	
	291		

International application No.

PCT/JP00/06840

A. CLAS	SSIFICATION OF SUBJECT MATTER			
	C12N15/12, C07K14/435, 1 C12Q1/68, A61K38/00, 39/ G01N33/50, 33/53,	6/18, C12P21/02, 395, 48/00, A61P9/10,		
According	to International Patent Classification (IPC) or to both	national classification and IPC		
B. FIELI	DS SEARCHED			
Minimum Int	documentation searched (classification system follow . C1 <sup>7</sup> C12N15/11-15/62, C07K14/	ed by classification symbols) 00-14/825		
	tion searched other than minimum documentation to	•		
	data base consulted during the international search (n Bank/EMBL/DDBJ/GeneSeq, SwissPro SIS (DIALOG), WPI (DIALOG)	ame of data base and, where practicable, see DL/PIR/GeneSeq,	urch terms used)	
c. Docu	MENTS CONSIDERED TO BE RELEVANT			
Category*	Citation of document, with indication, where	appropriate, of the relevant passages	Relevant to claim No.	
x	WO, 99/14327, A2 (GENENTECH, 25 March, 1999 (25.03.99), especially, PRO246, FIG.26 FIG.27 (Accession No.Y05286) & AU, 9893121, A & ZA, 980	(Accession No.X28436),	2,4,11,12, 36-40,43, 45,46	
x	WO, 99/14328, A2 (GENENTECH, 1 25 March, 1999 (25.03.99), especially, FIGURE 16 (Accessi FIGURE 17 (Accession No.Y13351 & ZA, 9808460, A & AU, 9891 & EP, 1027434, A2	lion No.X52221),	2,4,11,12, 36-40,43, 45,46	
x	US, 5942606, A (INCYTE PHARMAC 24 August, 1999 (24.08.99), especially, SEQ ID NO:2 (Acces SEQ ID NO:1 (Accession No.Y270 (Family: none)	sion No.X87000)	2,4,11,12, 36-40,43, 45,46	
P,X	WO, 99/58660, A1 (HUMAN GENOME 18 November, 1999 (18.11.99),	SCIENCES, INC.),	2,4,11,12, 36-40,43,	
	documents are listed in the continuation of Box C.	See patent family annex.		
Special categories of cited documents:  'A'  'A'  'A'  document defining the general state of the art which is not  considered to be of particular relevance  earlier document but published on or after the international filing  date  document which may throw doubts on priority claim(s) or which is  cited to establish the publication date of another citation or other  special reason (as specified)  document referring to an oral disclosure, use, exhibition or other  means  P'  document published prior to the international filing date but later  than the priority date claimed		"A"  "A"  "A"  "Ocument of particular relevance; the cit considered novel or cannot be considere step when the document is taken alone document of particular relevance; the cit considered to involve an inventive step vermbined with one or more other such decombation being obvious to a person s document member of the same patent far	ment of particular refevance; the claimed invention cannot be idered to involve an inventive step when the document is blined with one or more other such documents, such bination being obvious to a person skilled in the art ment member of the same patent family	
vate of the ac 19 De	nual completion of the international search ecember, 2000 (19.12.00)	Date of mailing of the international search 26 December, 2000 (26	report (.12.00)	
Name and mailing address of the ISA/ Japanese Patent Office		Authorized officer		
Facsimile No.		Telephone No.		

International application No.
PCT/JP00/06840

	ation). DOCUMENTS CONSIDERED TO BE RELEVANT			
Category*	Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim N			
	especially, SEQ ID NO:39 (Accession No.Z65278) SEQ ID NO:291 (Accession No.Y76303) & AU, 9938831, A	, 45,46		
P,X	WO, 00/11015, A1 (ALPHAGENE, INC.), 02 March, 2000 (02.03.00), especially, SEQ ID NO:37 (Accession No.A23441) SEQ ID NO:38 (Accession No.Y94999) & AU, 9957847, A	2,4,11,1 36-40,43 45,46		
P,X	WO, 00/15666, A2 (GENENTECH, INC.), 23 March, 2000 (23.03.00), especially, FIGURE 15 (Accession No.A30052), FIGURE 16 (Accession No.Y88574) & AU, 9958167, A	2,4,11,1; 36-40,43 45,46		
A	TOPPER, James N. et al., "Blood flow and vascul expression: fluid shear stress as a modula endothelial phenotype", Molecular Medicine January, 1999, Volume 5, Number 1, pages 40-46	tor of 35-50		
A	ANDO, Joji et al., "Flow-dependent Regulation of Expression in Vascular Endothelial Cells", Japanes Journal, January, 1996, Volume 37, Number 1, 19			
l				
}	•			
ĺ				
ŀ	·			
ĺ				
	•			
DCT/ICA	/210 (continuation of second sheet) (July 1992)			

International application No.

PCT/JP00/06840

Box I Observations at	_
Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)	
This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reason	<del></del>
1. Claims Nos.: 22,33,51,57,66,69,76 because they relate to subject matter not required to be searched by this Authority, namely:	
The inventions as set forth in claims 22, 33, 66 and 69 relate to "methods finhibiting, promoting or controlling cell apoptosis". As stated in the description these methods are performed for therapy in the human body. Therefore, these inventions pertain to methods for treatment of the human body by therapy. Therefore inventions as set forth in claims 51, 57 and 76 relate to "drug delivery method for inducing a fused antibody comprising an antibody bonded to a drug into arteriosclerotic focus" which are to be performed in the human body in therapy by therapy.	n, he ds
2. Light Claims Nos.:  because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:	
	۱
3. Claims Nos.;	-1
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).	-
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)	4
This International Searching Authority found multiple inventions in this international application, as follows:	┚
See extra sheet.	7
	1
	1
	ı
	ı
1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.	
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.	
<ol> <li>As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:</li> </ol>	ŀ
	ı
	1
No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:	
The inventions as set forth in claims which relate to the base someone.	1
represented by SEQ ID NO:143 or the amino acid sequence represented by SEQ ID NO:144	
temark on Protest	ı
No protest accompanied the payment of additional search fees.	
rm PCT/ISA/210 (continuation of first short (1)) (Inh. 1902)	

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1992)

International application No.

PCT/JP00/06840

## Continuation of Box No.II of continuation of first sheet (1)

The requirement of unity of invention in international application (PCT Rule 13.1) is not satisfied unless there is a technical relationship between a group of inventions as set forth in claims involving one or more of the same or corresponding special technical feature. The term "special technical feature" means a technical feature clearly showing the contribution achieved by the inventions as set forth in the claims as a whole (PCT Rule 13.2). The requirement of unity of invention is judged without considering whether the group of inventions are described in separate claims or in a single claim in the alternative form (PCT Rule 13.3).

or in a single claim in the alternative form (PCT Kule 13.3).

In the present case, the inventions relating to the base sequences represented by SEQ ID NOS: 143, 145, 147, 149, 151, 153, 155, 157, 168, 170, 172, 111, 113, 117, 119, 121, 123, 125, 127, 135, 137, 139, 141, 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, and 109 (or the amino acid sequences represented by SEQ ID NOS:144, 146, 148, 150, 152, 154, 156, 158, 169, 171, 173, 112, 114, 118, 120, 122, 124, 126, 128, 136, 138, 140, 142, 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 and 110) or the base sequences represented by SEQ ID NO:115,116, 129, 130, 131, 132, 133 and 134 have a matter in common "DNA the expression of which is induced by a shear stress stimulus in hemoendothelial cells". However, there had been publicly known endothelin-1, monocyte chemotactic protein-1, etc. as "DNA the expression of which is induced by a shear stress stimulus in hemoendothelial cells", as the applicant recognizes. Therefore, it can be concluded that there is no "special technical feature" common to the inventions relating to the above-described base sequences (or amino acid sequences) as set forth in the claims.

Such being the case, the claims involve 86 separate inventions respectively relating to the base sequences represented by SEQ ID NOS: 143, 145, 147, 149, 151, 153, 155, 157, 168, 170, 172, 111, 113, 117, 119, 121, 123, 125, 127, 135, 137, 139, 141, 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109 (or the amino acid sequences represented by SEQ ID NOS:144, 146, 148, 150, 152, 154, 156, 158, 169, 171, 173, 112, 114, 118, 120, 122, 124, 126, 128, 136, 138, 140, 142, 2, 4, 6, 8, 10, 12, 14, 16, 16, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 and 110) or the base sequences represented by SEQ ID NO:115,116, 129, 130, 131, 132, 133 and 134.

Form PCT/ISA/210 (extra sheet) (July 1992)